

## Index

- Advection of pre-stress, 386, 388  
 Aftershock, 108, 112, 208, 357, 367, 425  
   Aftershock sequence, 108, 151, 184, 208, 357  
 Alaska, 12, 14, 24, 35, 353, 355–358, 361–362, 376, 398, 408  
 Allerød, 270  
 Alps, 14, 177, 179, 288  
 Anisotropy, 56–60  
 Antarctica, 12, 14, 30, 367, 374–376, 398, 423–425  
 Anticline, 44, 52, 77  
 Applied geophysics, 118  
 Arctic, 14, 160, 367, 369, 372, 375–376  
 Asthenosphere, 356, 409  
 Atlantic, 178, 191, 200, 288, 406, 422  
 Australia, 210, 421
- Baffin Bay, 12  
 Baffin Island, 12, 367, 420  
 Bagley Ice Valley, 354, 358–359  
 Ball-and-pillow structures, 68, 70, 249, 311, 325  
 Balleny Islands, 374  
 Baltic Basin, 139, 221, 227, 229  
 Baltic Sea, 14, 73, 136, 138, 273, 288, 290–291, 296, 304–305, 321, 323, 325–326, 328–330  
 Baltic Sedimentary Basin, 321, 329, 332  
 Baltic Shield, 120  
 Banding, 6–7, 75  
 Barents Sea, 231, 247, 372, 376  
 Basal peat, 144, 231, 236  
 Beach ball, 110, 113, 355  
 Bedding, 6–7, 71  
   Convolute bedding, 68, 70, 72, 77, 144  
 Bedrock, 4, 6, 48, 60, 74, 92, 96, 120, 123, 125–126, 140–141, 146–147, 155, 158–159, 167, 189, 201, 204, 206, 236, 238, 249, 254, 264, 274, 332, 341, 345–350, 376, 422, 424–425  
   Bedrock surface, 121, 123, 127, 130, 147, 348  
   Striated bedrock, 3  
 Belarus, 261, 323–324, 327, 330–331  
 Belgium, 68, 288  
 Bending, 33, 188, 264, 372, 406–407, 409–410  
 Blanc-Sablon, 342, 348
- Boothia Peninsula, 367–368  
 Borehole, 60, 130, 153, 159–160, 162–167, 184–185, 233, 267, 272, 274, 277, 405, 410, 424  
 Bothnian Bay, 185, 188, 211  
 Boundary condition, 385–388, 394–396, 398, 406–407  
 British Isles, 10, 12, 14, 367, 375, 397  
 Buried tunnel valleys, 267
- Caledonides, 160, 178  
 California, 21, 362  
 Cambrian, 202  
 Canada, 9–10, 12–14, 68, 153, 341–343, 345, 348–350, 367–369, 383, 404, 420–421  
 Canadian Shield, 14, 343, 375, 421  
 Canyon, 252  
 Carbon capture storage, 61, 422  
 Carboniferous, 286, 321  
 Central European Basin System, 286  
 Charlevoix–Kamouraska Seismic Zone, 342  
 Checklist, 6–7, 15  
 China, 210, 421  
 Classification, 4, 6, 10, 15, 46, 53, 90, 106  
 Clastic dyke, 68, 71, 75, 77, 294  
 Climate adaptation, 277  
 Climate change, 370, 372, 375  
 Coefficient of friction, 21–23, 27, 35, 389  
 Compression, 24, 52, 80, 100, 110–113, 154, 178, 184–185, 257, 264, 276, 288, 305, 309, 329, 354, 356, 422  
 Core-mantle boundary, 384, 410  
 Coring, 161–163, 221  
 Correlation, 52–53, 59, 105, 182, 184, 188, 190, 250, 267, 271, 357, 393  
 Craton, 181, 309, 369  
 Creep, 73, 144, 388  
 Cretaceous, 274, 288–289, 295–296, 308  
 Crevasse, 56, 58, 136, 242, 309–310  
 Criteria, 4–7, 10, 15, 70, 78–79, 102, 144, 314, 332, 384, 397  
   Mogi–von Mises criterion, 384  
 Cross-section, 155, 157, 251, 256, 296, 309

- Crust, 391  
 Upper crust, 32, 128, 130, 191  
 Crustal thickness, 154, 190–191, 341  
 Crustal weakness, 189  
 Cryospheric change, 354, 356, 358, 362  
 Cryoturbation, 60, 75, 77, 79  
 Crystalline basement, 159, 167, 247, 254, 309,  
 321–322  
 Cuesta, 343–345
- DAFNE, 153, 159–162, 165–167, 424–425  
 Danish–Polish Basin, 265  
 Dating, 41  
<sup>14</sup>C dating, 204–206, 231, 233, 236, 238, 254, 256  
 Geomorphic dating, 134, 136, 139  
 Indirect dating, 143, 145  
 Radiocarbon dating, 11, 250, 253, 420  
 Stratigraphic dating, 140, 142  
 Surface exposure dating, 11, 145, 147
- Deep biosphere, 159
- Deformation  
 Brittle deformation, 68, 72, 74, 154, 163, 313  
 Crustal deformation, 425  
 Glaciotectonic deformation, 74, 80, 348  
 Seismic deformation, 252, 376  
 Tectonic deformation, 46, 48, 190, 332
- Deformation band, 77, 79–80, 293–294, 296
- Deformation zone, 119–120, 127, 154, 178, 181–182,  
 191, 255  
 Kuusamo–Kandalaksha deformation zone, 178, 181
- Deglaciation, 3, 9, 11–13, 24, 27, 29, 32–33, 35–36,  
 44–45, 53, 59–60, 115, 128, 133, 135–136, 138,  
 140–142, 145, 147, 155, 157–159, 165, 167,  
 188, 190, 199, 206, 212, 218, 221–225, 227,  
 229, 236, 239, 242, 252, 254, 257, 264, 269,  
 271, 273, 276–277, 289, 294–295, 312, 332,  
 341, 343, 350, 353, 366–367, 375, 383, 394,  
 411, 419–420, 423, 425
- Delineation, 45
- DEM see digital elevation model
- Denmark, 13–14, 33, 48, 50–51, 59, 68, 73, 77,  
 178–179, 181–182, 184–185, 189, 261,  
 263–267, 269, 276–277
- Density contrast, 188, 388, 403, 408
- Deposition, 6–7, 71, 78, 135, 202, 239, 267, 330,  
 422
- Depositional loading, 68, 70–71, 73, 79–80
- Depression, 46, 50, 56, 59, 75, 136, 202, 246, 254,  
 272, 276, 308, 312  
 Lake Ekostrovskaya Imandra depression 252
- Devon Island, 367
- Devonian, 332
- Diapir, 56, 78, 275, 285, 305, 308–309, 326, 330
- Differential compaction, 5–7, 274
- Digital elevation model (DEM), 49, 52, 54–58, 60,  
 89–90, 92–94, 96–97, 133–134, 136, 139, 221,  
 231, 236, 238–239, 248, 263, 270, 277, 344,  
 349–350, 421
- Dip, 23, 27, 30, 33, 35, 48, 94, 109, 124–128, 130,  
 147, 157, 160, 163, 167, 182, 202–203, 207,  
 210–211, 236, 238, 343, 345, 347, 357, 389,  
 396–397
- Dip-moveout correction, 203, 205
- Discernibility, 349, 424
- Dish-and-pillar structure, 68, 71
- Dislocation, 111, 247, 250–251, 254, 332
- Displacement, 6–7, 9, 14, 35, 73, 77, 95–96, 101, 111,  
 136, 138–139, 142, 159, 164, 199, 202, 209,  
 211, 227–228, 233, 238–239, 242, 246–247,  
 251, 253–257, 266, 271, 274, 293–294, 304,  
 332, 345, 348, 358, 375, 386–388, 395–396,  
 410–411, 421
- Disruption, 5–6
- Disturbance, 6, 233, 246–247, 250, 253, 324
- Downthrow, 92, 94
- Drainage, 7, 44, 46, 49, 52, 59, 136, 141, 208, 223,  
 254, 269–271, 274
- Drilling, 14, 41, 48, 118, 125–126, 140, 145, 151,  
 153–154, 159–163, 165–167, 202, 231, 233,  
 236, 238, 246–247, 424–425
- Drumlin, 54, 56–58, 350
- Dwasieden, 77, 293
- Earth  
 Earth's crust, 21, 100, 102, 106, 111, 304, 330,  
 332, 404  
 Earth's surface, 3, 25, 100, 103, 111–112, 285, 384
- Earth model, 356, 385, 387, 410, 412
- Earthquake  
 Alaska earthquake, 356  
 Bielefeld earthquake, 294  
 Charleston earthquake, 59  
 Earthquake epicentre, 68, 72, 78, 106–108, 201,  
 285, 305, 309, 314, 322–323, 342, 357, 368,  
 370–371, 373–374  
 Earthquake hazard, 284, 362  
 Earthquake-induced landform, 44–48, 61  
 Earthquake-related shock, 308  
 Glacial earthquake, 58, 329–330  
 Historical earthquake, 179, 210, 218, 250–251, 285,  
 289–290, 293–294, 296, 305, 313–314, 323,  
 342, 423  
 Kaliningrad earthquake, 265, 321, 324  
 Kattegat earthquake, 180–181, 265  
 Low-frequency earthquake, 425  
 Lurøy earthquake, 180–181  
 Osmussaare earthquake, 321  
 Palaeoearthquake, 53, 240, 321, 424  
 Rostock Earthquake, 290  
 Rotenburg Earthquake, 290–291, 293  
 Soltau Earthquake, 290–291, 293  
 St. Elias earthquake, 357  
 Tectonic earthquake, 100, 111, 285, 360  
 Ungava earthquake, 9, 12, 343, 345, 348, 420, 424
- East European Craton, 178, 305, 321, 323
- Eastern Baltic Region, 320–325, 329, 332

- Elbe Line, 285, 296  
 Electromagnetics, 124, 129–130  
 Ellesmere Island, 369  
 Elsterian glaciation, 287, 304  
 Equation  
   Poisson's equation, 385–386, 396  
   Sea level equation, 396  
 Equation of motion, 387  
 Erosion, 5–6, 20, 44–46, 163, 211, 267, 344, 409–410, 422, 425  
   Glacial erosion, 7, 45, 96, 133, 199, 422  
 Erratic, 3  
 Escarpment, 5, 49, 208, 270, 374  
 Esker, 56, 58, 135–136, 139, 202, 225  
   Esker collapse, 55–56, 58, 236, 241  
 Estonia, 184, 261, 321, 323, 325, 328–330, 332  
 Europe, 14  
   Central Europe, 8, 45, 60, 70, 261, 276, 283  
   Northern Europe, 4, 10, 153, 178–179, 184–185, 188–189, 264, 276, 366–367, 375, 391–392, 398, 407–408, 410, 419, 422, 424  
 Excavation, 118, 140, 142, 221, 227, 240, 327  
 Extension, 52, 79, 178, 185, 191, 288–289, 295, 329, 344–345, 348, 391, 408, 410, 422
- Fault  
 Aller Valley Fault, 291, 293  
 Aspy Fault, 348  
 Basement fault, 12, 44, 79, 285, 289–290, 294, 296, 309, 312  
 Bedrock fault, 48–49, 233, 347  
 Bollnäs Fault, 8, 13, 119, 122–124, 126, 134, 142, 220  
 Boundary fault, 12, 49, 271  
 Burträsk Fault, 119, 127–129, 134, 153, 180–181, 200, 211, 219  
 Børglum Fault, 8, 13, 33, 271  
 Carlsberg Fault, 274  
 Chuna Fault, 248, 252  
 Deep-seated faults, 50, 267, 273, 289  
 Fairweather Fault, 353, 356  
 Fault array, 44, 287  
 Fault displacement, 14, 332  
 Fault geometry, 111, 233–234, 238  
 Fault orientation, 21–23, 359, 366  
 Fault parameter, 115, 208, 423  
 Fault plane, 21–23, 33, 94, 108–109, 111–112, 114, 129, 146, 182, 343, 355  
 Fault property, 21, 165  
 Fault reactivation, 4, 11–12, 14, 23, 29, 275–276, 285, 289, 294, 296, 409, 423  
 Fault rupture, 79, 106, 134–136, 139–142, 147–148, 221–222, 227, 229, 240, 343, 420–421, 424  
 Fault scarp, 5–7, 9, 14, 44–46, 48, 53, 58–60, 90–92, 96, 125–128, 133, 135, 139, 142, 145–147, 152, 158, 160, 164, 167, 182, 199, 201–202, 212, 218–219, 221–224, 226–227, 229, 233, 236, 243, 247, 341, 344, 347, 349–350, 369, 373, 421  
 Fault segment, 5, 48, 92, 96, 126, 136, 138, 140, 142, 206–208, 211, 222, 224, 227, 229, 233, 237, 239–240, 252, 254  
 Fault slip, 14, 35, 92, 101, 361–362, 366, 381, 384, 394–395, 397–398  
 Fault stability, 21, 23, 29, 33, 36, 357, 359, 361, 384, 397–398, 411  
 Fault stability margin, 383  
 Fault structure, 14, 107, 153, 257, 384, 395, 408  
 Fault surface, 14, 21, 100, 147, 384, 394, 398  
 Fault zone, 43–44, 46, 108, 118, 124–130, 133, 139–140, 159, 162–166, 182, 191, 199, 202–203, 207, 233, 236, 242, 247, 251–252, 254, 256–257, 263, 266, 274, 276–277, 287–288, 309, 311, 322, 324, 332, 368–369, 409, 425  
 Garwood Valley Fault, 375  
 Geelen Fault, 288  
 Harz Boundary Fault, 292–293, 295–296  
 Ismunden Fault, 134, 220  
 Kerlingar Fault, 32, 371–372, 375  
 Keyhole Ridge Fault, 375  
 Lainio Fault, 134, 219–220, 222, 224, 227, 229  
 Laisvall Fault, 134, 200, 202, 220  
 Langeland Fault, 291, 293, 296  
 Lansjärv Fault, 8–9, 11, 119, 122, 125–126, 134, 138, 142, 153, 200, 211, 219, 221, 227, 229  
 Lillsjöhögen Fault, 134, 220  
 Long Lake Fault, 343, 345–346  
 Lower Hidden Valley Fault, 375  
 Merasjärvi Fault, 134, 153, 219, 222–223, 227, 229, 241  
 Non-optimally orientated fault, 22–23, 36, 384, 423  
 Nordmannvikkaldalen Fault, 134, 198–200, 208–209, 345  
 Normal fault, 26, 75–76, 127, 181, 209, 247, 255, 270, 287, 294–295, 323, 345, 348, 371  
 North Anatolian Fault, 110  
 Optimally orientated fault, 22–23, 26–27, 29–30, 33, 35, 384  
 Pre-existing fault, 3, 309, 367, 375–376, 394, 410, 422  
 Prerow Fault, 291, 293  
 Pärvie Fault, 11, 14, 27, 41, 48, 119, 121, 127, 129, 134–135, 146–147, 151, 153, 155–156, 158–159, 182, 202, 218, 220, 224–225, 227, 229, 393, 420, 422, 425  
 Reverse fault, 48, 74, 146, 208, 294–296, 347  
 Rouge River Valley faults, 342, 348  
 Rurrand Fault, 288  
 Rönjoret Fault, 8, 11, 134, 153, 200, 211, 219  
 San Andreas Fault, 110  
 Schaabe Fault, 291, 293, 296  
 Seismogenic fault, 68, 72, 323, 332, 350  
 Sjaunja Fault, 134, 220  
 Soagnojávri-Bajášjávri Fault, 201–202  
 Sorsele Fault, 8, 11, 134, 200, 202, 220  
 Steinhuder Meer Fault, 292, 294, 296

- Fault (cont.)  
 Strike-slip fault, 33, 113, 185, 256, 271, 305–306, 355  
 Suorsapakka Fault, 134, 220  
 Thrust fault, 74, 323, 345, 357–358  
 Werre Fault, 291, 293, 296  
 Wiek Fault, 291, 293, 296  
 Fault complex, 199, 422  
 Bothnian–Kvænangen Fault Complex, 202  
 Isovaara–Riikonkumpu Fault Complex, 53, 92–93, 134, 140, 233–234, 238, 243, 420  
 Lauhavuori Fault Complex, 8, 13, 138–139, 234, 241  
 Palojärvi Fault Complex, 8, 13, 92, 134, 136–137, 200, 235, 241–242  
 Pasmajärvi Fault Complex, 48, 55, 58, 137, 141, 233–234, 236, 243  
 Sevetijärvi Fault Complex, 134, 235  
 Stuuragurra Fault Complex, 5, 8–9, 11, 13, 48, 119, 122–123, 126, 134, 180, 190, 198–200, 202, 206, 208, 210–211, 420  
 Suasselkä Fault Complex, 53, 119, 128–129, 134, 136, 141, 233–234, 239, 241, 243  
 Vaalajärvi–Ristonmännikkö Fault Complex, 53, 55, 58, 134, 136–137, 141, 231, 233, 235, 240, 242–243  
 Venejärvi–Jauhojärvi Fault Complex, 233–234, 236–237, 243  
 Värriö Fault Complex, 235, 241  
 Fault system, 11, 48, 96, 127, 134, 165, 199, 206, 208–209, 211–212, 225, 227, 247, 274, 284, 289, 296, 324, 332  
 Agricola Fault System, 291, 293, 296  
 Fitnajohka Fault System, 201, 203, 206, 208–209  
 Halle Fault System, 291, 293, 296  
 Iešjärvi Fault System, 201, 206, 208–210  
 Leine Valley Fault System, 292, 294, 296  
 Máze Fault System, 5, 201, 203–204, 206–209  
 Weser Valley Fault System, 292, 294, 296  
 Xianshuihe Fault System, 110  
 Faulting  
 Normal faulting, 21, 32–33, 36, 74, 109–110, 182, 184, 187, 250, 342, 345, 347, 371, 384  
 Reverse faulting, 21, 109–110, 182, 184, 191, 342, 345  
 Strike-slip faulting, 21, 36, 187, 191, 237, 342, 345, 353, 384  
 Thrust faulting, 21, 33, 109–110, 187, 366  
 Fennoscandia, 3, 9, 11, 14, 45–46, 48, 53–54, 73, 133–134, 136, 139–140, 142, 153, 155, 157, 159, 166–167, 177–179, 181–186, 188–191, 199, 202, 205, 208–209, 211–212, 221, 233, 266, 285, 288, 323, 341–342, 349, 392, 397, 420–422, 425  
 Fennoscandian Border Zone, 271  
 Fennoscandian Earthquake Catalogue, 178–179, 183, 186, 265–266, 373, 393  
 Fennoscandian Shield, 133, 142, 146, 159, 167, 181–182, 191, 242, 246–247, 256, 261, 264–266, 274, 323, 421, 425  
 Field evidence, 14, 199, 296  
 Finland, 11–14, 48–49, 53–54, 58, 68, 73, 89–93, 119, 136, 140–143, 145, 148, 157, 179, 181–182, 184, 187, 191, 200–201, 206, 210–211, 227, 231–233, 239–243, 366, 420, 422  
 Finnmark, 11, 55, 58, 198–199, 206, 211, 241  
 Finnmarksvidda, 201–202, 209  
 Fissure, 72  
 Flame structure, 68, 70, 77, 249, 311–313, 325, 328–331  
 Flexure, 25, 32, 322, 327, 422  
 Flood event, 68, 70–73, 78, 80  
 Fluid migration, 211, 422, 425  
 Fluid-escape structure, 71, 311  
 Fluidization, 68–73, 78–80, 310, 312–313, 324, 332  
 Focal mechanism, 110–112, 114–115, 154, 164–166, 182, 184–185, 187, 189–190, 204, 355, 358–359, 371, 422  
 Footwall, 109, 126, 166, 347  
 Fracture, 23, 100, 111, 123, 130, 155, 163–164, 166, 178, 191, 238, 249, 252, 257, 267, 324  
 Fracture valley, 267–268  
 Fracture zone, 120, 123, 125, 127, 204, 207  
 Freeze and thaw processes, 46, 70–71, 73–75, 77–79  
 Friction  
 Dynamic friction, 35  
 Static friction, 35  
 Gas monitoring, 162  
 Gdańsk Bay, 307, 313  
 Geoelectrics, 122–123, 129–130  
 Geological Survey of Canada, 367  
 Geological Survey of Finland, 93  
 Geological Survey of Norway, 90  
 Geological Survey of Sweden, 90, 125, 146, 153, 155  
 Geomechanics, 20, 23  
 Geomorphology, 43, 45, 60, 90, 96, 139, 147, 188, 219, 221, 223–224, 229, 241  
 Geothermal potential, 61, 422  
 Geothermal systems, 159, 167  
 Germany, 7, 13–14, 52, 60, 68, 73, 76, 102, 114, 184, 189, 261, 283–288, 290–291, 294–296, 421, 423  
 GIA see glacial isostatic adjustment  
 GIF see glacially induced fault  
 Glacial advance, 4, 13, 325  
 Glacial cycle, 23–24, 27–33, 35, 61, 188, 349, 383–384, 389, 391, 394, 396–397, 402, 425  
 Glacial isostatic adjustment (GIA), 3, 7, 12–13, 25, 29, 59, 110, 115, 140, 159, 167, 184, 188–191, 211, 273, 276, 285, 288–289, 293–296, 304, 306–307, 309, 312–314, 321, 329–330, 332, 366, 369, 375, 381, 384–385, 388, 393–394, 397, 403, 410, 412, 422–425

- Glacial isostatic adjustment model, 384, 386, 392, 394–395, 410–411
- Glacial isostatic adjustment modelling, 190, 211, 333, 381, 385, 398, 411, 423
- Glacial isostatic adjustment-induced stress, 14, 27–28, 32–33, 184, 375, 384, 387–388, 395, 397, 410–411, 423
- Glacially induced fault, 4, 6–7, 9–14, 27, 30, 32–33, 41, 89, 118–120, 122–125, 127–130, 218, 220–221, 231–233, 236–243, 263, 267, 283, 285, 289–291, 294–296, 341, 343, 345, 347–350, 366–367, 369–372, 376, 381, 384, 392–394, 409, 411, 420–425
- Glacially induced faulting (GIF), 4, 44, 46–47, 125, 266, 271, 277, 304
- Glacially triggered fault, 4
- Glacially triggered faulting (GTF), 1, 4, 10, 12–14, 20, 261, 320, 324, 339, 366–367, 369–371, 373, 375–376, 393, 402, 404, 412, 419–421, 424–425
- Glacier, 21, 45, 56, 60, 75, 252, 353, 358, 367, 369, 372, 375  
 Bering Glacier, 354, 356, 358  
 Malaspina Glacier, 354, 356  
 Upper Seward Glacier, 354, 359
- Glacier Bay, 353–354, 357
- Glaciofluvial, 77, 136, 206, 236, 308, 324–326, 329
- Glaciolacustrine, 77, 140, 206, 294, 296, 308–309, 312–313, 324–327, 329–330, 343, 345, 348, 350
- Glaciotectonics, 4, 7, 76
- Global Navigation Satellite System, 403
- Global Positioning System, 154, 190, 356, 358
- GPR see ground-penetrating radar
- Graben, 72  
 Glückstadt Graben, 52, 289, 295  
 Kandalaksha Graben, 246, 250–251  
 Kleszczów Graben, 308–309  
 Ladoga Graben, 246, 257  
 Onega Graben, 246, 257  
 Oslo Graben, 178, 181  
 Tønder Graben, 49–50, 52, 272, 276  
 White Sea Graben, 257  
 Viking Graben, 178, 181
- Grain size, 70, 75, 78
- Gravity, 7, 35, 68, 73, 75, 124–126, 129, 143, 202, 208, 250, 308, 313, 332, 385, 387–389, 403, 408  
 Self-gravity, 385–388, 396–397, 406
- Gravity Recovery and Climate Experiment, 353, 358
- Greenland, 12, 30, 165, 367, 369–371, 375–376, 398, 424–425
- Ground motion, 101–102, 104, 115
- Ground-penetrating radar, 121–122, 126, 129–130, 138, 140, 233, 239–240, 294
- Groundwater vulnerability, 61, 277, 422
- GTF see glacially triggered faulting
- Gulf of Bothnia, 182, 184, 211, 422
- Gutenberg-Richter law, 104–105
- Halokinetic movements, 60, 289
- Halokinetics, 275
- Hanging wall, 109, 146, 162, 166, 208
- Harding Icefield, 354, 356, 361
- Hazard assessment, 212, 290, 362, 422
- Hillshading, 90, 96
- Holocene, 5, 44, 49–50, 52, 68, 73, 140, 144, 148, 198, 212, 242, 247, 250–252, 254, 256–257, 267, 271–272, 276, 289, 323–324, 327, 330, 344, 348, 371, 373, 420–422, 424
- Hudson Bay, 420
- Hummocky terrain, 349, 424
- Hydraulic fracturing, 164, 185
- Hydrogeological regime, 159, 167, 425
- Hydropower dams, 159, 167, 422, 425
- Hypocentre, 100–101, 103, 106–108, 111, 113, 184, 208, 290, 374
- ICDP see International Continental Scientific Drilling Program
- Ice advance, 7, 267, 287, 295, 304, 310, 332
- Ice age, 165, 264  
 Little Ice Age, 353
- Ice load, 24–25, 27–29, 32–33, 155, 159, 188, 341, 343, 384, 387, 389, 396, 423
- Ice margin, 24, 26–30, 32–33, 35–36, 44–46, 74, 146, 261, 349, 389, 391–392, 396–397, 412, 421
- Ice mass, 12, 21, 75, 355, 357, 402–403, 409–410
- Ice melting, 370, 392, 425
- Ice retreat, 11, 179, 332, 375
- Ice sheet, 4–7, 9–10, 12–13, 21, 24, 26–28, 30, 32–33, 36, 44–46, 49, 53, 59, 61, 70, 74–75, 133, 135, 153, 157, 188, 202, 211, 221, 224, 227, 229, 263, 266, 272, 276–277, 285, 287–289, 293–296, 304, 307, 329–330, 341, 349, 366–367, 369–370, 372, 374–375, 387, 389–392, 396–397, 403, 411, 419, 421, 423, 425  
 Ice sheet margin, 25, 44
- Ice wedge, 60, 75
- Iceberg gravity crater, 75
- Iceberg scour, 75
- Ice-dammed lake, 135, 223, 329
- Iceland, 12, 32, 367, 371–372, 375–376, 397–398
- Ice-plucking, 6–7
- Ice-wedge cast, 75, 77
- Icy Bay, 354, 358–359, 361
- Iggesund, 11
- in situ observations, 159, 167, 424
- Inactivity, 422
- Incompressibility, 397
- India, 421
- Initial state, 29, 385
- Instability, 6, 22, 29, 32, 35–36, 54, 144, 276, 357, 359, 361, 391, 395, 397, 420
- Intensity, 68, 74, 249, 251–252, 254, 256–257, 277, 284, 289, 293–295, 306, 323  
 Intensity scale, 43, 60
- Interferometric synthetic aperture radar, InSAR, 277, 403

- Interglacial, 229  
 Cromerian, 287, 304  
 Eemian, 304, 310, 327, 331  
 Holsteinian, 304
- Internal buoyancy, 386
- International Continental Scientific Drilling Program (ICDP), 14, 153, 160, 162, 165, 167, 424
- Interplate, 110, 164
- Interpolation, 190
- Interstadial, 229  
 Bølling–Allerød interstadial, 44, 420
- Intraplate  
 Intraplate area, 14, 80, 191, 285, 290, 296  
 Intraplate earthquake, 151, 153, 159, 182, 276, 290, 383  
 Intraplate region, 70, 110, 177, 208, 290, 314  
 Intraplate seismicity, 15, 151, 153, 167, 211, 419–421, 423–425  
 Intraplate setting, 45, 166, 420
- Intrusion, 120, 201, 408
- Ireland, 11
- Isostasy, 257, 386
- Isostatic imbalance, 188
- Jackknife algorithm, 107
- Jergul Gneiss Complex, 199, 201
- Jurassic, 273, 275, 313
- Kaliningrad District, 321, 323–324, 326–327, 330–332
- Kandalaksha Gulf, 250–251
- Karasjok, 201, 205  
 Karasjok Greenstone Belt, 202
- Karelia, 246, 251, 254
- Kattegat, 265, 271
- Kemijärvi, 57
- Kenai Peninsula, 356
- Kettle hole, 75
- Khibiny Mountains, 11
- Kirkfield, 342, 348
- Kiruna, 11, 153, 160
- Kittilä, 54, 91–93, 144
- Knipovich Ridge, 422
- Kola Bay, 249
- Kola Peninsula, 10–11, 246–247, 251
- Kontinentales Tiefbohrprogramm der Bundesrepublik Deutschland, 405–406
- Kuusamo, 54, 57–58
- Laboratory, 159, 167
- Labrador, 342, 348–349
- Ladoga–Bothnian Bay shear zone, 178, 185
- Lainio Arc, 56–57
- Lake  
 Charles Lake, 342, 348  
 Hablon Lake, 348  
 Lake Agassiz, 344  
 Lake Joseph, 342, 348  
 Lake Nipissing, 342, 348
- Lake Pielinen, 53
- Lake Timiskaming, 342, 348
- Lake Torneträsk, 146–147
- Lake Voxsjön, 142
- Lake Vättern, 13, 345
- Round Lake, 343, 345–348, 350
- Lamination, 71–72, 77, 249, 347
- Land uplift, 3, 11, 179, 186, 188, 257, 264, 368–369, 373, 403, 420
- Landform  
 Glacial landform, 133, 135–136, 221, 229  
 Periglacial landform, 60  
 Subglacial landform, 44, 54, 58, 60
- Landslide, 3, 7, 13, 44, 46, 53, 89–92, 94, 97, 113, 144, 148, 152, 157–158, 188, 201–202, 206, 212, 231, 233, 236, 238, 241–242, 250, 327, 330, 420, 424
- Lapland, 4, 10, 13, 53–58, 98, 144, 188, 198–200, 211, 231, 233, 242–243, 250, 420–425
- Laser scanning, 175
- Last glacial maximum, 239, 287, 293, 295, 310, 370, 392, 397
- Late Weichselian, 13, 49–50, 59, 96, 133, 135–136, 140–142, 148, 222, 224, 227, 229, 237, 239, 242–243, 271–272, 276, 309, 326, 329, 420–421, 425
- Lateglacial, 44, 48, 50, 53, 59, 73, 267, 269, 271, 276, 285, 289, 294, 296–297, 323
- Latvia, 13, 68, 73, 77, 261, 321, 323–325, 328–329, 332
- LiDAR see light detection and ranging
- Light detection and ranging (LiDAR), 13–14, 45, 47–53, 55–58, 60, 89–91, 93, 95–97, 127, 133–134, 136, 140, 199, 212, 221–226, 228, 231, 236, 238–240, 267, 270, 272, 277, 349, 421, 424
- Liquefaction, 44, 46, 54, 56–58, 68–73, 78–80, 144, 233, 236, 249, 252, 256, 308, 310, 312–313, 321, 324, 326, 330–331, 422, 424
- Liquefaction Bowl, 59
- Lithosphere, 5, 24–25, 27, 29, 33, 35, 61, 154, 178, 181, 188–189, 211, 264, 304, 321, 333, 356, 372, 383–384, 391, 395, 406–411, 419, 422–423
- Lithosphere–asthenosphere boundary, 408
- Lithospheric thickness, 24, 264, 392, 397, 408
- Lithuania, 68, 73, 261, 321, 323–325, 328–330, 332
- Litorina Sea, 327, 330
- Load cast, 68, 70, 77, 249, 310–312, 326, 328–329
- Load structures, 249, 313, 325, 329, 332
- Loading  
 Glacial loading, 21, 23, 25, 80, 287, 410  
 Sediment loading, 21, 191, 294, 296, 332  
 Topographical loading, 21, 191
- Logging, 153, 160, 162–164  
 Wireline logging, 163
- Lower Rhine Rift, 73, 286, 296
- Lower Saxony Basin, 286–287
- Lower St. Lawrence Seismic Zone, 342, 421
- LTU stress trailer, 164

- Magnetics, 124, 130  
 Magnitude, 9, 25, 53, 61, 68, 71–73, 80, 90, 96, 102, 104–105, 108, 114, 148, 156, 159, 163, 179, 181–182, 184–185, 190, 198–199, 208, 211–212, 239–240, 242, 254, 266, 271–272, 289–290, 293, 295, 306, 309, 313, 321–324, 329, 343, 345, 348–349, 353, 358–359, 367–368, 370–371, 373–375, 393, 397, 403, 419–421, 423–424  
 Moment magnitude, 11, 53, 89, 96, 143, 158, 208–209, 211, 236–237, 239, 242, 290, 370  
 Stress magnitude, 21, 23–24, 27, 29, 32–33, 115, 185, 403, 405, 407–408, 410, 423  
 Manitoba, 341, 343, 349–350  
 Mantle, 24–25, 27, 29, 100, 111, 188, 372, 383–384, 388, 395, 406, 410–411  
 Lower mantle, 25, 391–392  
 Mantle rheology, 376, 387  
 Mantle rocks, 25  
 Mantle temperature, 25  
 Mantle upwelling, 407  
 Mantle viscosity, 24–25, 397  
 Upper mantle, 25, 372, 391–392  
 Marine Isotope Stage, 287, 304, 308–310, 312–313  
 Masi, 5, 199, 201–202, 205–207  
 Masi Formation, 202  
 Masking effect, 96  
 Mass change, 353, 356, 358, 361  
 Mass flow, 55–57, 72–73, 233  
 Mass loss, 97, 353, 358, 376  
 Material compressibility, 397  
 Maxwell time, 25  
 Meltwater, 5–6, 44–45, 58, 73, 76–78, 136  
 Meltwater channel, 136, 222, 228  
 Melville Island, 367  
 Method  
 Finite element method, 386–388, 394  
 Mid-Atlantic Ridge, 185, 264, 294, 369, 371, 373, 406  
 Mierojávri–Sværholt shear zone, 126, 199, 201–202, 207–208, 210–211  
 Miocene, 267, 309  
 Model  
 Finite element model, 357–358, 388, 394–395, 398  
 Preliminary Reference Earth Model, 391  
 Modelling  
 Finite element modelling, 12, 14, 403, 422  
 Lithosphere modelling, 271, 276  
 Numerical modelling, 285, 419, 425  
 Stress modelling, 14, 370, 402–403, 423  
 Moderate Resolution Imaging Spectroradiometer, 354  
 Moho, 295, 403, 408  
 Mohr  
 Mohr circle, 21–23, 27, 29, 31–35, 383–384  
 Mohr diagram, 21–22, 28, 31, 34  
 Mohr-Coulomb failure envelope, 21, 383–384  
 Mohr-Coulomb failure theory, 12, 383, 419  
 Moment tensor, 111, 113–114  
 Moraine, 3, 250, 252, 371  
 Hummocky moraine, 57  
 Pulju moraine, 55–56, 58, 233, 242  
 Squeeze-up moraine, 58  
 Veiki moraine, 56  
 Younger Dryas end moraine, 44, 56  
 Morphotectonic analysis, 263  
 Mount Vottovaara, 254  
 MSSZ see Mierojávri–Sværholt shear zone  
 Murmansk, 247–250  
 Mylonite, 199  
 Nanortalik, 370  
 Near surface, 125, 129, 289  
 NEONOR, 188  
 Neogene, 263, 266, 288, 305, 309, 313, 327, 330, 369  
 Neotectonics, 9, 79, 274, 277, 373  
 Netherlands, 68, 288  
 New Brunswick, 342  
 New Madrid Seismic Zone, 12  
 Newfoundland, 342, 348  
 Newton's law of momentum conservation, 385  
 Nomenclature, 68, 70  
 Nordic Geodetic Commission, 186, 188  
 Nordland, 422  
 Norrbotten, 56–57, 59, 142, 227, 241  
 NORSAR, 179, 205  
 North America, 3, 12, 339, 368–369, 397–398, 410, 419, 421–422, 424  
 Northeast German Basin, 286–288  
 Northern Ireland, 11  
 Northern Volcanic Rift Zone, 371  
 North-German Basin, 264, 286–289  
 Norway, 5, 11, 13–14, 48, 55, 58, 90–91, 119, 157, 178–179, 181–182, 184–185, 188–191, 198–201, 209, 212, 241, 265, 345, 366–367, 372, 407, 410, 422, 424  
 Norwegian coast, 181–182, 188, 191, 408  
 Norwegian–Danish Basin, 264–265, 275, 286  
 Nova Scotia, 342  
 Nr. Lyngby, 48, 50, 59, 269, 271  
 Nuclear waste, 11–12, 167, 231, 277, 422, 425  
 Offset, 6–7, 9–10, 46, 48, 89–90, 92–93, 96, 108, 120, 136, 138, 205, 208–209, 233, 239–240, 247, 250, 255–257, 343, 345, 348–349, 369, 371, 374, 397, 403, 409, 424  
 Oligocene, 287, 309  
 Omori's law, 108  
 One-off event, 422  
 Ontario, 341, 343, 345, 348–350  
 Optically stimulated luminescence, 11, 233, 252, 256, 294  
 Øresund, 274  
 Organic material, 11, 53, 142, 144–145, 158, 204–206, 212, 236, 420  
 Osning Thrust, 7, 13, 73, 288, 292, 294–296, 423  
 Outcrop, 6, 45, 60, 72, 78–80, 111, 166, 255, 269, 312, 325, 328, 330  
 Outwash plain, 45, 49–50, 52, 59–60, 271–272, 276

- Overburden, 7, 73, 79, 207, 308, 404  
   Overburden load, 404, 406, 409  
   Overburden pressure, 21, 60, 383, 388–389  
 Overconsolidation, 409  
 Overcoring, 184–185
- Palaeocene, 274, 287  
 Palaeogene, 263, 266, 295, 312, 327, 330, 369  
 Palaeoseismology, 80, 247, 290  
 Palaeosoil, 330  
 Passive margin, 159, 167, 181–182, 189, 191, 372, 425  
 Patagonia, 3, 14, 24  
 Peel Sound, 368–369  
 Periglacial, 44–46, 67, 70–71, 74–78, 80, 287, 314  
 Peripheral bulge, 7, 24–25, 27–30, 32, 35–36, 44, 371, 392  
 Permafrost, 75, 77, 321, 330–331, 412  
 Permeability, 70, 78  
 Permian, 181, 287, 306, 321, 424  
 Petroleum installation, 422  
 PGF see postglacial fault  
 PGR see postglacial rebound  
 Pingo, 77  
 Plate boundary, 24, 110, 151, 166, 181, 189, 353, 357, 362, 371, 425  
 Plate interior, 151, 188  
 Plate margin, 12, 44, 151  
 Plate motion, 189, 191, 264, 276, 371, 405–406  
 Plate tectonics, 46, 151, 185  
 Plate velocity, 384, 407  
 Pleistocene, 3, 21, 45, 59, 61, 68, 73, 178, 188, 247, 250, 254, 257, 273–275, 285–289, 293–294, 296, 304, 307, 309, 312, 321, 324, 327, 330–331, 421–422, 425  
 Poisson's ratio, 391, 406, 408  
 Poland, 13–14, 68, 73, 189, 261, 304–305, 308–310, 312–314, 321  
 Polar area, 339, 366–367, 375–376  
 Pore-fluid pressure, 21, 35, 70, 405, 411–412  
 Postglacial  
   Postglacial fault (PGF), 4, 10–11, 48–49, 53, 58, 61, 89–90, 92, 96, 133–134, 136, 140, 142, 144, 146–147, 151–155, 157, 159–160, 166–167, 180–182, 186, 188, 190–191, 198–199, 202–203, 207–211, 221, 237, 242, 246–247, 251, 256–257, 271, 350, 420–422, 424  
   Postglacial faulting, 4, 10–11, 145, 148, 157, 198, 206, 212, 222, 246, 263, 266  
   Postglacial rebound (PGR), 4, 288, 386  
 Precambrian, 48, 154–155, 159, 199, 209, 211, 249, 321, 341, 345, 421  
 Prince Edward Island, 342  
 Prince of Wales Island, 368–369  
 Pseudonodule, 77, 310–312, 326, 328–329
- Quaternary, 5, 43, 48, 59, 73, 89, 92, 133, 141, 207, 231, 233, 246, 250–251, 254, 263, 266, 269, 274–277, 305, 308–309, 311, 313–314, 321, 356
- Quebec, 341, 343, 348–349, 424
- Radiocarbon dating, 144–145, 158, 199, 202, 205, 212, 254, 330, 420  
 Ráhppát, 55–56, 58  
 Rainfall, 144  
 Rake, 109, 115  
 Red Bay, 348  
 Reelfoot Rift System, 12  
 Reflector, 126, 157, 160–161, 167, 203, 207  
 Regression, 53  
 Relative sea level, 366–367, 369–370, 375–376, 397  
 Relaxation time, 184  
 Remote sensing, 91, 133, 231  
 Repository, 61, 277, 422  
 Resistivity, 122–124, 126, 163, 199, 203–204, 207  
 Retu, 136, 234  
 Ridge push, 178, 189, 211, 288, 405–406, 422, 425  
 Riksriggen, 162, 165  
 Ringkøbing-Fyn High, 264, 271  
 Rock mass, 20, 23, 164–165, 403, 409  
 Rock mechanics, 164, 425  
 Rock slide, 252  
 Rock strength, 163  
 Roer Valley Rift, 73, 288  
 Ruokojärvi, 136–137, 234  
 Rupture, 342, 344, 420, 425  
   Rupture length, 211, 236, 239, 242  
   Surface rupture, 6, 11–12, 46, 92, 96, 133, 138, 141, 206, 210, 237, 239, 250, 343, 348, 350, 420, 424  
   Ungava rupture, 349, 424  
 Russia, 11, 68, 181, 184, 189, 231, 246–247, 256, 261, 321, 323, 326, 367, 376, 421  
 Rybachy Peninsula, 10, 231, 248  
 Rügen Island, 8, 12–13, 64, 86, 288, 293, 296
- Saalian glaciation, 287, 304, 310  
 Sag pond, 50  
 Salt dissolution, 275  
 Salt structure, 60, 285  
 Salt tectonics, 68, 80, 289  
 San Andreas Fault Observatory at Depth, 405  
 Sand intrusion, 71  
 Sand volcano, 68, 71, 75, 77, 294, 330, 332  
 Sankt-Petersburg region, 246–247, 254  
 Saturation, 53, 77, 122, 204, 423  
 Scandes mountains, 154, 425  
 Scandinavia, 48, 118–119, 179, 263–264, 276–277, 403–406, 408  
 Scarp  
   Holy Grail scarp, 343–344, 349–350  
   New Liskeard–Thornloe scarp, 342, 348  
 Schistosity, 6–7, 166–167  
 Scotland, 11, 68  
 Seabed, 45, 59, 250  
 Sea-level change, 4, 410  
 Sedimentary basin, 44, 48, 60, 182, 264, 274, 286, 321, 408



- Sedimentation, 20, 45–46, 73, 188, 254, 271–272  
 Seismic activity, 11, 44, 53, 90, 104, 157, 159–160,  
 181–182, 188, 231, 236, 242, 251, 285, 288,  
 290, 296, 306, 321–323, 332  
 Seismic array, 104, 106, 165, 201, 205  
 Seismic energy, 100, 108, 358–359  
 Seismic event, 43, 46, 59, 70, 72, 256  
 Seismic hazard, 30, 43, 61, 151, 159, 211, 290, 324,  
 357, 422, 425  
 Seismic lineament, 247–248, 250–251, 254, 257  
 Seismic reflection, 6, 120, 130, 182, 205, 211, 290, 347  
 Seismic refraction, 120, 122, 130, 203  
 Seismic shaking, 14, 46, 53, 143  
 Seismic shock, 256, 308, 313  
 Seismic wave, 68, 80, 100–102, 104, 106–108, 120,  
 304, 313  
 Seismicity, 11–12, 14, 24, 61, 104, 108, 145, 148, 153,  
 157, 159, 164, 166, 177, 179, 181–182,  
 184–186, 189, 191, 199–200, 205, 222, 227,  
 266, 274, 276, 288, 290, 295–296, 309, 320,  
 323–324, 343, 350, 357–358, 361–362, 367,  
 370, 374, 376, 393–394, 404, 411–412, 420–424  
 Historical seismicity, 144, 276, 290, 294–295, 420  
 Microseismicity, 152, 155, 160, 166–167, 190  
 Non-stationary seismicity, 13, 144, 242–243  
 Palaeoseismicity, 8, 12, 79, 143–144, 242, 289  
 Seismics  
 BHO seismics, 162, 165–166  
 Reflection seismics, 127  
 Refraction seismics, 129  
 Seismite, 68–69, 78, 236, 241, 293–294, 304, 309,  
 311, 313–314, 324, 328–330  
 Seismogram, 101, 103, 105–106, 113–114  
 Seismograph, 179, 277, 367, 370, 375–376  
 Seismology, 68, 100, 109, 120, 153  
 Seismometer, 101, 104, 111–113, 162, 165, 420  
 Seismotectonics, 345  
 Shear modulus, 25, 158  
 Shoreline, 5, 10–11, 44–46, 53, 60, 134–136, 138, 140,  
 142, 147, 221, 227, 229, 247, 342, 344, 348,  
 350, 373  
 Shuttle Radar Topography Mission, 344, 349  
 Siekierki, 308, 310, 312  
 Sierra Nevada, 12  
 Signal processing, 104  
 Silurian, 295, 332  
 Skagerrak, 181, 265  
 Slow slip event, 361, 425  
 Slumping, 6, 73, 308  
 Snow accumulation, 353, 361  
 Snow melt, 144, 353, 359  
 Soft-sediment deformation structures (SSDS), 3–4,  
 6–7, 13, 48, 67–71, 73–76, 78–80, 140,  
 143–144, 242, 249–250, 255, 270–271, 289,  
 293, 304, 308–314, 320, 322–324, 328–330,  
 332–333, 424  
 Solifluction, 74  
 Somerset Island, 367–369  
 Sonar, 233, 247  
 Sorgenfrei–Tornquist Zone, 12, 48, 50, 73, 178,  
 181–182, 264–265, 269, 271, 274, 276, 286, 288,  
 296, 421  
 Source mechanism, 165, 184  
 Source parameter, 101, 179, 184  
 Spreading ridge, 371, 422  
 SSDS see soft-sediment deformation structures  
 St. Elias, 353–354, 356–357, 359, 362  
 Stable Continental Region, 181, 185, 189, 242, 345  
 Stockholm, 11  
 Storm event, 68, 70, 80  
 Strain  
 Elastic strain, 151, 153, 211, 422  
 Strain rate, 74, 153–154, 190–191, 383, 398  
 Stratigraphy, 6, 59, 133, 139–142, 221, 233, 236, 253  
 Lithostratigraphy, 140  
 Sediment stratigraphy, 141  
 Stream deflection, 46, 59  
 Stress  
 Background stress, 21, 23, 26–27, 29–34, 36, 366,  
 383–384, 388–389, 392, 395, 397, 402, 404, 423  
 Compressional stress, 24, 26, 29, 33, 35, 154, 184,  
 189, 264, 288, 404, 408–409  
 Coulomb failure stress, 30, 288, 356, 390, 392, 394,  
 398, 409, 421  
 Coulomb stress change, 355, 357–358  
 Crustal stress, 3, 184–185, 188–191, 342–343  
 Flexural stress, 383  
 Geodynamic stress, 406–407  
 Glacially induced stress, 7, 23–25, 27, 29–31,  
 33–34, 36, 190, 371, 385, 388–389, 398,  
 402–403, 408, 410–411, 421  
 Gravitational stress, 408, 422  
 Horizontal stress, 24–25, 27, 29–33, 185, 199, 307,  
 389, 391–392, 404, 406–407, 409, 411  
 Intermediate principal stress, 21, 23, 29, 31, 33–34,  
 389  
 Intraplate stress, 14, 375, 422  
 Lithostatic stress, 21, 406  
 Maximum principal stress, 21–23, 29–31, 33–34,  
 358, 389  
 Minimum principal stress, 21, 29–34, 389  
 Normal stress, 21–22, 27, 32, 35, 355, 366,  
 386–388  
 Overburden stress, 403, 405–406, 409–410  
 Rock stress, 422  
 Shear stress, 21–22, 35, 71, 184, 191, 355, 386–389  
 State of stress, 164, 404  
 Stress accumulation, 421, 423  
 Stress change, 4, 21, 24, 26–27, 35–36, 109, 159,  
 184, 240, 277, 294, 355–358, 361, 408–409, 411  
 Stress dissipation, 410, 412  
 Stress drop, 423  
 Stress measurement, 162–163, 166, 185, 190, 264,  
 404–405, 410  
 Stress migration, 24–25, 32, 372, 383–384, 410  
 Stress orientation, 358, 403

- Stress (cont.)  
 Stress pattern, 264, 277, 333, 422  
 Stress regime, 21–23, 26–27, 30, 32–33, 35–36, 159, 185, 202, 237, 305, 329, 341, 366, 384, 389, 392, 396, 403–404, 407, 409  
 Stress release, 4, 100, 184, 221, 366, 393, 419, 423  
 Stress tensor, 36, 164, 359, 361, 389  
 Stress transfer, 372, 423  
 Stress transformation, 386, 388, 396  
 Tectonic stress, 21, 23–25, 184–185, 255, 323, 341, 358, 383, 388, 397, 402–403, 406–407, 409, 412  
 Tensional stress, 24, 26, 29, 32, 35–36, 404, 409  
 Thermal stress, 408  
 Topographic stress, 408  
 Transient stress changes, 46, 211, 362, 410, 422, 425  
 Stress field, 21, 23, 27, 29–30, 33, 36, 74, 115, 166, 185, 187, 190–191, 266, 274, 276, 285, 288, 290, 293–294, 296, 333, 345, 366, 371, 394–395, 402–405, 407–410, 412, 422  
 Perturbed stress field, 409  
 Stress field component, 403–406, 410, 412  
 Striation, 6, 111  
 Strike, 23, 33, 79–80, 109, 115, 138, 155, 157, 162, 190, 204, 220, 222, 253–254, 291, 345, 357, 371, 389  
 Suaspalo, 98, 136, 234, 239, 241  
 Subduction zone, 110, 295, 358, 407–408  
 Alaska–Aleutian subduction zone, 356, 361–362  
 Chilean subduction zone, 110  
 Sunda Arc, 110  
 Subsidence, 52, 188, 267, 273, 287, 289, 305, 329, 358–359  
 Sudetes, 305  
 Susceptibility, 72, 78, 80, 124, 163  
 Svalbard, 200, 247, 367, 372–373, 376, 425  
 Sveconorwegian Deformation Front, 178, 181  
 Sweden, 9, 11–14, 27, 48, 56–57, 59, 90–91, 142, 152, 155, 157, 179, 181–182, 184, 187–188, 191, 199–200, 202, 211, 218, 220–222, 224, 227, 229, 241, 265, 276, 343, 366, 421–422  
 Syncline, 44, 77  
 Tailing dam, 159, 167, 422, 425  
 Talik, 77  
 Tectonic instability, 277  
 Teisseyre-Tornquist Zone, 306, 321  
 Teriberskaya Bay, 247  
 Thermal regime, 159, 167, 408, 425  
 Thor Suture, 292, 294–296  
 Thuringian Forest, 285, 288  
 Tilting, 53, 59, 256, 264, 271, 358, 361, 369  
 Tinglev, 49–52, 59, 272  
 Topographic analysis, 271  
 Trans-European Suture Zone, 178, 181  
 Transfer function, 101  
 Transgression, 46, 327  
 Trenching, 7, 11, 13, 48–49, 60, 92, 125, 130, 142, 158, 190, 199, 203, 205, 208, 212, 233, 236, 238–239, 241, 243, 345, 420  
 Triassic, 273–274  
 Trigger mechanism, 7, 12, 69, 78, 289, 313–314, 329–330  
 Tsunami, 7, 332, 370, 425  
 Turbidite, 72, 74, 143  
 Uncertainty, 8–9, 107–108, 157, 179, 182, 184–185, 190, 206–208, 237, 239–240, 350, 360–361  
 Ungava Peninsula, 12  
 United States, 10, 22, 68, 210  
 Unloading, 21, 23–24, 27, 44–46, 59–61, 68, 188, 266, 273, 275, 287, 289, 304, 307, 332, 357, 359, 361, 389, 391, 396, 402–403, 409–410, 412, 422, 425  
 Upthrow, 92, 94, 234  
 Usedom Island, 288  
 Varanger Peninsula, 247  
 Vogtland, 285  
 Vuoksi, 248, 254–256  
 Vyborg rapakivi granite batholith, 178, 181  
 Water escape structure, 68, 236, 325  
 Weakness zone, 3, 182, 189, 202, 208, 211, 422  
 Weichselian Glaciation, 287, 304  
 Western Quebec Seismic Zone, 342  
 White Sea, 247, 250–251  
 World Stress Map, 185, 187, 264, 403  
 Young's modulus, 391, 406, 408  
 Younger Dryas, 198, 270, 327, 420