

Index

- ab initio* atomistic thermodynamics 138
- ab initio* molecular dynamics 492–493
- absorbing Markov chain Monte Carlo (MCAMC) 171
- acceptance probability 358
- active matter 462, 509
- Adaptive Resolution 494
- adsorbed monolayers 228, 283
- adsorbed polymers 298
- adsorption isotherm 252
- aging 440
- alloys 51, 133, 142, 191–192, 207
- amorphous solids 211
- amphiphilic molecules 131
- anisotropic critical phenomena 225–227
- anisotropic finite size scaling 223, 433
- anisotropic Heisenberg chain 378
- annealed averaging 192
- ANNI model 127, 225
- antiferromagnet 26, 142, 183, 186, 381, 402, 427, 437
 - quantum 366, 381, 402
- anti-phase domain 72
- argon 486
- Asakura–Oosawa model 246, 254, 315
- aspect ratio 225, 227, 306
 - generalized 227
- astrophysics 519
- attrition problem 76, 154
- ballistic deposition 450
- Baxter model 128
- Baxter–Wu model 128
- bead-spring model 294, 300, 303
- Bethe ansatz 383
- biased estimation 108, 119, 311
- biased particle insertions 268
- bicritical point 184, 420
- binary mixture 142, 254, 264, 296, 313, 501
- biology 507, 527, 548
- biopolymers 155
- blockspins 420, 423
- Blume–Emery–Griffiths (BEG) model 132
- Blume–Capel model 120, 227, 235, 339, 427
- bond fluctuation model 145, 212, 296, 300
- bond orientational order 259–260
- Bose statistics 373
- bottle-brush polymers 155
- boundary conditions 85
 - antiperiodic 86, 103–105, 205, 224
 - antisymmetric 87
 - fluctuating 89
 - free edge 87
 - generalized antiperiodic 89
 - hydrodynamic 503
 - hyperspherical 88
 - mean-field 88
 - open 494
 - periodic 85, 93
 - screw periodic 86, 431
- boundary value problems 57
- branched polymers 145
- broad histogram method (BHMC) 341
- broken symmetry 29
- Brownian dynamics algorithm 312, 501
- Brownian motion 300–301
- canonical ensemble 12–13, 140, 192, 228, 315, 319, 326, 343, 354
- capillary condensation 169, 221
- capillary waves 104, 220, 320
- Car–Parinello method 492
- carbohydrates 549
- carbon nanotube 69
- Casimir effect 223, 348
- catalysts 522
- cell dynamics method 500
- cell sorting 527, 534

- Cell-veto 276
- cellular automata 141, 448, 503
- central limit theorem 34
- checkerboard decomposition 85, 123, 133, 169, 173
- chemical kinetics 212
- chemical potential 136, 142, 208, 216, 252, 266, 314, 319, 327
- chemical reactions 522
- chemistry 404, 522
- cherry pit model 69, 70
- chiral symmetry 473
- classical spin models 166, 175, 365
- cleaving method 315
- clock model 129
- cluster 62, 134, 161, 164, 167, 169, 209, 445
 - aggregation 448
 - counting 67
 - flipping 41, 161, 165, 180, 392
 - size distribution 63, 134, 444
- coarse-graining 286, 290, 294–295, 416
- coarsening 49, 302
- coexisting phases 102, 133, 139, 247, 263
- collapse transition 147
- collective diffusion 137
- colloidal dispersions 285
- colloids 246, 315, 508–509
- commensurate superstructures 283–284
- committor 456
- commutator 182, 371, 496
- competing interactions 123
- complex fluids 131, 265, 285
- compressible Ising model 439
- compressibility 245, 260–261
- computer speed 237
- concave intruder 15
- condensation 313, 359
- configurational bias Monte Carlo (CBMC)
 - method 150, 266, 309
- congruential method 40, 233
- conservation laws 46, 136, 497
- contact angle 313, 317, 320
- continuity equation 136, 138
- corrections to scaling 92, 95, 290, 332–333, 336, 338
- correlation energy 404
- correlation function 22, 118, 127, 166, 194, 425, 428
- correlation length 20, 50, 80, 91, 120, 201, 220, 225–226, 231, 262, 298, 339, 416
- correlation time 36, 50, 107, 120
- corrugation potentials 284
- cost function 202, 216
- Coulomb interaction 281, 290
- crack propagation 487
- critical endpoint 355
- critical exponents 21, 50, 73, 81, 91, 126, 197, 222, 226, 332, 336, 340, 418, 424, 364, 364, 423
- critical micelle concentration (cmc) 287
- critical relaxation 115
- critical slowing down 49, 108, 115, 165, 169
- critical temperature 20, 47, 92, 109, 121, 150, 180, 191, 201, 218, 226, 257, 298, 331, 336, 394, 418, 427, 502
- cross correlations 110
- crosslinks 290, 373, 443
- crossover 25, 27, 340, 418
- crystal growth 434
- crystallization 247
- crystals 243, 269, 292, 370
- cumulants 92, 94, 99, 126, 189, 199, 209, 227, 262, 332, 339, 468
- cutoffs of potentials 278, 318, 487
- damage spreading 227, 448
- Debye law 372
- de Broglie wavelength 248, 369
 - thermal 248, 369
- decimation 420
- deconfinement transition 473
- decoupled cell method 392
- demon algorithm 140
- density functional theory 138, 408
- density of states 14, 326, 350, 354, 358–359, 481
- deposition 434
- detailed balance 82, 140, 358
- diatomic molecules 285
- DIEHARD battery of tests 41
- diffusion 74, 133, 135, 300–301, 434, 451–452
 - limited aggregation 445
 - Monte Carlo (DMC) 404
- director 306
- direct simulation Monte Carlo 61
- disorder average 191
- dissipative particle dynamics 502
- distributed array processor (DAP) 199
- DNA 290, 457, 541
- domain growth 433, 437, 509
- domain wall 73, 129

- driven lattice gas 226, 431
- droplet 165, 313
- drying 314
- Dulong–Petit law 365
- dynamic critical exponent 50, 109, 115–116, 163, 428
- dynamic ensemble 140, 251
- dynamic finite size scaling 120, 453–454
- dynamic MCRG 427
- Dzyaloshinskii–Moriya exchange 90
- econophysics 203, 530
- Eden model 445
- Edwards–Anderson model 131
- Edwards–Anderson order parameter 131
- Edwards–Wilkinson model 451
- Einstein relation 292
- elastic interactions 208
- energy cumulant 99
- energy landscape 198, 343
- entanglements 298
- entropy 11, 14, 214, 320, 345, 354, 365
- epsilon expansion 50
- equal weight rule 99, 298
- equations of motion 14, 181, 211, 484, 495
- equilibrium polymers 212
- equipartition theorem 369
- ergodicity 29, 85, 112
- ergodic time 122
- errors 35–36, 211, 231, 340
 - statistical 35, 95, 231, 311, 331
 - systematic 108, 233, 235, 331, 394
- evaporation 359, 434
- event chain algorithm 258, 274
- event-driven Monte Carlo 60, 169
- Ewald interaction 405
- Ewald summation 280
- excluded volume interaction 147–148, 289
- expanded ensemble 168, 255
- fast multipole method 281
- fatty acid molecule 286
- Fermiac 2, 60
- fermions 366, 374, 382, 387, 404
- fermion determinants 396
- Fermi liquid 409
- Fermi statistics 373
- ferromagnet 46, 96–97, 164, 326, 330
- field mixing 101
- film growth 449
- finance 535
- finite size effects 88, 92, 96, 100, 113, 196, 200, 209, 225, 231, 256, 258, 298, 333, 354, 361, 372, 394, 469, 475
- finite size scaling 66, 91–92, 96, 100, 109, 120, 186, 196–197, 201, 209, 225–226, 231, 256, 298, 333, 336–338, 346, 372, 432, 475
- fixed point 417, 423
- Flory–Huggins theory 296
- Flory model 151
- flow diagram 417
- fluctuation dissipation relation 312
- fluctuation relations 15–16, 109, 114, 178, 203, 261, 372
- fluctuations 15, 30, 84, 192, 194, 222, 259, 292, 314
- fluid flow 61, 503
- fluids 101–102, 131, 219, 243
- fluid–solid transition 253, 365
- force bias sampling 311
- force versus extension relation 460
- Fortuin–Kasteleyn theorem 161
- Fourier Monte Carlo 211
- fractal dimension 446
- fracture 487
- Frank elastic constants 306
- free energy 11–12, 19, 23, 28, 30, 91, 214, 223, 249, 268, 313–314, 319, 327, 329, 419, 460
 - barrier 212
 - landscape 72, 211–212, 357
- Frenkel–Ladd method 216
- friction 226
- friction coefficient 312, 501
- frustration 130, 198
- full configuration interaction (FCI)
 - method 404
- gas–liquid transition 252, 263, 359
- Gaussian distribution 16, 35, 96, 114, 259
- Gaussian ensemble 142, 228
- Gay–Berne potential 307
- gelation 225, 443
- gels 198
- genetic algorithm 216
- geometric parallelization 175
- Gibbs ensemble 264, 307
- Gibbs–Cahn integration 315
- Ginzburg criterion 30, 47
- Glashow–Weinberg–Salam (GWS) theory 469
- Glasses 198, 203

- glass transition 211
- Glauber dynamics 84, 179
- globular proteins 225, 545
- global balance 276
- grand canonical ensemble 13, 141, 150, 192, 248, 263, 318–319
- graphene 69, 521
- graphics processing units (GPUs) 39, 116, 173
- Green's function Monte Carlo (GFMC) 366, 400
- Griffiths singularities 194
- groundstate 72, 124, 128, 216, 346, 361, 365, 371, 400, 404
- growing walks 77
- growth algorithms 235
- hadrons 475, 480
- Hamming distance 227
- Handscorn method 393
- hard-core bosons 398–399
- hard-core potential 244
- hard-core square well fluid 256
- hard disks 243, 258, 274
- hard particles 246, 489
- hard walls 247
- harmonic approximation 370, 412
- Hartree–Fock determinat 406
- heatbath algorithm 178, 181
- Heisenberg chain 378, 381, 393
- Heisenberg model 22, 26, 88, 176, 180, 182, 204, 335, 378, 392–393, 402
- Heisenberg uncertainty principle 365, 369
- Hele–Shaw cell 446–447
- $^3\text{helium}$ 373
- $^4\text{helium}$ 373
- herringbone structure 376
- Hexatic 275
- Higgs mechanism 469
- histogram 208, 212, 327, 329, 340–341, 357, 480
 - broad histogram method (BHMC) 341
 - single histogram method 329
 - multihistogram method 341
- history of Monte Carlo 2, 60
- Hoshen–Kopelman algorithm 67, 162
- HP model 359
- Hubbard model 387, 397
- hybrid algorithms 172, 181, 491
- hybrid Monte Carlo 172, 181, 480
- hydrodynamic interactions 507
- hydrodynamic slowing down 51, 138
- hyperdynamics 493
- hyperscaling 24, 196, 225
- hysteresis 214, 248, 468
- ideal gas 243, 246, 249, 267, 328
- identity switch 142, 254
- importance sampling 37, 57, 80, 161
- improved estimators 166
- incommensurate order 127, 283
- initial configurations 72, 114, 449
- interdiffusion 45, 135–136
- interface flipping algorithm 224
- interface roughening 224
- interfaces 86, 139, 218, 248, 263, 313, 317, 347, 475
- interface unbinding 226
- interfacial free energy 313, 316, 317, 347
- interface tension 475
- internal energy 10–11, 15, 83, 98, 210, 213–214, 245, 380, 466
- invaded cluster algorithm 167
- inverse Monte Carlo 229
- inverse MCRG 428
- inverse power law potential 244
- irreversible processes 430
- Ising model 11, 19, 26, 30, 41, 80–81, 92, 94, 98, 101, 103, 108, 110, 119, 122–123, 130, 141, 164, 166–167, 169, 178, 197, 209, 211, 214, 218, 221, 224–225, 233, 326, 330, 336, 354, 377, 421–422, 425, 431, 433, 468, 475
 - in transverse field 377
- Ising spin glass 130, 198–199
- isospin mass splitting 481
- isotope effects 372
- jackknife method 232
- jamming coverage 462
- Janus particle 509
- Jordan–Wigner transformation 383
- Kardar–Parisi–Zhang (KPZ) equation 451
- Kauffman model 449
- Kawasaki model 132
- Keating potential 208
- kinetic energy 14, 406
- kinetic Monte Carlo 138, 269, 277, 430, 453
- Kosterlitz–Thouless transition 22, 25, 130, 181, 184, 275, 497
- Kuhn length 155

- lagged Fibonacci generator 41
- lamellar phases 131, 285
- Landau theory 28, 30
- Langevin equation 299, 312, 500, 507
- Langmuir–Hinshelwood mechanism 522
- Langmuir monolayers 285
- Laplace's equation 57
- large cell renormalization 421
- Lattice animal 155
- lattice Boltzmann equation 504
- lattice gas cellular automata 504
- lattice gas model 26, 31, 217, 283
- lattice gauge model 181, 465
- lattice gauge theory 182
- layering 318
- leapfrog algorithm 496
- Lee–Kosterlitz method 217
- Legendre transformation 15, 318, 355
- Lennard–Jones fluid 101, 244, 248, 278, 316, 318
- Lennard–Jones interaction 101, 148, 244, 278, 284, 295, 486, 545
- lever rule 15
- Lifshitz line 152
- Lifshitz point 225
- Lifshitz–Slyozov theory 48
- linear response 136
- line tension 314
- liquid crystalline systems 176, 285, 305
- Liouville equation 45
- Liu–Luijten algorithm 274, 288–289
- living polymers 150, 152
- long range forces 209, 280
- Lorentz gas 69
- machine learning 512
- macromolecular structure 551
- macromolecules 75, 219, 289
- magnetization 17, 22, 46, 83, 88, 93, 95, 217, 226, 326, 329, 344
- Markov chain 36, 168, 171
- Ma's MCRG 424
- master equation 36, 44, 49, 82, 212, 406
- materials science 520
- mean-square displacement 292, 369
- medicine 533
- melting 261, 263, 275
- membrane proteins 545, 547
- membranes 211
- Mersenne twister 41, 206, 340
- mesophases 288
- metadynamics 493
- metals 408
- metastable states 19, 47, 97, 468
- Metropolis algorithm 82, 84, 112, 132, 147, 176, 178, 221, 243, 245, 312, 386, 467, 523, 527, 545, 550
- Metropolis–Hastings algorithm 529
- micelles 285, 287
- microcanonical algorithm 140, 180, 486
- microcanonical ensemble 13–14, 228, 484
 - Real 251
- microemulsions 131
- micromagnetics 501
- microstates 153, 314, 316, 460
- minimum image convention 279
- minus sign problem 366, 374, 385, 387, 408
- Modeling term 405
- modulated order 127, 225
- molecular beam epitaxy (MBE) 452–453
- molecular dynamics (MD) 14, 172, 278, 283, 293, 295, 484, 487, 489–491, 506, 508, 542
 - steered 461
- molecular dynamics–spin dynamics (MD–ISD) 499
- Monte Carlo phase switch 269, 273
- Monte Carlo renormalization group (MCRG) 331, 335, 416, 421, 424, 426
- Monte Carlo time 82, 106, 165
- Morse potential 295
- multicanonical method 329, 342–344, 346, 359, 524, 543
- multicritical transitions 26, 225, 418, 427
- multigrid methods 172
- multihistogram method 341
- multilattice method 169, 228
- multiparticle collision dynamics (MPC) 508
- multiscale simulation 138, 505–506
- multispin coding 168, 221
- Navier–Stokes equation 504
- Néel state 366
- neighbor lists 278, 487
- Nelson–Halperin theory 261
- nematic 306
- Neon 372
- networks 534
- neutron stars 403
- neutron transport 60
- Newton's equations 14, 211, 461
- N*-fold way 138, 169–171, 277

- nitrogen (N_2) 375–376
- nodal surface 404
- noise reduction 166
- non-deterministic polynomial(NP) 408
- non-equilibrium molecular dynamics (NEMD) 226, 491
- non-equilibrium Monte Carlo (NEMC) 458
- non-equilibrium processes 138, 457, 460
- non-linear relaxation 50, 113, 116–117
- non-linear σ -model 166
- non-reversal random walk (NRRW) 74
- non-universal exponents 124–125, 128
- normal pressure 246
- NpT ensemble 247, 265, 489
- nuclear matter 470
- nuclear physics 402
- nucleation 47–48, 165, 171, 224
- numerical integration 54–57, 356
- NVT ensemble 243, 248, 267
- off-diagonal long range order (ODLRO) 399
- off-lattice models 243, 245
- Onsager coefficients 136
- optimization 196, 198, 203, 216
- order parameter 17, 26, 28, 92, 152, 164, 166, 178, 199, 271, 299, 317, 352, 376, 402, 437
- vector 186
- ordering kinetics 439
- orientational bias 309
- orientational ordering 259, 283
- overlapping distribution method 326
- over-relaxation 179
- pair distribution function 229, 245
- parallel computers 173, 237, 488
- parallel tempering 169, 194, 202, 394, 543, 546
- particle-particle particle-mesh(P3M) method 282
- partition function 9, 14, 73, 76, 82, 153, 213, 216, 248–249, 265, 326, 350, 368, 373, 375, 378–379, 385, 393, 395–396, 471
- path integral 366–367, 375
- path integral Monte Carlo (PIMC) 366, 370, 372, 374, 377
- pearl-necklace model 295
- percolation 62, 161
- bond percolation 65, 69
- conductivity 69
- continuum percolation 69
- explosive percolation 70
- invasion percolation 69, 167
- probability 63, 164
- recursive percolation 67
- site percolation 62, 64, 68
- periodic boundary condition (p.b.c) 85–86, 93, 103, 129, 136, 219, 222–223, 226, 247, 314, 331, 377, 379
- periodic potentials 283
- PERM algorithm 144, 147, 153, 156, 290, 524
- persistence length 155, 289, 295
- Petaflop computers 175
- phase coexistence 15, 225, 314
- phase diagram 19–20, 25–26, 51, 124, 142, 152, 184, 215, 354, 474, 479
- phase separation 48, 133, 150, 226, 248, 313, 437, 439
- phase space 14
- phase transition 17
- first order 14, 19–20, 25–27, 29, 31, 46, 141, 152, 196, 214–215, 231, 343, 351, 355, 468, 473, 479
- irreversible 522
- second order 18–19, 26, 31, 80, 91, 152, 197, 466, 473
- phonon spectrum 372
- pivot algorithm 76, 143
- Planck's constant 14
- plaquette 481
- Poisson's equations 182
- Poisson process 277
- Polyakov loops 475
- polyelectrolytes 289
- polyethylene 289, 291–292, 301, 370
- polymer crystallization 212
- polymer growth 443
- polymer melts 285, 293, 491
- polymer mixtures 225, 263, 296
- polymer solution 147, 285, 289
- polymer translocation 457, 459
- polymerization 523
- polymers 254, 289, 298, 355, 368–369, 373, 502
- population control 154
- Potts model 25, 98–99, 127, 161–163, 189, 197, 212, 217, 343, 348–349, 351, 360, 437
- predictor–corrector methods 485, 497

- preferential site selection 220, 312
- pressure 245–246, 248, 251
- pressure tensor 302
- prewetting 319
- probability changing algorithm 167
- probability distributions 16, 34–35, 92, 98
- probability theory 32
 - central limit theorem 34–35
- projector Monte Carlo (PMC) 366
- protein folding 142, 212, 290, 352, 359, 524, 527, 540–542, 545
- proteins 211
- pruned enriched Rosenbluth method (PERM) 153
- QM/MM method 507
- QMCPACK 175
- quantum chromodynamics (QCD) 396, 470, 472, 473
- quantum dynamics 412
- quantum fluids 373
- quantum liquid 399
- quantum mechanics 248, 399
- quantum Monte Carlo 365
- quantum spins 366
- quark–gluon plasma 472, 474, 479
- quarks 471–473, 478, 480
- quasi-classical limit 248
- quasi-harmonic approximation 370, 377
- quasi-Monte Carlo method 78
- quenched approximation 472
- quenched averaging 190, 193
- quenched randomness 190, 193–194, 199
- quenching experiment 438
- Q2R cellular automaton 141, 449
- radioactive decay 59
- radius of gyration 149, 292, 369
- Rayleigh–Benard convection 62, 489–490
- random bond model 195
- random fields 195
- random field Ising model (RFIM) 196
- random hopping algorithm 297
- random number generator 38, 40–41, 43, 116, 157, 165, 233–237, 332, 439
 - quality tests 41, 43
- random resistor network 69
- random sequential adsorption 462
- random walk 73, 289, 300, 350–351, 360, 395, 404, 445
- ratio method 75
- reaction coordinate 254, 455, 458
- reaction field method 280
- reactor criticality 61
- real space renormalization group 420, 424
- red blood cells 507
- relaxation function 50–51, 107, 116, 119
- relaxation time 107–109, 113, 116, 119, 212, 300, 345
- renormalization group (RG) 22, 334, 339, 341, 416
- replica exchange 194, 210–211, 357–359
- replica exchange Molecular Dynamics (REMD) 211
- reputation 293, 300
- resonant valence bond (RVB) 399
- restricted primitive model 256–257
- reverse mapping 507
- reverse Monte Carlo 229–230
- reweighting 331–332, 479
- ring polymers 368–369
- RNA 548
- Rosenbluth algorithm 154, 311
- rotational degrees of freedom 375
- rotational isomeric states 151
- Rouse model 299–300, 304, 507
- rubber 198
- Ruderman–Kittel interaction 198
- sample-to-sample fluctuation 192–193
- scaling 23–24, 91, 432, 545
 - field 27, 101, 256
 - function 23, 27, 92
 - law 23, 100
- Schramm–Loewner evolution (SLE) 206
- Schrödinger equation 404
- sedimentation 451
- self-averaging 114, 191–192, 438
- self-avoiding walk (SAW) 74–76, 143, 148, 154, 219, 289, 292, 301
- self-diffusion 137, 301
- semiconductor 207
- semidilute polymer solution 150
- semiflexible polymers 155
- semi-grand canonical ensemble 142, 192, 208, 254, 258, 297, 317
- series expansion extrapolation 23, 335, 339
- shearing step 226
- shear rate 226
- shift register algorithm 40

- Si-Ge mixture 207–209
- simple sampling 36, 54, 80, 148, 153
- simulated annealing 198, 202–203
- simulated tempering 195, 211, 213, 394
- single-ion anisotropy 176, 235, 496
- SiO₂ 491
- Slater determinat 404
- slithering snake algorithm 143, 297
- smart Monte Carlo 309
- Smoluchowski equation 457
- sociophysics 530
- soft spheres 244
- solidification 313
- solid-on-solid model 224, 434–435
- solitons 182–183
- special purpose processor 199
- special transition 339
- specific heat 15–16, 20, 22, 80, 94, 98, 102, 214, 333, 365, 372, 482
- speedup 359
- spin density wave (SDW) 411
- spin dynamics method 495, 497–499
- spin exchange 49, 132–133, 433, 452
- spin-flip 49, 81, 122, 151, 161, 163, 179, 198
- spin-flop (SF) phase 187
- spin glasses 130, 199–200, 203–204, 211, 225, 352, 440
- spinless fermions 382, 387
- spinodal decomposition 48–49, 134, 509
- spinodal points 46–47
- spin wave 183, 498–499
- spiral growth 435
- sponge phases 131, 285
- spreading coefficient 320
- staggered fermions 396
- star polymer 77, 149, 155
- statistical errors 42, 106, 157, 166, 232, 236, 331, 333
- statistical inefficiency 108
- stiff rods 151
- Stillinger–Weber potential 208
- stochastic approximation Monte Carlo (SAMC) 353
- stochastic cutoff 210
- stochastic rotation algorithm 508
- stochastic series expansions 393–394, 396
- Stokes law 507
- stress tensor 313
- structure factor 48, 134, 432, 497–498
- SU(*N*) group 469, 471, 474, 481
- subsystems 100, 258
- superantiferromagnet 124
- superconductivity 366, 411
- superfluidity 365, 373
- surface-bulk multicritical point 338
- surface effects 87, 218
- surface field 220, 222, 223, 338, 223
- surface tension 246
- surface transition 338
- surfactants 285, 287
- ‘survival of the fittest’-algorithm 404
- susceptibility 16, 20, 80, 95, 97, 109–110, 166, 178, 199, 203, 209, 218, 227
- Swendsen’s MCRG 424
- Swendsen–Wang algorithm 163–164, 167, 181, 233
- tail corrections 268
- Tausworthe algorithm 40
- ten Wolde–Frenkel model 545–546
- thermal expansion 291, 365, 370
- thermodynamic integration 214–215, 247, 313–315
- thermodynamic potentials 12
- thermostat 211, 508
- theta point 149, 289
- thin films 88, 221, 298, 301, 316
 - polymeric 298, 301
- third law of thermodynamics 365
- topological excitations 186–187
- torsional potential 293
- traffic simulations 531–533
- transfer matrix Monte Carlo 335
- transition matrix Monte Carlo 320, 342
- transition path sampling 214, 454–455, 460
- transition path theory 455
- transition probability 36, 82, 171, 254, 265, 392
- transition rate 212
- transport coefficients 51
- transport simulation 60
- traveling salesman problem 202
- tricritical exponents 27
- tricritical point 26–27, 29, 120, 142, 235, 420, 427, 469
- Trotter dimension 371
- Trotter index 368
- Trotter scaling 372
- Trotter–Suzuki transformation 367, 380
- two-state model 212

- U(1) gauge theory 468, 481
- umbrella sampling 216, 254, 315, 320, 326, 328, 348, 461
- united atom model 293
- universality 23, 186, 336, 418
 - class 24, 49, 73, 336, 420, 450
- upper critical dimension 419
- vacancy mechanism of diffusion 135
- van der Waals loop 15, 228
- vapor–liquid coexistence 313
- vapor–liquid critical point 319
- variance 34, 36, 212
- variational Monte Carlo (VMC) 398
- vector computer 169, 173
- Verdier–Stockmayer algorithm 143
- Verlet algorithm 485, 508
- Verlet table 278
- vertex models 379
- vesicles 131, 285
- Vicsek model 509
- virial theorem 243, 251, 302
- virtual volume changes 246
- volume moves 208
- vortices 87, 183, 185
- Wang–Landau sampling 138, 216, 229, 315, 320, 348–354, 360, 394–395, 481, 525–526, 546–547
- Replica exchange Wang–Landau sampling 357–359
- water 285
- water–oil mixtures 131, 285
- wedge filling 222–223
- wetting 88, 169, 219–222, 226, 313, 320
 - complete 313, 317
 - partial 313
- Widom particle insertion method 266, 268
- Wilson action 466
- Wilson loop 473
- winding number 376
- Wolff algorithm 165, 180, 233–235, 340
- Wolff embedding 180
- work theorem 460
- wormhole algorithm 147
- wormlike chain 155, 541
- XY chain 378
- XY-model 22, 125, 130, 177, 181, 183–184, 393, 497
- Youngs’s equation 313, 317
- zeolites 252
- zero-point motion 365
- Ziff–Gulari–Barshad (ZGB) model 523
- $Z(N)$ lattice gauge model 468