
Index

- Abelian group, 107, 114
- abs*, 46
- abstraction function, 44, 49, 53
- accumulating parameter, 14–16, 85, 99, 112, 382
 - accumulating function, 15, 16, 34, 39, 57, 99, 279, 280, 302
- acyclic graph, 206, 229, 231
 - directed, *see* directed acyclic graph
- Adamaszek, Michal, 166
- Adelson-Velskii, Georgy M., 84
- adversarial argument, 137, 138
- Ahrens, Joachim H., 257
- Aigner, Martin, 228
- algebraic ring, 107
- all*, 17, 19
- amoeba fight show, 343, 358
- amortised complexity, 34–38, 40, 42, 46, 51
- and*, 261
- Andersson, Arne, 84
- Applicative* class, 5
- apply*, 18, 144, 190
- array, 51–53, 55, 58
 - accum*, 55
 - accumArray*, 52, 105
 - array*, 51, 109
 - assocs*, 53
 - elems*, 53, 105
 - immutable, 51, 212
 - listArray*, 52, 212
 - mutable, 95, 212, 367
- association list, 52
- associative operation, 21, 122
- A^* , 220, 410–412, 415, 425, 426, 428
- asymptotic notation, 25–27, 38
- Augustsson, Lennart, 110
- average-case complexity, 27
- AVL tree, 84
- Backhouse, Roland, 84
- balanced tree, 75–81, 84, 87, 91, 96, 97, 101–102, 113, 117, 270, 282, 355
- Ball, Walter William Rouse, 394
- Baum, Eric B., 394
- Bellman, Richard, 311, 326
- Bentley, Jon, 84
- Berlekamp, Elwyn, 110
- big omega, 25
- big omicron, 25, 38–41
- big theta, 25, 38–41
- binary comparisons, 80
- binary search, 63–67, 85, 177, 270
- binary search tree, 63, 73–81, 85–86, 88–90, 94, 270, 282
 - optimum, 336, 347–349, 358
- binary tree, 47, 96, 177, 188, 197, 335
 - perfect, *see* perfect binary tree
 - search, *see* binary search tree
 - unordered, *see* unordered binary tree
- binomial coefficient, 314–316
- bit vector, 373–375, 394, 395, 398
- Blum, Manuel, 135
- Bool* type, 5
- bottom-up algorithm, 98, 123, 178, 199, 203, 311
- Bottom-up Mergesort, *see* Mergesort
- Bounded* class, 104
- boustrophedon product, 345, 358, 360, 363
- breadth-first search, 369, 372, 378–386, 389, 393, 396–397, 400–401, 405, 409, 412, 424
- Bridge hand, 112
- Bubble sort, 173
- Bucketsort, 102–106, 113–114, 117–118
- Bunkenburg, Alexander, 166
- Cai, Xuan, 166
- Catalan numbers, 200
- Chao, Kun-Mao, 281
- Chapman, Noyes P., 425
- coin-changing, 151–156, 165, 167–168, 173–175, 248–251, 259, 263–264, 330, 333
- collapse*, 14
- Collette, Sébastien, 394
- commutative operation, 122

- compact sorting, 94
- compare*, 100, 109
- comparing*, 112
- complexity
 - average-case, *see* average-case complexity
 - worst-case, *see* worst-case complexity
- concat*, 8, 30
- concatMap*, 10
- concrete mathematics, 38
- connected graph, 206, 229–231
- cons*, 9, 43
- Cormen, Thomas H., 84
- Countsort, 117, 133
- Crochemore, Maxime, 281
- Curtis, Sharon, 257, 281
- cycle, 206, 224, 229–231, 428
- data compression, 289
- data** declarations, 5
- data structure, 36
 - destructive, 51
 - persistent, 51
- Data.Array* library, 51, 55, 105
- Data.Bits* library, 374, 395
- Data.List* library, 5, 17, 47, 99, 397
- Data.Map* library, 410, 426, 429
- Data.Ord* library, 112
- Data.Sequence* library, 47
- Data.Set* library, 412
- Data.Text* library, 421
- Data.Word* library, 6, 374
- Dechter, Rina, 425
- decimal fractions, 156–161, 165, 168–169, 175–176, 239
- decision tree, 73, 80
- Demaine, Erik D., 111
- Denardo, Eric V., 326
- dependency graph, 311, 313–333
- depth-first search, 369, 372, 373, 378–386, 393, 396, 400, 405, 409, 412
- de Moor, Oege, 166, 257, 300
- Dick, Philip K., 54
- dictionary, 74
- digraph, *see* directed graph
- Dijkstra's algorithm, 220–225, 228, 230, 233–235, 244, 248, 263, 405, 426, 428
- Dijkstra, Edsger W., 84, 228, 281
- directed acyclic graph, 244, 251, 311, 313, 373, 379
- directed graph, 205, 230, 372
 - acyclic, *see* directed acyclic graph
- discriminator function, 103, 106
- disjoint sets, *see* union-find
- distributive law, 147, 163, 166, 169, 170, 176, 275, 293, 317
 - of thinning, *see* thinning, distributive law
- divide-and-conquer, 11, 29, 61–140, 167, 171, 178, 229, 232, 239, 268, 311
- Double* type, 5
- Dreyfus, Stuart, 326
- drop*, 17, 19
- dropWhile*, 17, 19, 34
- dropWhileEnd*, 17
- dynamic array, 40, 42
- dynamic programming, 239, 248, 252, 271, 311–364, 367
- dynamic set, 81–84, 86–87, 90–91
- eager evaluation, 28
- 8-puzzle, *see* sliding-block puzzle
- elem*, 17, 19
- Engelhardt, Matthias R., 394
- Enum* class, 104
- EQ*, 100
- Eq* class, 5, 22
- equational reasoning, xiii, xiv, 146, 162
- error messages, 45, 49, 55, 57
- Euclidean distance, 416, 418
- exhaustive search, 239, 367–431
- expression problem, 376–378, 395–396, 398–400
- extend*, 148
- factor, *see* segment
- Feijen, Wim H. J., 281
- fetch*, 47
- fib*, 75, 313
- Fibonacci, 75, 313–314, 327, 330–331
- 15-puzzle, *see* sliding-block puzzle
- Filliâtre, Jean-Christophe, 359
- filter*, 6, 17, 20
- Finke, Gerd, 257
- Fischer, Michael J., 326
- fission, 185, 278
- Flake, Gary W., 394
- flatten*, 55, 74, 85, 95, 96, 101, 104, 111
- flip*, 7
- Float* type, 5
- floating-point numbers, 5
- Floyd, Robert W., 110, 135
- Foldable* class, 5, 20
- foldl*, 7, 17, 18, 290
- foldl1*, 121, 180
- foldr*, 6, 17, 18, 20, 144, 146, 168, 174, 248, 268, 290
- foldr1*, 121, 145, 180
- foldrn*, 180, 295
- folders, 6–9
- forest, 206
 - spanning, *see* spanning forest
- Forsyth, Mark, 16
- Fredman, Michael L., 110, 111
- fringe (of a tree), 178, 189, 335, 336
- functional composition, 8, 13
- fusion, xiv, 11–14, 144, 241, 246, 248, 254–256, 268, 269, 272, 273, 276, 277, 292, 295, 371, 377
 - condition, 12, 146, 158, 162, 181, 182, 246, 250, 256, 259, 264, 294, 300
 - context-sensitive, 18, 22, 149, 181, 291
 - law for *foldl*, 19, 23, 39, 41
 - law for *foldrn*, 181, 185, 200

- law for *foldr*, 12, 18, 39, 41, 146, 157, 164, 168, 175, 276, 278
 law for *until*, 112, 115
- Garsia, Adriano M., 359
 Garsia–Wachs algorithm, 199, 344, 349–358, 361–362, 364
- Gauss, Carl Friedrich, 393
 GHCi, 16, 28, 31, 393, 424
 Gilbert, Edgar N., 359
 Golden Ratio, 75, 327, 330
 Graham, Ronald L., 38, 84, 228
- graph, 205–235
 acyclic, *see* acyclic graph
 adjacency representation, 206, 229, 232, 406
 connected, *see* connected graph
 directed, *see* directed graph
 directed acyclic, *see* directed acyclic graph
 labelled, *see* labelled graph
 undirected, *see* undirected graph
- greedy algorithm, 9, 11, 22, 143–235, 239, 246, 248, 260, 265, 268, 272, 287, 292–294, 296–298, 301, 304, 306, 335, 344, 367
 greedy condition, 161, 192–194, 216, 293, 297, 301, 306, 321, 328
- Gries, David, 54, 84, 281
group, 126
GT, 100
- Gusfield, Dan, 280, 281, 326
- halve*, 97
- Hancart, Christof, 281
 Harper, Lawrence H., 111
 Hart, Peter E., 425
 Haskell, xiii, 3, 5, 16, 104, *see also* GHCi, Hugs
 Haskell Platform, 16
- head*, 20
- heap, 101, 197
 condition, 197
 leftist, *see* leftist heap
 maxiphobic, *see* maxiphobic heap
 skew, *see* skew heap
- Heapsort, 101–102, 110, 113–114, 116–117
 height (of a tree), 74, 76, 86, 89, 177
 Hell, Pavol, 228
- heuristic
 admissible, *see* optimistic heuristic
 monotonic, *see* monotonic heuristic
 optimistic, *see* optimistic heuristic
- heuristic search, 369, 405–431
 hillclimbing algorithm, 143
- Hinze, Ralf, 425
 Hoare, Charles A. R., 110, 111, 135
 Hoffman, Eric J., 394
 Hood, Robert, 54
 Hoogerwoord, Rob R., 54
 Hu, Te Chiang, 199, 358, 359
 Hu–Tucker algorithm, 199, 358
 Huet, Gérard, 84
- Huffman coding, 187–196, 200–201, 203–204, 208, 336, 344, 348, 349, 358
 Huffman, David A., 199
 Hughes, John, 16
 Hugs, 28
 hyperbaton, 16
- identity element, 21
 imperative programming, 7
 implicit search, 369–375
 in-place algorithm, 95, 102
 incrementing a binary integer, 35, 50
 indirect equality, 87
 induction, 75
 inductive definitions, 9
 infinite list, 6, 9, 14, 18, 47
 infinite loop, 127
inits, 17, 19, 33, 39, 42, 46, 274, 283, 286
 Insertion sort, 11, 150, 165, 167, 173
Int type, 5, 169, 175, 218, 398
Integer type, 5, 313, 398
 inversion count, 147–149, 165, 420, 423, 428, 431
iterate, 35
Ix class, 52, 105
- Jarník, Vojtěch, 228
 Jiang, Tao, 281
 jogger’s problem, 224–228, 231, 235
 Johnson, William W., 425
- Karpinski, Marek, 359
 Kingston, Jeffrey H., 359
 knapsack problem, 252–255, 259–260, 264–265, 268, 313, 316–319, 328, 331
 0/1, 253
 fractional, 253, 260, 265
 integer, 253, 260, 265
- Knuth, Donald E., 16, 38, 84, 110, 111, 165, 166, 199, 300, 358, 359, 394
 Koenig, Sven, 425
 Kruskal’s algorithm, 208–215, 228, 230, 232–233
 Kruskal, Joseph B., 228
- label*, 6
 labelled graph, 206, 229
 Lambert’s algorithm, 107
 Lambert, Jean-Luc, 107, 111
 Landis, Evgenii M., 84
 Larmore, Lawrence L., 359
 LaValle, Steven M., 394
 layered network, 244–248, 251, 258–259, 262–263, 311, 318
 lazy evaluation, 8, 23, 28, 32, 93, 111, 124, 173
 Lecroq, Thierry, 281
 leftist heap, 197
 Leiserson, Charles E., 84
length, 7
 lexical order, 102, 103, 132, 149, 153, 155, 160, 161, 173, 174, 182, 272
 lhs2TeX, xvi
 Lin, Yaw-Ling, 281

- linear search, 63, 203, 270
 linear time, 27
 linearithmic time, 67, 101, 113
 list comprehension, 10
 list indexing, 125
 list of successes, 369
 Loessi, J. C., 394
 logarithmic time, 64
 longest common subsequence, 270–274, 280–283,
 285–286, 313, 319, 322–323, 329, 332–333
 longest upsequence, 267–270, 281–285, 329
 loop invariant, xiii
 lower median, 124
 Loyd, Sam, 419, 425
LT, 100
 Lunar Landing, 383–386, 390, 394, 397, 403
 Lunar Lockout, *see* Lunar Landing
 Manhattan distance, 421, 423, 428, 431
map, 6, 17, 20
 Marlow, Simon, 61
 Martello, Silvano, 257
maxBound, 104
maximum, 17, 19, 121
 maximum-sum segment, 283, 287
 maximum-sum short segment, 281
maxInt, 218, 263
 maxiphobic heap, 199
 median, 121, 124, 126
 Meertens, Lambert, 359
 Melville, Robert, 54
 memoisation, 15, 311
merge, 90, 96, 109, 128
 Mergesort, 96–100, 110, 112, 114–115, 177, 178, 289,
 301
 Bottom-up, 98, 112, 115
 Natural, 99
 Smooth, 99, 106
 Straight, 98
minBound, 104
minimum, 17, 19, 121
 minimum edit distance, 313, 319–322, 326, 328–329,
 331–332
 minimum-cost spanning tree, 205, 207, 228
 minimum-height tree, 177–187, 199–203
 minimum-sum short segment, 274–280
MinWith, 162
minWith, 145
 Mitchell, Joseph S. B., 111
Monad class, 5
 monad, 51
 monolithic updates, 51
 monotonic heuristic, 410–415, 426, 428–429
 monotonicity, 106, 107, 150, 162, 163, 167, 172, 184,
 262, 307, 311, 317, 320, 328, 330, 333, 339–341,
 345–347, 349, 358, 360–363, 367, 377, 395, 398,
 399
 Moore, Edward F., 359
 Moore, Robert C., 394
 Morris, Joseph M., 166
 Mu, Shin-Cheng, 257, 281
n-queens problem, 369–375, 377, 393, 395, 398
 Nash, Alex, 425
Nat type, 6
 Natural Mergesort, *see* Mergesort
 Navarro, Gonzalo, 326
 navigating a warehouse, 415–419, 426–427, 429–430
 Niewiarowska, Anna, 166
 Nilsson, Nils J., 425
 nondeterministic function, 161–165, 169–170, 176,
 241
 Nordin, Thomas, 110
 normal form, 27
 Norvig, Peter, 425
null, 17, 19
Num class, 5
Numeric.Natural library, 6
O, *see* big omicron
 O'Rourke, Joseph, 111
 offline algorithm, 9
 Okasaki, Chris, xv, 54, 199
 Ω , *see* big omega
 online algorithm, 9, 46
 Open Problems Project, 110
 optimistic heuristic, 405–411, 426, 428–429
 optimum bracketing, 335–364, *see also* amoeba fight
 show, boustrophedon product
 addition, 341
 cartesian sums, 344
 concatenation, 341
 Huffman coding (restricted), 344
 matrix multiplication, 335, 337, 343, 358
 multiplication, 342
or, 261
Ord class, 5, 93
Ordering type, 100
 paragraph problem, 8, 294–299, 301–303, 306–308
 partial order, 242
 partition, 277, 289–308
 partition (by a predicate), 76, 86, 89, 94
 partition3 (into three parts), 89, 125
 parts (all partitions), xiv, 289–291, 300, 303
 ptn (into buckets), 103, 105
partition, 133
 Patashnik, Oren, 38, 84
 Paterson, Michael S., 135
 path, 206
 Payne, Thomas H., 111
 Pearl, Judea, 425
 perfect binary tree, 48
 permutation, 9–11, 31, 34, 38, 39, 41, 42, 80, 147, 396,
 420
 perms, xiv, 9, 10, 18, 148, 167, 370, 371
picks, 10, 150, 190, 209
 planning, 369, 386–393, 397–398, 403, 425
 Plass, Michael F., 300

436

Pohl, Ira, 135
 point-free reasoning, 14
 point-wise reasoning, 13
 Pratt, Vaughan, 135
 prefix, *see* *inits*
 prefix-closed, 291, 292, 295, 300, 304, 306
 prefix-free code, 188
Prelude library, 5
 preorder, 241, 246, 249, 254, 269, 272, 276, 281, 283, 294, 299
 Preusser, Thomas B., 394
 Prim's algorithm, 215–219, 228, 230–233
 Prim, Robert C., 228
 priority queue, 102, 196–199, 201, 204, 405, 406
 priority search queue, 406, 414, 425
 Prömel, Hans Jürgen, 228
ptails, 325
 quadrangle inequality, 340, 345, 347, 349, 358, 360, 363
 quadratic time, 27
 queens problem, *see* *n*-queens problem
 queue, 194, 381
 priority, *see* priority queue
 QuickCheck, xvi
 Quicksort, 94–96, 110–112, 114–115, 125, 133
 Rabe, Florian, 166
 Radixsort, 102–106, 110, 113–114, 117–119
 random-access list, 47–51, 54–55, 57–58, 214
 Raphael, Bertram, 425
 Raskin, Jean-François, 394
Rational type, 5
 Rausch, John, 394
 recurrence relation, 28–32
 recursion, 7
 red–black tree, 84
 reduction steps, 27
 refinement, 144, 161–165, 241
 representation invariant, 44
reverse, 17, 20, 112
 Revilla, Miguel A., 326
 Richards, Martin, 394
 ring, *see* algebraic ring
 Rivest, Ronald L., 84, 135
 rose tree, 103
 rotation, 77, 78
 rule of ceilings, 85, 87, 117, 201
 rule of floors, 85, 87, 157, 168, 169, 175
 running time, 27
runs, 98
 Rush Hour, 384, 389–394, 397, 403
 Russell, Stuart J., 425
 Rytter, Wojciech, 281, 359
 Saddleback search, 68–69, 84
 Savage, John E., 111
 Scan Lemma, 21, 275, 276
scanl, 9, 275, 283, 301
scanr, 21, 275, 283

Index

scanr1, 316
 scheduling problem, 291–294, 299–301, 304–306
 search
 binary, *see* binary search
 linear, *see* linear search
 two-dimensional, *see* two-dimensional search
 segment, 267, 274–281, 283, 286–287, 289
 initial, 267, 290
 tail, 267, 290
 Selection, 121–140
 Selection sort, 11, 151, 165
 Servais, Frederic, 394
 set
 combination, 81–82
 deletion, 81
 insertion, 81
 membership, 81
 splitting, 81–84
 union, 81–82, 86
 Shing, Man-Tak, 358, 359
 shortest paths, 219–228, 230–231, 233–251
 shortest-paths spanning tree, 219, 220, 226, 230
show, 106
 shuttle-bus problem, 313, 323–326, 330, 333
single, 17, 20, 98
 size (of a tree), 74, 86, 89, 97, 177, 335
 skew heap, 199
 skew tree, 84
 Skiena, Steven S., 326
 sliding-block puzzle, 419–425, 428, 430–431
 Sloane, Neil, 394
 smart constructor, 48, 76, 77, 101, 186, 195, 197
 Smooth Mergesort, *see* Mergesort
 smooth sorting, 94, 99, 100
snoc, 43, 105
sortBy, 100, 112, 116
 sorting, 52, 80, 86, 93–119, 143, 147–151, 177, 396, 400, *see also* Bubble sort, Bucketsort, compact sorting, Countsort, Heapsort, Insertion sort, Mergesort, Quicksort, Radixsort, Selection sort, smooth sorting, stable sorting
 sorting sums, 106–110, 114, 119, 344
sortOn, 100, 113, 116, 210
span, 17, 19
 spanning forest, 207, 229, 230, 233
 spanning tree, 205–219, 229–230, 232–233
 minimum-cost, *see* minimum-cost spanning tree
 shortest-paths, *see* shortest-paths spanning tree
 spine (of a tree), 180
splitAt, 17, 19
 stable sorting, 94, 95, 97, 99, 100, 104, 105
 stack, 381
 steep, 19, 23
 Steger, Angelika, 228
 Stein, Clifford, 84
 step-by-step algorithm, 143
 Stirling number, 327, 331
 Stirling's approximation, 40, 80, 86

- Story, William E., 425
 Straight Mergesort, *see* Mergesort
 Straus, Ernst G., 111
 stream, *see* infinite list
 strict function, 22, 58, 171
 strictly increasing function, 63
 stringology, 267, 280, 326
 structural recursion, 9
subseqs, 257
 subsequence, 241, 242, 250, 267–274, 281–286
 substring, *see* segment
 suffix, *see* tails
 suffix-closed, 291, 292, 295, 300, 304
 symmetric list, 43–47, 54, 56–57, 105, 194, 201, 279
 tabulation, 311, 313–333, 338
 tails, 17, 19, 33, 40, 42, 274, 283, 286
 proper, *see* ptails
take, 17, 19
takeWhile, 17, 19, 20, 26
 Tarjan, Robert E., 135, 228, 358
 tennis tournament, 122
 T_EX problem, *see* decimal fractions
 text processing, 289
 Θ, *see* big theta
ThinBy, 241
 thinning
 distributive law, 243, 246, 250, 258, 262, 269, 286
 elimination law, 243, 258, 262
 filter law, 244, 247, 258, 262, 269, 286
 idempotency law, 243, 258, 261, 262
 identity law, 242, 257, 261, 262
 introduction law, 243, 246, 254, 256, 258, 262, 268,
 273
 map law, 243, 247, 258, 262, 269, 286
 thinning algorithm, 11, 239–308, 367
 3-puzzle, *see* sliding-block puzzle
 top-down algorithm, 178, 311
 Toth, Paolo, 257
 transposition, 420
 Traversable class, 5
 tree, 206, 311
 AVL, *see* AVL tree
 balanced, *see* balanced tree
 binary, *see* binary tree
 decision, *see* decision tree
 red-black, *see* red-black tree
 rose, *see* rose tree
 skew, *see* skew tree
 spanning, *see* spanning tree
 triangle inequality, 429
 T*, 406–409, 411, 426, 429
 Tucker, Alan C., 358, 359
 tupling, 14–16, 97
 law, 122
 two-dimensional search, 67–73, 85, 88, 107
 two-sorted, 353–355, 364
 type class, 5
type synonym, 5
 Tyrrell, Malcolm, 166
uncons, 17, 20
uncurry, 55, 82, 204
 undefined value (⊥), 8, 22, 45
 undirected graph, 205, 230
 Unicode, 104, 421
 union, 90
 union-find, 211–215, 228
 unordered binary tree, 189
until, 11, 98, 144
unwrap, 17, 20, 98
 Vandermonde's convolution, 73
 von Neumann, John, 110
 Wachs, Michelle L., 359
 Wadler, Philip L., 54
 Wagner, Robert A., 326
while, 11
 Williams, John W. J., 110, 111
 worst-case complexity, 27
wrap, 17, 20, 98, 180
 Yamamoto, Hiroshi, 384
 Yao, Frances F., 358, 359
 Yoshigahara, Nobuyuki, 384
 Young tableau, 107
 Zantema, Hans, 281, 299
 Ziegler, Günter M., 228
 Zipper, 84
zipWith, 17, 19
 Zongyan, Qiu, 394