

Index

- acute asphyxial asthma 181
- adenoids 3, 22
- adverse events *see* complications of
 airway management
- AECs *see* airway exchange catheters
- age
 - endobronchial tube size 214
 - laryngoscope blade size 32
 - one-lung ventilation 213–228
 - rigid bronchoscope size 113
- AincA Lighted Stylet 29–30
- air bubbles, on US 144
- air-Q SGA 44–46, 119–120
 - self-pressurizing 41, 46
- airflow resistance 61, 185
- Airtraq SP video laryngoscope 83
- airway exchange catheters (AECs)
 - extubation 163–165
 - intubation 29
 - oxygenation 62, 164
- airway obstruction 21–23, 132
 - functional 14–15, 23, 95, 130, 132
 - lower 15, 23, 191, 197
 - upper *see* upper airway obstruction
- algorithms for difficult airways 20–25
 - EXIT procedure 209
 - laryngospasm 14–17
 - NICU emergencies 192
- alveolar proteinosis 212
- Ambu Aura-i SGA 47
- Ambu AuraGain SGA 47
- anatomy 1–3, 8
 - craniofacial abnormalities 3–5, 8–10
 - cricothyroid membrane 134
 - neonates 2, 185–187
 - premature lungs 196
- anesthesia
 - in the ED 178–181
 - EXIT procedure 207–208
 - flexible bronchoscopy 92–95, 174
 - in neonates 193–194
 - rigid bronchoscopy 114–115
 - in trauma cases 172–173
 - burns 174–175
 - see also* muscle relaxants
- antisialagogues 94
- Apert syndrome 5, 188
- apneic oxygenation 13, 58
- Arndt bronchial blocker 216–221, 224–226
- articulating stylets 29
- aspiration of gastric contents 15–16, 38, 172–173, 177
- asthma 15
 - acute exacerbations 181–182
- atelectasis 56
 - in one-lung ventilation 226
- atropine 13–14, 94, 179–180
- awake extubation 161, 163
- awake intubation
 - flexible bronchoscopy 63, 92–94, 174
 - flexible bronchoscopy plus SGA 50, 121
- B-mode ultrasonography 144
- “Back” maneuver 33
- bag-mask ventilation (BMV) 59–60, 172
- Bailey’s maneuver 165
- balloon catheter bronchial blockers 215
 - EZ-Blocker 221–222
 - intraprocedural management 220–221
 - placement 215–220
 - size 215–216
 - with a tracheostomy 224
- barotrauma 59, 62, 65, 138, 181
- BD Insyte cannula 158
- Beckwith–Wiedemann syndrome 189
- benzodiazepines 93, 179
- bone, on US 144
- Bonfils intubation endoscope (optical stylet) 30, 103–106
- bovine spongiform encephalopathy (BSE) 28
- BPD (bronchopulmonary dysplasia) 56, 196–200
- bradycardia 8, 12, 55, 179–180
 - fetal 208
- Brambank Intubation Endoscope 30
- branchial (pharyngeal) arches 1
- branchial (pharyngeal) clefts 1–2
- bronchial blockers 215, 225
 - difficult airways 224–226
 - EZ-Blocker 221–222
 - intraprocedural management 220–221
 - placement 215–220
 - size 215–216
 - with a tracheostomy 224
- Univent Tube 223
- bronchopulmonary dysplasia (BPD) 56, 196–200
- bronchoscopy *see* flexible
 bronchoscopy; rigid
 bronchoscopy
- bronchospasm 15, 23
- Bullard laryngoscope 61, 72–73
- burns 170, 173–176
- “BURP” maneuver 33
- can’t intubate, can’t oxygenate (CICO) 132–140
 - burns cases 175
 - clinical governance 134
 - cricothyrotomy 65, 134–138, 148–149, 158–159
 - difficult airway carts 134, 158–159, 194
 - oxygenation 137–140, 159
 - problems with direct laryngoscopy 13, 133
 - tracheostomy 24, 132–133, 135, 137
 - US identification of structures 148–149
- cannula cricothyrotomy 135, 137–138, 158–159
 - oxygenation 63–65, 137–140, 159
- cannulas, nasal
 - high-flow O₂ 58–59, 162
 - low-flow O₂ 58
- carbon dioxide
 - in head injuries 180
 - in one-lung ventilation 226
- carboxyhemoglobin 173
- cardiac arrest 12, 20, 55, 182
- CardioMed ETVC catheter 164
- cardiopulmonary resuscitation (CPR) 182
- cartilage, on US 144
- caustic burns 170, 173
- cervical area *see* neck
- cesarean sections 207–208
- CHAOS syndrome 205, 208–209
- chemical burns 170, 173
- chemotherapy 56–57

- chest trauma 169–172
 chest wall 3, 185
 choanal atresia 2, 185, 187
 CICO *see* can't intubate, can't oxygenate
 Clarus videoscope (Trachway) 107–108
 Classic LMA/Unique LMA 42–43
 cleft lip/palate/midface 4–5, 189
 clinical examination 21
 trauma cases 171–172
 clinical governance 134, 160
 see also training
 Cobra Perilaryngeal Airway 48
 complications of airway management
 12–16
 of cricothyrotomy 137–138
 of flexible bronchoscopy 100
 of laryngoscopy 13, 60–61
 of oxygenation 55–57, 59–61
 barotrauma 59, 62, 65, 138, 181
 of rigid bronchoscopy 116–117
 of SGAs 40–41, 122
 of video laryngoscopy 83–85
 see also hypoxemia/hypoxia
 computed tomography (CT) 169–172
 congenital diaphragmatic hernia 65,
 204, 206–207
 conjoined twins 207
 Cook airway exchange catheter 29,
 163–164
 CPR (cardiopulmonary resuscitation)
 182
 craniofacial abnormalities 3–5, 8–10,
 60, 188
 craniosynostosis 5
 cricoid cartilage 3, 186–187
 cricoid pressure 172–173
 cricothyrotomy
 anatomy 134
 cannula versus scalpel 135–138,
 158–159
 complications 137–138
 difficult airway carts 134, 158–159
 kits 65, 136
 oxygenation 137–138
 patient position 134–135
 US identification of structures
 148–149
 croup 15
 Crouzon syndrome 5, 188
 cyanotic spells in neonates with BPD
 197
 cysts 144, 189–190
 DACs (difficult airway carts) 134,
 155–160, 194
 defogging methods 72, 99
 delivery room management of neonates
 191–192
 EXIT procedure 65–66, 147–148,
 204–210
 dentition 2
 damage to 85, 114, 117
 developmental anatomy *see* anatomy
 dexmedetomidine 93
 diaphragm
 congenital diaphragmatic hernia 65,
 204, 206–207
 on ultrasound 152
 difficult airway carts (DACs) 134,
 155–160, 194
 direct laryngoscopy (DL) 27–35
 and bronchoscopy
 flexible 97
 rigid 113, 115
 CICO scenario 13, 133
 complications 13, 60–61
 definition of difficult intubation
 11–12
 equipment
 blades 27–28, 35
 exchange catheters 29
 introducers 29
 preparation 21, 30, 34
 stylets 28–30, 61
 EXIT procedure 208
 history 27, 31
 in infants 3, 27, 31
 oxygen delivery 28, 61–63
 techniques 31–33
 external laryngeal manipulation
 33
 nasotracheal intubation 33–34
 paraglossal 33
 patient positioning 31–32
 retromolar 33
 see also video laryngoscopy
 documentation, DACs 159–160
 double-lumen tubes 223–225
 ECMO, EXIT procedure 207,
 209
 embryonic development 1–2, 196
 emergency airway management in the
 NICU 192–194
 emergency department airway
 management 177–182
 emergency front of neck access *see*
 front of neck access
 endobronchial blockers 215, 225
 difficult airways 224–226
 EZ-Blocker 221–222
 intraprocedural management
 220–221
 placement 215–220
 size 215–216
 with a tracheostomy 224
 Univent Tube 223
 endobronchial intubation 214–215,
 224–225
 in error 16
 enhanced direct laryngoscopy 70, 82,
 85
 Enk oxygen flow modulator 64–65, 139
 epiglottis 3, 186
 epignathus 205
 epinephrine 13–15, 23
 epistaxis 34, 100
 epulis 205
 eschars 170, 174
 Eschmann introducer 29
 esophagus
 fetal, compression 204–206
 tracheal tube misplaced in 30, 151
 etomidate 178–181
 EXIT procedure 210
 indications 65–66
 intraoperative management 207–210
 preoperative period 147–148, 207
 external laryngeal manipulation 33,
 97
 extubation 161–166
 unplanned in neonates 192
 EZ-Blocker 221–222, 225
 facemasks 10, 15, 21, 24
 bag masks 59–60, 172
 intubating 99
 facial anatomy 2
 see also craniofacial abnormalities
 facial burns 174
 facial fractures 33–34, 169–170
 Fastrach (intubating) LMA 44
 fat tissue, on US 144
 fentanyl 193
 fetal development 1–2, 196
 fetal endoscopic tracheal occlusion
 (FETO) 206
 fetal interventions *see* EXIT procedure
 fetal ultrasound 147–148
 fiberoptic stylet scope (FSS) 105, 109
 flexible bronchoscopy (fiberoptic,
 FOB) 90–101
 anesthesia 92–95, 174
 in burns 172–175
 complications 100
 endobronchial intubation 214
 equipment 90–91
 size 90–91, 95–96
 nasopharyngeal 94, 100
 oropharyngeal 94, 100
 oxygenation 63, 99
 preparation 91–92, 94
 retrograde 125–127
 SGA-assisted 48–50, 101, 118–122
 techniques 95–100, 119–126
 VL-assisted 122–125

Index

- flexible fiberoptic endoscopy 170, 172–173
 fluids, on US 144
 FOB (fiberoptic bronchoscopy) *see* flexible bronchoscopy
 foreign bodies 23, 148
 removal via rigid bronchoscopy 112, 114, 116
 front of neck access (FONA)
 burns cases 175
 cricothyrotomy 65, 134–138, 158–159
 difficult airway carts 134, 158–159
 indications for 24, 132
 oxygenation 63–65, 137–140, 159
 tracheostomy 24, 133, 135, 137
 in neonates 192–193, 200–202
 one-lung ventilation 224
 US identification of structures 148–149
 Prova intubating introducer 29
 FSS (fiberoptic stylet scope) 105, 109
 functional airway obstruction 14–15, 23, 132
 laryngospasm 14–15, 95, 130
 gastric contents, aspiration 15–16, 38, 172–173, 177
 gastric distension 22, 162
 general anesthesia
 in burns cases 174–175
 in the ED 178–181
 EXIT procedure 207–208
 flexible bronchoscopy 92–93, 95
 rigid bronchoscopy 115
 in trauma cases 172–173
 see also muscle relaxants
 GlideScope video laryngoscope 69, 71, 73–78, 85, 122
 glottic webs/atresia 191
 Goldenhar syndrome 4
 gum elastic bougies (Eschmann introducer) 29
 head injuries 33–34, 177, 180
 heated humidified high-flow nasal cannula (HHHFN) 58–59
 heliox 166
 help, calling for 22
 hemangioma, subglottic 191
 hemifacial microsomia 4
 Hopkins telescope 113
 hot water, softening tubes in 96
 hybrid techniques 118
 retrograde-assisted FOI 125–127
 SGA-assisted FOI 48–50, 101, 118–122
 video laryngoscopy-assisted FOI 122–125
 hydrops, fetal 206–207
 hyoid bone 134
 hypercarbia 180, 226
 hyperventilation 180
 hypopharynx 186, 189–191
 hypoplasia, craniofacial 4
 hypoxemia/hypoxia 13–14, 20, 55, 60
 children requiring intubation in the ED 177–178
 neonates 20, 56
 one-lung ventilation 220–221, 226
 i-gel SGA 41, 46–47
 iatrogenic injuries
 due to airway management 16, 170–171
 thermal 170, 174
 incidence
 complications of airway management 12, 55
 difficult intubation 10–12, 60
 difficult mask ventilation 10
 difficult SGA 11
 indirect laryngoscopy 69
 see also video laryngoscopy
 infants
 awake intubation (using SGAs) 50, 121
 developmental anatomy 2–3
 direct laryngoscopy 3, 27, 31
 increased complication risk 13, 61
 micrognathia 11, 60
 video laryngoscopy 78, 80
 inhalational injuries 170, 173
 injured airways 169–176
 airway management (general) 171–173
 burns 170, 173–176
 iatrogenic 16, 170–171
 introducers 29
 intubating facemasks 99
 intubating oral airways 99
 intubation 21, 23–24
 and anatomy 3
 burns cases 173–176
 complications 12
 croup 15
 of flexible bronchoscopy 100
 of laryngoscopy 13, 60–61
 of rigid bronchoscopy 116–117
 of SGAs 122
 trauma 16, 170–171, 190
 tube misplacement 16, 30, 151
 of video laryngoscopy 83–85
 direct laryngoscopy 31–34
 in the ED 177–182
 endobronchial 214–215, 224–225
 in error 16
 EXIT procedure 208–209
 fiberoptic intubation via SGA 48–50, 101, 118–122
 fiberoptic intubation with VL 122–125
 flexible bronchoscopy 95–100
 incidence of difficult intubation 10–12, 60
 nasal 33–34, 194
 neonates
 anesthesia 193–194
 nasal 194
 US localization of tube 152–153
 video laryngoscopy 78, 80, 194–195
 optical stylets 103–104, 107
 oxygenation 13, 60–63
 retrograde-assisted FOI 125–127
 SGAs 44–49
 trauma cases 173–177
 ultrasonography (checking placement) 151–153
 video laryngoscopy 69–72, 74–75, 79–80, 194–195
 see also extubation
 jaw
 anatomy 2
 fractures 169, 172
 micrognathia 4, 11, 60, 188, 205–206, 208
 jaw thrust 60, 97
 jet ventilation 64–65, 139, 164
 ketamine 93, 179–181
 laryngeal anatomy 1, 3, 186–187
 laryngeal braking 3
 laryngeal manipulation 33, 97
 laryngeal mask airways (LMAs) 43–44, 63, 118–119, 194
 Laryngeal Tube/LT Suction II SGAs 47–48
 laryngeal ultrasound 145–146
 laryngomalacia 189, 198
 laryngoscopy *see* direct laryngoscopy; indirect laryngoscopy; video laryngoscopy
 laryngospasm 14–15, 95, 130
 laryngotracheal injuries 170–171
 Le Fort classification of facial fractures 169
 LEMON (assessment of trauma cases) 171
 Levitan scope (optical stylet) 105, 108
 lidocaine 50, 94, 114, 121, 180
 lighted stylets 29–30, 108–109
 LMAs (laryngeal mask airways) 43–44, 63, 118–119, 194

- local anesthesia
 flexible bronchoscopy 92, 94
 laryngoscopy 180
 rigid bronchoscopy 114
 SGA in awake infant 50, 121
 longitudinal (string of pearls)
 ultrasound technique 148–149
 low birth weight neonates 195–202
 see also premature neonates
 lower airway obstruction 15, 23, 191, 197
 lung
 atelectasis 56, 226
 BPD 56, 196–200
 fetal masses (EXIT procedure) 206–207, 209
 neonates 185
 premature 56, 196–200
 ultrasonography 143, 145–147, 151–153
 pneumothorax 153
 see also one-lung ventilation
 lymphatic malformations, cervical 205

 M-mode ultrasonography 144–147
 Macintosh laryngoscopy blade 27, 35
 insertion 32
 sizes 28, 32
 macroglossia 186, 189
 Magill forceps 34
 Mallampati score 11
 malleable stylets 28–29
 malleable video stylets 108
 mandible
 anatomy 2
 fractures 169, 172
 hypoplasia (micrognathia) 4, 11, 60, 188, 205–206, 208
 Manujet III transtracheal jet ventilator 64–65, 139
 mask ventilation 10, 15, 21, 24
 bag masks 59–60, 172
 McCoy laryngoscopy blade 28
 McGrath video laryngoscope 80–82
 Melker cricothyrotomy/tracheotomy kit 158
 micrognathia 4, 11, 60, 188
 EXIT procedure 205–206, 208
 micro preemie neonates 195–202
 see also premature neonates
 midline insertion of an SGA 41–42
 Miller laryngoscopy blade 27, 35
 insertion 32–33
 size 28, 32
 multidisciplinary approach 134, 160
 muscle, on US 144
 muscle relaxants 3–5, 95, 129–130
 in burns cases 174
 in the ED 179

 functional airway obstruction 15, 23, 130
 reversal 95, 130
 nasal cannulation
 high-flow O₂ 58–59, 162
 low-flow O₂ 58
 nasal cavity stenosis 188
 nasal trumpets 99, 194–195
 nasal/nasopharyngeal obstruction 2, 185, 187–188
 nasal/nasotracheal intubation 33–34, 194
 epistaxis 34, 100
 nasopharyngeal flexible bronchoscopy 94, 100
 neck
 burns 174–176
 fetal masses 204–206, 208–209
 neonatal 187
 trauma 169–170, 172, 177
 neonates
 airway emergencies 192–194
 anatomy 2, 185–187
 premature lungs 196
 size (compared with adults) 185
 delivery room 191–192
 EXIT procedure 65–66, 147–148, 204–210
 intubation
 anesthesia 193–194
 nasal 194
 US localization of tube 152–153
 video laryngoscopy 78, 80, 194–195
 lower airway obstruction 191, 197
 nasopharyngeal airways 194–195
 oxygenation
 adverse effects 55–57, 196–200
 desaturation rates 57
 hypoxemia 20, 56
 physiology 61, 185
 premature 195–202
 adverse effects of O₂ therapy 56, 196–200
 extubation 166, 192
 hypoxemia 20
 pharyngeal collapse 2
 resuscitation 192
 resuscitation 51, 56, 192
 SGAs 51, 121, 194
 tracheostomy 192–193, 200–202
 upper airway obstruction 186–191, 197–198, 204–206
 neuromuscular blockade *see* muscle relaxants
 NICU emergencies 192–194
 nose *see* entries at nasal

 obese patients 30, 148
 obstructive sleep apnea 3
 oculoauriculovertebral spectrum 4
 one-lung ventilation 227
 advantages and disadvantages of various devices 225
 and age 213–228
 bronchial blockers 215–223
 difficult airways 224–226
 double-lumen tubes 223–224
 endobronchial intubation 214–215, 224
 indications 212–213
 intraprocedural management 220–221, 226
 physiology 212–227
 with a tracheostomy 224
 ontogeny 1–3
 “open-box” algorithm 23–25
 opioids 93, 166, 193
 optical forceps 114, 116
 optical stylets 103–109
 adult 107–109
 advantages and disadvantages of different devices 105–107, 109
 efficacy 104, 106–109
 intubation techniques 103–104, 107
 oxygenation 61, 106
 pediatric 30, 103–107
 specifications 105
 Optiflow HHHFNC system 59
 Optiscope optical stylet 108
 oral airways 99, 163, 194–195
 oropharyngeal anatomy 2–3, 186
 oropharyngeal flexible bronchoscopy 94, 100
 oropharyngeal injuries 85
 oropharyngeal obstruction 22, 188–189, 205
 oxidative stress 56
 oxygenation 55–66
 adverse effects 55–57, 59, 196–200
 AECs 62, 164
 apneic 13, 58
 bag-mask ventilation 59–60, 172
 emergency FONA 63–65, 137–140, 159
 EXIT procedure 65–66, 147–148
 extubation 162, 164
 flexible bronchoscopes 63, 99
 heliox 166
 during intubation 13, 60–63
 during laryngoscopy 28, 61–63
 nasal cannula high flow 58–59, 162
 nasal cannula low flow 58
 nasal trumpets 99, 194–195
 one-lung ventilation 220–221
 optical stylets 61, 106

Index

- oxygenation (cont.)
 preoxygenation 20, 57–58
 rigid bronchoscopes 62–63, 112
 SGAs 63
 video laryngoscopes 61–62, 82
see also hypoxemia/hypoxia
- palate 4–5, 189
 papilloma (case history) 133
 paraglossal laryngoscopy 33
 Parker Flex-it articulating stylet 29
 Parker Flex-Tip tracheal tube 96
 patent ductus arteriosus 198
 patient positioning
 cricothyrotomy 134–135
 direct laryngoscopy 31–32
 extubation 162
 one-lung ventilation 213–227
 rigid bronchoscopy 115
 PEEP (positive end expiratory pressure) 57
 Pentax AWS video laryngoscope 83
 percutaneous cricothyrotomy kits 65, 136
 perilaryngeal sealers 38–47
 Pfeiffer syndrome 5, 188
 pharyngeal anatomy 2–3, 8, 185–187
 pharyngeal (branchial) arches 1
 pharyngeal (branchial) clefts 1–2
 pharyngeal pouches 1–2
 pharyngeal sealers 39, 47–48
 physiology 3, 8, 161
 neonates 61, 185
 one-lung ventilation 212–227
 Pierre Robin sequence 4, 60, 121, 188
 “pink” screen (red-out) 72, 98
 pleura 146
 pneumothorax 117, 138, 153
 Poiseuille’s equation 61, 185
 positive end expiratory pressure (PEEP) 57
 positive pressure ventilation (PPV)
 in extubation 166
 in septic shock 180–181
 and SGAs 40, 51
 premature neonates 195–202
 adverse effects of O₂ therapy 56, 196–200
 extubation 166, 192
 hypoxemia 20
 lungs 196
 pharyngeal collapse 2
 resuscitation 192
 preoxygenation 20, 57–58
 propofol 23, 93–94, 179
 ProSeal LMA 43
 pyriform sinus aperture stenosis 187–188
- RAFOI (retrograde-assisted fiberoptic intubation) 125–127
 rapid-sequence induction 172–173
 reactive airways 8, 13
 status asthmaticus 181–182
 “red-out” (pink screen) 72, 98
 reintubation (failed extubation) 164–166
 remifentanyl 166
 respiratory acidosis 20, 58, 226
 respiratory failure 171, 177
see also hypoxemia/hypoxia
 respiratory physiology 3, 8, 161
 hypoxemia 13–14, 55
 neonatal 185
 one-lung ventilation 212–227
 resuscitation
 CPR in the ED 182
 of neonates 51, 56, 192
 retinopathy of prematurity 56
 retrograde-assisted fiberoptic intubation (RAFOI) 125–127
 retromolar laryngoscopy 33
 ribs 146
 rigid bronchoscopy 62–63, 112–117
 complications 116–117
 equipment 112–114
 post-procedure care 116
 techniques 115–116
 uses 112, 116
 risk factors
 for airway complications 12–13
 for difficult airway management 10–11
 for hypoxemia 55
 Robertshaw laryngoscopy blade 28
 rocuronium 179
 rotational insertion of an SGA 41
- scald injuries 170, 173
 scalpel cricothyrotomy 136, 138, 158–159
 scissors maneuver 32
 sedatives/sedation
 in awake intubation 93–94, 174
 in the ED 178–181
 in extubation 166
 Seldinger technique for tracheal access 136
 Sellick’s maneuver 172–173
 SensaScope optical stylet 104–109
 septic shock 180–181
 Seward laryngoscopy blade 28
 SGAs *see* supraglottic airways
 Sheridan tube exchange catheter 164
 Shikani optical stylet 30, 105–107
 shock, septic 180–181
 signposting the location of DACs 155
 skull, anatomy 2, 8
- sliding lung sign 147, 151–153
 sniffing position 31–32
 spinal injuries (cervical) 169, 172, 177
 status asthmaticus 181–182
 Storz video laryngoscope 78–80
 stridor 161, 189–191, 198
 string-of-pearls (longitudinal) ultrasound technique 148–149
 stylet scope 105, 109
 stylets
 articulating 29
 lighted 29–30, 108–109
 malleable 28–29
 optical *see* optical stylets
 removal of SGAs after intubation 119–120
 in video laryngoscopy 74, 79
 subglottic cysts 190
 subglottic hemangioma 191
 subglottic stenosis 16, 133, 190, 197–200
 succinylcholine 15, 95, 174, 179
 suctioning
 bronchoscopy 97, 99–100, 114, 116
 extubation 163
 no port in optical stylets 103–105
 in trauma cases 171
 sugammadex 95, 130
 supraglottic airways (SGAs) 23, 38–51
 complications 13, 40–41, 122
 contraindications 121
 cuff volumes and pressures 39–41
 difficult placement 11
 extubation 164–166
 insertion 41–42
 intubation 44–49, 63
 using a fiberoptic bronchoscope 48–50, 101, 118–122
 in neonates 51, 194
 perilaryngeal sealers 38–47
 pharyngeal sealers 39, 47–48
 PPV 40, 51
 rescue airways 40–51
 spontaneous ventilation 51
 Supreme LMA 43–44
 Surch-Lite Stylet 29–30
- TACA (transverse) ultrasound technique 148–154
 teeth 2
 damage to 85, 114, 117
 teratoma
 cervical 205, 208–209
 oropharyngeal 190, 205
 thermal injuries 170, 173–176
 thoracic trauma 169–172
 three axes alignment theory (TAAT) 31
 tongue 2

- macroglossia 186, 189
- pulling out of mouth 97
- on ultrasound 145
- tonsils 3, 22
- tooth guards 114
- topical anesthesia
 - flexible bronchoscopy 92, 94
 - laryngoscopy 180
 - rigid bronchoscopy 114
 - SGA in awake infant 50, 121
- trachea
 - anatomy 3, 187
 - long segment stenosis 191
 - on ultrasound 146
 - internal diameter 149–151
 - tube placement 151–152
- tracheobronchomalacia 197
- tracheomalacia 191
- tracheostomy 24, 133, 135, 137
 - in neonates 192–193, 200–202
 - one-lung ventilation 224
- Trachway (Clarus videoscope) 107–108
- training 61, 79, 85
 - CICO 134
 - DAC use 159
 - ED personnel 178
- transverse (TACA) ultrasound
 - technique 148–154
- trauma to the airways 169–176
 - airway management (general) 171–173
 - burns 170, 173–176
 - iatrogenic 16, 170–171
 - trauma, facial 33–34, 169–170
 - traumatic brain injury 177, 180
- Treacher Collins syndrome 4–5, 60
- triple airway maneuver 22
- Truflex stylet 29
- TRUST (tracheal rapid ultrasound saline test) 152
- Truview PCD video laryngoscope 61–62, 82
- UESCOPE video laryngoscope 82–83
- ultrasonography (US)
 - appearance of airways and associated tissues 143–147
 - equipment 143
 - indications for use 145–153, 170, 172
- Unique LMA 43
- Univent Tube 223, 225
- upper airway obstruction 2–5, 22–23, 132
 - EXIT procedure 204–206
 - failed extubation 161
 - in neonates 186–191, 197–198, 204–206
 - in trauma cases 171
- upper respiratory tract infections 15
- US *see* ultrasonography
- vallecular cysts 189
- vascular structures, on US 144
- vasoconstricting agents 94
- vecuronium 179
- Ventrain oxygen ventilation device 62–65, 139
- video-assisted laryngoscopy (VAL) 70, 82, 85
- video laryngoscopy (VL) 69–85
 - in burns cases 175
 - complications 83–85
 - efficacy 72, 75, 80, 82–83, 122
 - equipment 73, 83
 - Airtraq SP 83
 - Bullard 61, 72–73
 - GlideScope 69, 71, 73–78, 85, 122
 - McGrath 80–82
 - Pentax AWS 83
 - Storz C-Mac 78–80
 - Truview PCD 61–62, 82
 - UEScope 82–83
 - fiberoptic intubation (VLAFOI) 122–125
 - history 69
 - neonates 194–195
 - oxygenation 61–62, 82
 - problems
 - insufficient view 70–72, 74–75, 79–80
 - view-tube discrepancy 72, 75, 80
 - techniques 69–72, 74–75, 79–80
 - fiberoptic intubation 122–124
 - as a training aid 61, 79, 85
- VLAFOI (video laryngoscopy-assisted fiberoptic intubation) 122–125
- vocal cords
 - laryngospasm 14–15, 95, 130
 - paralysis 190–191, 198
- Wis-Hipple laryngoscopy blade 27–28
- Wisconsin laryngoscopy blade 27–28