

# Index

- acquired brain injury, 46  
 attention deficit hyperactivity disorder (ADHD),  
 42, 46, 59, 100, 111  
 and language disorder, 107–108  
 comorbidity, 105–106  
 autism spectrum disorder (ASD), 42, 46, 58, 62,  
 100, 111, 184  
 and language disorder, 101  
 and language phenotypes, 102–104
- bilingualism, 25, 377  
 and DLD, 152  
 and migration/immigration, 146–147  
 cognitive advantages, 144  
 home and educational environment, 151  
 interaction of languages, 147–148  
 vocabulary, 29  
 patterns and rate of acquisition, 149–151  
 timing of exposure, 148–149
- CATALISE, 47, 269, 405  
 childcare programs, 25, 32, 496–499, 523 *see also*  
 curriculums and programs  
 active use of language, 526  
 attendance, dosage, fidelity, instruction time 408  
 parental inclusion, 528–529  
 policy considerations, 400, 498–499  
 quality issues, 406  
 childhood apraxia of speech (CAS), 45, 54, 59, 104  
 children, preschool, 260  
 early learning, 128–130  
 education of professionals, 408–409  
 home literacy environment, 323–324  
 intervention, 274  
 vocabulary, 287, 317  
 children, school-aged, 260  
 current teaching approaches, 529–531  
 language for teaching, 411–412  
 improving reading comprehension, 531  
 integrating knowledge and language  
 instruction, 531  
 language development groups, 271  
 oral language in classroom, 409–410  
 teacher knowledge of and training in oral  
 language, 409–412
- children's perspectives, 380–381  
 cognitive and language development, 4, 122–127,  
 193–194  
 interdependence, 125–128, 138–139  
 cohorts/studies  
 1970 British Cohort Study (BCS70), 258, 292,  
 302, 304  
 Australian Longitudinal Study on Women's  
 Health (ALSWH), 351  
 Avon Longitudinal Study of Parents and  
 Children (ALSPAC), 290  
 Children of the National Longitudinal Survey  
 of Youth (CNLSY), 313  
 Classroom Promotion of Oral Language (CPOL),  
 412  
 Early Childhood Longitudinal Study – Birth  
 Cohort (ECLS-B), 287  
 Kindergarten Class of 2010–11 (ECLS-K 2011), 499  
 Early Home Learning Study in Victoria, 258  
 Early Language in Victoria Study (ELVS), 257, 260,  
 262, 269, 293, 399, 401–402, 405–406, 426  
 Health in Men Study (HIMS), 351  
 Household, Income and Labour Dynamics in  
 Australia (HILDA), 351  
 Let's Learn Language trial, 171–176  
 Longitudinal Outcomes of Children with  
 Hearing Impairment (LOCHI), 83–85  
 Longitudinal Study of Australian Children/  
 Growing Up in Australia (LSAC), 234–235,  
 258, 290, 331, 336, 338, 351, 355–356, 359,  
 361–363, 365–366, 368  
 Longitudinal Study of Humanitarian Migrants/  
 Building a New Life in Australia (BNLA),  
 351, 357–358, 363–364, 366, 368  
 Longitudinal Study of Indigenous Children/  
 Footprints in time (LSIC), 356–357, 368  
 Longitudinal Surveys of Australian Youth  
 (LSAY), 351  
 Manchester Language Study, 291–292, 405  
 Mater University of Queensland Study of  
 Pregnancy (MUSP), 295  
 Millennium Cohort Study (MCS), 13, 302, 305  
 National Longitudinal Survey of Youth  
 (NLSY79), 313  
 Norwegian and Child Cohort Study (MoBa), 290

- cohorts/studies (cont.)  
Ottawa Language Study, 292, 294, 405  
Outcomes of Children with Hearing Loss (OCHL) study, 85  
Statewide Comparison of Outcomes (SCOUT) study, 85  
Western Australian Pregnancy Cohort (Raine) study, 289
- curriculums and programs *see also* intervention and preventative intervention, childcare programs  
Abecedarian Preschool Program, 32, 407  
Four P Framework, 410  
Effective Provision of Preschool Education (EPPE), 408  
Head Start/Early Head Start (program), 32, 443  
LEAP, 34  
Let's Know (curriculum), 527  
Literacy Express Preschool Curriculum, 526  
Oral Language Supporting Early Literacy (OLSEL), 411  
Perry Preschool Program, 32, 407, 463  
Story Talk (curriculum), 526  
Structured Preschool Efforts for Language and Literacy (SPELL), 34–36  
Sure Start (program), 263, 478  
Teaching Together (program), 529  
Words of Oral Reading and Language Development (WORLD) Curriculum, 528  
World of Words (WOW) curriculum, 528
- developmental language disorder (DLD), 6, 45, 47, 122, 282, 377, 471  
aetiology, 482–483  
and educational outcomes, 288  
and psychosocial problems, 405–406  
comorbidity, 47  
diagnosis, 269  
functional limitations, 404  
genetics, *see* genetic influences  
terminology, *see also* terminology  
intervention, 483–487 *see also* curriculums and programs, childcare programs  
methodology, 47–51
- evidence-based practice, 385, 398, 487  
First Nation languages, 158  
functional limitations, 46, 269, 272–273, 275, 400, 404–405, 481
- genetic influences, 40–65, 168, 197, 257, 317, 482  
copy number variants (CNVs), 58–59  
heritability, 51–52  
inheritance, 52–53  
genome wide association study (GWAS), 60, 62–63
- health and education services, 269, 348  
access and equity, 539–540, 543–544  
and care injustice, 540  
and inequity and inequality, 540–541  
costs, 428, 545  
place-based approach, 539
- hearing 80–81  
and spoken language, 79–80  
hearing loss/impairment, 46, 80  
aids, 86–88  
cochlear implants, 81, 86  
comorbidity, 86  
conductive hearing loss, 88  
early detection, 81, 85, 93  
indigenous children, 92  
parental linguistic input, 92  
sensorineural hearing loss, 82–83  
universal newborn hearing screening (UNHS) programs, 81–82  
home literacy environment, 34–36, 92–94, 194, 203, 237, 303, 323–324, 327, 337
- inequality and inequity 540  
inverse care law, 231, 540  
social inequalities, 92, 195, 258  
intellectual disability, 46, 59  
internalising and externalising disorders, 42, 100, 108, 111  
International Classification of Functioning, Disability and Health (ICF) – Child and Youth version (ICF-CY), 347  
framework, 374–375  
learning and applying knowledge, 359–360  
life activities, mobility, self-care, domestic life, 364, 366–367  
intervention, 261, 483–484, 524–525 *See also* preventative intervention, curriculum and programs  
measuring treatment outcomes/effectiveness, 473–475  
parental inclusion, 382–384, 455, 462  
parental responsiveness, 265, 267–268  
policy considerations, 268, 272–275, 337, 347–349, 463–464  
targeted, 262–264, 445, 455, 471, 488  
universal, 445, 451, 463, 488
- knowledge of numbers, 193, 208–209  
development, 209–210  
early intervention, 210–212  
risk factors, predictors, 200–201  
knowledge of objects, 193, 198  
development, 199–200  
early intervention, 206–208  
risk factors, 206  
supportive factors, 206  
language acquisition, 4, 124–125, 132, 150  
and conceptual development, 133  
language development, 11–15, 26–28, 88–91, 214–217, 377–379 *see also* pattern and trajectories  
and healthcare, 92  
and memory, 88–91, 94, 130–131 *see also* otitis media with effusion (OME)  
and parental education, 218  
associated factors, 16, 37  
early development, 213–215  
early intervention, 217–219, 443  
home literacy environments, 92–93  
measurement, 17–19, 387 *see also* measures, assessment analysis tools  
parents, 377–380, 383–384, 388–390  
policy considerations, 251–253, 260  
predictor and risk factors, 177, 217, 233, 265, 387, 400  
social context, 16–17, 23–26, 378, 470  
socio-economic factors, 542–543  
supportive factors, 217–218  
trajectories, 15

- language difficulties, 11 *see also* low language and DLD  
 comorbidity, 47, 100–113
- late talkers, 262, 282, 401, 403  
 academic achievement, 403–404  
 and psychosocial outcomes, 289–291
- latent class analysis (LCA), 25, 27, 233–234, 238, 269
- longitudinal studies, 109, 251, 283 *see also* cohorts/studies
- low income, 11, 32, 240, 268, 503 *see also* socio-economic status
- low language, 272–273, 283, 290, 292, 362, 401, 403, 405, 451 *see also* DLD and language difficulties  
 definition, 420, 427  
 economic impact, 26, 424  
 policy considerations, 296, 438  
 psychosocial outcomes, 26, 283, 296  
 service use and cost, 425–426
- maternal behaviour, 42, 177, 183  
 maternal education/outcomes, 184  
 maternal influence, 26, 31, 35, 237  
 long-term effects, 176
- memory, 25, *see also* working memory  
 and language development, 130–131  
 phonological short term memory (STM), 129, 131–132  
 working memory, 124, 130, 132–133, 155, 198, 208
- morphosyntax, 103, 150, 156  
 bilingual children, 150, 154
- multilingualism, 88, 92, *see also* bilingualism  
 otitis media with effusion (OME)  
 and language development, 88–91, 94  
 and reading ability, 90  
 and socio-economic status, 90–91  
 and speech production, 90
- parent–child interaction, 42, 175–176, 459, 462  
 and pragmatic language outcomes, 180  
 book reading, 471  
 direct observational measures, 172–175  
 video reactivity, 174  
 measurement, 170–171  
 parent-reported measures, 171–172  
 limitations, 172  
 parental responsiveness, 169–170, 185  
 quantity of input, 168
- parental concern, 357, 359, 427, 436, 438
- parental language skills, 26, 303  
 intergenerational transmission, 313
- participation, 347, 351, 368, 405–406  
 definition, 351
- patterns of language development, 12–16, 18–19, 127, 336, 507 *see also* trajectories
- phonological awareness, 194
- phonological short term memory (STM), 129, 131–132
- pragmatic language/skills, 107, 175
- preventative intervention, 260, 262, 264–266, 271, 273, 289, 378, 462, 548, 552  
 and math skills, 210, 307, 308, 349, 479  
 reading, 302, 307  
 risk factors and profiles, 243–246  
 trajectories, 247–249
- Public Patient Involvement (PPI), 384
- receptive vocabulary, 289, 292, 295, 471, 477, 480, 486–488  
 and peer problems, 295, 330, 333–335, 337  
 risk factors, 236–238  
 trajectories, 239–241, 323
- risk factors, 15, 27, 46, 51, 81, 109–110, 194–195, 200, 234, 236, 238, 240, 329  
 analysis, 233–234, 237, 250  
 cumulative risk 233–234  
 early exposure to, 398, 541  
 environmental, 462  
 for emotional difficulties, 111  
 for reading, 243–244, 246  
 for school achievement, 241  
 genetic, *see* genetic influences  
 interrelationship, 247  
 late talkers/ low language as, 287, 289, 291, 293, 296, 420  
 maternal education as, 244, 246, 265  
 multilingualism as, 145  
 poor vocabulary as, 295  
 psychosocial, 476  
 sociodemographic, 232, 246
- self-directed speech, 137
- services for children with language difficulties, 544  
 access and equity, 544–546  
 discrepancy between need for and location of, 546–547, 549–552  
 place-based approach, 547–550
- speech and language therapy, 266, 377, 381–382, 431, 444, 459, 545  
 parental views, 377–380, 388–389
- socio-economic status (SES), 542  
 low income, 11, 32, 240, 268, 503
- specific language impairment (SLI), 11, 46–47, 56  
*see also* terminology  
 bilingual children, 154
- speech, language and communication needs (SLCN), 360, 362, 365–366, 471  
 parental view, 379
- teachers  
 knowledge of language, 410  
 knowledge of explicit language, 410  
 training in oral language, 411–412
- terminology, 12, 46–47, 471  
 diagnostic criteria, 47  
 lack of consistency, 11, 47, 63, 92, 481  
 theory of mind, 25, 193, 204–205
- trajectories, 14, 27, 45–46, 127, 139, 169, 197, 199, 213, 258, 260, 269–270, 275, 295, 360  
 variations in, 124
- universal newborn hearing screening (UNHS)  
 81–82 *see* hearing loss/impairment
- vocabulary, 132 *see also* measures assessment  
 and maternal education, 315  
 intergenerational transmission, 302, 313–316  
 trajectories, 295, 337
- working memory, 198, 208 *see* memory