

Index

- Abies fraseri*, 261
Accipiter gentilis, 461
 acclimatisation, 136, 282, 289, 437–439
Acer campestre, 247
Acer lobelii, 247
Acinonyx jubatus jubatus, 79, 101
 acoustic anchoring, 118
Acrocephalus familiaris kingi, 337
 adaptation
 local, 214–215, 222, 276, 284–287, 292, 340
 adaptive
 management, 24, 62, 130, 199, 422–427, 429
 potential, 225–226, 271, 273, 276, 281, 284, 287–295, 383, 397
 variation, 273, 292
 adder
 common European, 158, 160, 162
 adenovirus, 162
Aedes aegypti, 164
 agouti
 red-rumped, 436–441
 agouti tree, 437
 agriculture, 21, 28, 92, 244, 264, 359, 415, 443, 450–451, 453
Agrius planipennis, 243, 259, 263
 albatross, 87
 black-footed, 336
 Laysan, 336
Alabarchelys gigantea, 20, 337, 469–474
 Allee effect, 115, 220
Alopothen mauritiana, 470
Alouatta guariba, 439
Amazona rhodocorytha, 440
Amorpha herbacea var. *crenulata*, 218–231
 animal rights, 7, 180–205, 310, 386–388
Anisogramma virgultorum, 254
Anoplophora glabripennis, 243
 ant
 red barbed, 158
 anteater
 giant, 21, 444
Anthochaera phrygia, 158
 anthropause, xxiii, 6
 Anthropocene, 3
 Aotearoa. *See* New Zealand
 apex consumers, 11, 223–225, 335, 357, 371, 443
Apicystis bombi, 170
Apteryx mantelli, 16
 aquatic ecosystems, 32, 164, 223, 261, 381
 freshwater, 14, 32, 53, 55, 289, 449–454
 marine, 13, 28, 45, 92, 97, 306, 462–468, 473
Aquila chrysaetos, 31, 307, 456–461
Aquila heliaca adalberti, 19
Ara ararauna, 440
Ara macao, 303
Ardenna tenuirostris, 480
 Argentina, 21, 335, 443–447
Arvicola amphibius, 159
 ash
 common, 20, 243, 246, 258–259, 261
 ash dieback fungal disease, 20, 243, 246, 258, 261
 aspen
 European, 286
Aspergillus spp., 162
 assisted colonisation, 9, 15, 17–19, 34, 40, 46–67, 83–86, 99, 244–245, 331–347, 375, 397, 399–403, 432, 476–482
 assisted migration. *See* assisted colonisation
Astacus spp, 17
Astragalus bibullatus, 220, 422–427
Astrochelys radiata, 469–474
Athene cucularia, 199
 aurochs, 20–22, 364

- Australia, 10, 16, 21, 158, 212, 224, 258, 261, 282, 289–290, 307, 389, 394, 476–482
 legislation, 85–88, 98
- Austria, 165, 286
- avian
 malaria, 16, 155–156, 292
 poxvirus, 155–156
- back-breeding, 364
- bacteria, 151, 162, 164, 168, 244, 247
- bandicoot
 golden, 16
- banksia
 feather leaf, 224
- Banksia brownii*, 224
- Bateson's Cube, 202
- Batrachochytrium dendrobatidis*, 152, 172, 338, 385
- Baylisascaris procyonis*, 153
- beak and feather disease virus, 122
- bear
 grizzly, 307
- beaver, 31
 Eurasian, 8, 10–11, 28, 56, 92, 154, 159, 278, 305, 449–454
 North American, 278, 451
- beech
 American, 260
- beech bark disease, 260
- beetle, 415
 Asian longhorned, 243
 bark, 262
 dung, 439
 heather, 248
 mountain pine, 263
 Rocky Mountain pine, 262
- behavioural conditioning, 112–114, 136–138, 182, 185–188, 190, 201–202, 387, 444
- Belgium, 158, 165
- benign introduction. *See* assisted colonisation
- Bern Convention, 79, 81–93, 96, 101–102, 104, 401
- bettong
 brush-tailed, 21
 burrowing, 282
 eastern, 10
- Bettongia gaimardi*, 10
- Bettongia lesueur*, 282
- Bettongia penicillata*, 21
- Betula pendula*, 254
- Betula pubescens*, 254
- biodiversity
 crisis, xxiii–xxiv, 6, 13, 34, 204, 388
 hotspot, 436
 loss, 347, 387
 maintenance, 332
 paradox, 393–396
 restoration, 12, 20, 27, 80–81, 392
 threats to, 13–17, 30–31, 89, 93, 103, 397
 value, 461
- biological control, 7, 55, 334
- biosecurity, 33, 85, 159, 168–174, 244–264, 462–468
- biosphere, 52
- biotechnology, 22, 292–294, 364–366, 384–386
- birch
 downy, 254
 silver, 254
- bison
 American, 31, 308
 European, 21, 335
 steppe, 21, 359
- Bison bison*, 31, 308
- Bison bonasus*, 21, 335
- Bison priscus*, 21
- Blastocerus dichotomus*, 444
- Boa constrictor*, 436
- Boiga irregularis*, 399
- Bombina bombina*, 286
- Bombina variegata*, 130
- Bombus subterraneus*, 158, 170–174
- Bonamia ostreae*, 464
- Bos primigenius*, 20–22, 364
- Brachylophus vitiensis*, 281
- Bradybatus kellneri*, 246
- Brazil, 182, 394, 436–441, 445–446
- Brazilian Atlantic Forest, 436–441
- brocket
 brownish, 444
- browsing, 424, 469
- bryophyte, 212, 214
- buffalo
 African, 91
- Bufo periglenes*, 338
- bulgy-eye disease, 248
- bumblebee
 short-haired, 158, 170–174
- bunting
 ciril, 153, 158

486 · Index

- bunyavirus, turtle, 162
- bushbuck
 - Cape, 89
- Buteo buteo*, 461
- butterfly
 - de Prunner's ringlet, 19
 - Esper's marbled white, 277
 - marbled white, 336
 - Provence chalkhill blue, 19
 - small skipper, 337
- buzzard, 461

- caiman, 444
- Caiman yacare*, 444
- Cairngorms, 14, 18
- Caladenia hastata*, 223
- Callaeas wilsoni*, 337
- Calluna vulgaris*, 248
- Cambodia, 308
- camel
 - dromedary, 16
- Camelus dromedarius*, 16
- Canada, 16, 136–138, 308, 389
- Candida* spp., 162
- canine
 - distemper virus, 153
 - hepatitis virus, 153
 - herpesvirus, 153
 - parvovirus, 153
- Canis lupus*, 10, 83, 153, 304–308, 310, 335, 370, 432
- capacity building, 25–27, 396, 419
- capercaillie, 7
- Capra ibex*, 281, 290
- captive animals
 - adaptation to captivity, 113, 129, 282–283
 - disease risk, 16–17, 55, 150, 161, 188
 - release of, 24, 112–114, 118, 136–138, 181, 188, 192, 194, 390–391, 440
- captive breeding, 85, 111–112, 159, 182, 193, 283, 290, 387, 398–400, 444
- capybara, 444
- carnivores, 56, 173, 304–309, 354, 387, 443–447, 476–482
- Carpathian Biodiversity Protocol, 81
- carrying capacity, 51, 309, 441, 480
- Carterocephalus palaemon*, 158
- Castanea dentata*, 22, 97, 242, 385
- Castor canadensis*, 278, 451
- Castor fiber*, 8, 10–11, 28, 56, 92, 154, 159, 278, 305, 449–454

- cat
 - domestic, 16, 278
- Centaurea corymbosa*, 226
- Central America, 80, 242
- Ceratotherium simum cottoni*, 386
- Cercartetus nanus*, 480
- Cervus nippon taiouanus*, 308
- Chad, 282
- cheetah
 - Asiatic, 79
 - Southern African, 79, 101
- Chelonoidis abingdonii*, 19, 338
- Chelonoidis denticulatus*, 439–440
- Chelonoidis hoodensis*, 20, 473
- Chelonoidis triseriata*, 473
- chestnut
 - American, 22, 97, 242, 385
- chestnut blight, 242, 385
- Chile, 399
- China, 222, 230, 389, 415–420
 - legislation, 98
- Chlamydia* spp, 162
- chocolate tree, 214
- Christmas Island, 280
- Chrysopogon argutus*, 470
- chytrid fungus, 152, 172, 338, 385
- Cicerbita alpina*, 13
- Ciconia ciconia*, 198
- Circus cyaneus*, 158, 167–169
- CITES, 99, 103, 390
- citizen science, 62, 231, 419
- climate change, 9, 14–15, 44, 60, 85–86, 212, 221, 331, 333, 339–341, 393, 464
 - adaptation to, 15, 83, 215, 220, 285–286, 400–402
 - mitigation, 165, 255–264, 385, 393
 - targets, 32
- climate matching, 285
- cloning, 22, 293–294, 364–365, 384–386
- clover
 - Florida prairie, 217
- coastal dunes, 215
- coccidia, 169
- coccobacillus, 164–170
- coffeeberry, 246
- cognitive bias, 109–110
- collaboration, 33, 52, 202, 306, 314, 389–390, 403, 456
- compassionate conservation, 181–183, 200, 204, 386–388, 398

- competition, 21, 55, 112, 168, 190, 221, 224, 228, 345, 471
- condor
California, 8, 156
- conflict resolution, 317–324
- Connochaetes* spp., 91, 153
- conservation introduction, 5–6, 15, 60, 83–84, 88, 95, 101–102, 331–347
- conservation optimism, xxiii, 6, 397
- conservation programme
appraisal process, 25, 52
cost-benefit analysis, 205, 294–295
failure, 4, 8, 27, 34, 52, 55, 62, 66, 182, 258, 401
feasibility, 28, 51–52, 109, 280, 307, 449
motivations, 7, 32–33, 43–67
objectives, 5, 120–122, 387, 467
personnel, 30, 68, 231
planning, 4–6, 30, 109–110
prioritisation, 12, 15
risk assessment, 92, 103, 150, 152, 156–172, 200, 244–248, 343–344, 451, 464
strategies, 122
success, 69
threat assessment, 46, 60
trade-offs, 399
- contraception, 479–481
- Convention on the Conservation of
Migratory Species of Wild Animals
(CMS), 83–84, 87, 93, 97
- copepod, 287
- coral reefs, 10, 33, 385
- Coregonus albula*, 95
- Coronella austriaca*, 158, 173
- Costa Rica, 303, 338
- crane
Eurasian, 158
whooping, 129
- crayfish
European species, 17
Murray, 307
North American signal, 17
- Crepidula fornicata*, 464
- cricket
British field, 158
wart-biter, 158
- CRISPR, 22, 273, 292–293, 384
- Crithidia bombi*, 170
- crocodile
Orinoco, 310
- Crocodylus intermedius*, 310
- Crocota crocuta*, 153
- Cryphonectria parasitica*, 242
- Cryptoblepharus egeriae*, 280
- cryptogam, 15, 18
- Cryptosporidium baileyi*, 248
- Cuora trifasciata*, 158, 162
- Cyanoramphus novaezelandiae*, 114
- Cyathostoma* spp., 167–168
- Cylindraspis inepta*, 469–474
- Cylindraspis triseriata*, 469–474
- Cynomys ludovicianus*, 10, 197
- Cynomys* spp., 371
- Dalea carthagenensis* var. *floridana*, 217
- Dasyprocta leporina*, 436–441
- decision tree, 130, 226
- decision-making
evidence-based, 24
structured, 16, 19, 96, 110, 120–126, 202–204, 392, 453
support tools, 9, 25–27, 30
trade-offs, 123, 202
transparency, 30
uncertainty, 24, 34, 112, 120, 123–130, 197, 397
- Decticus verrucivorus*, 158
- deer
marsh, 444
Pampas, 21, 444
sika, 308
- de-extinction, 22, 293–294, 358–359, 364–366, 370, 384–386
- deforestation, 436
- Delissea waianaensis*, 220
- Dendroctonus ponderosae*, 262–263
- Dendrophylax lindenii*, 391
- desman
Pyrenean, 19
- destination site
selection, 46, 116–118, 214, 254, 424
- diet analysis, 275, 279–280, 289
- Diospyros egrettarum*, 20, 470
- Diplacus aurantiacus*, 246
- disease,
epidemic, 153–164, 168, 173, 242
in plants, 242–244
infectious, 149–156
management, 122, 250
mitigation, 255, 393
non-infectious, 156, 161, 163

488 · Index

- disease (cont.)
 resistance, 215, 274, 280–281, 283, 292
 risk, 55, 152, 161, 165, 215, 248
 risk analysis, 149–150, 249–255
 risk assessment, 172, 334, 344
 risk management, 150, 165–174
 screening, 161, 169–171, 224
 surveillance, 150, 165, 170–174
 susceptibility, 119, 248, 250, 258, 282, 476
 transmission, 16–17, 33, 44, 55, 149–156, 480
 zoonotic, 16, 56, 163–164
- dispersal
 ability, 15, 51, 54, 117–118, 339, 440
 benefits of, 26
 risks of, 26, 60, 108, 115–118, 188, 447
- DNA barcoding. *See* meta-barcoding
- dormouse
 hazel, 159
- Drepanis coccinea*, 292
- Dutch elm disease, 242
- eagle
 golden, 31, 307, 456–461
 Spanish imperial, 19
 white-tailed, 28–29, 31, 96, 159, 307–308, 310, 452
- Earth BioGenome Project, 291
- ebony tree, 20, 470
- Echinococcus multilocularis*, 56
- ecological
 barrier, 152–164, 248, 254, 367
 integrity, 354, 396
 niche, 53, 64, 160, 228, 338–339
 proxy. *See* ecological replacement
 replacement, 19–21, 40, 46–67, 83–84, 131, 331–347, 355, 358, 368, 398, 469–474
 substitute. *See* ecological replacement
 surrogate. *See* ecological replacement
- ecosystem
 dynamics, 275, 345–346
 engineer, 10–11, 21–22, 31, 358, 371, 439, 449
 function, 10–13, 19–21, 45, 131, 245, 331, 338–339, 341–347, 355, 436–441, 469–474
 modification, 12, 56, 451
 processes, 6, 243, 259–260, 322, 342, 345–346, 397
 resilience, 31, 35, 345, 365
 restoration, 6, 10–13, 31, 35, 80–81, 131, 245, 371
 services, 27, 31, 56, 243, 259, 356, 393, 464
- Ectopistes migratorius*, 22, 366
- eDNA analysis, 273, 289, 295
- egret
 snowy, 8
- Egretta thula*, 8
- elephant, 89, 359
 African, 91
 Sri Lankan, 308
- Elephas maximus maximus*, 308
- Emberiza cirius*, 153, 158
- emerald ash borer, 243, 259, 263
- Emydidae, 163
- Emys orbicularis*, 129, 279
- Endangered Species Act (ESA), 231
- endemism
 disease, 164
 species, 86, 132, 136, 218, 281, 399, 415, 469
- England, 7, 19, 158–159, 162, 164–174, 307
- Entamoeba invadens*, 162
- environmental
 impact assessment, 93
 impact mitigation, 21, 23
 stochasticity, 226, 432
- Epidalea calamita*, 158
- Equus ferus przewalskii*, 22, 281, 385, 399
- Equus hemionus*, 289
- Erannis defoliaria*, 260
- Erebia triaria*, 19
- Estonia, 196, 261
- ethical dilemmas, 183, 200–202
- ethics
 animal, 181, 184, 200–202, 387
 conservation, 182
 environmental, 181, 387
 of assisted colonisation, 346
 of cloning, 293–294
 of gene editing, 292–293
- Euastacus armatus*, 307
- Eudryptula minor*, 480
- Eugenia lucida*, 470
- European Union, 78, 81, 97
 legislation, 99–105
- evergreen forest, 262, 415
- evolutionary
 potential. *See* adaptive potential
 rescue, 273, 283–285, 333

- ex situ* conservation, 46, 51, 58, 83, 158–159, 200, 213, 282–283, 416
- exit strategies, 46–67, 86, 122, 344
- expert
 - elicitation, 127, 129
 - judgement, 18, 30
 - knowledge, 52, 122, 132, 200
- Extinct in the Wild, 111, 201, 212, 398–400
- extinction, 3, 20, 26–27, 51, 212, 342, 365, 437
- Fagus grandifolia*, 260
- Falco peregrinus*, 15, 369
- falcon
 - peregrine, 15, 369
- Felis catus*, 16, 278
- Felis silvestris*, 278
- ferret
 - black-footed, 385
- financial costs of translocations, 12, 24, 26, 109, 231, 307, 389, 394
- fir
 - Fraser, 261
- fish, 32, 53, 55, 96–97, 283
- fisheries, 92, 464
- illegal, 14
- management, 32, 51, 53, 273–275, 294
- fitness, 64, 226, 258, 273, 276, 280, 284, 287, 383–384
- Flavocetraria nivalis*, 18, 337
- folivory, 439
- forestry, 32–33, 92, 245, 264, 415, 443, 457
- Formica rufibarbis*, 158
- fox
 - red, 16
- France, 158, 167, 244
- Francisella tularensis*, 164–170
- Frangula californica*, 246
- Fraxinus excelsior*, 20, 243, 246, 258–259, 261
- French Polynesia, 158
- frog
 - green and golden bell, 389
 - Loa water, 399
 - mountain chicken, 158
 - northern leopard, 195
 - pool, 158, 161, 163, 172
 - southern corroboree, 385
- frugivory, 439
- Fundación Rewilding Argentina, 21, 443
- fungi, 64–65, 94–95, 151, 214, 221–223
- Fusarium* spp., 162
- Galápagos Islands, 19–20, 323, 338–339
- Galemys pyrenaicus*, 19
- Galictis cuja*, 440
- gecko
 - giant wall, 280
- gene
 - drive, 292–293
 - editing, 22, 292–294, 384–386
 - flow, 26, 214, 226, 273, 283, 290, 333, 451
- genetic
 - augmentation, 17, 477
 - bottleneck, 227, 276, 419, 450, 465–466
 - differentiation, 226, 281, 423
 - diversity, 26, 51, 65, 217, 254, 275–276, 282, 284–285, 290, 383, 450, 480
 - drift, 273, 282, 465
 - engineering, 22, 364–366
 - management, 225, 283, 285, 291, 451
 - mixing, 287–295
 - monitoring, 27, 46–67, 130, 199–200, 229–231, 257, 276, 283, 289–291, 345, 423, 429–433, 447, 481
 - rescue, 65, 273, 276, 283–285, 384, 430
 - restoration, 284–285
 - screening, 275, 277, 418
 - swamping, 274, 284, 286
- genetically modified organisms (GMOs), 97, 293
- genomics, 277–291, 383–384
- Geoemydidae, 163
- Germany, 158, 260, 278, 286
- giant tortoise, 19–20, 337, 368, 371
 - Aldabra, 20, 337, 469–474
 - domed, 469–474
 - Española, 20, 473
 - Pinta Island, 19, 338
 - saddle-backed, 469–474
- Gopherus agassizii*, 23
- Gopherus polyphemus*, 389
- goshawk, 461
- grassland, 21, 32, 222, 230, 245, 422, 445
- grazing, 13–14, 27, 252, 359, 367–368, 469–474
- Great Plains, 31
- grison
 - lesser, 440
- ground-plum
 - Pyne's, 422–427
- Grus americana*, 129
- Grus grus*, 158

490 · Index

- Gryllus campestris*, 158
 guppy
 Trinidadian, 284–285
Gymnogyps californianus, 8, 156
- habitat
 assessment, 188, 228
 complexity, 21, 464
 concept, 116
 connectivity, 116–118
 degradation, 88, 221, 366, 393, 423
 destruction, 415
 enhancement, 188
 fragmentation, 15, 88, 415
 loss, 9, 13, 15, 393, 423, 443
 management, 6, 32, 213
 quality, 115–116, 228
 restoration, 27, 32, 51, 245, 308, 431
 suitability, 401, 431
 suitability analysis, 444
 suitability modelling, 18, 53, 228
- Haliaeetus albicilla*, 28–29, 31, 96, 307–308, 310, 452
Haliaeetus leucocephalus, 159
- harrier
 hen, 158, 167–169
- Hawaii, 212, 228, 281, 292, 336
- heather
 common, 248
- Hemileuca* spp., 277
- hemlock
 eastern, 260–263
- herbivores, 20, 65, 220–221, 223–225, 307, 357, 365, 424–427
- hihi, 127–128, 132–136, 429–433
- hippopotamus, 91
Hippopotamus amphibius, 91
- honeycreeper, 292
- honeyeater
 Regent, 158
- Hong Kong, 158, 163
- horse
 Przewalski's, 22, 281, 385, 399
- horticulture, 217, 231, 245, 415–420
- huagaimu, 415–420
- human dimensions, 12, 27–34, 91, 303–322
 culture, 28, 31, 65, 313, 387, 392
 health, 26
 livelihoods, 11, 26, 56, 65, 303
 relationship with nature, xxiii, 27, 30, 346, 356
 religion, 7, 28, 31, 86
 rights, 52
 well-being, 26, 31, 65, 231, 303
- human–wildlife
 coexistence, 181, 305–306
 conflict, 30, 89–94, 304, 308, 390
- Hungary, 165, 277
- hunting, 54, 88, 436, 443, 449
 illegal, 310
 trophy, 103, 388
- hyaena
 spotted, 153
- hybridisation, 19, 26, 55, 88, 274, 278, 287–295, 383
- Hydrochoerus hydrochaeris*, 444
- Hymenoscyphus fraxineus*, 20, 243, 246
- Hypotaenidia oustoni*, 399
- Iberá wetlands, 21, 443–447
- ibex
 Alpine, 281, 290
- iguana
 Fijian crested, 281
 green, 440
- Iguana iguana*, 440
- illegal wildlife trade, 390, 439, 444
- in situ* management. *See* post-release support
- inbreeding depression, 58, 225–226, 271, 274, 276, 281–282, 398, 430
- India, 79, 101
- Indigenous Peoples, xxiii, xxv, 12, 30, 86–87, 309, 346, 356, 392–393
- individual
 identification, 188, 194, 229, 430
 variation, 115, 197
 well-being, 181, 386
- influence diagram, 123–126
- injury, 156, 185, 387, 390
- insurance population, 85, 476–477
- introduced species, 15, 33, 450
 risk assessment, 19, 55
- introgression, 274, 277–278, 286, 383, 385
- invasive species, 16, 33, 55, 60, 80, 89, 221, 422, 451
 control, 6, 51, 293, 334, 451
 disease risk, 17, 26
 legislation, 93–97
 management, 7
 risk assessment, 93, 344–345
- Ireland, 308, 310
- iridovirus, 162

- islands, 16, 117, 212, 371
- Isoodon auratus*, 16
- Isoospora normanlevinei*, 153
- Italy, 129, 165, 244, 390, 400
- IUCN, 4, 7, 108, 177
- Conservation Translocation Specialist Group, 9, 25, 66, 120, 184, 363, 396
 - Green Status, 400
 - Red List, 66, 390, 400
 - Species Survival Commission, 9
 - translocation guidelines, xxiv, 9, 25, 31, 43, 67, 79, 84, 109, 120, 249, 271, 307, 390
- Ixodae* spp., 164
- Jacquemontia reclinata*, 215
- jacutinga, 440
- jaguar, 21, 335, 443–447
- Joanesia princeps*, 437
- juniper, 249, 252–255
- Juniperus communis*, 249, 252–255
- kakapo, 7, 333
- kākāriki, 114
- keystone species, 10, 31, 45, 335, 341–342, 358, 361, 368–371, 397, 469
- kingfisher
- Guam, 111, 159–160, 398
- kite
- red, 156, 172
- kiwi
- North Island brown, 16
- koala, 280
- kokako, 337
- Lacerta agilis agilis*, 158
- Lagomorpha, 164
- Lagorchestes hirsutus*, 16
- land
- development, 22–24
 - management, 10, 12
 - ownership, 11, 33, 68, 92, 309, 318, 451, 460
 - stewardship, 12
 - use, 13–14, 22, 28, 33, 309, 415, 423, 443
- Lasiorhinus latifrons*, 21
- Latania loddigesii*, 471
- leadplant
- crenulate, 218–231
- legal considerations, 33–34, 44, 57, 251
- barriers, 33, 57, 84–101, 346, 391
 - context, 78–80
 - obligations, 80–83, 182
 - permissions, 22, 28, 57, 59, 68, 84, 88–105, 307
 - support, 33, 80–84
- Leontopithecus rosalia*, 182
- Leptodactylus fallax*, 158
- lichen, 53, 214, 261
- crinkled snow, 18
- limpet
- slipper, 464
- lion
- African, 91, 153
- Lithobates pipiens*, 195
- lizard
- sand, 158
- Lochmaea suturalis*, 248
- Loxodonta africana africana*, 91
- Lutra lutra*, 82
- Lycan pictus*, 91
- Lymantria dispar* subsp. *dispar*, 243
- lynx
- Canada, 182
 - Eurasian, 82, 307
 - Iberian, 19, 82, 309
- Lynx canadensis*, 182
- Lynx lynx*, 82, 307
- Lynx pardinus*, 19, 82, 309
- macaw
- blue-and-yellow, 440
 - scarlet, 303
- Macronesia, 280
- mainland island, 16, 133
- mala, 16
- maladaptation, 225, 283
- mammoth
- woolly, 359
- Mammuthus primigenius*, 359
- managed relocation. *See* assisted colonisation
- Manglietiastrum sinicum*, 415–420
- maple
- field, 247
 - Lobel's, 247
- Margaritifera margaritifera*, 14
- Maria Island, 17, 290, 337, 476–482
- marmot
- Vancouver Island, 136–138, 198, 399
- Marmota vancouverensis*, 136–138, 198, 399
- Marssonina betulae*, 254
- marten

492 · Index

- marten (cont.)
 pine, 159
Martes martes, 159
 Mascarene Islands, 20, 469–474
 Mauritius, 20, 122, 469–474
Mazama gouazoubira, 444
 media, 28, 31, 231, 310, 334
 megafauna, 307, 359–360
Melanargia galathea, 336
Melanargia russiiae, 277
Meleagris gallopavo silvestris, 163
 melomys
 Bramble Cay, 400
Melomys rubicola, 400
 meta-barcoding, 273–274, 277–281,
 289–291, 475
 meta-population, 24, 111, 230, 423, 482
 Mexico, 8
 microbiome, 280–281, 289, 365
 microsite, 214
 microsporidian, 170
 migratory species, 83–84, 87–91, 98
 millerbird, 337
Milvus milvus, 96, 156, 172
 mink
 European, 196
 miromiro
 North Island, 108
 mitigation translocation, 22–24, 45–67,
 388–390
Mohoua albigilla, 115
 monitoring, 27, 50, 66, 130, 231, 257, 276,
 342, 345–346
 monkey
 brown howler, 439
 monkey flower
 orange sticky, 246
 Montserrat, 158
 moorland, 245
 mosquito, 164
 moth
 Barberry carpet, 158
 bog buck, 277
 gypsy, 243
 mottled umber, 260
 winter, 260
 multi-species translocation, 21–22, 368, 436,
 443–447
Muscardinus avellanarius, 159
 mussel
 freshwater pearl, 14
Mustela lutreola, 196
Mustela nigripes, 385
 mutualism, 21, 223, 275, 280, 308,
 436–441
 Mycobacteria, 162
 mycorrhizae, 221–223, 246, 280
Myrmecophaga tridactyla, 21, 444

 Namibia, 79
 nature-based solutions, 33
 nematode, 170, 243
Neotoma floridana, 153
 Nepal, 159
 New Zealand, 7, 16, 31, 108, 111, 114–115,
 132–136, 155, 424–427
 newt
 great crested, 23, 389
 Norway, 8, 159, 164, 304, 450
Nosema bombi, 170
Notiomystis cincta, 127–128, 132–136,
 429–433
 nyala, 89

 oak
 sessile, 251, 260
 valley, 285
 Oman, 8, 369
Oncorhynchus gorbuscha, 287
Oncorhynchus tshawytscha, 283
Operophtera brumata, 260
Ophiotoma novo-ulmi, 242
 orchid, 216, 222–223
 ghost, 391
Oryctolagus cuniculus, 95, 470
 oryx
 Arabian, 8, 369
 scimitar-horned, 282
Oryx dammah, 282
Oryx leucoryx, 8, 369
Ostrea edulis, 462–468
Otospermophilus beecheyi, 164
 otter
 Eurasian, 82
 outbreeding depression, 58, 225, 271, 274,
 276, 286–295, 384
Ovis canadensis, 282, 290
 owl
 burrowing, 199
 oyster, 32
 European native, 462–468
 oyster drill
 American, 464
Ozotoceros bezoarticus, 21, 444

Pacifastacus leniusculus, 17

- Paecilomyces* spp., 162
 palm, 471
 Palmyra Atoll, 159
Pandanus vandermeeschii, 471
 panther
 Florida, 283
Panthera leo, 91, 153
Panthera onca, 21, 335, 443–447
Panthera tigris, 308
 parakeet
 Mauritius 'echo', 122
 parasite, 55, 119, 149, 160
Pareulype berberata, 158
 parrot
 red-browed amazon, 440
Partulidae, 158
 pathogen. *See* disease
 peatland, 241, 245, 247
Pecari tajacu, 21, 444
 peccary
 collared, 21, 444
Pelophylax lessonae, 158, 161, 163, 172
 penguin
 little, 480
Penicillium spp., 162
 persecution, 54, 62, 156, 193, 304, 310, 451
 personality, animal. *See* individual variation
 pesticide, 16, 103, 223
 petrel, 91
Petrogale lateralis pearsonii, 21
Petroica longipes, 117, 429–433
Petroica macrocephala toitoi, 108
Petroica traversi, 115
Phascocarctos cinereus, 280
Philesturnus carunculatus carunculatus, 155
Philesturnus rufusater, 111
Phoebastria immutabilis, 336
Phoebastria nigripes, 336
Phyllostegia kaalaensis, 281
 physiology, 118–120, 200
Phytophthora austrocedri, 249, 251–252
Phytophthora cactorum, 246
Phytophthora cinnamomi, 242, 261
Phytophthora infestans, 242
Phytophthora quercina, 253
Phytophthora ramorum, 242, 246
Phytophthora spp., 244–245, 251–255, 258
Phytophthora tentaculata, 246
 pigeon
 passenger, 22, 366
 pine
 torreya, 401
 Wollemi, 254
Pipile jacutinga, 440
 plague, crayfish, 17
 plant louse, 224
 Plant Species with Extremely Small Populations (PSESP), 415–420
Plasmodium elongatum, 155
Platysternon megacephalum, 158
 poaching, 51, 66, 304, 310, 443
Podocnemis expansa, 310
Poecilia reticulata, 284–285
 poisoning, 16, 156, 172, 201
 Poland, 159, 165, 450
 politics, 28, 31, 452
 pollination, 22, 27, 45, 56, 65, 223, 275, 280, 415
 pollution, 14–16, 60, 156, 263, 462
Polyommatus hispanus, 19
 popokatea, 115
 population
 augmentation. *See* reinforcement
 connectivity, 26
 control, 94
 decline, 31, 45–46, 59, 172, 342, 462
 demographics, 51, 64
 dynamics, 432
 enhancement, 464. *See* assisted
 colonisation
 establishment, 24, 55
 growth, 26, 63, 69, 116, 228, 282, 430, 480
 management, 430
 persistence, 24, 69, 119, 383, 430
 resilience, 26, 58
 re-stocking. *See* reinforcement
 restoration, 5, 32
 self-sustainability, 69
 structure, 26, 277–279
 supplementation. *See* reinforcement
 viability, 5, 30, 46, 65, 281, 397, 415
 viability analysis, 51–52, 61
Populus tremula, 286
Porphyrio hochstetteri, 16
 Portugal, 82, 309
 possum
 brush-tailed, 16, 289
 eastern pygmy, 480
 post-release support, 69, 114, 116, 120, 194, 228
 disease management, 122, 165, 430
 feeding. *See* supplementary feeding
 nest box provisioning, 430
 shelter, 119, 197
 threat management, 220

494 · Index

- post-release support (cont.)
 - trade-offs, 198–199
- potato blight, 242
- potoroo
 - long-nosed, 480
- Potorous tridactylus*, 480
- prairie dog, 371
 - black-tailed, 10, 197
- precautionary principle, 102–104
- predation, 45, 55, 65, 117, 119, 201, 223–225, 280, 357, 365
- predator control, 124–125, 185, 188
- problem animals, 7, 67, 89–94, 308
- Procyon lotor*, 153
- propagation, plant, 99, 251–254
- protected area, 6, 57, 82, 88–89, 94, 244, 308, 354, 360, 394
- protozoan, 151, 170
- Pseudemydura umbrina*, 85, 337, 402
- Pseudophryne corroboree*, 385
- Psittacula eques*, 122
- public
 - awareness, 3, 56
 - engagement, 6, 30, 56, 306–317, 457–460
 - health, 56, 450
 - opposition, 6, 11, 26, 56, 304, 401
 - outreach, 31, 56, 307, 457–460
 - support, 231, 308, 397, 437, 444
- publication bias, 25, 27
- Puma concolor cougar*, 283
- quarantine, 112, 159–160, 170–174, 187, 193, 254, 256, 437
- Quercus lobata*, 285
- Quercus petraea*, 251, 260
- rabbit
 - European, 95, 470
- rabies, 56
- raccoon
 - common, 153
- radio tracking, 137, 200, 437, 440
- rail
 - Guam, 399
- Ramphastos vitellinus*, 436
- ranavirus, 172
- Ranoidea aurea*, 389
- rat
 - black, 16
 - central rock, 16
- Rattus rattus*, 16
- reciprocal translocations, 65
- refaunation, 436–441
- reforestation, 32
- reinforcement, 7, 40, 46–67, 81–83, 132–136, 276, 283–285
- reintroduction, 4, 7–9, 24, 31, 40, 46–67, 81–83, 87, 418, 422, 429–433, 449
- release cohort
 - age, 116, 129–130, 137–138, 188, 195, 227
 - cohort size, 61, 114–115, 118, 226, 424
 - genetic diversity, 58, 271, 420
 - propagule size (plants), 227
 - selection, 215, 280, 282
 - sex ratio, 115–116
 - source, 112–114, 190, 282
- release site. *See* destination site
- release strategy, 188, 194
 - delayed, 113, 118, 188, 195, 198, 281, 437, 440, 444
 - hard release, 61
 - immediate, 113, 440
 - soft release, 61
 - stepping-stone, 137–138
 - timing, 194–195, 423
- reovirus, 162
- reproductive isolation, 340
- reptilian paramyxovirus (PMV), 162
- restoration ecology, 10, 213, 334–335, 366–367, 397
- rewilding, 11–13, 20, 31–32, 131, 154, 308, 335, 354–372, 396–398, 436
 - ecological, 360–361, 370, 396
 - passive, 359–360, 370, 396
 - Pleistocene, 359
 - trophic, 357–359, 371, 397, 436–441
- rhinoceros
 - greater one horned, 159
 - northern white, 385
- Rhinoceros unicornis*, 159
- rinderpest virus, 153, 173
- riparian habitat, 453
- robin
 - Chatham Island black, 115
 - North Island, 117
- Rodentia, 164
- Round Island, 20, 469–474
- saddleback
 - North Island, 111
 - South Island, 155

- sage, 246
Salix lapponum, 13
 salmon
 Chinook, 283
 pink, 287
Salvelinus fontinalis, 289
Salvia spp., 246
Sarcophilus harrisi, 17, 85, 283, 337, 476–482
Sarcoptes scabiei, 153
 Scandinavia, 7, 304
Sciurus carolinensis, 154
Sciurus vulgaris, 7, 153–164
 Scotland, 7, 28–29, 31, 56, 159, 278, 305, 307, 449–454, 456–468
 legislation, 57, 94–99
 Scottish Code for Conservation
 Translocations, 25, 29, 52, 67, 249, 452, 457
 screw-pine, 471
 seagrass beds, 32, 371
 seed bank, 215–216, 425
 seed dispersal, 19, 308, 338, 345, 365, 415, 436–441, 469–474
 shearwater
 short-tailed, 480
 sheep
 bighorn, 282, 290
 sheldgoose
 Mauritius, 470
 sihek, 111, 159–160, 398
 skink
 blue-tailed, 280
 skipper
 chequered, 158
 snail
 Partula, 158
 snake
 boa constrictor, 436
 brown tree, 399
 smooth, 158, 173
 social science, 30, 305, 310–313
 sociality, 60, 115–124
 socio-economic considerations, 26–33
 benefits, 27, 29–30
 compensation for impacts, 28
 costs, 304
 monitoring, 65–66
 risks, 4, 17
 source population
 genetics, 285, 290
 selection, 46, 52–59, 188, 225–226, 275–276, 281–283, 292, 424
 South Africa, 242
 legislation, 88–94
 Spain, 82–83, 167, 244
 species
 analogue. *See* ecological replacement
 decline, 45–46, 59, 172, 342
 distribution, 26, 54, 102, 289
 distribution modelling, 53, 339, 401
 extirpation, 44–45, 116, 342
 management, 10, 51
 range, 46, 66, 340
 recovery, 5–6, 9, 26, 44, 80–81
 recovery plans, 85–86, 114, 212
 viability, 46, 391
Sphaerularia bombi, 170
Sphagnum spp., 247–248
Sphenodon punctatus, 337
 squirrel
 Californian ground, 164
 grey, 154
 red, 7, 153–164
 squirrelpox virus, 152–164, 173
 Sri Lanka, 308
 stakeholder
 conflicts, 304, 317–324, 451
 engagement, 28–31, 56, 61–62, 67, 86–87, 171, 205, 305–306, 308, 312, 343, 451, 481
 starvation, 119, 201
 steppe, 359
 stitchbird. *See* hihi
 stork
 white, 198
 stress, 118–120, 152, 155, 168–169, 185, 187–188, 194–197, 200, 387
 in plants, 215–217
Strigops habroptilus, 7, 333
 subspecific substitution. *See* ecological replacement
 supplementary feeding, 114, 118–119, 188, 197–199, 430, 440
 Sweden, 8, 158, 165, 170, 304, 310
 SWOT analysis, 54–55
 symbiosis, 280–281
Syncerus caffer, 91
 synthetic biology, 384–386
 Taiwan, 244, 308
 takahe, 16

496 · Index

- tamarin
golden lion, 182
- tamarisk, 57
- Tamarix* spp., 57
- Tarentola gigas*, 280
- Tasmania, 17, 85–86, 290, 476–482
- Tasmanian devil, 17, 85, 283, 290, 337, 476–482
- Tasmanian devil facial tumour disease (DFTD), 17, 283, 476
- taxon substitution. *See* ecological replacement
- taxonomic uncertainty, 101–102, 275, 278
- Telmatobius dankoi*, 399
- Tephrosia angustissima* var. *corallicola*, 217
- territoriality, 60, 282
- Tetrao urogallus*, 7
- Theobroma cacao*, 214
- thistle
alpine blue sow-, 13
- Thymelicus sylvestris*, 337
- tick, 164
- tīeke
North Island, 111
South Island, 155
- tiger, 308
- Tigriopus californicus*, 287
- Tijuca National Park, 436–441
- Tiritiri Matangi Island, 108, 134, 424–427
- toad
European fire-bellied, 286
Monte Verde golden, 337
natterjack, 158
yellow-bellied, 130
- Todiramphus cinnamominus*, 111, 159–160, 399
- tomtit, 108
- Torreya taxifolia*, 334, 336, 401
- tortoise. *See also* giant tortoise
gopher, 389
Mojave desert, 23
radiated, 469–474
western swamp, 85, 337
yellow-footed, 439–440
- toucan
channel-billed, 436
- tourism, 27, 31, 308, 446, 456, 460
- toutouwai, 117, 429–433
- Tragelaphus angasii*, 89
- Tragelaphus sylvaticus*, 89
- transportation, 151, 159, 188, 251, 257, 387
- Trichosurus vulpecula*, 16, 289
- Trioza barrettae*, 224
- Triturus cristatus*, 23, 389
- trophic
cascading, 11, 223, 357
downgrading, 11
interactions, 275, 279–280, 355–358, 371
- trout
brook, 289
- trypanosome, 170
- Tsuga canadensis*, 260–263
- tuatara, 337
- tularaemia, 164–170
- Tunisia, 282
- turkey
Eastern wild, 163
- turtle
big-headed, 158
European pond, 129, 279
golden coin, 158, 162
Orinoco, 310
western swamp, 402
- Ukraine, 277
- United Arab Emirates, 283
- United Kingdom, 15, 19–20, 23, 153–164, 249, 253–255, 389
- United Nations
Convention on Biological Diversity, 80, 93–96, 102–104, 401
Decade on Ecosystem Restoration, 35, 355, 381
Environment Programme (UNEP), 98
- United States, 8, 10, 16, 97, 218, 261, 278, 282, 304, 394, 422
- Urosalpinx cinerea*, 464
- Ursus arctos horribilis*, 307
- vaccination, 153
- value of information analysis, 129–130
- Vancouver Island, 399
- vendace, 95
- Venezuela, 310
- Vietnam, 158
- Vipera berus*, 158, 160, 162
- vole
European water, 159
- Vulpes vulpes*, 16
- wallaby
black-footed, 21
- weather, 63, 187, 217, 431
- weevil, 246

- welfare, animal, 6, 26, 33, 61, 84, 100,
112–114, 118–120, 183–205, 386–388,
451
- wetland, 10, 21, 85, 443–447, 453
- wild ass, 289
- wild dog, 91
- wildcat, 301
- wildebeest, 91
western white-bearded, 153
- wildlife rehabilitation, 7, 158–159, 390–391
- wildlife trade, illegal, 51, 66
- willow
woolly, 13
- wolf
grey, 10, 82, 153, 304–308, 310, 335, 370,
432
- Wollemia nobilis*, 254
- wombat
southern hairy-nosed, 21
- woodland, 20, 32, 245, 252, 254, 290
- woodrat
eastern, 153
- World Organization for Animal Health,
156
- World Wide Fund for Nature (WWF), 79
- Xylella fastidiosa*, 244
- Yellowstone National Park, 10, 153, 304,
335, 370, 432
- Zoological Society of London (ZSL),
156–158
- Zygomys pedunculatus*, 16