

Index

- γ -matrices
 - Euclidean, **145**
 - Majorana representation, **531**
 - Weyl representation, **531**
- ϕ^4 -theory, **173**
- θ -terms
 - definition, **439**
 - differential form representation, **440**
 - topological action, **438**
 - topological angle, **438**
 - topological Lagrangian, **438**
 - vs. Chern numbers, **623**
- ab initio approach, **4**
- action, **6**, **96**
- adiabatic continuity, **1**
- aging, **293**
- Aharonov–Bohm effect, **581**
- algebra
 - Clifford, **530**
 - commutator, **67**
 - definition, **132**
 - exterior, **132**
 - Grassmann, **132**
- AMO physics, **702**
- Anderson, Philip Warren, **63**
- anomalies
 - anomaly inflow, **558**
 - axial, **147**
 - chiral, **147**, **544**
 - gauge, **555**
 - general definition, **33**, **543**
 - parity, **555**
- anomalous quantum Hall effect
 - Chern number, **466**
 - Dirac representation, **465**
 - Hamiltonian, **464**
- approximation
 - non-crossing, **203**, **217**
 - random phase, **194**
 - self consistent Born, **203**
 - self-consistent T -matrix (SCTA), **228**
- Arrhenius factors, **665**
- asymptotic expansion, **173**
- band insulator, **55**
- Bardeen, John, **262**
- BCS theory, **258**
- Berry phase
 - action of spin, **480**
 - adiabaticity condition, **480**
 - definition, **580**
 - general form, **481**
 - geometric phase, **580**
 - non-abelian, **622**
- Berry, Sir Michael, **480**
- Bethe, Hans Albrecht, **206**
- Bethe–Salpeter equation, **206**
- bipartite lattice, **77**
- BKT transition
 - phenomenology, **365**
 - topological charge, **363**
 - vortex, **363**
 - vortex fugacity, **367**
- Bloch’s theorem, **52**
- Bloch, Felix, **52**
- Bogoliubov transformation
 - bosonic, **71**
 - fermionic, **264**
- Bogoliubov, Nicolai Nikolaevich, **71**
- Bohr radius, **53**
- Bohr, Niels Henrik David, **53**
- Boltzmann
 - distribution, **634**
 - partition function, **12**
- Boltzmann equation, **647**
- relaxation time approximation, **651**
- Boltzmann, Ludwig, **634**
- Born, Max, **203**
- Bose, Satyendranath, **243**
- Bose–Einstein condensation
 - critical temperature, **243**
 - definition, **243**
- bosonization
 - fermion operator, **149**
 - functional, **570**
 - operator formulation, **70**
- Brownian motion, **637**
- canonical momentum, **11**
- canonical transformation, **62**
- carbon nanotube, **65**
- Cartan, Élie, **427**
- Casimir effect, **29**
- causality, **390**
- Chapman–Kolmogorov relation, **654**

- charge-density wave, **59**
- Chern classes
 - and chiral anomaly, **551**
 - characteristic classes, **619**
 - Chern character, **619**
 - Chern number, **620**
 - Chern–Weil theorem, **620**
- Chern–Simons theory
 - abelian, **495**
 - action (non-abelian), **589**
 - Chern–Simons action (2+1), **494**
 - level, **494, 589, 620**
 - nonabelian, **494**
 - parity non-invariance, **498**
- chiral anomaly
 - Atiyah–Singer index theorem, **553**
 - Fujikawa method, **547**
 - triangle diagrams, **547**
- classical electrodynamics
 - action, **20**
 - Coulomb gauge, **27**
 - from variational principles, **17**
 - Maxwell’s equations, **17**
 - relativistically invariant, **18**
 - waveguide, **27**
- coherent states
 - bosonic, **130**
 - fermionic, **134**
- Cole–Hopf transformation, **670**
- collective excitations, **10**
- conductivity
 - longitudinal, **409**
 - transverse, **409**
- conformal
 - group, **34**
 - symmetry, **34**
- conformal field theory
 - central charge, **794**
 - complex coordinates, **787**
 - conformal group, **786**
 - conformal map, **786**
 - conformal tower, **799**
 - correlation functions, **793**
 - descendant, **799**
 - dimension (of primary), **791**
 - energy–momentum tensor, **789**
 - field, **788**
 - free boson, **788**
 - Hamilton operator, **797**
 - operator product expansion, **790**
 - operator–state correspondence, **793**
 - primary field, **791**
 - primary states, **798**
 - stress–energy tensor, **789**
 - vacuum state, **798**
 - Virasoro algebra, **796**
 - Witt algebra, **797**
- continuum limit, **7**
- Cooper, Leon N., **262**
- Cornell, Eric A., **244**
- correlation function
 - n -point, **176**
 - advanced, **395**
 - density–density, **163**
 - four-point, **204**
 - imaginary–time–ordered, **394**
 - pair, **163**
 - real time–ordered, **394**
 - retarded, **394**
- Coulomb blockade, **760**
- counting field, **749**
- covariant notation, **768**
- CPT-theorem, **541**
- critical phenomena
 - anomalous dimension, **337**
 - correlation length exponent, **337**
 - critical exponents, **336**
 - dangerous irrelevance, **333**
 - dynamical exponent, **337**
 - exponent identities, **336**
 - fixed points, **334**
 - Ginzburg criterion, **348**
 - order parameter exponent, **337**
 - quantum phase transition, **337**
 - scaling laws, **336**
 - specific heat exponent, **337**
 - susceptibility exponent, **337**
 - universality classes, **338**
- critical surface, **334**
- cuprate materials, **64**
- current
 - axial, **147, 532**
 - conservation, **146**
 - Hall, **387**
 - interaction, **152**
 - spin, **72, 387**
 - thermal, **387**
 - vector, **146, 532**
- density of states
 - Coulomb blockade, **300**
 - single-particle, **298**
 - thermodynamic, **219**
- density wave
 - charge, **72**
 - spin, **72**
- diagrams
 - n -particle reducible, **183**
 - combinatorics, **183**
 - connected, **182**
 - Feynman, **181**
 - idea, **181**
 - irreducible vertex, **206**
 - loop order, **183**
 - one-particle irreducible, **183**

- two-particle reducible, **206**
- vacuum, **184**
- vertex (two-point function), **206**
- differential forms
 - area form (sphere), **773**
 - current density, **780**
 - differential n -form, **772**
 - differential of function, **771**
 - exterior derivative, **774**
 - Hodge star, **779**
 - one-form, **770**
 - pullback, **771**
 - Stokes' theorem, **776**
 - volume form, **778**
 - wedge product, **773**
- Dirac identity, **144**
- Dirac string, **473**
- Dirac theory
 - γ -matrices, **531**
 - γ -matrices (Euclidean), **535**
 - antimatter, **534**
 - axial symmetry, **541**
 - canonical momentum, **563**
 - charge density, **532**
 - Dirac equation, **530**
 - Dirac Hamiltonian, **58, 563**
 - Dirac monopole, **614**
 - Dirac sea, **534**
 - Dirac spinor, **529**
 - Dirac string, **617**
 - fermion doubling problem, **539**
 - Kaluza–Klein reduction, **533**
 - mass, **530**
 - Nielsen–Ninomiya theorem, **540**
 - odd dimensions, **534**
 - Pauli–Villars regularization, **547**
 - pseudo scalar, **532**
 - scalar field, **532**
 - surface zero modes, **542**
 - two-dimensional Dirac equation, **533**
 - vector field, **532**
- Dirac, Paul Adrien Maurice, **523**
- directed percolation, **679**
- disordered electron gas
 - AC conductivity, **411**
 - Cooperon, **221**
 - diffusion constant, **220**
 - diffuson mode, **220**
 - Drude theory, **411**
 - encounter region, **292**
 - Hikami box, **292**
 - Keldysh technique, **210**
 - mean free path, **213**
 - replica trick, **211**
 - scattering time, **213**
 - supersymmetry, **210**
 - weak localization, **286**
- dissipation
 - energy, **256**
 - kernel, **722**
 - Langevin theory, **636**
 - Ohmic, **722**
 - ohmic, **124**
- dissipative tunneling, **125, 302**
- distribution
 - binomial, **750, 784**
 - Breit–Wigner, **785**
 - Cauchy, **785**
 - Gaussian, **784**
 - Gibbs, **137**
 - Lorentzian, **785**
 - Poisson, **784**
- Doi–Peliti operator technique, **669**
- dual space, **770**
- duality
 - definition, **326**
 - Kramers–Wannier, **326**
 - Luttinger liquid, **326**
 - self-, **326, 374**
- dynamic structure factor, **679**
- dynamical critical phenomena, **672**
- Dyson equation, **200**
- Dyson, Freeman, **200**
- Einstein relation, **638**
- Einstein, Albert, **594**
- electric susceptibility, **197**
- emission (spontaneous/stimulated), **704**
- energy–momentum tensor, **34**
- entanglement
 - Bell state, **429**
 - cut, **429**
 - discussion, **429**
 - volume law, **429**
- entropy
 - entanglement, **429**
 - information-, **783**
 - topological entanglement, **429**
- equations of motion
 - definition, **8**
 - Hamilton's extremal principle, **9**
 - Lagrange's, **9**
- equipartition theorem, **638**
- error correction, **611**
- Euclidean field theory, **18, 103**
- Euler–Lagrange equation, **17**
- excitons, **84**
- experiment
 - crystallography, **391**
 - nonlinear optics, **386**
 - overview, **386**
 - scanning tunneling microscopy, **389**
 - spectroscopy, **388**
 - thermodynamic susceptibilities, **387**

- Fermi
 energy, **53**
 momentum, **54**
 sphere, **54**
- Fermi and Bose distribution functions, **143**
- Fermi liquid
 adiabatic continuity, **188**
 density parameter r_s , **187**
 Fock term, **191**
 Hartree diagram, **190**
 principle, **188**
- Fermi, Enrico, **41**
- Fermi–Bose transmutability, **70**
- fermionization, **70**
- Feynman, Richard P., **92**
- fiber bundle
 complex line bundle, **615**
 connection form, **578**
 definition of, **575**
 gauge group, **574**
 gauge
 invariance, **576**
 heuristic discussion, **574**
 holonomy, **581**
 parallel transport, **576**
 principal, **574**
 section, **574**
 structure group, **574**
 transition function, **613**
- Fick’s law, **638**
- field
 classical, **7**
 quantum, **22**
- field integral, **138**
- field strength tensor
 Bianchi identity, **626**
 definition, **582**
- fluctuation–dissipation theorem
 classical, **677**
 dynamical critical phenomena, **673**
 linear response, **677**
- fluctuations
 quantum, **245**
 thermal, **245, 246**
- Fock space, **44**
- Fock, Vladimir Aleksandrovich, **44**
- Fokker–Planck equation
 definition, **644**
 Kramers–Moyal expansion, **643, 658**
 of stochastic process, **659**
- Fourier transform conventions, **799**
- fractional quantum Hall effect
 composite fermions, **501**
 Laughlin wave function, **502**
 particle interactions, **505**
 singular gauge transformation, **503**
- fractional statistics
 anyons, **43, 492**
 braid group, **492**
 fusion, **494**
 semions, **492**
- fractionalization, **599**
- free particle, **106**
- free theory, **65**
- friction, **636**
- Friedel oscillations, **168**
- full counting statistics, **748**
- functional
 expectation value, **176**
 integrals, **96**
 Lagrangian, **8**
 local, **16**
 stationary phase approximation, **104**
 Taylor expansion, **15**
- functional derivative, **13**
- functionals
 Hamiltonian action, **11**
 Hamiltonian density, **11**
 Lagrangian density, **7**
- Galilean invariance, **4**
- gauge theory
 area law, **601**
 Berry connection, **591**
 Bianchi identity, **584**
 confinement, **603**
 coupling to matter, **597**
 covariant derivative, **579**
 covariant electromagnetism, **587**
 dual field strength tensor, **586**
 electromagnetic field strength tensor, **582**
 Elitzur’s theorem, **600**
 Faddeev–Popov ghosts, **586**
 field strength tensor, **581**
 gauge fixing, **586**
 gauge symmetry, **585**
 large gauge transformation, **589, 614**
 metric connection, **592**
 minimal coupling, **268**
 minimal coupling in quantum mechanics,
580
 non-abelian parallel transport, **581**
 parallel transport, **580**
 perimeter law, **602**
 torsion, **594**
 Wilson loop, **584**
- Gauss, Johann Carl Friedrich, **97**
- Gaussian integral
 finite-dimensional, **97**
 functional, **100**
 Grassmann, **134**
 Wick’s theorem, **99**
- general relativity
 Christoffel symbols, **593**
 connection, **578**

- contravariant index, **578**
- covariant derivative, **580**
- covariant index, **578**
- covariant notation, **578**
- Einstein constant, **594**
- Einstein equations, **594**
- Einstein–Hilbert action, **594**
- energy momentum tensor, **595**
- Ricci tensor, **594**
- Riemann curvature tensor, **594**
- scalar curvature, **594**
- Gibbs, Josiah Willard, **136**
- Ginzburg–Landau theory, **174**
- glasses, **110, 293**
- gradient expansion
 - idea, **278**
 - validity, **281**
- graphene, **56**
- Grassmann, Hermann Günther, **132**
- Green function
 - ϕ^4 -theory, **177**
 - free electron gas, **190**
 - non-interacting, **399**
 - operator, **400**
- Green, George, **176**
- Gross–Pitaevskii equation, **719**
- group
 - $SU(N)$, **355**
 - $U(N)$, **355**
 - braid, **43**
 - linear representation, **42**
 - Lorentz, **526**
 - permutation, **42**
 - $SU(2)$, **448**
- group theory
 - Euler angle representation, **449**
 - exponential representation, **355**
 - group field theory, **355**
 - group generators, **355**
 - Haar measure, **354, 450**
 - Schur’s lemma, **450**
 - structure constants, **355, 583**
 - winding number, **440**
- Haldane’s conjecture, **455**
- Hamilton, Sir William Rowan, **10**
- Hamiltonian
 - $t - J$, **64**
 - electron–phonon, **166**
 - Hubbard, **60**
 - many-particle, **3**
- harmonic chain
 - classical, **6**
 - quantum, **21**
- harmonic oscillator
 - bath, **122**
 - Hamiltonian, **23**
 - quasi-particles, **24**
- Hartree, Douglas R., **191**
- heavy fermions, **375**
- Heisenberg, Werner, **73**
- Higgs particle, **283**
- Hilbert, David, **42**
- holographic condensed matter physics, **573**
- Hubbard–Stratonovich transformation
 - Cooper channel, **237**
 - definition, **236**
 - direct channel, **237**
 - exchange channel, **237**
 - Ising model, **175**
- Hund’s rule, **60**
- hyperscaling, **342**
- infrared divergence, **180**
- instanton
 - bounce, **117**
 - fluctuation determinant, **116**
 - gas, **112, 445**
 - path integral, **111**
 - $SU(2)$, **511, 622**
 - zero mode, **445**
- integer quantum Hall effect
 - conductivity tensor, **457**
 - cyclotron frequency, **459**
 - Drude conductivity tensor, **457**
 - edge states, **464**
 - field theory, **467**
 - filling fraction, **458**
 - Landau gauge, **459**
 - Landau levels, **459**
 - Laughlin gauge argument, **462**
 - magnetic length, **458**
 - phase transition, **461**
 - symmetric gauge, **459**
- interacting electron gas
 - dynamic screening, **198**
 - plasma frequency, **198**
 - plasma theory, **234**
 - plasmon mode, **198**
 - polarization operator, **194**
 - random phase approximation, **194**
 - Thomas–Fermi screening, **197**
- interaction
 - exchange, **60**
 - ferromagnetic, **60**
 - Hubbard, **60**
 - super-exchange, **61**
- Ising model
 - block spin, **317**
 - correlation length, **316**
 - definition, **174**
 - flow equations, **351**
 - mean field critical exponents, **345**
 - one-dimensional, **314**
 - symmetry breaking, **253**
- jellium model, **53**

- Jordan–Wigner
 string, **85**
 transformation, **85**
- Josephson
 AC effect, **306**
 action, **306**
 current, **306**
 DC effect, **306**
 junction, **277**
 junction array, **361**
- Kadanoff, Leo P., **318**
- Keldysh field theory
 classical and quantum fields, **712**
 classical saddle-point, **719**
 fluctuation–dissipation theorem, **718**
 Keldysh contour, **706**
 Keldysh Green function, **711**
- Keldysh, Leonid. V., **706**
- Ketterle, Wolfgang, **244**
- kinetic equation
 collision term, **730**
 definition, **730**
 in/out-term, **731**
 Pauli blocking, **732**
 transition probability, **732**
- kinetic equation, **647**
- Kondo effect, **87**
 Kondo temperature, **231, 382**
 perturbation theory, **229**
 scaling theory, **380**
- Kramers–Kronig relations, **404**
- Lagrange, Joseph-Louis, **6**
- Lagrangian, **6**
- Landau, Lev Davidovich, **188**
- Langevin
 equation, **636**
 equation (higher-dimensional), **674**
- Langevin, Paul, **636**
- Larmor precession, **446**
- lattice gauge theory
 action, **596**
 charged matter, **598**
 compact electrodynamics, **603**
 strong coupling, **601**
 transfer matrix, **604**
 Wilson loop, **597**
- Laughlin, Robert B., **499**
- Lehmann representation, **395**
- Lie group
 adjoint representation, **248**
 algebra, **248**
 definition, **248**
 fundamental representation, **248**
- Lindblad equation, **701**
- linear response
 density–density, **405**
 electromagnetic, **407**
 fluctuation–dissipation theorem, **393**
 retarded, **390**
 switching on procedure, **395**
 theory, **390**
- Lorentz gauge, **35**
- Lorentz, Hendrik Antoon, **18**
- Lorentzian field theory, **18, 103**
- lower critical dimension, **252**
- Luttinger liquid
 chiral, **520**
 definition, **73**
- Möbius strip, **614**
- macroscopic quantum state, **282**
- magnetic monopole, **473, 616**
- magnetic response
 Landau diamagnetism, **280**
 Pauli paramagnetism, **280**
 quantum Hall effect, **280**
 Shubnikov–de Haas oscillations, **280**
- magnetism
 frustrated magnet, **77**
 Heisenberg antiferro–, **76**
 Heisenberg ferro–, **74**
 itinerant, **309**
 magnons, **76**
 semiclassical approximation, **75**
 spin–waves, **74**
 Stoner, **309**
- Majorana fermion
 γ -matrices, **531**
 in Dirac theory, **536**
 qubit, **538**
- Majorana, Ettore, **536**
- manifold
 atlas, **767**
 base, **8**
 chart, **767**
 coordinate transformation, **767**
 cotangent bundle, **771**
 cotangent space, **771**
 differentiable, **767**
 field, **8**
 local coordinates, **767**
 pushforward, **769**
 Riemannian, **777**
 symplectic, **447**
 tangent space, **769**
 with metric, **776**
- massless excitation, **25**
- master equation
 classical, **654**
 quantum, **700**
- Matsubara frequencies, **139**
- Matsubara summation, **141**
- Maxwell, James Clerk, **17**
- Maxwell–Boltzmann distribution, **635**
- mean fields, **239**

- metal, **55**
- metric
 - Minkovski, **777**
 - positive definite, **777**
 - tensor, **777**
- microreversibility, **647**
- model
 - Anderson impurity, **87**
 - Caldeira–Leggett, **122**
 - electron phonon, **166**
 - Heisenberg, **63**
 - Hubbard, **60**
 - sd-, **89**
 - two-dimensional XY, **360**
- modes
 - definition, **28**
 - phonon, **26**
- Mott, Sir Neville Francis, **61**
- Mott–Hubbard gap
 - bosonization, **490**
 - cuprates, **64**
- Moyal product, **801**
- MSR functional
 - field integral, **675**
 - path integral, **664**
- Néel, Louis, **77**
- Néel state, **77**
- Nakajima–Zwanzig equation, **700**
- Noether’s theorem, **30**
- Noether, Amalie E., **31**
- noise
 - demographic, **668**
 - Fano factor, **744**
 - Johnson–Nyquist (thermal) noise, **640**
 - linear, **663**
 - multiplicative, **683**
 - power, **640**
 - shot noise, **641, 744**
- nonabelian bosonization, **483**
- nonabelian statistics
 - Fibonacci anyons, **494**
 - Ising anyons, **494**
 - nonabelian anyons, **492**
- nonequilibrium state, **633**
- nonlinear σ -model
 - as topological field theory, **454**
 - definition, **289, 353**
 - RG equation, **359**
- normal ordering, **138**
- number conservation, **70**
- occupation number representation, **44**
- Onnes, Kammerlingh, **258**
- Onsager–Machlup functional, **665**
- operator
 - number, **49**
 - occupation number, **48**
 - time-ordering operator, **394**
- vertex, **178**
- organic conductor, **65**
- orthogonality catastrophe, **414, 740**
- particle indistinguishability, **41**
- path integral
 - and statistical mechanics, **101**
 - double well, **109**
 - free particle, **106**
 - Hamiltonian, **96**
 - instanton, **111**
 - motivation, **91**
 - potential well, **106**
 - semiclassical analysis, **103**
 - spin, **448**
- Pauli, Wolfgang Ernst, **49**
- Peierls instability, **82**
- Peierls, Rudolph E., **295**
- permutation, **42**
- persistent currents, **434**
- phase space
 - classical, **95**
 - definition, **447**
 - symplectic form, **447**
- phase transition
 - conjugate field, **336**
 - critical phenomena, **333**
 - first-order, **335**
 - order parameter, **335**
 - second-order, **332, 335**
 - susceptibility, **336**
- phonon, **26**
- photon, **29**
- Poisson bracket, **21**
- Poisson summation formula, **109, 510**
- polarization operator
 - dielectric function, **196**
 - Lindhard function, **195**
 - real time, **194**
 - three-dimensional electron gas, **194**
- Polyakov, Alexander M., **354**
- probability theory
 - central limit theorem, **784**
 - characteristic function, **783**
 - conditional probability, **781**
 - cumulant generating function, **782, 783**
 - cumulants, **782**
 - expectation value, **781**
 - kurtosis of distribution, **782**
 - mean value, **782**
 - moment generating function, **783**
 - moments, **782**
 - multivariate distribution, **781**
 - probability distribution, **781**
 - skewness of distribution, **782**
- propagator
 - free, **177**
 - Gaussian, **100**

- particle–hole, **218**
- quantum mechanical, **94**
- two-particle, **204**
- pyrochlores, **482**
- quantum computation, **610**
- quantum dots
 - charging energy, **298**
 - electromagnetic response, **417**
- quantum optics
 - atom–field Hamiltonian, **754**
 - collapse and revival, **757**
 - Rabi oscillations, **757**
- quantum phase transition
 - definition, **308, 374**
 - quantum criticality, **308, 378**
- quantum wire, **65**
- qubit, **759**
- raising and lowering of indices, **778**
- rare event, **659**
- RC-time scale, **743**
- reaction–diffusion systems, **671, 675**
- reduced density matrix, **429, 699**
- reduction principle, **4**
- Reggeon field theory, **684**
- relaxation time, **760**
- renormalization group
 - β -functions, **325, 332**
 - ϵ -expansion, **347**
 - (ir)relevant scaling, **333**
 - equation, **341**
 - anomalous dimension, **329**
 - BKT transition, **360**
 - counter terms, **332**
 - dimensional regularization, **330**
 - dissipative quantum tunneling, **321**
 - dynamical exponent, **331**
 - engineering dimension, **329**
 - ferromagnetic transition, **342**
 - field renormalization, **331**
 - fixed points, **319, 332**
 - flow equation, **331**
 - Gaussian fixed point, **346**
 - history, **313**
 - idea, **312**
 - irrelevant operator, **328**
 - loop expansion, **348**
 - marginal scaling, **333**
 - momentum shell, **322**
 - nonlinear σ -model, **353**
 - real space, **322**
 - RG flow equation, **325**
 - scaling fields, **333**
 - self-similarity, **332**
 - trajectories, **319**
 - upper critical dimension, **348**
- response theory
 - generalized susceptibilities, **386**
 - linear, **386**
 - response function, **386**
- scaling theory
 - concept, **316**
 - finite size scaling, **340**
 - scaling fields, **333**
 - scaling function, **340**
 - scaling laws, **337**
- Schrieffer, John R., **262**
- Schur’s lemma, **131**
- Schwarzian derivative, **794**
- Schwinger boson, **84**
- Schwinger, Julian, **540**
- second quantization
 - annihilation operators, **46**
 - creation operators, **45**
 - introduction to, **40**
 - local density operator, **49**
 - number–phase representation, **148**
 - one-body Hamiltonian, **49**
 - spin operator, **49**
 - two-body operator, **50**
- self energy, **200**
- semion, **612**
- sine–Gordon model, **367, 452**
- skyrmion, **443**
- Slater determinant, **42**
- special relativity
 - d’Alembert operator, **524**
 - Euclidean signature, **524**
 - Lorentz boost, **527**
 - Lorentz invariance, **17**
 - Lorentzian signature, **524**
 - Minkowski metric, **18, 524**
- specific heat
 - classical, **12**
 - quantum, **25**
- spectral function
 - bath, **124**
 - definition, **402**
 - dispersion relations, **404**
- spin
 - charge separation, **73, 86**
 - coherent states, **449**
 - ice, **618**
 - liquid, **610**
 - statistics theorem, **540**
 - waves, **74**
- spinor, **526**
- spontaneous symmetry breaking
 - definition, **249**
 - Goldstone modes, **250**
 - Mermin–Wagner theorem, **252**
- Störmer, Horst L., **499**
- statistical principles, **4**
- stereographic coordinates, **768**

- Stirling's approximation, **172**
 stochastic differential equation, **663**
 stochastic path integral, **668**
 stochastic process
 definition, **652**
 detailed balance, **655**
 Fokker–Planck approximation, **659**
 Furry process, **658**
 Gaussian, **656**
 Ito discretization, **664**
 kangaroo, **657**
 Kubo–Anderson, **658**
 large deviation approach, **660**
 Markovian, **642, 653**
 one-step process, **658**
 Ornstein–Uhlenbeck, **689**
 Poisson, **657**
 purely random, **653**
 random walk, **655**
 stationary, **653**
 Stokes, Sir George Gabriel, **775**
 Stone–von Neumann theorem, **47, 80**
 stress–energy tensor, **34**
 Su–Schrieffer–Heeger model, **82, 423**
 sum rule, **405**
 superconductivity
 d-wave, **267**
 p-wave, **267**
 Anderson–Higgs mechanism, **283**
 BCS gap equation, **270**
 BCS Hamiltonian, **259**
 Bogoliubov quasi-particles, **264**
 Bogoliubov–de Gennes Hamiltonian, **263**
 Cooper pairs, **259**
 critical temperature, **262**
 energy gap, **264**
 Ginzburg–Landau action, **273**
 Gorkov Green function, **269**
 Josephson junction, **277**
 London equation (first), **284**
 London equation (second), **284**
 Meissner effect, **284**
 motivation, **258**
 Nambu spinor, **263**
 order parameter, **262**
 penetration depth, **284**
 spin triplet, **267**
 superfluid density, **280**
 two-fluid model, **281**
 superfluidity
 critical velocity, **257**
 dark soliton, **720**
 Gross–Pitaevskii equation, **246**
 supercurrent, **255**
 vortex, **257**
 supersymmetry, **134**
 symmetries
 Bott periodicity, **428**
 concept, **4**
 conserved charge, **33**
 frustration, **293**
 Noether current, **33**
 Noether's theorem, **30**
 scale invariance, **34**
 space reflection, **527**
 spontaneous breaking of, **249**
 staggering, **293**
 symmetric spaces, **427**
 translational invariance, **33**
 symmetry
 charge conjugation, **426**
 chiral, **424, 427**
 parity, **526**
 time-reversal, **426, 526**
 thermal equilibrium, **633**
 thermal escape rates, **665**
 thermodynamic potential, **137**
 't Hooft, Gerardus, **111**
 Thouless, David J., **363**
 tight-binding approximation, **54**
 time evolution operator, **93**
 Tomonaga–Luttinger liquid, **73**
 topological field theory, **494**
 topological matter
 bulk–boundary correspondence, **425**
 long-range entanglement, **422**
 periodic table, **425**
 short-range entangled, **422**
 topological defect, **363**
 topological insulators, **425**
 topological order, **428**
 topological phase transition, **610**
 topological quantum computation, **612**
 topology
 definition, **435**
 homotopy, **436**
 homotopy group, **436**
 topological space, **435**
 toric code
 Hamiltonian, **608**
 logical qubit, **610**
 non-abelian anyon, **612**
 string net condensate, **609**
 transfer matrix, **315**
 transformation
 canonical, **148, 254**
 Holstein–Primakoff, **75**
 Jordan–Wigner, **85, 149**
 Tsui, Dan C., **499**
 tunneling, **109**
 density of states, **298**
 dissipative, **122**
 macroscopic quantum, **122**

- ultraviolet
 - cutoff, **180**
 - divergence, **179**
- Umklapp scattering, **490**
- universality, **4**
- vacuum
 - false, **118**
 - space, **44**
 - state, **44**
- Van der Waals forces, **30**
- von Klitzing, Klaus, **456**
- Wannier states, **55**
- Ward identity, **792**
- wave equation
 - definition, **10**
 - sound waves, **10**
- weak/strong coupling, **354**
- Wess–Zumino terms
 - coordinate representation, **477**
 - invariant representation, **477**
 - level, **477**
 - sphere, **476**
 - spin, **474**
 - unitary group, **485**
- Weyl fermion
 - definition, **528**
 - left- and right-handed, **529**
- Weyl Semimetals, **528**
- Wick rotation, **103**
- Wick’s theorem, **99**
- Wieman, Carl E., **244**
- Wigner crystal, **188**
- Wigner surmise, **687**
- Wigner transform, **800**
- Wigner, Eugene Paul, **426**
- Wilson, Kenneth G., **314**
- winding number, **432, 509**
- Witten, Edward, **483**
- XY-model, **251**
- zero-bias anomalies, **741**