

## Index

- abstract Cauchy problem, 11
- approximation theorem for semigroups, 24
- birth and death process, 59, 103, 131, 205
- boundary
  - active, 140
  - discrete, 148
  - entrance, 176
  - exit, 148
  - for a Markov chain, 148
  - for an intensity matrix, 148
  - passive, 133, 148
- canonical mapping, 139
- Chapman–Kolmogorov equation, 40
- convergence
  - in norm, 34
  - in coordinates, 34
  - theorem for semigroups, 24
  - weak, 36
- density, 90
- direct sum, 126
- dishonesty function, 66
- distribution, 34
- dual
  - operator, 27
  - semigroup, 27
- entrance law, 81, 179
- equation
  - Chapman–Kolmogorov, 40
  - Hilbert, 14
  - Kolmogorov backward, 67, 208
  - resolvent, 12
- equivalent sets, 163
- example
  - Blackwell's, 82
  - Kolmogorov–Kendall–Reuter's, first, 53, 70, 226
  - Kolmogorov–Kendall–Reuter's, second, 55, 76, 190, 222
  - Speakman's, 41
  - two infinite ladders, 126, 132
    - modified, 133, 237
- explosion, xvii, 105
- extended limit, 25
- Feller
  - generator, 202
  - property, 196
    - criterion for, 198, 200
  - semigroup, 198
- Feynman–Kac Formula, 216
- flash of P. Lévy, 176
- formula
  - Feynman–Kac, 216
  - Trotter Product, 22
  - Volkonskii, 220
- functional
  - active, 140
  - extremal, 147
  - passive, 140
  - singular, 148
- generator, 4
  - (sub-)Markov, 53
  - Feller, 202
  - Markov, 16

- Hilbert equation, 14
- infinite product, 55
- instantaneous
  - return from the boundary, 173
  - state, 46
- intensity matrix, 48
- intensity of jump, xvi, 46
- isomorphic image
  - of a semigroup, 8
  - of an operator, 8
- jump chain, 132, 158
- jump intensity, xvi, 46
- Kantorovič–Banach space, 36
- Kolmogorov
  - backward equations, 67, 208
  - matrix, 48
- Kolmogorov–Kendall–Reuter semigroup, 53, 55, 70, 76
- Markov
  - chained, iv
  - generator, 16
  - operator, 15
- Markov chain
  - instantaneous return, 173
  - elementary return, 172
  - honest, 40, 66, 70
  - infinitesimal description of, 44
  - minimal, 89, 105
  - post explosion
    - all ways of explosion combined, 125
    - all ways of explosion distinguished, 150
    - dual perspective, 228, 234
    - in an enlarged space, 168, 171
    - pure birth chain example, 107, 109, 113, 122
    - some ways of explosion combined, 145
    - two infinite ladders example, 126
  - stopped, 171
- matrix
  - Kolmogorov, 48
  - nonexplosive, 96
  - of intensities, 48
  - of transition probabilities, 40
    - as an operator, 42
- Neumann series, 52
- operator
- adjoint, 27
- closable, 9
- closed, 9
- contraction, 12
- dual, 27, 29
- Hille–Yosida, 30
- its core, 10
- its graph, 9
- Markov, 15
- part of, 12
- sub-Markov, 15, 91
- P. Lévy's flash, 176
- part of an operator, 12
- passive
  - boundary, 133
  - functional, 140
- positive maximum principle, 202
- process
  - birth and death, 59, 103, 131, 205
  - elementary return, 172, 247
  - honest, 40, 66, 70
  - instantaneous return, 173
  - minimal, 105
  - pure birth, 98
  - pure death, 99
  - stopped, 171
- pun, 82
- pure birth process, 58
- Q*-matrix, 48
- regularity space, 25
- resolvent, 14
- resolvent equation, 12
- return from the boundary
  - elementary, 172
  - instantaneous, 173
- right-continuous paths, 68, 69
- Scheffé's Theorem, 34
- Schur's Theorem, 36, 38
- semigroup, 2
  - dual, 27
  - Feller, 198
  - Markov, 86
  - property, 2
  - strongly continuous, 2, 43
  - sun-dual of, 28
- semigroups
  - isomorphic, 8
  - similar, 8

- series
  - Dyson–Phillips, 21
  - Neumann, 52
- sojourn set, 159
  - representative, 167
- sojourn solution, 160
- Speakman’s example, 41
- state
  - absorbing, 66, 170
  - instantaneous, 46, 70
  - stable, 46
- sub-Markov
  - operator, 15
- subadditive function, 45
- subspace
  - direct sum of, 126
  - invariant, 12, 28, 127, 198
- sun-dual, 28
  - example, 31, 222, 226
- theorem
  - approximation of semigroups, 24
- convergence of semigroups, 24
- Hille–Yosida, 13, 14
  - for Feller semigroups in  $c_0$ , 203
  - for Markov semigroups in  $l^1$ , 52
- Kurtz’s singular perturbation, 26
- Lebesgue Dominated Convergence, 35
- Phillips’s perturbation, 21
- Scheffé, 35
- Schur, 36, 38
- Sova–Kurtz, 24, 25
- Trotter, 22
- Trotter–Kato, 24
- Williams, 195
- transition matrix, 40
  - as an operator, 42
- transition probability, xv, 40
  - for a Feller chain, 197
- Volkonskii Formula, 220
- weak convergence, 36