

## Species Index

- Acanthococcus lagerstroemiae* 206  
*Acanthoscelides pallidipennis* 52, 311  
*Achaearanea tepidariorum* 205  
*Acharia stimulea* 140  
*Acronycta rumicis* 98  
*Acyrtosiphon calvulus* 47  
*A. pisum* 6, 9, 74, 87, 95, 106, 149, 152, 168, 170, 209, 268, 272  
*Adelges tsugae* 22, 33, 47, 111, 112  
*Adoxophyes orana* 225, 228  
*A. reticulana* 326  
*Aedes aegypti* 34  
*A.albopictus* 10, 35, 94, 112, 113, 117, 122, 126, 156, 160, 174, 175, 177, 187, 188, 197, 213, 235, 248, 289, 303, 310, 311, 324, 337  
*A. japonicas japonicas* 112  
*A. triseriatus*, see *Ochlerotatus triseriatus*  
*A. sierrensis* 37  
*Aelia acuminata* 38  
*Agapeta zoegana* 331  
*Agelastica alni* 165, 203  
*Ageratum houstonianum* 329  
*Aglais urticae* 127, 139, 182  
*Agrilus planipennis* 107, 332  
*Agrius convolvuli* 160, 236  
*Agrotis* sp. 134  
*Allonemobius fasciatus* 65  
*A. socius* 34, 112, 160, 173, 198, 284  
*Amagilla dawsoni* 39  
*Amblyseius potentillae* 38, 74  
*Ambrosia artemisiifolia* 33  
*A. trifida* 33  
*Anabrus simplex* 40, 227  
*Anacridium aegyptium* 13, 267  
*Anarsia lineatella* 228  
*Anax junius* 134  
*Anopheles arabiensis* 26, 118  
*A. barberi* 11  
*A. coluzzii* 26, 28, 118  
*A. gambiae* 26  
*Antheraea mylitta* 197, 253  
*A. pernyi* 59, 68–71, 89, 95, 96, 208, 233, 250, 251, 253, 330  
*A. polyphemus* 138, 161, 253  
*A. yamamai* 198, 247, 248, 328, 329, 341  
*Anthocharis cardamines* 164, 220, 226  
*Anthonomus pomorum* 47, 136, 323, 324, 327  
*A. grandis* 48, 180, 181  
*Anthrenus sarnicus* 97  
*A. verbasci* 97  
*Aphaenogaster* sp. 15  
*Aphidius avenae* 23, 106  
*A. ervi* 106, 112, 332  
*A. gifuensis* 145, 169, 173, 195, 207  
*A. matricariae* 106  
*A. rhopalosiphi* 23, 56, 106  
*Aphidoletes aphidimyza* 333  
*Aphis fabae* 107  
*A. glycines* 325, 332  
*Aphthona* sp. 331  
*Apis mellifera* 15, 74, 91  
*Aquarius paludum* 317  
*Arabidopsis* 110, 286, 341  
*Arabis alpina* 291  
*Araschinia levana* 145  
*Arbutus unedo* 223  
*Aricia agestis* 125  
*Aristolochia kaempferi* 103  
*Arsenophonus nasoniae* 194  
*Artemia franciscana* 140, 160, 174, 179, 193, 246, 328  
*A. parthenogenetica* 291  
*A. sinica* 156  
*Asclepias curassavica* 132  
*Asobara tabida* 52  
*Atrachya menetriesi* 178, 200, 232, 327–329  
*Atrophaneura alcinous* 103  
*Attacus atlas* 164, 165  
*Aulacophora nigripennis* 126  
*Austrofundulus limnaeus* 273, 291  
  
*Bacillus thuringiensis* 45, 199, 325  
*Bacteroidetes* 209  
*Bactrocera minax* 168, 173, 176, 191, 195, 198, 230, 234, 282, 325  
*B. opilliae* 55  
*Battus polydamas* 146  
*Belgica antarctica* 31, 37, 88, 183

- Bemisia tabaci* 106  
*Binodoxys communis* 332  
*Bombus impatiens* 13, 130  
*B. terrestris* 13, 14, 169, 170, 174, 195, 199, 321, 328  
*Bombyx mori* 9, 67, 68, 71, 74, 87, 90, 110,  
 112–114, 130, 143, 155, 169, 172, 174, 178,  
 179, 191, 198, 226, 232, 235, 240–246, 248,  
 253, 254, 258, 260, 273, 276, 277, 283, 289,  
 293, 299, 325, 328, 329, 334  
*Botrytis cinerea* 105  
*Bruchidius atrolineatus* 26, 237, 238  
*B. dorsalis* 6, 36, 98  
*Buchnera* sp. 208  
*Busseola fusca* 27, 35, 118, 154, 181, 182, 237  
*Byasa alcinous* 103, 144  
  
*Cacopsylla pyricola* 327  
*Caenorhabditis elegans* 174, 193, 260, 273, 275,  
 280, 284, 286, 291, 339, 340, 341  
*Calanus finmarchicus* 207, 208, 273  
*Calliphora erythrocephala* 107  
*C. vicina* 6, 11, 30, 33, 69, 76, 80, 82, 111, 116,  
 128, 130, 170, 182, 217, 234, 251, 294, 295,  
 300, 324, 341  
*Callosamia promethea* 138  
*Callosobruchus ademptus* 7  
*C. rhodesianus* 26  
*C. subinnotatus* 26  
*Caloptilia fraxinella* 267  
*Cameraria ohridella* 127, 145, 169, 331  
*Camponotus* sp. 15  
*Cardamine flexuosa* 291  
*Carposina sasakii* 36, 88, 139, 170, 198, 225  
*Catocala nupta* 135  
*Ceratina calcarata* 168, 169, 175, 177, 191  
*Ceratomegilla undecimnotata* 14  
*Cerotoma trifurata* 131  
*Chaoborus americanus* 60, 67, 218, 230  
*Cheilomenes sexmaculata* 231  
*Chilo* sp. 103, 157  
*Chilo argyrolepis* 35  
*C. partellus* 24, 28, 118, 147  
*C. orichalcociliella* 28, 118, 147  
*C. suppressalis* 33, 77, 107, 109, 154, 172, 181,  
 189, 191, 206, 223, 234, 325  
*C. zonellus* 35  
*Chiloxanthus pilosus* 10  
*Chironomus tetans* 256  
*Chloronia* sp. 25  
*Chlosyne lacinia* 26, 28  
*Choristonuera biennis* 6, 10, 37  
*C. fumiferana* 128, 137, 181, 255  
*C. rosaceana* 103, 199, 301  
*Chortoicetes terminifera* 9, 33, 66, 112, 246  
*Chymomyza costata* 11, 82, 86, 89, 94, 100, 103,  
 119, 129, 152, 155, 177, 205, 214, 251, 262,  
 278, 284, 290, 295, 315  
  
*Chrysomela aeneicollis* 137  
*C. lapponica* 104, 136, 147  
*Chrysoperla carnea* 13, 66, 144, 296, 333  
*C. downesi* 296  
*C. externa* 333  
*C. formosa* 122, 333  
*C. perla* 136  
*Cinara* sp. 152, 156  
*Cinara cupressi* 6  
*C. juniperi* 6  
*Cirina butyrospermum* 335, 336  
*Coccinella septempunctata* 14, 23, 47, 130, 138,  
 141, 337  
*Colaphellus bowringi* 22, 50, 53, 87, 89, 98–101,  
 103, 112, 113, 126, 131, 169, 170, 175, 177,  
 198, 209, 267, 269, 283, 295, 298–300  
*Coniesta ignefusalis* 26, 29  
*Conotrachelus nenuphar* 266  
*Contarini vincetoici* 39  
*Contarinia nasturtii* 34  
*C. vincetoxici* 40  
*Coranus subapterus* 10  
*Corethrella* spp. 26  
*Cornus controversa* 21  
*Corythucha ciliata* 173, 177, 195, 207  
*Cotesia glomerata* 23  
*Crematogaster* sp. 15  
*Cryptotympana facialis* 9  
*Culex pipiens* 6, 12, 13, 89, 90, 122, 126, 130, 131,  
 137, 138, 152, 157, 160, 168, 169, 175–177,  
 183, 184, 186–191, 196, 197, 199, 207, 208,  
 213, 265, 269, 270, 271, 275, 278–280, 285,  
 289, 298, 301–303, 324, 329, 338, 339  
*C. molestus* 90, 337  
*C. quinquefasciatus* 298, 302  
*C. tarsalis* 33, 338, 339  
*Curculio elephas* 39, 41, 43, 45, 182  
*C. nucum* 52  
*C. robustus* 39  
*C. sikkimensis* 39, 40, 44  
*Cydia pomonella* 182, 199, 200, 256, 318, 323,  
 324, 326  
*Cymbalophora pudica* 22, 66, 229  
*Cyphocleonus achates* 331  
  
*Dalbulus maidis* 56  
*Danaus plexipus* 72, 73, 85, 89, 92, 103, 109, 132,  
 133, 143, 157, 169, 233, 337  
*Daphnia* sp. 74, 108, 110, 122, 207, 304  
*Dasylepida ishigakiensis* 37  
*Delia antiqua* 22, 24, 50, 88, 98, 101, 168, 170,  
 174, 191, 192, 195, 197, 218, 227, 228  
*D. floralis* 35, 218  
*D. radicum* 35, 218  
*Dendroctonus armandi* 189  
*D. ponderosae* 5, 158, 169, 173, 174, 197, 207  
*D. rufipennis* 37, 318

- D. simplex* 34  
*Dendroides canadensis* 201  
*Dendrolimus punctatus* 81, 229  
*Deois flavopicta* 26  
*Diabrotica barberi* 40, 45  
*D. virgifera* 296  
*Diachasma alloeum* 225, 231  
*Dianemobius fascipes* 217, 218  
*D. nigrofasciatus* 9, 111, 112, 189, 287  
*Diatraea evanesens* 335  
*D. grandiosella* 11, 100, 126, 147, 154, 180, 181, 249, 256–258, 295  
*Dicyphus errans* 124  
*Diorhabda elongata* 12, 331  
*Diprion pini* 253  
*Doryctobracon areolatus* 47, 49, 116  
*Drepanosiphum platanoidis* 47, 208  
*Drosophila ananassae* 25  
*D. deflexa* 7  
*D. ezoana* 81  
*D. littoralis* 65, 295, 300, 301  
*D. melanogaster* 4, 5, 13, 28, 29, 33, 59, 67, 72, 73, 75, 76, 83, 85–87, 91, 101, 104, 129, 137, 152, 169, 172, 174, 178, 194, 197, 201, 203, 209, 234, 254, 264, 268, 269, 270, 271, 274, 278, 280, 290, 298, 299, 303–305, 307, 308, 313, 315, 316, 339, 340  
*D. montana* 13, 30, 65, 81, 94, 98, 124, 125, 128, 181, 187, 191, 205, 214, 280, 295, 301, 303, 316  
*D. obscura* 7  
*D. simulans* 315, 316  
*D. suzukii* 5, 146, 191, 197  
*D. triauraria* 191  
*D. virilis* 7, 51, 88, 168, 197, 205  
*Dybowskyia reticulata* 98, 231  
  
*Ectobius* sp. 37  
*Encarsia scapeata* 106  
*Encosternum delegorguei* 26, 142, 338  
*Eobiana engelhardti subtropica* 9  
*Eotetranychus smithi* 101, 226  
*Epargyreus clarus* 119  
*Ephestia kuehniella* 107  
*Ephippiger ephippiger* 112, 116  
*Epiblema scudderiana* 175  
*Epicauta gorhami* 99, 227  
*Epicharis zonata* 139  
*Epilachna admirabilis* 23, 63  
*Episyrphus balteatus* 13, 47, 98, 127  
*Erwinia*-like 208  
*Erynnis propertius* 159  
*Euclea delphinii* 140  
*Euploea core* 28, 141, 159, 170, 230  
*E. sylvester* 28, 141, 159, 230  
*Euproctis chrysorrhoea* 142, 223, 230  
*Eurosta solidaginis* 49, 137, 160, 161, 175, 290  
*Euryades corethrus* 97  
  
*Eurydema rugosum* 104, 230  
*Eurygaster integriceps* 134, 182  
*E. maura* 205  
*Eurytoma* sp. 26, 137, 237  
*Eurytoma amygdali* 36  
*Euseius finlandicus* 137, 227, 334  
*Euxoa* sp. 134  
*Exapion lemovicinum* 7  
*E. ulicis* 7  
*Exechesops leucopsis* 39, 40, 45, 49  
*Extatosoma tiaratum* 186  
  
*Firmicutes* 209  
  
*Galeruca daurica* 24, 267, 288  
*Galleria mellonella* 12, 181, 249  
*Gastrophysa atrocyanea* 13, 169, 211, 267, 342  
*Gerris lacustris* 148  
*Glossina morsitans* 25  
*G. swynnertoni* 25  
*Grapholita molesta* 59  
*Graphosoma lineatum* 147, 148  
*Graptosaltria nigrofuscata* 9  
*Gryllus bimaculatus* 69, 85  
*G. firmus* 34  
*G. veletis* 209  
*Gynaephora groenlandica* 30, 37  
  
*Habrobracon hebetor* 127  
*Halotydeus destructor* 111, 112, 137, 140, 143, 148, 230, 324  
*Halyomorpha halys* 109, 124, 131, 143, 206, 231, 325  
*Haritalodes basipunctalis* 330  
*Harpagoxenus* sp. 15  
*Harmonia axyridis* 12, 108, 124, 126, 127, 131, 138, 140, 225, 298, 299, 334, 336  
*Helicoverpa/Heliothis* sp. 12, 258, 259, 327  
*Helicoverpa armigera* 29, 97, 98, 102, 104, 105, 109, 127, 156, 160, 168, 170, 172–174, 177–179, 191, 192, 195, 197, 199, 206, 234, 245, 249, 258, 260, 261, 275, 278, 279, 282, 285, 294, 298–300, 316, 325, 328, 340  
*H. assulta* 98  
*H. zea* 50, 66, 99, 119, 128, 129, 183, 186, 187, 190, 249, 253, 254, 258, 288, 325  
*Heliothis punctiger* 211  
*H. virescens* 187, 249, 258, 325  
*Hermetia illucens* 335  
*Heterotylenchus autumnalis* 196  
*Himacerus apterus* 10  
*Hippodamia convergens* 107, 134, 140  
*H. undecimnotata* 21, 141, 142, 337  
*H. variegata* 206  
*Holcocerus hippophaecolus* 38, 252, 253, 256  
*Hyalophora cecropia* 4, 11, 35, 126, 138, 159, 161, 164, 171, 211, 218, 226, 240, 248, 253, 254, 341

- Hydrangea hirta* 52  
*Hyles euphorbiae* 169, 197, 198  
*Hyphantria cunea* 33, 59, 126, 127, 206, 227, 230, 311, 317  
*Hypolimnas bolina* 13, 26–28, 117, 118, 127, 143  
  
*Iphiclidus podalirius* 123, 128, 136  
*Inachis io* 127, 139, 182  
*Ips typographus* 3, 137, 318  
  
*Jadera aeola* 25, 27, 28, 116  
*J. obscura* 143  
  
*Kytorhinus sharpianus* 7, 48, 52  
  
*Laodelphax striatellus* 256, 275  
*Lagria hirta* 226  
*Lambdina fiscellaria* 34, 206, 226  
*Lasiommata maera* 47, 125, 127  
*Lasius* sp. 15  
*Laspeyresia molesta* 59  
*Leguminivora glycinivorella* 139  
*Lepisiota* sp. 15  
*Leptanilla* sp. 15  
*Leptidea sinapis* 169, 195, 251  
*Leptinotarsa decemlineata* 12–14, 33, 38–40, 42, 43, 45, 53, 60, 64, 68, 69, 74, 102, 103, 124, 126, 136, 157, 164–170, 172, 175–177, 181, 187, 188, 191, 194, 198, 213, 225, 227, 237, 240, 264, 265, 267–269, 298, 300, 308, 313, 325, 329  
*Leptocarabus kumagaii* 69  
*Leptocorisa chinensis* 230, 231  
*L. trivittatus* 143  
*Leptopiliana boulandi* 101  
*Leptopterna ferrugata* 10  
*Lestes eurinus* 129  
*L. sponsa* 124  
*Limenitis arthemis* 74  
*Lipoptena cervi* 236  
*Lissorhoptrus oryzophilus* 169, 173, 197  
*Listronotus bonariensis* 107  
*L. maculicollis* 131, 226, 236, 325  
*Lobesia botrana* 77, 105, 228  
*Locusta migratoria* 9, 88, 111–113, 170, 181, 191, 197, 198, 238, 245, 247, 248, 267, 269, 275  
*Longitarsus jacobaeae* 332  
*Lopinga achine* 47, 125  
*Loricula elegantula* 10  
*Loxostege sticticalis* 48, 65, 256, 328  
*Lucilia caesar* 108, 116  
*L. sericata* 111, 112, 191  
*Lycaena dispar batavus* 338  
*L. hippothoe* 6, 11, 36, 125  
*L. tityrus* 11, 127  
*Lygus hesperus* 63, 144  
*L. lineolaris* 139, 230, 231, 237  
*Lymantria dispar* 9, 11, 21, 34, 168, 191, 228, 233, 246, 248, 295, 296, 323, 328  
  
*Mamestra brassicae* 21–24, 62, 169, 217, 233, 249–253, 329, 337  
*M. configurata* 211, 252  
*Manduca sexta* 11, 67, 68, 71, 72, 90, 128, 152, 155, 166, 191, 211, 218, 229, 249–253, 255, 260, 276, 328, 329  
*Mayetiola destructor* 24, 183, 184  
*Megachile rotundata* 11, 36, 59, 128, 156, 168, 171, 173, 174, 191, 195, 197, 200, 213, 235, 238, 285, 287, 290, 320  
*Megacopta cribraria* 14  
*Megalocoleus molliculus* 10  
*Megoura viciae* 60, 71, 80, 82, 149  
*Melanoplus differentialis* 237, 325, 328  
*Melitaea cinxia* 128, 139, 141  
*Melolontha hippocastani* 208  
*Mesophylax asperses* 129  
*Microctonus hyperodae* 107  
*M. vittatae* 107  
*Microplitis demolitor* 25, 238  
*Mindarus abietinus* 9, 238  
*Modicogryllus siamensis* 6, 54, 74, 88, 154, 256, 274, 279  
*Monochamus alternatus* 102, 290  
*Monomorium* sp. 15  
*Musca autumnalis* 102, 290  
*M. domestica* 15  
*Mycalesis mineus* 146  
*Myiopardalis pardalina* 335  
*Mylabris phalerata* 101  
*Myrmica* sp. 15  
*Myrmus miriformis* 10  
  
*Nasonia vitripennis* 11, 60, 74, 80, 81, 89, 100, 106, 107, 109, 110, 112, 116, 137, 168, 173, 176, 181, 183, 186, 194, 197, 207, 209, 283, 303, 316  
*Neocalanus flemingeri* 14, 174, 177, 179  
*Neophasia terlooii* 185  
*Nezara viridula* 53, 61, 65, 144, 146, 208, 228, 314  
*Nicrophorus quadripunctatus* 22  
*Noctua pronuba* 135  
*Nomadacris japonica* 267  
*N. septemfasciata* 147, 237  
*Nomuraea rileyi* 330  
*Nothobranchius furzeri* 156, 285  
*Notonecta latea* 10  
*N. reuteri* 10  
*Nysius thymi* 10  
  
*Ochlerotatus triseriatus* 37, 65, 196, 296, 338, 339  
*Oedaleus senegalensis* 26, 28, 238  
*Oedipoda miniata* 13, 38  
*Omphisa fuscidentalis* 26, 160, 181, 182, 252, 256, 257, 260  
*Oncopeltus fasciatus* 134  
*Onychiurus arcticus* 189  
*Oobius agrili* 107, 332

- Operophtera brumata* 140, 223  
*Ophraella communis* 33, 295, 298  
*Opisoplatia orientalis* 56  
*Oreina cacaliae* 139  
*Orgyia thyellina* 148, 245  
*Orius* sp. 13, 331  
*Orius minutus* 124  
*O. sauteri* 124  
*Orixa japonica* 52, 104  
*Osmia* sp. 49  
*O. bicornis* 328  
*O. cornifrons* 334  
*O. lignaria* 50, 171, 182, 211, 226  
*O. rufa* 267  
*Ostrinia furnacalis* 61, 81, 94, 98, 299, 300  
*O. nubilalis* 11, 95, 100, 155, 172, 191, 198, 199, 206, 222, 249, 251–253, 256, 262, 297, 300, 302, 303, 311, 326, 328  
*O. scapularis* 48  
*Oxya chinensis* 227  
  
*Pachymerus nucleorum* 26, 40  
*Panonychus ulmi* 225, 323  
*Panorpa vulgaris* 49, 128  
*Pantilius tunicatus* 10  
*Papilio canadensis* 182, 298, 300, 314  
*P. demoleus* 26  
*P. glaucus* 34, 64, 182, 298, 300, 314  
*P. machaon* 39, 122  
*P. polytes* 26  
*P. polyxenes* 218, 144  
*P. xuthus* 50, 144, 146  
*Parage aegeria* 6, 50, 300, 304, 313  
*Paralobesia viteana* 318  
*Parastrachia japonensis* 141, 208  
*Paratlanticus ussuriensis* 37, 191  
*Paratrechina* sp. 15  
*Pauesia unilachmi* 106  
*Parus major* 147  
*Pectinophora gossypiella* 60, 77, 78, 181, 182, 325  
*Pegomya* sp. 39  
*Perdita portalis* 39–41  
*Phaedon brassicae* 22, 98  
*Phaseolus vulgaris* 104  
*Philanthus triangulum* 208  
*Phlidoptera griseoptera* 65  
*Phormia regina* 12, 129  
*P. terrae-novae* 107  
*Phratora vulgatissima* 103, 104  
*Phthorimaea operculella* 127, 205  
*Phyllocnistis populiella* 138  
*Phyllonorycter ringoniella* 127  
*Phytoseiulus persimilis* 189, 190  
*Picromerus bidens* 10, 22, 37, 62  
*Pieris brassicae* 20, 22, 23, 46, 62, 68, 70, 74, 94, 98, 135, 164, 251, 260, 299, 328  
*P. melete* 21, 22, 63, 227, 228  
  
*P. napi* 49, 109, 125, 126, 152, 171, 173, 194, 205, 213, 220, 227, 300  
*P. rapae* 253, 254  
*Pilophorus gallicus* 332  
*Pityogenes chalcographus* 138, 146, 206  
*Plagioderia versicolora* 103  
*Plagiognathus arbustorum* 10  
*Plagiolepis* sp. 15  
*Platynereis dumerilii* 281  
*Platyneuromus* sp. 25  
*Platynota idaeusalis* 101  
*Plautia stali* 88, 264, 266  
*Plebeia droryana* 319  
*Plodia interpunctella* 66, 77, 81, 100, 295  
*Plutella xylostella* 5  
*Poecilocoris lewisi* 21, 22, 68  
*Poecilometopa spilogaster* 35, 108, 109, 159, 294  
*Polistes* sp. 319–321  
*P. metricus* 320  
*Polygonia c-album* 144, 147, 152, 300, 319  
*P. c-aureum* 13, 270  
*Polypodium vanderplanki* 5, 183, 189  
*Praon volucre* 48, 106, 126, 137, 145, 168, 173, 199, 206  
*Precis octavia* 143  
*Procontarinia mangiferae* 26, 35, 228  
*Prodoxus y-inversus* 40  
*Proteobacteria* 209  
*Protophormia terraenovae* 69, 72, 90, 264, 266, 267, 269  
*Prunus padus* 223  
*Psacotheta hilaris* 69, 102, 122, 145, 229, 252, 256  
*Pseudomonas* 209  
*Pseudopidorus fasciata* 22, 37, 61, 81, 94, 98, 229  
*Psychophora sabini* 30  
*Psyllaephagus pistaciae* 137  
*Psyllobora vigintiduopunctata* 141  
*Pterostichus nigrata* 68, 69  
*Pyrrhocoris apterus* 4, 14, 71, 87, 89, 91, 93, 94, 124, 126, 148, 152, 153, 157, 160, 171, 201, 203, 206–208, 211, 225, 228, 237, 264, 266, 267, 269, 315, 329, 340  
  
*Quercus crispula* 40  
*Q. robur* 223  
  
*Ramulus irregulariterdentatus* 111, 230  
*Regiella insecticola* 209  
*Reticulitermes flavipes* 16, 321  
*Rhagoletis cerasi* 39, 40, 44, 170, 217, 219, 229, 238, 329, 335  
*R. cingulate* 34  
*R. completa* 315  
*R. indifferens* 227  
*R. mendax* 221, 222  
*R. pomonella* 12, 35, 44, 153, 156, 159, 160, 173, 174, 191, 218–221, 231, 262, 274, 278, 294, 298, 303, 304, 315, 335

- R. suavis* 191  
*R. turpiniae* 34  
*Rhopalosiphum padi* 149  
*Riptortus clavatus* 68, 230, 314  
*R. pedestris* 72, 73, 88, 90, 91, 176, 266, 267, 302  
*Rothschildia lebeau* 145  
  
*Salda littoralis* 10  
*Salix borealis* 104  
*Samia cynthia* 164, 194  
*Sarcophaga* sp. 7, 34, 117, 118, 120, 161, 165, 185, 227, 258, 308, 325  
*Sarcophaga argyrostoma* 11, 77, 80, 82, 93, 94, 99, 101, 119, 151, 158, 161, 249, 251, 252  
*S. barbata* 107  
*S. bullata* 32, 61, 62, 87, 107, 112, 114, 115, 122, 123, 125, 179, 188, 189, 223, 224, 236, 284–290, 295–297, 300, 301  
*S. crassipalpis* 21, 51, 52, 59–61, 66–68, 70, 87, 97, 98, 108, 119, 140, 155, 158–164, 166–168, 170, 172–179, 183–187, 191–195, 197–200, 203, 205, 207, 210, 212–214, 232, 236, 252–255, 262, 263, 271, 280, 294, 327, 328, 330  
*S. inzi* 159  
*S. par* 35  
*S. peregrina* 125, 249, 252  
*S. similis* 60, 65, 67, 78, 79, 109, 294, 299, 314, 315  
*Scathophaga stercoraria* 5, 7, 30, 109, 112, 113, 299  
*Schizaphis graminum* 108  
*Schizocosa ocreata* 56  
*S. stridulans* 56  
*Schizolachnus pineti* 106  
*Scirpophaga incertulas* 325  
*Scotinophara lurida* 266  
*Scrobipalpa ocellatella* 61, 63  
*Sepsis cynipsea* 7, 308  
*Sericinus montelus* 97, 229  
*Sesamia nonagrioides* 53, 64, 100, 127, 154, 191, 192, 208, 229, 253, 256, 257  
*Sitodiplosis mosellana* 36, 40, 43, 174, 191, 193, 225–227, 235, 238  
*Solenopsis invicta* 15  
*Sphaerularia bombi* 195  
*Spodoptera exempta* 26  
*Spongilla lacustris* 193  
*Stenotarsus rotundus* 13, 14, 27, 28, 35, 116, 141, 142, 147, 152, 159, 167, 172, 184, 237  
*Sternechus subsignatus* 231, 238  
*Stictophaula armata* 26, 118  
*Streptomyces* 208  
*Symploce japonica* 35  
*Synedrella nodiflora* 28  
  
*Tamarisk* sp. 331  
*Tapinoma* sp. 15  
  
*Telenomus podisi* 333  
*Teleogryllus commodus* 328  
*T. emma* 217  
*Tenebrio molitor* 188  
*Tetanops myopaeformis* 40, 137, 335  
*Tetramorium* sp. 15  
*Tetrapedia diversipes* 232, 251, 267, 297  
*Tetranychus kanzawai* 52, 104, 294  
*T. pueraricola* 296, 319  
*T. urticae* 12, 13, 60, 74–76, 82, 108, 121, 147, 168, 170, 173, 174, 198, 207, 293  
*Tetrapedia diversipes* 28, 156, 168, 177, 194, 199  
*Thaumetopoea pityocampa* 42–45  
*T. wilkinsoni* 43, 45  
*Thyrassia penangae* 61, 77, 78, 81, 98  
*Timarcha tenebricosa* 37  
*Tipula simplex* 9  
*Tomares ballus* 40  
*Tortrix viridana* 219, 223, 226  
*Tribolium castaneum* 74  
*Trichogramma* sp. 110, 115, 333  
*Trichogramma cacoeciae* 112, 333  
*T. chilonis* 112, 333  
*T. cordubensis* 101, 333  
*T. dendrolimi* 191, 197, 198, 333  
*T. embryophagum* 112, 115, 116  
*T. funiculatum* 53  
*T. principium* 110, 112, 115  
*T. telengai* 110–112, 115  
*Trigonotylus caelestialium* 104, 111, 112, 295  
*Trissolcus basalus* 333  
*Trogoderma granarium* 129, 205  
*Trogus* sp. 39  
*Typhlodromus pyri* 108  
*Tyria jacobaeae* 126  
*Tytthaspis sedecimpunctata* 141  
  
*Uroleucon jaceae* 107  
  
*Vanessa atalanta* 135  
*V. cardui* 135, 146  
*V. indica* 146  
*Velia caprai* 5  
*Vespula maculifrons* 13  
*Vigna unguiculata* 237  
  
*Wolbachia* 209, 333  
*Wyeomyia smithii* 11, 34, 37, 48, 64, 76, 81, 84, 86, 92, 100, 168, 170, 174, 217, 233, 293, 298, 302, 312, 316, 318  
  
*Xiphidium ensiferum* 2  
  
*Zygaena trifolii* 36, 37, 123, 126, 295, 298  
*Zygogramma bicolorata* 332

## Subject Index

- accessory glands 12, 152, 153, 169, 263, 269, 271  
 actin 115, 168  
 active transport 328  
 activity patterns 31, 75, 309  
 adipokinetic hormone 276, 277  
 adult diapause  
   12–14, 263–272  
   females only 13, 14  
   reproductive arrest 152, 153, 210, 211, 263  
   *see also* accessory glands, flight muscles, ovaries,  
   spermatogenesis,  
   vitellogenesis  
 aestivation 19, 62  
 age effects 103, 115, 116  
 aggregations 21, 28, 47, 140–143, 147, 157, 167,  
   168, 185, 325  
   advantages 141  
   cannibalism 143  
   communal nest 139, 142  
   formation 140–143  
   metabolic rate 159  
   mortality 143  
   site reuse 142  
   vulnerability 325, 337, 338  
   water balance 185  
 allatostatin 263, 264, 266, 267  
 allatotropin 263, 265, 266, 267  
 allochronic speciation 220–223  
 alloferon 341  
 alternative life cycle 16, 56, 121  
 alternatives to diapause 53–56  
 altitude gradients 64, 65, 126, 134, 138, 200, 217,  
   332  
 anatrepsis 2, 6, 8, 9  
 Andrewartha, H.G. 6, 209, 225  
 anhydrobiosis 183  
 anoxia 174, 197, 199, 200, 290, 327, 341  
 Antarctica 31, 37, 88, 183  
 antennal clock 92  
 antifreeze proteins 188, 201, 202  
   *see also* cold hardiness  
 antioxidants 196–198  
   antioxidant enzymes 196–198  
   oxygen scavengers 196  
   ROS 163, 164, 197, 198, 245, 247, 261, 262  
     *see also* ROS signaling  
   tocopherol 196  
 aphid morphs 106, 149, 150  
 aquaporins 189, 202, 203  
 Arctic 30, 31, 34, 37, 47, 111, 146  
 ascaroside 290  
 autophagy 176  
 bet-hedging 43, 54, 55, 218  
 beta-oxidation 160, 172, 175, 213  
   *see also* lipid metabolism  
 beta-tubulin 168  
 bimodal distribution 25, 35, 77, 218  
 biotic drivers 29, 106, 118, 190, 317  
 biological control 7, 107, 126, 323, 324, 330–338  
   shelf life 332–334  
   synchrony with hosts 20, 239, 317, 330–332  
 biomarkers 33, 147, 148, 160, 168, 169, 182, 211,  
   235, 246, 247, 300  
 blastokinesis 8  
 BMP signaling 278, 279  
 bombyxins 245  
 Bolwig's organ 250  
 bottlenecks, genetic 26, 315, 316  
 brain 67–75, 86–92, 96, 115, 151, 152, 155, 168,  
   172, 176–178, 207, 226, 233–236, 240–244,  
   248–257, 261–272, 275–282, 291, 293, 309,  
   340  
 capital breeders 48, 50  
 carbohydrates 48, 113, 126–131, 160, 170–175,  
   210, 273, 275  
   *see also* metabolic pathways  
 cecropin 194, 341  
 cell cycle arrest 154–156, 179, 193, 247, 291, 308,  
   309  
 chilling role 36, 43, 44, 211, 226–233, 236, 246,  
   248–253, 323, 330  
 circadian clocks 71–95, 97, 100, 101, 223, 250,  
   254, 264, 290, 302, 307, 309, 312–315  
   Bünning model 77, 80  
   Bünsow protocol 78, 80, 81  
   external coincidence 77–80, 92, 314



- free running 76, 97  
 hourglass timer 80–84, 92, 229  
 internal coincidence 80  
 nanda–hamner protocol 75, 78, 80–82, 97  
 night-interruption 77, 78, 229, 336  
 photoinducible phase 78, 79, 109, 314  
 resonance 80, 82, 229  
 temperature compensation 76, 93, 94, 97  
 circannual rhythms 96, 97  
 climate change 36, 65, 305, 310, 316–319  
   plant interactions 317–319  
   shifts in critical daylength 316, 317  
   shifts in growing season 316, 317  
   shifts in voltinism 317–319  
 clines, *see* daylength  
 clock-related genes 31, 71, 73, 77, 85–91, 95,  
   207–211, 223, 254, 290, 301–303, 313, 315  
   **bmal** 74, 89  
   **c-fos** 85  
   clock 74, 83–85, 89, 91, 95, 290  
   cryptochrome 73, 75, 84, 85, 207, 211, 303, 313  
   cycle 73, 83, 85, 88–91, 95, 207  
   eyes absent 86, 101  
   nocturnin 90  
   **pdp1** 89–91, 275  
   period 71, 73, 83–90, 95, 207, 211, 223, 303, 313  
   pigment-dispersing factor 72, 73, 90, 91, 95, 223,  
   254, 290  
   takeout 88, 90, 113  
   timeless 73, 84–90, 207, 300, 302, 312, 313  
   **Vrille** 88–90, 275, 290  
 cocoons 37, 59, 136, 138–140, 209, 238, 320, 341  
 cold hardiness 19, 54, 107, 113, 200–207, 241, 330,  
   333  
   antifreeze proteins 188, 201, 202, 205  
   cryoprotectants 107, 172, 178, 183, 189,  
   201–206, 290  
   freeze intolerant 201–203  
   freeze tolerant 49, 201–203, 290  
   ice nucleators 201  
   relation to diapause 200–207  
   supercooling point 47, 107, 201, 203, 206  
 color distinctions 4, 12, 143–148, 276  
   cryptic coloration 146, 147  
   dark cuticles 143–148, 276  
   environmental cues 145, 146  
   polyphenism 143, 144  
 compound eyes 67–70, 74, 75, 85, 155  
 conservation, insect 337, 338  
 corazonin 114, 243, 244, 276, 277, 281  
 corpora allata 4, 91, 169, 240, 256–258, 263–268,  
   270, 291, 329, 340  
 costs of diapause 43–53, 57, 109, 120, 124, 136,  
   138, 153, 156, 159, 234  
   fecundity 45, 46, 48–53, 55, 105, 107, 137, 332,  
   333  
   fitness 45–48, 109, 121, 220, 318, 333  
   generations 46, 47, 314, 317–319  
   lifespan 15, 45, 48, 196, 200, 275, 320  
   mortality 47, 138, 152, 339  
   post-diapause 49, 51, 105, 234, 333, 339  
   progeny effects 48–50  
   prolonged diapause 44, 45  
   sex differences 51, 52  
 couch potato 214, 280, 281, 303  
 critical transition temperature 24, 184, 185  
 cross-talk 69, 234, 262, 272–274, 281–283  
 cryoprotectants, *see* cold hardiness  
 cryophase 99–101  
 cryptobiosis 2, 5  
 cryptochrome, *see* clock genes  
 cuticular proteins 169, 188, 190  
 cyclic AMP 251, 252, 254, 255, 328  
 cyclic GMP 245, 255  
 cytochrome c oxidase 160, 236  
 cytoskeleton 168  
   *see also* actin  
 Danilevskii, A.S. 62, 64, 65, 293  
 dauer stage 2, 174, 193, 260, 273, 275, 280, 284,  
   286, 291, 339  
 daylength  
   absolute daylength 58  
   astronomical twilight 58  
   changes 22, 66, 67, 97, 207  
   civil twilight 58  
   critical daylength 22, 30–33, 61–64, 80, 85, 98,  
   99, 104, 109, 125, 199, 223, 229, 230, 295,  
   299–302, 309, 310, 317, 318, 326, 331  
   cue in tropics 27–29, 116–119  
   latitudinal clines 5, 65, 217, 310–316  
   light extension 326, 336  
   light pulses 77–80, 290, 326, 336  
   photophase 59–61, 73, 76–82, 99, 157, 207, 229,  
   312  
   scotophase 60, 61, 76–82, 87, 88, 99, 100, 312,  
   326  
   temperature alteration 97–99, 111, 230, 317  
   desiccation resistance 28, 46, 139, 140, 147, 169,  
   182–190, 308, 330  
 development rate 6, 50, 53, 55, 88, 93, 99, 121–126,  
   128, 151, 221, 239, 298, 301, 307  
   acceleration 55, 105, 124, 126, 227, 238, 319  
   prolongation 53–55, 99, 103, 121–124, 228  
 developmental arrest 2–6, 151–154, 179, 200, 209,  
   210, 241, 246, 248, 268, 271, 301, 306  
 developmental timing 29, 35, 48, 50, 52, 97, 105,  
   106, 118, 213, 216, 218, 220–225, 250, 251,  
   286, 288, 306, 307, 323  
 de Wilde, J. 102, 240, 264  
 diapause  
   origin, evolution 305–309  
   origin, term 2, 3  
   phases 16–18, 210–215, 221, 306



- diapause (cont.)  
 taxonomic distribution 7, 8, 278, 306  
 diapause-associated proteins, *see* storage proteins  
 diapause development 6, 225–235  
 diapause disruption 302, 326–330  
   chemical 327–330  
   genetic 330  
   physical 326, 327  
 diapause duration 27, 33, 35, 40, 46, 49, 51, 52, 71,  
 72, 103, 104, 109, 111, 112, 136, 139, 149,  
 193, 217–223, 226–230, 233, 234, 238, 239,  
 252, 254, 256, 262, 274, 278, 294–301, 308,  
 310, 316, 327, 333, 334  
 diapause hormone 113, 179, 241–246, 248,  
 258–260, 289, 291, 327, 329, 330  
   agonists 259, 260, 330  
   antagonists 259, 330  
 diapausin 342  
 dietary shifts 130, 176  
 disease transmission 338, 339  
   La Crosse virus 196, 338  
   vector competence 339  
   West Nile virus 196, 338  
 discontinuous gas exchange 42, 164–166  
 DNA methylation 283, 284  
 dopamine 242, 251, 264, 329  
 dry season 1, 4, 5, 13, 16, 19, 20, 25–29, 44,  
 116–119, 141–147, 156, 237, 308, 317, 338  
   *see also* tropical diapause and rainy season  
 dry season refuges 25, 26, 141  
  
 ecdysis-triggering hormone 272  
 ecdysteroids 90, 210–213, 233, 246–257, 259, 262,  
 268–273, 278–282, 289, 306  
   ecdysone receptor 212–214, 255, 256  
   ultraspiracle 212–214, 255, 256  
 eclosion rhythm 50, 76, 87  
 embryonic diapause 8–10, 241–248  
 energy reserves 1, 4, 16, 24, 38, 40, 46, 48,  
 105, 156, 160, 169–171, 176, 221, 281, 317,  
 320, 335  
   acquisition 16, 24, 38, 53, 122, 124, 126–131,  
   275  
   depletion 46, 48, 50, 52, 137, 138, 175, 182, 231,  
   233, 234, 258, 282, 317  
   sensing mechanism 231, 233–235, 281, 282  
   site impact 137, 138  
   storage proteins 180–182, 268, 320  
   triacylglycerides 41, 130, 131  
 epigenetics 96, 261, 283–286, 289  
   DNA methylation 283, 284  
   heterochromatin protein 1 286, 287  
   histone modification 179, 283–285, 291  
   polycomb group proteins 285, 286  
 ERK 179, 232, 233, 245, 247, 255, 281  
 evolution 151, 220, 305–322  
   climate change 316–319  
   latitudinal clines 310–316  
   origin of diapause 151, 305–309  
   sociality, link 319–322  
 extracardiac pulsations 166  
 extraretinal eyelets 68  
 extraretinal photoreception 67–71, 75  
  
 facultative diapause 3, 4, 7, 20, 22, 32, 34, 37, 57,  
 293, 299, 300, 314, 315, 318, 334  
 fat body 15, 87, 119, 130, 152, 172, 180, 194,  
 197, 234, 255, 258, 264, 272, 274,  
 276, 282  
 fecundity, *see* costs of diapause  
 feeding  
   capital breeders 48, 50  
   diapause duration 230  
   during diapause 16, 53, 56, 118, 129, 143, 223,  
   237  
   food choice 33, 90, 103, 104, 130, 131, 138, 203,  
   223, 274  
   host choice, *see* hosts  
   prior to diapause 122, 123, 127  
   seasonal restrictions 23, 116, 198, 199  
   spring development 219, 220  
   starvation 48, 103, 106, 107  
   suppression 12, 25, 141, 156, 176, 200, 208, 211,  
   213  
   threshold 128, 129  
 fitness reduction, *see* costs of diapause  
 flight muscles 12, 15, 148, 167, 168, 237, 263  
 flooding 140, 196, 199, 235, 325  
 foundress effect, aphids 150  
 foxo 90, 113, 179, 197, 247, 256, 261, 271–277,  
 289, 309  
 Fukuda, s. 9, 240  
 fungal infections 105, 130, 138, 139, 154, 186, 194,  
 196, 209, 338, 342  
  
 GABA 114, 115, 243, 244  
 galls 137  
  
 Hasegawa, K. 240  
 heartbeat 28, 166, 167  
 heat shock proteins 24, 54, 188, 190–194, 200–203,  
 213, 214, 232, 235, 236, 309  
 hemolin 246  
 heterochromatin protein 1 286  
 hexamerin 126, 130, 180, 181, 258, 266–268, 320,  
 321  
 hibernaculum 4, 137, 139, 140, 238  
   enhancement 139, 140  
   waterproofing 139  
   *see also* cocoons  
 histone modification, *see* epigenetics  
 hosts  
   parasitoid 3, 20, 23, 29, 38, 39, 59, 102, 105–108,  
   123, 137, 168, 221, 331–333

- plants 7, 20, 27, 33, 43, 56, 57, 102–105, 107,  
 118, 121, 123, 127, 132, 135–141, 218, 220,  
 239, 319  
 predators 20, 29, 105, 106, 123, 136, 140, 141,  
 147, 324, 325, 328, 331  
 human food 335, 356, 338  
 human health 323, 339–341  
   aging 339, 346  
   ischemia 341  
   obesity 340, 341  
   pharmacological agents 341, 342  
 hydrocarbons, cuticular 140, 184, 187–190  
   *see also* water balance  
 immune response 15, 24, 194–196, 199, 246, 286  
   encapsulation 194  
   phagocytosis 194  
   toll pathway 194, 195  
 income breeders 58  
 infradian cycles 161–163, 167  
   *See also* metabolic rate  
 inheritance patterns  
   autosomal 293, 296–301  
   dominant/recessive 293, 296, 298, 299  
   linkage 296, 297, 299–303  
   Mendelian 293, 296–298, 301, 303  
   pleiotropy 77, 91, 278, 301–303, 316  
   polygenic 293, 297, 298, 303  
   quantitative trait loci 221, 223, 293, 297, 298,  
   301–304, 339  
   sex linkage 296, 299, 300  
 initiation of diapause 16, 74, 177, 179, 205,  
 209–214, 243, 285  
 insecticides, *see* pest management  
 Insulin signaling 73, 197, 235, 245, 247, 260–264,  
 268, 270–280, 282, 284, 286, 289, 309, 329,  
 339–341  
 integument, *see* cuticular proteins and hydrocarbons  
 invasive species, *see* pest management  
 juvenile hormone 4, 27, 91, 162, 169, 181, 234,  
 240, 248, 256–258, 263, 277, 291, 306, 327,  
 340  
 juvenile hormone esterase 248, 256, 258  
 juvenile hormone receptor 266  
 Krüppel homologue 88, 266, 267  
 KK-42 246, 247, 253, 327, 328, 330  
 katatrepsis 2, 6, 9  
 larval diapause 10, 11, 248–263  
 latitude  
   clines 5, 65, 157, 217, 310–316  
   high latitudes 1, 5, 19, 22, 23, 25, 27–31, 36, 82,  
   86, 97, 124, 134  
   low latitudes 20, 26, 34, 38, 137, 141, 159, 331  
 life cycle extension 54, 55, 122, 261, 275, 307  
 light  
   action spectra 60, 336  
   blue light 59, 60, 73–75, 336  
   intensity 146  
   pollution 336, 337  
 LEA proteins 188, 189  
 Lees, A.D. 68  
 lipid metabolism 24, 131, 170, 173, 175, 176, 213,  
 214, 275  
   *see also* metabolic pathways  
 maintenance of diapause 16, 17, 74, 88, 151, 153,  
 181, 209–214, 262, 267, 277, 286, 289,  
 327  
 MAPK 54, 179, 232, 245, 255, 274, 281  
 Masaki, S. 9, 217  
 mating behavior 12, 13, 267  
 mammals  
   diapause 2  
   hibernation 2, 157, 164, 172, 193, 207, 291  
   hibernation arousal 161, 163, 164  
 maternal age 161–165, 116, 316  
 maternal effects 110–116, 190, 230, 289, 332  
   blocking diapause 114, 115  
   information transfer 113, 114  
   programming 110–113  
   stages involved 110  
 Mayr, E. 3  
 metabolic depression 28, 30, 31, 48, 156–161, 170,  
 198, 216, 290, 330, 333, 334  
 Metabolic pathways 131, 170, 172, 173, 175, 200,  
 275  
   aerobic 172–174, 200  
   anaerobic 163, 172–174, 200, 202, 206  
   glycolysis 131, 161, 163, 172–174, 202, 262  
   gluconeogenesis 161, 172–174  
   *see also* TCA cycle and lipid metabolism  
 metabolic rate 1, 16, 31, 41, 42, 136, 141, 142,  
 156–165, 174, 183, 185, 190, 210, 211, 213,  
 217, 234, 247, 258, 262, 307, 327  
   aggregation effect 157, 159, 185  
   metabolic cycles 161–164, 166, 211, 258  
   injury metabolism 161  
   temperature effects 120, 136, 141, 156, 157, 159,  
   234, 317  
 microbiome 208, 209  
 microRNA 24, 90, 286–291, 309  
 microtubules 168  
 migration 27, 29, 131–135, 140  
   local 26, 131, 140  
   long distance 26, 72, 109, 132, 140  
   milkweed bug 134  
   Monarch 72–74, 92, 103, 109, 132–134, 140, 143,  
   337  
   not diapause-associated 134, 135  
 mitotic cell division 6, 152, 154, 156  
 moisture 43, 108, 118, 119, 237, 238, 335

- moisture (cont.)  
 development trigger 237, 238  
*see also* tropical diapause
- molts  
 progressive 154, 306  
 stationary 147, 154, 248, 253, 256–258, 306
- Mortality 26, 27, 29, 43, 45–52, 104, 109, 127–131,  
 136–138, 142, 143, 147, 152, 199, 227, 313,  
 314, 325, 337–339  
*See also* costs of diapause
- mysuppressin 251, 252
- N-acetyltransferase 95, 208, 233
- neurosecretory cells 71, 72, 96, 242, 248, 250
- notch signaling 278
- obligate diapause 3, 4, 7, 22, 31–34, 37, 57, 106,  
 150, 157, 220, 231, 293, 295, 300, 314, 315,  
 318, 335
- odors as cues 108, 123, 159
- olfaction 152
- ovaries 6, 12, 33, 88, 91, 104, 113–115, 130, 132,  
 134, 152, 153, 169, 174, 189, 197, 209, 241,  
 244, 245, 264, 267–269, 271, 272, 275, 276,  
 280, 336, 339, 340  
*see also* vitellogenesis and adult diapause
- oxidative damage 162, 164, 196, 197, 200
- P450, 130, 198, 199, 253
- pathogens 29, 47, 105, 136, 138, 140, 154, 196,  
 338, 341, 342  
*see also* fungal infections
- parasitoids, *see* hosts
- parthenogenesis 149, 150
- PEPCK 173, 174, 179, 287, 309
- period, *see* clock genes
- peripheral clocks 87, 92
- pest management 45, 323, 324–326  
 crop rotation 45, 324  
 cultural practices 324–326  
 insecticides 199, 301, 324, 325  
 invasive species 5, 47, 138, 140, 311, 331, 332  
 pollinators 29, 226, 334  
 population modeling 323, 324  
 no-till agriculture 325  
*see also* diapause disruption and climate change
- PCNA 155, 156, 212, 214, 235, 236
- pharmacological prospecting 4341, 342
- phases of diapause 16–18, 209–215
- photoperiod 27, 57–75  
 counter 76, 83, 84, 92–95, 233  
 duration of diapause 71, 72, 111, 112, 217, 218,  
 229, 230  
 required day number 92–95
- photoreception  
 pigments 71, 73–75  
*see* compound eyes and extraretinal reception
- photosensitive period 67, 68, 87, 89, 92, 94, 95,  
 207, 214, 223, 284, 287, 310, 313, 327
- piwi-associated RNAs 286, 287, 291
- plasticity  
 anticipatory/cued 121  
 phenotypic plasticity 3, 121, 218, 307, 320  
 responsive/direct 121
- pleiotropy 77, 91, 278, 301–303, 316
- polycomb group proteins 285, 286
- polyphenism 3, 143–145
- population modeling, *see* pest management
- post-diapause quiescence, *see* quiescence
- precocene 264, 329
- predation, *see* hosts
- preparing for diapause 5, 17, 102, 121–150, 175,  
 181, 197, 287  
 aggregations 140–143  
 developmental rate 121–126  
 energy acquisition 126–131, 175  
 migration 131–135  
*see also* site selection
- programming diapause  
 aborting the program 173  
 changes in daylength 66  
 circadian clocks 76–92  
 photoperiod 57–66  
 role of brain 67–73  
 storage of program 67  
*see also* photosensitive period
- prolonged diapause 38–45, 164, 182  
 chilling 43, 44  
 costs 43–45  
 determinants 40, 41, 43  
 duration 40  
 energetic challenges 42  
 geography 38, 43  
 size implications 39  
 species 38–40
- protein kinase C 245, 251, 281
- protein synthesis 162, 176–178, 181, 193, 200, 213,  
 246, 252
- proteins  
 hexamerin 126, 130, 180, 181, 258, 266–268,  
 320, 321  
 post-translational modifications 177–179  
 acetylation/deacetylation 2174, 177, 179, 284,  
 285  
 phosphorylation 155, 161, 163, 174, 177–179,  
 233, 245, 247, 253, 261, 275, 276, 284  
 SUMOylation 177, 179, 259, 284  
 ubiquitination 179, 284  
 storage 180–182, 258, 268, 320  
*see also* protein synthesis
- prothoracic gland 90, 169, 240, 244, 245, 248, 249,  
 253, 256, 268, 269, 291
- PTTH 71, 95, 233, 248–255, 259, 261, 269, 270,  
 282, 285, 289, 327–330

- pupal diapause 11, 12, 248–263  
 pyruvate 163, 172–174, 179, 202, 282, 328
- QTL mapping 293, 297, 298, 301–304, 339  
 quiescence 2–6, 13, 19, 30, 31, 38, 47, 53, 54, 270, 305, 307, 309, 335  
   advantages 53, 56, 224, 225, 230, 235–239, 290, 317  
   distinction from diapause 4, 5, 121  
   post-diapause 16–18, 21, 35, 191, 193, 200, 209, 211, 213, 216, 218, 219, 222
- Rainy season 20, 25–29, 116, 119, 143–146, 237, 238  
   *see also* tropical diapause and dry season  
 rapid cold hardening 54, 201, 202, 204  
 renal system 189, 190  
 repeated diapause 36–38  
 required day number, *see* photoperiod  
 respiration, *see* discontinuous gas exchange and spiracles  
 respiratory quotient 157, 170, 171, 175, 211  
   *see also* metabolic pathways  
 retinoic acid signaling 74  
 ring gland 254, 255, 280  
 ROS signaling 164, 196, 247, 261, 262, 282, 340
- sarcopenia 168  
 selection  
   for development time 125, 295  
   for diapause 294, 295  
   for nondiapause 34, 294, 295  
   for stage of diapause 295  
 senescence 108, 152, 317, 339, 340  
 sericin 341  
 serotonin 69, 251, 264  
 sex differences 13, 106, 108, 109, 119, 126, 130, 149, 269, 293, 299, 300, 302, 313, 314  
   *see also* costs of diapause and inheritance patterns  
 site selection 123, 136–139, 184, 186, 199, 325  
   buildings 55, 131, 135, 138, 139  
   galls 49, 137, 237  
   leaf litter 123, 136–138, 140, 203  
   predators 140, 141, 147, 325  
   shelters 138, 140, 231, 324, 325  
   vulnerability 138–140, 185, 199, 201, 209, 337  
   *see also* snow buffer and underground  
 size, consequences 40, 46, 48, 49, 53, 104, 113, 119, 121–125, 127–130, 141, 142, 148, 154, 169, 189, 190, 241, 252, 265, 274, 310  
 sleep cycle 308, 309  
 small-interfering RNAs 286, 287, 290, 291  
 small noncoding RNAs 286–292  
 snow buffer 137–139, 317, 319  
 SNPs 302–304, 313  
 social insects 14–16, 268, 305, 320, 322  
   ants 15, 165  
   evolution of sociality 319–322  
   honey bees 14, 15, 74, 91, 128, 320  
   paper wasps 321–322  
   summer/winter bees 14, 15  
   termites 14, 16, 320, 321  
 speciation 220–223, 305  
 spermatogenesis 12, 14, 212, 267, 271  
 apyrene sperm 13, 49  
 eupyrene sperm 13, 49  
 sperm storage 14  
   *see also* adult diapause  
 spiracles 164–166, 187  
 spring emergence 1, 17, 35, 38, 56, 59, 213, 218, 219–225, 236, 238, 317, 319, 323, 325, 330  
   *see also* termination of diapause  
 stage specificity 5, 6, 7–14, 36, 52, 67, 68, 156, 241, 307  
 stemmata 67, 69  
 storage of insects 332–335  
   biological control agents 332–334  
   cryopreservation 203, 335  
   domesticated species 334, 335  
   experimental lines 334  
 storage proteins 180–182  
   *see also* hexamerins and proteins  
 stress proteins, *see* heat shock proteins  
 structural distinctions 148, 149, 166–169  
   wing forms 148, 149  
   *see also* flight muscles and color distinctions  
 subesophageal ganglion 71, 152, 242–244, 254, 260  
 summer bees, *see* social insects  
 summer diapause 20–24  
 symbionts 321–323  
 synchronization  
   alternatives 56  
   importance 29, 57, 118, 308, 323  
   mechanism 59, 97, 219, 224, 231, 238  
   with hosts 21, 30, 45, 82, 106, 117, 196, 219–221, 330
- TCA cycle 163, 172–174, 234, 282, 290  
   *see also* metabolic pathways  
 temperature  
   altering critical daylength 98, 99  
   body temperature spike 42, 43  
   developmental rate 6, 53, 93, 121, 274  
   high temperature challenge 137, 138, 210, 211, 323  
   low temperature advantage 49, 56, 137, 156, 157, 164, 182, 333–335  
   metabolic rate 157–159, 171, 234  
   optimal temperature 19, 142, 233, 238, 333  
   performance curves 19  
   programming role 44, 89, 104, 108, 110–114, 253

- temperature (cont.)  
 seasonal cue 27–32, 57, 63, 64, 117–119, 206, 243, 259, 307, 318  
 size relationship 128, 129, 212  
 spring development 216–219, 224–230, 237  
 thermoperiods 100–102  
 temperature compensation, *see* circadian clocks  
 termination of diapause 6, 13, 16, 17, 35, 41, 50, 67, 89, 105, 111, 147, 155, 156, 159–161, 166, 168, 169, 181, 200, 209–214, 218, 225, 226–238, 294, 303, 317, 327–330  
 Physiological processes 95, 96, 179, 232, 241–281  
 TGF- $\beta$  signaling 278–280, 286  
 thermoperiod, *see* temperature  
 thermophase 99–101  
 timeless, *see* clock genes  
 token stimulus 57  
 toolbox, diapause 308, 309  
 TOR signaling 274, 278, 279, 282, 287  
 torso 250, 255  
 toxin defense 198, 199  
 transpiration 24, 183, 184, 187  
 tropical diapause 24–29, 116–119  
 aggregations 141–143  
 color distinctions 143–146  
 duration 40, 333  
 dry season morphs 127  
 subtropics 25, 35, 37, 44, 56, 97  
 environmental regulation 27–29, 97, 101, 108, 116–119, 230  
 metabolic suppression 27, 159, 164  
 migration to tropics 132–134  
 rainfall patterns 25, 29, 118, 237, 238, 317  
 variation 27, 294  
*see also* dry season and variation in diapause  
 twilight 58, 59  
 underground 136, 137, 167, 184, 190, 196, 199, 229, 237, 238  
 variation in diapause 32–36, 293, 296  
 annual 23, 58, 117  
 development time 35, 210, 217, 218, 306  
 host plants 33, 218–220, 239, 319  
 tropical 23, 34, 35, 40  
 among populations 32–36, 44, 64, 217, 219, 302–304, 311, 313–316, 332  
 within egg clutch 33  
 within populations 32–36, 44, 126, 219, 220, 239, 296, 297  
 variation in environment 23, 25, 58, 59, 117  
 vibration, hatching trigger 238  
 vitellogenesis 4, 366, 368, 369  
*see also* adult diapause  
 voltinism 125, 293, 311, 317–319  
 water balance 141, 164, 182–190, 200  
 behavioral response 184–186  
 drinking 182, 184, 211  
 integument 184, 186–188  
 metabolic water 130, 186  
 renal system 189, 190  
 vapor absorption 186  
 water content 188, 190  
 waterproofing 4, 139, 187, 190  
 weight gain 122, 127, 154  
 weight loss 125, 199  
 Williams, C.M. 240, 248  
 wings 127, 143, 146, 147  
 winter bees, *see* social insects  
 winter diapause 19–24, 57–67  
 Wnt signaling 278, 279, 287  
 yamamarin 247, 248, 329, 341