

Index

- ABR. *See* auditory brainstem response (ABR)
- acalculia, 390
- accelerated longitudinal study design, 14–15, 98–100, 455
- ACEs. *See* adverse childhood experiences (ACEs)
- achievement gap, 368, 408
- acquired dyslexia, 370
- acquired mutations, 68
- acute brain injury, 219, 220
- ADHD. *See* Attention Deficit Hyperactivity Disorder (ADHD)
- adolescent and adolescence, 437
- arithmetic fact retrieval and hippocampus, 403–404
 - biological changes, 440–443
 - cognitive development, 17–19
 - criminal behavior, 419–420
 - decision-making, 437
 - social influences on, 437–440
 - reward sensitivity in, 436–437
 - self-control. *See* self-control
 - sensation-seeking in, 464–465
 - substance abuse, 419
 - WM development in, 330–334
- adoption studies, 57
- ADOS. *See* Autism Diagnostic Observation Schedule (ADOS)
- adults, 12
- arithmetic fact retrieval and hippocampus, 403–404
 - arithmetic skills and neural network, 401–403
 - BOLD signal in children *vs.*, 43, 44
 - brain plasticity, 139–140
 - children of Holocaust survivors, 73
 - congenitally blind, 127–129
 - deaf, 40
 - face processing network, 175, 176
 - language localization in brain, 243–245
- LFPN–DMN connectivity, 338
- locus coeruleus activity, 156
- mentalizing, 212, 213
- mutual eye gazing, 205
- perisylvian region, 255
- PFC damage in, 420–422
- WM in, neuroimaging studies of, 327–328
- adverse childhood experiences (ACEs), 146–147
- cumulative risk model, 147
 - dimensional approach, 147
- adversity, early life, 144–147
- age difference
- age-crime curve, 419
 - BOLD signal and brain activity, 43–44
 - brain development. *See* postnatal brain development
 - brain functional connectivity, 106–107
 - brain plasticity, 138–139
 - cross-sectional study design, 14
 - ERPs, 30, 31
 - gray matter volume, 102–104
 - memory retrieval, 304–305
 - T1 and T2-weighted MRI images, 23
 - white matter tracts, structure of, 305
 - WM, 323
 - precision improvement, 324
 - span improvement, 323–324
- alexia, 360
- alleles, 66, 69
- sickle cell, 69–70
- allelic mutants, 70
- allelic variants, 69, 76
- allelic variation, 66
- allocortex, 89
- American Sign Language (ASL), 243
- amino acids, 65
- amygdala, 299, 434, 441
- amygdala–mPFC connectivity, 218
- angiogenesis, 125
- angular gyrus, 255, 403, 404
- animal research
- brain plasticity, 119–124
 - cats
 - auditory cortex of deaf, 131–132
 - visual cortex of, 122–124
 - monkeys
 - face-deprived, 181–184
 - human brain *vs.* rhesus macaques brain, 266–267
 - imitation of infant, 200
 - memory-guided saccade task, 326
 - motor actions using single cell recordings, 201–202, 390
 - number sensitive neurons in, 391
 - rats
 - anatomical differences in brain, 121
 - critical period for perceptual tuning in, 251
 - memory engrams in mice, labeling/reactivating, 290–291
 - spatial learning among, 119–121
- anisotropic water molecule diffusion, 24
- anterior insula, 429, 430
- anterior temporal areas, 213
- anterograde amnesia, 284
- aphasia, 244
- apoptosis, 97, 98
- approach and avoidance behaviors, 417–418
- approximate number system, 383–386, 393, 397, 399, 405, 408
- origins of, 385–386
- arborization, 124
- arcuate fasciculus, 244, 246, 262, 268, 358
- arithmetic network, 391, 400–404, *See also* numbers and number systems
- decomposition, 401

- developmental dyscalculia, 405–407
- individual differences, 407
- arousal, attention, 156–157
- ASD. *See* Autism Spectrum Disorder (ASD)
- associative learning, 202
- astrocytes, 33, 34, 124, 125, 453
- attention, infant, 156, 170
 - arousal, 156–157
 - executive, 156
 - exogenous and endogenous cues, 156
 - joint, 205, 206, 260
 - measurement, 157
 - selective, 156
- Attention Deficit Hyperactivity Disorder (ADHD), 315–317, 321, 329, 338, 432
- atypical brain development, 13, 77, 78
- auditory (hearing) system, 161
 - auditory threshold, 165–166
 - central, 161, 165, 166
 - congenital deafness, 129–134
 - deaf children with CIs, 129–134, 251
 - deprivation, 129–134
 - development in prenatal period, 162–163
 - measurements, 165–166
 - peripheral, 161, 165
 - primary auditory pathway, 161
 - secondary auditory pathway, 161
 - sound to neural energy conversion, 161–165
 - universal newborn hearing screening, 166
- auditory brainstem response (ABR), 166
- auditory cortex, 40, 102, 129, 131–133, 161, 163, 165, 247, 251, 253, *See also* primary auditory cortex
- auditory nerve, 129
- auditory threshold, 165–166
- auditory transduction, 162
- Autism Diagnostic Observation Schedule (ADOS), 224
- Autism Spectrum Disorder (ASD), 202, 208, 221, 329, 462
 - diagnosis, advancement in, 222–224
 - early intervention, 225–228
 - GeoPref ASD and non-Geo ASD, 224–225
 - heritability of, 223
 - heterogeneity of, 222
 - infant-sibling study design, 223
 - phenotype, 221–222
 - structural and functional indicators of brain, 224–225
 - symptoms, 222
 - telehealth and, 226–228
- autoradiography, 122, 123
- axial (horizontal) brain slice, 21, 36, 85, 86
- axial diffusivity, 24
- axon sprouting, 124
- axons, 86, 89, 104, 122, 124, 168
- Bacon, Francis, 159
- BAEP/R. *See* brainstem auditory evoked potential/response (BAEP/R)
- basal ganglia, 285, 331, 429, 430
- base-5 number system, 382
- base-10 number system, 382, 398
- basilar membrane, 129, 162
- Bayesian inferencing, 158–159, 287
- behavior(s), 417–418
 - approach and avoidance, 417–418
 - criminal, 419–420
 - goal-directed, 156, 281, 293, 314, 315, 339, 424, 425, 428
 - individuals problematic, 419, 427
 - insights from patients, 420–422
 - PFC injuries incurred during development, 423–424
 - reward-seeking, 418, 424, 428
- behavioral studies, 12–13, 15–16
 - child and adolescent cognition, 17–19
 - cross-sectional study design, 13, 14
 - design, 13–15
 - infant cognition, 16–17
 - longitudinal study design, 14
 - accelerated, 14–15, 98–100
 - technologies and methods, 15
- BEIP. *See* Bucharest Early Intervention Project (BEIP)
- bilateral cataracts, 116
- blastula, 92, 93
- Blood-Oxygen Level Dependent (BOLD) signal, 20, 35, 36–37, 42–44, 106, 128, 178, 255, 354
- BOLD signal. *See* Blood-Oxygen Level Dependent (BOLD) signal
- Braille, 356, 357
- brain, 2, 457
 - activation, 35, 40, 42, 44
 - anatomy, 85–89
 - cellular changes in, 124–126
 - examining, 19–25
 - blood flow measurement, 33–41
 - Broca's area, 243, 244, 255, 262, 359, 365
 - electrical activity measurement, 25–32
 - function, examining, 25–41
 - glucose level in, 84
 - injury
 - acute, 219, 220
 - mTBI, 220
 - recovery from, 139–140
 - social cognition in children with, 220–221
 - and social development, 219–221
 - intrinsic and extrinsic environment, 55
 - levels of analysis, 454–455
 - macroscopic features, 21, 22
 - networks, 45–46
 - rhythms and frequency bands, 29
 - structural levels, 2–4, 454–455
 - and Marr's levels of analysis, 4–5, 158
 - voltage changes in, 27–28
 - volume, longitudinal study design of, 98–100
 - vs. rhesus macaque brain, 266–267
 - Wernicke's area, 244, 255, 359
- brain development, 5–7, 9, 449–450, *See also* perception
 - adversity effects on, 145–146
 - atypical, 13, 77, 78
 - environmental structure impacts on, 159–160
 - environmental toxins effects on, 462–463
 - experience-dependent, 116–117, 123, 124, 134–138, 185
 - experience-expectant, 116, 117, 121, 122, 127
 - experience-independent, 115–116, 122
 - high-level visual cortex and, 177–179
 - morphogen, 96
 - organoids, 91–92, 458
 - postnatal, 98
 - cortical expansion, 98–100
 - functional brain networks
 - organization, 106–108

472 Index

- brain development (cont.)
 - gray matter volume, 100–104
 - white matter volume, 100–102, 104–106
- prenatal, 89–92, 115, 450
 - brain structure, emergence of, 93–96
 - gastrulation, 92–93
 - neural induction, 93
 - neuronal differentiation and cell death, 96–98
 - neuronal proliferation and migration, 96
 - outer surface, 96
 - socioeconomic status and, 262
 - typical, 77, 78
- brain imaging techniques, 454
 - CT, 34–35
 - DWI, 20, 22–25, 105, 124, 458
 - EEG, 25–31, 37, 166, 295, 301
 - fMRI, 8, 20–21, 29, 35–37, 42–46, 125, 127, 128, 134, 135, 175, 202, 205, 206, 212, 215, 254, 294, 301, 304, 305, 321, 327, 330, 331, 335–337, 354, 355, 359, 360, 403, 430–433, 435, 438, 439, 454
 - fNIRS, 35, 37–38, 133, 134, 172, 173, 205, 207, 301, 334, 335, 462
 - MRI, 19, 20, 136, 177, 183, 202, 423
 - PET, 34
 - structural MRI, 20–22, 43, 102, 124, 125, 300, 331, 369
- brain networks, 135, 140, 157
 - DMN, 224–225
 - network neuroscience, 107–108
- brain plasticity, 89, 102, 321, 364, 425, 459
 - anatomical differences in rat brain, 121
 - brain injury, recovery from, 139–140
 - cellular changes in brain structure, 124–126
 - characterization, 119–126
 - childhood adversity, 144–145
 - dimensions of, 147
 - risks associated with, 145–147
 - cortical reorganization under sensory deprivation, 126–134
 - critical period, 116, 117, 121–124, 127, 129, 134, 140–144, 250
 - environmental enrichment, 119–121
 - Expansion-Renormalization Model, 136–138
 - experience-dependent, 116–117, 123, 124, 134–138, 185
 - experience-expectant, 116, 117, 121, 122, 127
 - experience-independent, 115–116, 122
 - Hebbian plasticity, 119
 - learning and development, 115–117
 - LTP, 119
 - ocular dominance, 122–124
 - offset of, 143
 - onset of, 141, 142
 - origin of, 117–118
 - peak, 140, 141
 - sensitive period, 117, 134, 251
 - spatial learning among rats and environment, 119–121
 - timing of, 138–139
 - visual cortex of cats, 122–124
- brainstem auditory evoked potential/ response (BAEP/R), 166
- British Sign Language (BSL), 243
- Broca's aphasia, 244
- Broca's area, 243, 244, 255, 262, 359, 365
- Broca–Wernicke–Lichtheim–Geschwind model (Classic Model), 244–245
- Bucharest Early Intervention Project (BEIP), 145, 264
- canalization, 90
- capillaries, 33
- cardinal numbers, 380
- CA3 subfield, hippocampus, 292, 300
- cells, 28, 60, 62, 66, 67, 72, 86, 87, 89, 91–92, 96, 119, 328, 450
 - death, 33, 97–98
 - ectodermal, 93
 - glial. *See* glial cells (glia)
 - hair, 162–163
 - magnocellular, 168, 171
 - memory engrams, 290–291
 - neural progenitor, 95–97
 - neuroepithelial, 93
 - parvocellular, 168, 171
 - programmed cell death, 97
 - retinal ganglion, 168
 - sickle cell disease, 69–70
 - somatic, 66, 75, 91
- cellular division, 66, 71
 - meiosis, 67–68
 - mitosis, 66–68
- cellular replication, 66, 71
- central auditory system, 161, 165, 166
- central executive functions (EFs), 318–320
- central executive network, 327
- central sulcus, 85
- cerebellum, 285, 337
- cerebral arteries, 33
- cerebral blood flow, 33–35, 43
- cerebral veins, 33
- cerebrospinal fluid, 85, 93, 96
- Channelrhodopsin-2 (ChR2), 290, 291
- chemosensory (smell and taste) system, 160
- children and childhood
 - adversity, 144–145
 - dimensions of, 147
 - risks associated with, 145–147
 - arithmetic network in, 401–404
 - arithmetic skills and neural network, 401–403
 - ASD. *See* Autism Spectrum Disorder (ASD)
 - bilateral cataracts, 116
 - BOLD signal, 43–44
 - adults vs., 43, 44
 - infants vs., 44
 - cognitive development, 17–19
 - deaf children with CIs, 39–41, 129–134, 251
 - episodic memory, 299–300
 - eye gazing, 205
 - false beliefs, 210–213
 - fMRI, 37
 - data interpretation, 43–44
 - gray matter, 102–103
 - hippocampal function in, 301–305
 - language learning, 255, *See also* language(s)
 - LFPN–DMN connectivity, 338
 - MEG, 32
 - mentalizing, 212
 - mirror mark task, 208
 - mutual eye gazing, 205
 - numeracy. *See* numbers and number systems
 - perspective taking development, 217–218
 - self-awareness, 208, 210
 - self-control. *See* self-control
 - social cognition, brain injury and, 220–221
 - social referencing, 218
 - theory of mind, 210–211

- visual processing capabilities, 173–174
- WM development in, 330–334
- chromosomal mutations, 71
- chromosomal theory of inheritance, 60
- chromosomes, 60, 62, *See also*
 - deoxyribonucleic acid (DNA); RNA
 - heterozygous, 66, 70
 - homologous, 67
 - homozygous, 66, 69, 70
 - meiosis, 67–68
 - mitosis, 66–67
 - sex, 71, 72
- ChR2. *See* Channelrhodopsin-2 (ChR2)
- cingulate cortex, 170, 306, 331, 339
 - dACC, 339, 432
 - PCC, 45, 46
- cingulo-opercular network, 328–340
- circumcision, 160
- CIs. *See* cochlear implants (CIs)
- classical conditioning, 283, 295, 418
- cochlea, 129, 161–163, 165
- cochlear implants (CIs), 39, 129–134
- cognitive control. *See* executive functions (EFs)
- cognitive development, 2
 - children and adolescence, 17–19
 - infant, 16–17
- cognitive neuroscience, 6
- cognitive neuroscientific approaches, 458–459
- cohort-sequential study design, 14–15
- complex systems, 2–3
- computed tomography (CT), 34–35
- conditioning, 283, 299
 - classical, 283, 295, 418
 - operant, 283, 295, 418
- cones, 168
- congenital blindness, 127–129
- congenital deafness, 129–134, 141
- congenital sensory deprivation, 131–133
- contingent behavior, 203
- contingent learning, infants, 203, 260–261
- coronal brain slice, 21, 85, 86
- corpus callosum, 105
- cortex, 8, 22, 28, 31, 36, 38, 78, 85, 89, 95, 96, 98, 102–104, 107, 115, 121, 122, 126, 139, 156, 161, 164, 165, 176, 181, 201, 255, 257, 262, 284, 328, 353, 359, 364, 394, 451, *See also specific cortex*
- cortical activation, 40–41
- cortical neurons, 86, 92
- cortical reorganization, 126
 - auditory, 129–134
 - somatosensory, 126–127
 - visual, 127–129
- counting, number, 387–390, 396, 401
- Covid-19 pandemic, 9, 460, 461
- CRISPR-Cas9, 465
- critical period, brain plasticity, 116, 117, 121–124, 127, 129, 134, 140–144, 250
- crossmodal cortical plasticity, 131–133
- cross-sectional study design
 - advantage, 14
 - definition, 13
- CT. *See* computed tomography (CT)
- dACC. *See* dorsal anterior cingulate cortex (dACC)
- DCN. *See* Developmental Cognitive Neuroscience (DCN)
- de novo* mutations, 65, 66, 68, 69, 78
- deaf children with CIs, 39–41, 251
- decimal number system, 382
- declarative memory, 282–283, *See also*
 - episodic memory; semantic memory
- default mode network (DMN), 224–225, 293, 294, 337–339
- deficit model, 144
- dendrites, 86
- dendritic arbors, 86
- dendritic branching, 124
- dendritic spines, 118–119
- dentate gyrus, 290, 292, 300
- deoxyribonucleic acid (DNA), 60, 68, 69, 72
 - coding, 65
 - exons, 62
 - histone modification, 75
 - introns, 62
 - methyl transferases, 74
 - methylation, 74–75
 - non-coding, 62, 65, 66, 70
 - replication, 66–68
 - structure of, 60–62
 - transcription process, 62, 66, 74
- deprivation amblyopia, 122
- Developmental Cognitive Neuroscience (DCN), 240
 - definition, 1
 - explicit theory, 452–453
- Marr's levels of analysis, 4–5, 158
- methodological approaches, 455–459
- in news, 463–464
- origin of, 6
- overview, 1–2
- public health and, 459–463
- sample sizes and number of participants, 455–457
- societal relevance, 459–460
- structural levels, 2–4
- study design, 13–15
- technologies and methods, 15
- theoretical framework, 451–455
- developmental dyscalculia, 405–407
- developmental dyslexia, 369–372
- developmental network neuroscience, 107–108
- developmental prosopagnosia, 180–181
- developmental variance, 58–59
- diffusion tensor imaging (DTI), 23, 104, 305, 339
- diffusion-weighted imaging (DWI), 20, 22–25, 105, 124, 458
- dishabituation, infant, 16–18, 208–209, 384
- dizygotic twins, 58
- DLPFC. *See* dorsolateral PFC (DLPFC)
- DMN. *See* default mode network (DMN)
- DNA. *See* deoxyribonucleic acid (DNA)
- dopamine, 328–329
- dorsal anterior cingulate cortex (dACC), 339, 432
- dorsal reading pathway, 361–363
- dorsal visual streams, 170–173, 206
- dorsolateral PFC (DLPFC), 325–327, 330, 331, 335, 336, 424, 425, 431
- Down syndrome, 79
- DTI. *See* diffusion tensor imaging (DTI)
- Dutch Hunger Winter, 73
- DWI. *See* diffusion-weighted imaging (DWI)
- dyscalculia, 405–407
- dyslexia, 367–372
- ear, 161–162
- early life adversity, 144–147
- Early Start Denver Model (ESDM), 226, 227
- early-developing memory system, 294

474 Index

- ectoderm, 93
 EEG. *See* electroencephalography (EEG)
 EFs. *See* executive functions (EFs)
 electroencephalography (EEG), 25–31, 37, 166, 202, 295, 301
 ERPs from, 29–31
 forward and inverse problem, 28
 global, 29
 limitation, 28
 MEG, 31–32, 252, 458
 spatial resolution, 28–29
 temporal resolution, 28–29
 electrophysiology, 25
 embryogenesis, 92
 emotion regulation, 218–219, 221
 empiricists, 54
 endoderm, 93
 engrams, memory, 289–291
 enriched environment, 120, 159
 environmental illiteracy, 368
 environmental mutations, 71–72
 epigenetic(s), 63, 72–73
 DNA methylation, 74–75
 Dutch Hunger Winter, 73
 effects in humans, 73–74
 histone modification, 74, 75
 Holocaust survivors, adult children of, 73
 landscape, 89
 markers, 72, 73
 NDDs, 77–80
 epigenome, 75–77
 episodic buffer, 318
 episodic memory, 282–283, 286, 304
 of birds, 288
 childhood, improvements over, 299–300
 emergence of, 296–299
 externally guided, 293
 features of, 286–287
 hippocampus and, 288–293
 internally guided, 293
 monitoring and retrieval, 305–307
 networks, 293–294
 development of, 305–307
 reinforcement paradigms in infants, 296–298
 relational binding, 289, 298, 299
 ERPs. *See* event-related potentials (ERPs)
 ESDM. *See* Early Start Denver Model (ESDM)
 eugenics, 56
 event-related potentials (ERPs), 29–31, 157, 187, 213, 220, 251
 excitatory neurons, 89
 executive attention, 156
 executive control network, 327
 executive functions (EFs), 107, 108, 140, 156, 211, 214, 280, 282, 293, 305, 307, 314–315, 326, 334–338, 367, *See also* working memory (WM)
 ADHD, 315–317
 central, 318–320
 cool, 315
 hot, 315, 420
 PFC and, 327–328
 training, 321–322
 exons, 62
 Expansion-Renormalization Model, 136–138
 experience-dependent brain plasticity, 116–117, 123, 124, 134, 185
 across skill-learning, 136–138
 musical training, 134–136
 experience-expectant brain plasticity, 116, 117, 121, 122, 127
 experience-independent brain plasticity, 115–116, 122
 experimental behavioral studies, 15
 explicit memory, 282–284, 294, *See also* episodic memory; semantic memory
 extreme capsule fasciculus, 246
 eye, 167–169
 gazing, 205–206, 213
 FA. *See* fractional anisotropy (FA)
 face deprivation, 181–184
 face processing network, 174
 face recognition, 204, 353
 developmental prosopagnosia, 180–181
 eye gazing, 205–206
 face deprivation, 181–184
 face selectivity, 175
 face-selective brain regions, 175, 177, 206
 facial tuning through experience, 175–176
 FFA, 174–180, 206, 207
 perceptual tuning, 176
 “retinal eccentricity” hypothesis, 177
 visual expertise in, 176–181
 false beliefs, 210–211, 213, 215, 216
 false location/content tasks, 210–211
 fetal alcohol syndrome, 461
 fetal imaging
 MEG, 32
 MRI, 22
 fetal programming, 73
 fetus, 93, 159, 449, 450
 auditory processing, 248
 auditory system development, 162–163
 brain development, 89–98, 115
 brain outer surface development, 96
 cell death, 97–98
 embryonic germ layers, 93
 gastrulation, 92–93
 neural induction, 93
 neural tube, 93, 95, 96
 neurulation, 93, 94
 olfactory system development, 160
 overproduction of neurons, 97
 postnatal brain development, 98–108
 sensory stimulation, 157
 somites, 93
 FFA. *See* fusiform face area (FFA)
 fiber tracts, 89
 fimbria, 293
 fMRI. *See* functional magnetic resonance imaging (fMRI)
 fNIRS. *See* functional near-infrared spectroscopy (fNIRS)
 formal assessments, 15
 formal modeling, 457–459
 fornix, 293
 fractional anisotropy (FA), 25, 105–106, 262, 305, 364
 Fragile X syndrome, 71, 77
 frontal leucotomy, 422
 frontal lobotomy, 422
 frontoparietal network, 293
 functional brain network, 45–46
 organization, 106–108
 functional connectivity, 44–46
 functional illiteracy, 367
 functional magnetic resonance imaging (fMRI), 8, 20–21, 29, 35, 125, 127, 128, 134, 135, 175, 202, 205, 206, 212, 215, 254, 294, 301, 304, 305, 321, 327, 330, 331, 335–337, 354, 355, 359, 360, 403, 430–433, 435, 438, 439
 BOLD signal, 36–37
 of children, 37

- data interpretation, 43–44
- contrasts, 36, 42, 43
- data analysis, 42–46
- disadvantage of, 37
- experimental setup, 36
- functional connectivity, 44–46
- head motion and artifacts in BOLD signal, 37
- of infant, 37
- multivariate, 43
- overview of, 35–37
- rsfMRI, 35, 224, 333–334, 433, 434
- subtraction paradigm, 35
- task-based, 35, 36
- temporal resolution, 35
- univariate, 43
- functional near-infrared spectroscopy (fNIRS), 35, 37–38, 133, 134, 172, 173, 205, 207, 301, 334, 335, 462
 - advantage of, 38
 - CI programming, 39–41
 - experimental setup, 38
 - spatial resolution, 38
 - temporal resolution, 38
 - wireless, 458
- fusiform face area (FFA), 174–180, 206, 207, 353, 354
- fusiform gyrus, 174, 177, 353–355, 360, 394, 395
- GABA, 89
- Galton, Sir Francis, 56, 57
- gametes, 66, 67
- gastrula, 93
- gastrulation, 94
- GCTA. *See* genome-wide complex trait analysis (GCTA)
- gene(s), 59, 90, 115, 387, 450–451
 - alleles, 66
 - editing in embryos, 69, 465
 - expression, 62, 65, 69, 72, 74, 75, 79, 85, 90, 98, 115
 - as protein encoders, 62–63
 - regulation, 62
 - as units of heredity, 59–62, 70, 450
- gene–environment interactions, 75–77
- genetic(s), 15, 77, 121, *See also*
 - chromosomes; deoxyribonucleic acid (DNA); epigenetic(s);
 - gene(s); RNA
- alleles, 66
- allelic variation, 66
- cellular division, 66–68
- height variability, 57, 58
- heritability, 57–58
- mutations, 66, 68–72
- NDDs, 77–80
- recombination, 67
- transcription process, 62, 66, 74
- translation process, 62, 75
- variation, 66–68
- geniculostriate pathway, 168
- genomes, 56, 57, 62, 66, 67, 69, 70, 72, 90
- genome-wide association studies (GWAS), 57
- genome-wide complex trait analysis (GCTA), 57
- genotypes, 54, 66, 76
- glial cells (glia), 85, 88, 89, 95–98, 121, 124, 453
- glutamate, 89
- goal-directed behavior, 156, 281, 293, 314, 315, 339, 424, 425, 428
- Goldilocks effect, 17
- graph theory, 107
- gray matter, 21, 92, 96, 121, 124, 135, 136, 138, 177
 - volume, age and, 100–104
- gross anatomy, 21–22
- growth trajectory, 14
- gut microbiome, 453–454
- gut–brain axis, 453
- GWAS. *See* genome-wide association studies (GWAS)
- gyri, 21, 22, 85, 115
- habituation, infant, 16–18, 208–209, 384
- hair cells, 162–163
- head movement
 - in fMRI, 37
 - and functional connectivity, 45
- hearing sense. *See* auditory (hearing) system
- Hebb, Donald, 56, 119, 140
 - spatial learning among rats and environment, 119–121
- Hebbian learning, 202, 453
- Hebbian plasticity, 119, 289
- height variability, 57, 58
- hemispherectomy, 139, 140
- hemodynamic response, 35, 43, 44
- hemoglobin, 35, 70
- oxygenated/deoxygenated of, 20, 38, 41, 133, 172
- hereditary mutations, 68
- heredity, 59–62, 70, 77, 450
- heritability, 57–58
- HERVs. *See* human endogenous retroviruses (HERVs)
- Heschl's gyrus, 244, 254
- heterozygous chromosome, 66, 70
- hierarchically mechanistic mind (HMM), 452
- high-level visual cortex, 177–179
- Highly Superior Autobiographical Memory, 286, 293
- hippocampus, 35, 284, 288–293, 296, 299, 403, *See also* medial temporal lobes
 - activation during infants sleep, 303–304
 - development of, 300–301, 304–305
 - early childhood, function in, 301–304
 - and infantile amnesia, 301
 - relational binding, 289, 299
- histology, 22, 25
- histones, 75
 - modification, 74, 75
- HMM. *See* hierarchically mechanistic mind (HMM)
- Holocaust, 73
- homologous chromosomes, 67
- homozygous chromosome, 66, 69, 70
- HPA axis. *See* hypothalamo-pituitary-adrenal (HPA) axis
- human endogenous retroviruses (HERVs), 72
- human middle temporal complex (hMT+), 171
- human research, limitation of, 13
- human variability, 56–57
 - developmental variance, 58–59
 - heredity, 56–57
 - heritability, 57–58
- hypothalamo-pituitary-adrenal (HPA) axis, 147
- identical twins, 54, 58, 135
- IEGs. *See* immediate early genes (IEGs)
- imitation, infants, 200–203, 452
- immediate early genes (IEGs), 290, 291
- implicit memory, 282, 283, 285, 294, 296, 298, 418
 - development, 294–296

476 Index

- impoverished environment, 120
- in vivo* histology, 458
- independent assortment, 67
- individual variability. *See* human variability
- infant and infancy
 - ASD. *See* Autism Spectrum Disorder (ASD)
 - attention, 156–157, 170
 - behavior measurement, 16–17
 - BOLD signal in children *vs.*, 44
 - brain development, 98–108
 - and language processing. *See* language(s), infant brain and
 - circumcision, 160
 - cognitive development, 16–17
 - contingent behavior, 203
 - contingent learning, 203, 260–261
 - endogenous cues, 156
 - episodic memory, 296–299
 - exogenous (external) cues, 156
 - eye gazing, 205–206
 - false beliefs, 211
 - fMRI, 37
 - with fNIRS, 39
 - goal-directed actions and
 - intentionality, 208–209
 - habituation and dishabituation, 16–18, 208–209, 384
 - hearing loss in, 129
 - hippocampal function in, 301–304
 - imitation, 200–203
 - implicit memory, 294–296, 298
 - MEG, 32
 - memory system, 294–299
 - mental representation, 203–204
 - MRI, 22
 - neuronal mirroring system, 201–202
 - paired comparison paradigms, 17
 - perception, 157–160
 - multisensory, 184–187
 - perisylvian region, 255
 - perspective taking development, 217–218
 - preferential looking paradigms, 17, 295
 - preterm/premature, 159–160, 163, 249
 - reinforcement paradigms in, 296–298
 - self-awareness, 208, 210
 - sensory systems
 - auditory (hearing), 161–166
 - chemosensory (smell and taste), 160
 - somatosensory (touch), 160
 - visual (vision), 166–184
 - social referencing, 218
 - speech development, 186–187
 - speech processing, 254–255
 - visual motion cues of animacy, 204
- infant-directed speech, 257–258
- infantile amnesia, 294, 296, 301
- inferior longitudinal fasciculus, 105, 246, 359
- inheritance, 59–62, 70, 71
- inhibitory control, 428–432
- inhibitory neurons, 89
- interactive specialization, 8, 55–56, 451–452
- inter-modular network, 107
- intra-modular network, 107
- intraparietal sulcus (IPS), 46, 327, 330, 359, 390, 391, 394, 402, 407
- intrinsic functional connectivity, 45
- introns, 62
- IPS. *See* intraparietal sulcus (IPS)
- isotropic water molecule diffusion, 24
- joint attention, 205, 260
- Kennard Principle, 139, 140
- koniocellular cells, 168
- language(s), 240, 265
 - BEIP, 264
 - bilingualism, 265
 - caregiver-children interaction and, 263–264
 - complex processing, 246–248
 - comprehension and production, 241–242, 244
 - digital technology, learning through, 260, 264
 - dorsal language streams, 246, 247
 - gap, 262
 - infant brain and, 248, 257–260
 - auditory and visual speech, relationship between, 258–260
 - auditory input interaction with brain, 248–249
 - contingent learning, language learning as, 260–261
 - critical periods, 250–251
 - fetal auditory processing, 248
 - hemispheric asymmetries, 253–257
 - infant-directed speech, 257–258
 - neonatal auditory preferences, 248–249
 - perceptual tuning, 130, 176, 179, 250–253, 258
 - social interactions with adults, 260–261
 - sound specific structure, sensitivity to, 249–251
 - speech input, quantity and quality of, 261–264
 - localization in adult brain, 243–245
 - morphology, 242
 - morphosyntactic, 256
 - multilingualism, 265
 - of non-human primates, 266–269
 - oral, 363–366
 - overview, 240–241
 - paralinguistic cues, 240, 242
 - phonemes, 249–251
 - phonetics, 242, 266
 - phonological representation system, 249–250
 - phonology, 242, 249–251, 364
 - pragmatics, 242–243
 - processing
 - Broca–Wernicke–Lichtheim–Geschwind model (Classic Model), 244–245
 - dual-stream model, 245–247
 - in perisylvian regions in infants and adults, 255
 - reading. *See* reading
 - semantics, 242
 - sign, 241, 243, 244, 266
 - specificity, 243
 - structural levels of, 241–243
 - syntax, 242
 - tonal, 256–257
 - universality, 243
 - ventral language streams, 246, 247
 - white matter tracts and language learning, 262–263
 - writing system, 351–352
- lateral frontoparietal network (LFPN), 326–328, 333, 337–339
- lateral geniculate nucleus (LGN), 168, 169, 171
- lateral parietal cortex. *See* posterior parietal cortex (PPC)

- lateral PFC, 305, 325, 327, 329–331, 333, 334, 339, 425
- later-developing memory system, 294
- learning and development, 115–117
- levels of analysis, 4–5, 454–455
- LFPN. *See* lateral frontoparietal network (LFPN)
- LGN. *See* lateral geniculate nucleus (LGN)
- literacy. *See* reading; writing
- locus coeruleus, 156
- longitudinal study design
- accelerated, 14–15, 98–100, 455
 - advantages and disadvantages, 14
 - brain volume, 98–100
 - definition, 13
 - gray matter over childhood, 102–103
- long-range axons, 89, 104
- long-term depression (LTD), 119
- long-term memory, 119, 281, 317, 401, *See also* episodic memory
- long-term potentiation (LTP), 119
- LTD. *See* long-term depression (LTD)
- LTP. *See* long-term potentiation (LTP)
- magnetic resonance, 20
- magnetic resonance imaging (MRI), 19, 134, 136, 177, 183, 202, 301, 423
- advanced anatomical MRI methods, 458–459
 - DWI, 20, 22–25, 105
 - fMRI, 8, 20–21, 29, 35–37, 42–46, 125, 127, 128, 134, 135, 175, 202, 205, 206, 212, 215, 254, 294, 301, 304, 305, 321, 327, 330, 331, 335–337, 354, 355, 359, 360, 403, 430–433, 435, 438, 439, 454
 - of infants, 22
 - spatial resolution, 22
 - structural, 20–22, 43, 102, 124, 125, 300, 331, 369
 - T1 and T2-weighted images, 22, 23
 - working of, 20
- magnetoencephalography (MEG), 31–32, 252, 458
- magnocellular cells (M cells), 168, 171
- Malacarne, Michele Vincenzo Giacinto, 117
- Marr's levels of analysis, 4–5, 158
- math education, 407–408
- intervention, 408–409
- maturation, 215, 216, 221
- mean diffusivity, 24
- medial OFC, 434
- medial prefrontal cortex (mPFC), 207, 212, 214, 215, 218
- medial temporal lobes, 284, 288–293, 299, 305, *See also* hippocampus
- development, 300–307
 - neuroanatomy of, 284
 - structural development, 300–301
- MEG. *See* magnetoencephalography (MEG)
- meiosis, 60, 67–68
- memory and memory system, 280–281
- classification, 281–283
 - declarative, 282–283
 - development of, 294–300
 - engrams, 289–291
 - episodic. *See* episodic memory
 - explicit, 282–284, 294
 - forgetting, 281, 299
 - Highly Superior Autobiographical Memory, 286, 293
 - implicit, 282, 283, 285, 294–296, 298, 418
 - infantile amnesia, 294, 296, 301
 - long-term, 281, 317, 401
 - loss, 284
 - monitoring and retrieval, 305–307
 - neural basis of, 283–286
 - non-declarative, 282, 285
 - procedural, 283
 - recall memory tasks, 282
 - recognition, 282, 295–296, 299
 - retrieval, 287, 289, 290, 292, 293, 304
 - semantic, 282–283, 287, 299
 - sensory, 281
 - short-term, 281, 317, 320, 383
 - sleep-dependent, 289, 295
 - source monitoring of, 299
 - working. *See* working memory (WM)
- memory-guided saccade task, 324, 326, 331
- Mendel, Gregor, 59
- Mendelian units of heredity, 59–60, 70
- mental time travel, 286, 293
- mentalizing, 211–213
- brain injury and social development, 219–221
- data interpretation, 215
- developmental time course, 213–215
- emotion regulation, 218–219
- and learning, 217–221
- neural connectivity, changes in, 215–217
- social referencing, 218
- mesoderm, 93
- messenger RNA (mRNA), 62
- meta-analytic approaches, 15
- methylation, 74–75
- microcephaly, 92
- mild traumatic brain injury (mTBI), 220
- mirror neuron system, 202, 452
- mismatch hypothesis, 144
- mitosis, 60, 66–68
- modulatory neurons, 89
- modules, network, 107
- molecular brakes, 139, 141–143
- molecular signaling, 96, 97
- monocular deprivation, 122–124
- monozygotic twins, 54, 58, 135, 450
- morpheme, 351
- morphogen, 96
- morphogenic signaling, 96
- morphology, language, 242
- morphosyntactic language, 256
- motherese, 257
- motor cortex, 138, 139, 244
- motor development, 55
- motor mirroring system, 202
- mPFC. *See* medial prefrontal cortex (mPFC)
- MRI. *See* magnetic resonance imaging (MRI)
- mTBI. *See* mild traumatic brain injury (mTBI)
- multisensory integration, 184–186
- multisensory perception, 184–187
- multivariate fMRI, 43
- muscle memory, 283
- mutagen, 71
- mutant allele, 69–70
- mutations, 66, 68
- acquired/somatic, 68
 - chromosomal, 71
 - de novo*, 65, 66, 68, 69, 78
 - environmentally induced, 71–72
 - hereditary, 68
 - point, 68–70, 92
 - SNP, 70–71
- mutual eye gazing, 205
- myelin, 87, 89, 104, 106, 124, 142, 458
- myelination, 104, 106, 124, 160, 167, 177
- myopia, 173

478 Index

- NAc. *See* nucleus accumbens (NAc)
 National Institute of Mental Health
 Research Domain Criteria
 (RDoC) project, 222
 nativists, 54
 natural numbers, 380
 nature–nurture debate, 54, 56, 248
 NDDs. *See* neurodevelopmental
 disorders (NDDs)
 neocortex, 89, 92, 96, 97, 143, 176, 289
 neonatal intensive care units (NICUs),
 249
 neonates. *See also* infant and infancy
 auditory preferences, 248–249
 hearing loss, 129
 imitation, 200–201
 implicit memory, 294–296
 network neuroscience, 107–108
 neural induction, 93
 neural plasticity. *See* brain plasticity
 neural progenitor cells, 93, 95–97
 neural systems, 451
 neural tube, 93, 95, 96
 neurodevelopmental disorders (NDDs),
 77–80, 92, 125, 221, 222, 226
 neurodiversity, 79
 neuroepithelial cells, 93
 neurogenesis, 84, 96, 97, 124, 292, 300,
 301
 neuroimaging, 15
 neuromodulators, 89, 328
 Neuron Doctrine, 118
 neurons, 85–89, 98, 124, 126, 292
 dendritic spines, 118–119
 differentiation, 96–98
 mirror, 201–202
 multisensory, 185
 neural basis of
 memory and memory system,
 283–286
 self-control, 428–437
 visual system, 167–169
 WM, 324–325
 overproduction of, 97
 persistent delay-period activity, 326
 postsynaptic, 124
 presynaptic, 124
 proliferation and migration, 96
 pyramidal, 28, 31
 retinal ganglion cells, 168
 signal-to-noise ratio, 328
 synapses, 88
 thalamus, 126–134
 types, 89
 neuroplasticity, 129, 205, 250
 neurotransmitters, 89
 neurovascular coupling, 33
 neurulation, 93, 94
 newborns. *See* infant and infancy;
 neonates
 NICUs. *See* neonatal intensive care
 units (NICUs)
 non-declarative memory, 282, 285
 non-shared environment, 57–59
 non-symbolic numbers, 380, 383
 approximate number system,
 383–386, 393, 397, 399, 405, 408
 object tracking system, 383, 384
 representation, 396–398
 mechanisms of, 383–384
 norepinephrine, 156, 316, 328
 nucleosomes, 75
 nucleotides, 60, 68
 SNP, 70–71
 nucleus accumbens (NAc), 433, 435
 number sense, 379–381
 numbers and number systems, 380, *See also* arithmetic network
 abstraction principle, 388
 approximate, 383–386, 393, 397, 399
 base-5, 382
 base-10, 382, 398
 brain basis for, 390–391
 cardinal numbers, 380
 cardinality principle, 388–389, 396
 children’s quantity-to-symbol
 number mappings and
 achievements, 400
 counting, 387–390, 401
 distance effect, 385, 393, 394, 396
 IPS and PFC in numerical
 processing, 390–391, 394, 396,
 402, 407
 mathematical competency, 399–400,
 404, 406, 407
 natural numbers, 380
 neuronal code, 391
 non-symbolic. *See* non-symbolic
 numbers
 number sense, 379–381
 object tracking system, 383, 384
 one-to-one correspondence principle,
 388
 order-irrelevance principle, 388
 ordinal numbers, 380
 representation
 brain networks, 394–396
 culture influence on, 398–399
 logarithmic, 393, 394, 397, 399
 size effect, 385, 393, 394, 396
 stable order principle, 388
 symbolic. *See* symbolic numbers
 unary numeral system, 382
 numeracy. *See* numbers and number
 systems
 numerical abnormalities, 71
 numerical systems, 382–383
 numerosity, 383, 391, 393
 object tracking system, 383, 384
 observational behavioral studies, 15
 occipital temporal sulcus, 180
 ocular dominance columns, 122–124,
 126
 oligodendrocytes, 87, 89
 operant conditioning, 283, 295, 418
 optic chiasm, 168, 169
 oral language, 363–366
 orbitofrontal cortex (OFC), 422
 ordinal numbers, 380
 organ of Corti, 162
 organoids, 91–92, 458
 orthographies, 351, 352
 paired comparison paradigms, 17
 parahippocampal gyrus, 174
 parahippocampal place area (PPA),
 174, 177, 178, 353
 parallel diffusivity, 24
 parietal cortex, 102, 327, 331, 333, 335,
 394, 405
 PPC, 171, 325–327, 335, 336, 390,
 394, 402
 parvocellular cells (P cells), 168, 171
 PCC. *See* posterior cingulate cortex
 (PCC)
 pediatric acquired brain injury, 139
 perception. *See also* auditory (hearing)
 system; brain development;
 visual (vision) system
 Bayesian inferencing, 158–159
 development, 157–158
 environmental structure impacts on,
 159–160
 multisensory, 184–187
 perceptual learning, 55
 perceptual tuning, 130, 176, 179,
 250–253, 258, 454
 perineuronal nets, 142

- peripheral auditory system, 161, 165
 perisylvian cortex, 244, 246, 255
 perpendicular diffusivity, 24
 perspective problems, 217
 PET. *See* positron emission tomography (PET)
 PFC. *See* prefrontal cortex (PFC)
 phenotypes, 48, 54, 66, 72, 76, 90, 224, 450
 ASD, 221–222
 phonemes, 249–251, 351
 phonemic awareness, 364
 phonetics, 242, 266
 phonological awareness, 364–366, 369
 phonological WM, 318–320, 322, 327, 335
 phonology, 242, 249–251, 364
 photoreceptors, 168
 Piaget, Jean, 55, 287, 330
 pinna, 161
 Pitt-Hopkins syndrome, 78
 planum polare, 135
 Plato, 321
 Pliny the Elder, 382
 point mutations, 68–70, 92
 Polo, Marco, 382
 positron emission tomography (PET), 34
 posterior auditory field (PAF), 131
 posterior cingulate cortex (PCC), 45, 46
 posterior parietal cortex (PPC), 171, 325–327, 335, 336, 390, 394, 402
 posterior superior temporal sulcus (pSTS), 175
 postnatal brain development, 98
 cortical expansion, 98–100
 functional brain networks
 organization, 106–108
 gray matter volume, 100–104
 white matter volume, 100–102, 104–106
 postsynaptic neurons, 88, 89, 119, 124
 postsynaptic potentials, 28, 31
 PPA. *See* parahippocampal place area (PPA)
 PPC. *See* posterior parietal cortex (PPC)
 pragmatics, language, 242–243
 precuneus, 255
 preferential looking paradigms, 17, 295
 prefrontal cortex (PFC), 102, 140, 205, 216, 267, 293, 306, 316, 325, 329, 390, 417, 425, 434, 436
 biased competition model, 326
 damage in adults, 420–422
 DLPFC, 325–327, 330, 331, 335, 336, 425, 431
 dorsolateral, 424
 injuries incurred during development, 423–424
 lateral, 305, 325, 327, 329–331, 333, 334, 339, 425
 maturational period, 221
 mPFC, 207, 212, 214, 215, 218
 mutual eye gazing, 205
 in numerical processing, 394, 396, 402
 VLPFC, 327, 335, 336
 WM and, 325–329, 334
 pregnancy
 auditory system development, 162–163
 11th week of gestation, 95
 embryonic germ layers, 93
 embryonic period, 92–93
 experience-independent brain plasticity, 115
 fertilization, 90
 fetal alcohol syndrome, 461
 gastrulation, 92–93
 loss of, 450
 and NDDs, 79
 neural induction, 93
 neural patterning, 93, 95
 neural tube, 93, 95, 96, 460–461
 neuronal differentiation and cell death, 96–98
 neuronal proliferation and migration, 96
 neurulation, 93, 94
 olfactory system development, 160
 overproduction of neurons, 97
 postnatal brain development, 98–108
 prenatal brain development, 89–98
 somites, 93
 visual development, 169–170
 prenatal brain development, 89–92, 115, 450
 brain structure, emergence of, 93–96
 environment impacts on, 159
 gastrulation, 92–93
 neural induction, 93
 neuronal differentiation and cell death, 96–98
 neuronal proliferation and migration, 96
 outer surface, 96
 presynaptic neurons, 88, 119, 124
 primary auditory cortex, 130, 131, 135, 161–164, 244, 254, 359
 primary auditory pathway, 161
 primary motor cortex, 134
 primary visual cortex, 122, 123, 127, 128, 168, 174
 probabilistic epigenesis, 55
 probabilistic tractography, 25, 105, 339
 procedural memory, 283
 programmed cell death, 97
 proteins, gene, 62–63, 65, 75, 90, 450
 P300/P3 wave, 30, 31
 public health, 460
 issues, 461–463
 mandates, 460–461
 pulvinar nucleus, 170
 pupillometry, 157
 pyramidal neurons, 28, 31
 radial diffusivity, 24
 radial glial cells, 96, 97
 random segregation, 67
 RDoC project. *See* National Institute of Mental Health Research Domain Criteria (RDoC) project
 reading, 349–350, 363
 acquisition of, 365–367
 and brain connectivity, 357–363
 decoding visual symbols, 350
 dorsal-to-ventral shift, 363
 neuronal recycling hypothesis, 352–353, 355, 359
 neuronal specialization, 352–357
 orthographies impact on acquisition, 352
 paradox, 350–352
 poor, 367–368
 dyslexia, 367, 369–372
 socioeconomic status (SES) and, 368–369
 proficiency, 363
 skilled, 357, 360
 visual reading circuitry, 361–363
 VWFA. *See* visual word form area (VWFA)
 and white matter tracts, 358
 writing and, 350–352
 reading disability (RD), 369, *See also* dyslexia
 recognition memory, 282, 295–296, 299

480 Index

- regular cellular division. *See* mitosis
 reinforcement learning, 283, 418
 response inhibition, 428–432
 resting-state fMRI (rsfMRI), 35, 224, 333–334, 433, 434
 resting-state brain networks, 106
 resting-state functional connectivity, 45, 46
 retina, 168, 169
 “retinal eccentricity” hypothesis, 177
 retinal ganglion cells, 168
 retinotopic mapping, 170
 retrograde amnesia, 284
 reward circuitry, 418, 436
 right inferior frontal gyrus (IFG), 429
 right temporoparietal junction (rTPJ), 213–215
 RNA, 60–62
 rods, 168
 rsfMRI. *See* resting state fMRI (rsfMRI)
 rTPJ. *See* right temporoparietal junction (rTPJ)
- sagittal brain slice, 21, 85, 86
 salience network, 328, 339–340
 scientific method, 9, 11
 script, 350
 selective attention, 156
 self-awareness, 208
 self-control, 156, 417, 420, 424
 abstract tests of, 428
 antisaccade task, 431
 Day/Night Stroop task, 426
 delay of gratification task/
 marshmallow task, 425–427, 429, 433–435
 Go/No-Go task, 429
 hot, 432–433
 life outcomes, prediction of, 427–428
 measurement, 425–426
 neural basis, 428–437
 neurodevelopment of, 424–425
 response inhibition/inhibitory control, 428–432
 reward sensitivity in adolescence, 436–437
 reward-based decision-making, 435–436, 440
 Stop-Signal paradigms, 429
 semantic memory, 282–283, 287, 299
 semantics, language, 242
- sensitive period, brain plasticity, 117, 134, 251
 sensorineural hearing loss, 129
 sensory memory, 281
 sensory stimulation. *See* perception
 sensory systems, 121
 auditory (hearing), 129–134, 161–166
 chemosensory (smell and taste), 160
 deprivation, 126–134
 somatosensory (touch), 126–127, 160
 visual (vision), 127–129, 166–184
 sex chromosome, 71, 72
 short-range axons, 89
 short-term memory, 281, 317, 320, 383,
 See also working memory (WM)
 sickle cell disease, 69–70
 sign languages, 241, 243, 244, 266
 single nucleotide polymorphism (SNP), 70–71
 single point mutation, 69, 70
 sleep-dependent memory, 289, 295
 smell sense. *See* chemosensory (smell and taste) system
 SNP. *See* single nucleotide polymorphism (SNP)
 social brain network, 205
 social cognition, 199–200
 atypical, 221–228, *See also* Autism Spectrum Disorder (ASD)
 in children with brain injury, 220–221
 contingent learning, 203
 eye gazing, 205–206
 false beliefs, 210–211, 215, 216
 goal-directed actions and intentionality, 208–209
 imitation, 200–203
 mental representation, 203–204
 mentalizing. *See* mentalizing
 neuronal mirroring system, 201–202
 self-awareness, 208, 210
 theory of mind, 210–211, 217–218, 222
 visual pathway for social perception, 206–208
 social referencing, 218
 somatic cells, 66, 75, 91
 somatic mutations, 68
 somatosensation, 126
 somatosensory (touch) system, 160
 deprivation, 126–127
 somatosensory cortex, 126–127, 251
 somites, 93
 spatial learning, 120
- spatial normalization, 44
 spatial resolution
 EEG, 28–29
 fNIRS, 38, 207
 MEG, 31
 specific learning disorder, 405
 speech
 development, 186–187, 207
 infant-directed speech, 257–258
 and language learning. *See* language(s)
 processing of infant, 254–255
 production difficulties and brain region, 243–244
 spectral and temporal properties, 247–248
 spina bifida, 95
 standard brain template, 44
 standard coordinate system, 43
 standardized assessments, 19
 statistical inferencing, 350
 STG. *See* superior temporal gyrus (STG)
 STN. *See* subthalamic nucleus (STN)
 stochastic noise, 59, 77
 stress reactivity, 147
 striate cortex. *See* primary visual cortex
 Stroop effect, 354, 383
 structural abnormalities, 71
 structural MRI, 20–22, 43, 102, 124, 125, 300, 331, 369
 STS. *See* superior temporal sulcus (STS)
 study design
 cross-sectional, 13, 14
 longitudinal, 13, 14
 accelerated, 14–15, 98–100, 455
 subcortical nuclei, 22, 28, 85
 subcortical visual pathway, 170, 171, 176
 subthalamic nucleus (STN), 429, 430
 subvocal articulation, 318
 sulci, 21, 22, 85, 115
 superior colliculus, 170, 184, 185
 superior frontal sulcus, 327, 330, 335
 superior longitudinal fasciculus, 246, 262, 358
 superior temporal gyrus (STG), 359
 superior temporal sulcus (STS), 175, 183, 206, 207, 213
 Sylvian fissure, 244

- symbolic numbers, 380, 383, 386
 counting, 387–390
 cultural construction of, 381–382
 language acquisition and attentional focus, 386–387
 representation, 396–398
 synesthesia, 160
 synapses, 88, 89, 102, 119, 124
 synaptic density, 102
 synaptic pruning, 97, 102
 synaptogenesis, 124, 170
 syntax, language, 242
 syrinx, 268
- task-based fMRI, 35, 36
 task-based functional connectivity, 45
 taste sense. *See* chemosensory (smell and taste) system
 Tcf4 gene, 78–79
 Telehealth Evaluation of Development for Infants (TEDI), 228
 temporal poles, 213
 temporal resolution
 EEG, 28–29
 fMRI, 35
 fNIRS, 38
 MEG, 31
 temporoparietal junction (TPJ), 215
 tensor, 24–25
 teratogens, 79
 thalamus, 126–134, 168, 169, 185, 244
 theory of mind, 203, 210–212, 217–218, 222
 tonal language, 256
 tonotopic map, 129, 163
 tonotopy, 165
 top-down modulation, 326
 topographic map, body, 126, 127
 touch sense. *See* somatosensory (touch) system
 toxic stress, 144
 TPJ. *See* temporoparietal junction (TPJ)
 transcription factors, 62
 transcription process, 62, 66, 74
 transcriptomics, 459
 translation process, 62, 75
 twin studies, 57–59, 222
 typical brain development, 77, 78
- US Family Separation Policy, 464
 unary numeral system, 382
 uncinate fasciculus, 246
- unconscious inference, 159
 univariate fMRI, 43
- variance, 57–58
 ventral reading pathway, 361–363
 ventral striatum, 433, 435, 436, 440, 441
 ventral temporal cortex, 174, 175, 179–180
 ventral temporal occipital cortex (VTOC), 394
 ventral visual streams, 170–174, 206, 359, 394–396
 ventricular zone, 96, 97
 ventrolateral PFC (VLPFC), 327, 335, 336
 verbal WM. *See* phonological WM
 vertical occipital fasciculus, 359
 visual (vision) system, 166–167
 advanced visual processing capabilities, 173–174
 color perception, 166
 congenital blindness, 127–129
 deprivation, 127–129
 development, 169–170
 dorsal visual streams, 170–173
 face recognition, 174–175
 higher-level vision, 174–184
 loss of vision, 168
 low-level vision, 174
 mid-level vision, 174
 neural basis, 167–169
 ventral visual streams, 170–174, 359, 394–396
 visual acuity, 166–167, 204
 visual pathway, 167–169, 206–208
 visual acuity, 166–167, 204
 visual cortex, 102, 121–124, 127–129, 168–171, 177–179, 205, 206, 331, 350, 353–355, 357, *See also* primary visual cortex
 visual object recognition, 353
 visual word form area (VWFA), 353, 356–357
 form-sensitive, 359
 language system, interfacing with, 358–360
 learning to read and emergence of, 355–356, 360
 tuning of, 353–355
 visuospatial WM, 318–320, 322, 324, 325, 327, 330, 331, 335
 VLPFC. *See* ventrolateral PFC (VLPFC)
- voxels, 22, 24, 25, 43, 46, 104, 128, 355, 361, 440
 VTOC. *See* ventral temporal occipital cortex (VTOC)
 VWFA. *See* visual word form area (VWFA)
- water molecule tracts, 22–25
 water molecules diffusion, 20
 Weber, Ernst Heinrich, 385
 Weber fraction, 385
 Weber-Fechner law, 393, 394
 Weber's law, 385, 393, 398
 WEIRD. populations, 13
 Wernicke's aphasia, 244
 Wernicke's area, 244, 255, 359
 “what/where” visual pathway, 170–173, 206
- white matter tracts, 21, 85, 89, 92, 124, 136, 160, 215, 246, 268, 305
 DWI, 20, 22–25, 105
 FA, 105–106
 and language learning, 262–263
 reading and, 358
 volume, 100–102, 104–106
- whole-brain analyses, 43
 Williams syndrome, 200
 WM. *See* working memory (WM)
 word learning, 255
 working memory (WM), 48, 128, 140, 157, 211, 267, 281, 293, 314–315, 394, 401
 ADHD, 315–317
 capacity measurement, 320–321
 central EFs, 318–320
 characteristic of, 317
 development of, 323–325
 in adolescence, 330–334
 in childhood, 330–334
 neural changes and, 330–338
 dopamine in, role of, 328–329
 early theoretical framework, 317
 episodic buffer, 318
 gating mechanism, 329, 330
 interference suppression, 326, 327, 334
 learning, impacts on, 322–323
 and long-term memory, 318–320
 manipulation, 335
 memory-guided saccade task, 324, 326, 331
 n-back task, 321, 336
 neural basis, 325

482 Index

working memory (WM) (cont.)	phonological, 318–320, 322, 323, 327, 335	forward, 320
early research, 325–327	precision, 319	listening span task, 320, 323
mechanism of, 329–330	age and improvement in, 324	visual spatial span test, 320
neurodevelopment improvements,	sensory recruitment hypothesis,	top-down control, 338–340
334–338	329–331	training, 321–322
neuroimaging studies in adults,	span, 319, 320	visuospatial, 318–320, 322, 324, 325,
327–328	age and improvement in, 323–324	327, 330, 331, 335
neuromodulatory influences,	backward, 320	writing, 350–352
328–329	complex span tasks, 320	VWFA. <i>See</i> visual word form area
PFC and, 325–329, 334	digit span test, 320, 323	(VWFA)