

INDEX

- Aachen Cathedral relic collections, 5
 abdominal aorta aneurysms, 297–298
 abscess cavities, 316–317
 achondroplasia, 269–276, 270*t*, 272*t*, 275*t*
 acid production and tooth decay, 311–312
 acoustic neuroma (Vestibular schwannoma), 295–296
 acromegaly, 279
 acromelic dwarfism, 270
 acromio-clavicular joint (ACJ), 82, 86
 acromion ossification, 289
 activation phase of bone remodeling, 33
Actinobacillus actinomycetemcomitans, 314
 acute sinusitis, 179–180
 adenocarcinomas, 256
 aetiology of fractures, 219–220, 220*t*
Against Health (Klein), 47
 Albers-Schönberg disease, 275
 ameloblastomas, 321–322
 amelogenesis imperfecta (AI), 319
 American Civil War, 13, 224
 amputation trauma, 225–228
 amyloid protein, 151
 anencephaly, 143–144
 aneurysmal bone cysts, 245
 aneurysms
 of abdominal aorta, 297–298
 of ascending aorta, 297
 coarctation of the aorta, 299–300
 of descending aorta, 297–298
 introduction to, 297
 overview of, 297–300
 of popliteal artery, 298–299
 of vertebral artery, 298
 angiosarcomas, 251
 animal osteoarthritis, 94–95
 ankle osteoarthritis, 90
 ankylosing spondylitis (AS), 63, 107–111
 ankylosis with fractures, 215
 ante-mortem tooth loss, 313
 anterior longitudinal ligament (ALL), 130
 antiquity of bone, 37–38
 Army Medical Museum, 13
 arthritis mutilans, 115–116
 articular cartilage, 24, 73–74, 76–77, 84, 122, 154, 181
 ascending aorta aneurysms, 297
 asthenic gout (goutte asthénique primitive), 97
 atherosclerosis, 53, 297
 atrophic osteoarthritis, 80–81
 auto-antibodies, 99
 autopsy and trauma, 229–231
 avascular necrosis and fractures, 212

 Baastrup's disease, 142–143
 bacterial film (plaque), 311–312
 bacterial infections, 147, 180
 bamboo spine, 110
 Bankart lesion, 222
 Barbarossa, Frederick, 5
 battle wounds, 224
 beheading trauma, 232
 benign bone tumours, 235, 237–247, 238*t*, 321

- biochemistry, 21
 biostatistical theory of health (BST), 50, 54
 Black Death, 4
 bladder stones, 308–309
 blood loss with fractures, 209–210
 bone cells and cytokines, 26–32, 29*t*
 bone lining cells, 31–32
 bone marrow, 24, 28, 30–32, 46, 99, 148–154, 255, 274
 bone matrix, 25–26, 26*t*
 bone metabolism assumptions
 antiquity of bone, 37–38
 bone matrix, 25–26, 26*t*
 bone remodeling, 32–35
 bone types, 23–25
 cells and cytokines, 26–32, 29*t*
 expression of disease, 40–44
 inflammation response, 35–37
 introduction to, 23
 lesions and holes, 44–46
 maximum bone mass, 32
 pseudo-pathology of bones, 46
 reaction to pathological insults, 38–39
 response to pathological stimuli, 23–26
 bone mineral density (BMD), 189, 191–192
 bone morphogenic proteins (BMP), 33, 301
 bone proteins, 21
 bone remodeling, 32–35
 bone remodelling compartment (BMC), 33
 bone remodelling unit (BRU), 25–33
 bone tumours
 aneurysmal bone cysts, 245
 angiosarcomas, 251
 arising from cartilage, 245
 benign bone tumours, 235, 237–247, 238*t*
 chondroblastoma, 242
 chondrosarcomas, 250–251
 dental disease and, 321–322
 diagnosing bone tumours, 258–259, 259*t*
 diagnosing metastatic lesions, 259–261
 enchondroma, 241–242
 enostosis, 240
 eosinophilic granuloma, 246–247
 epidemiology of, 235–237, 236*t*
 Ewing's sarcoma, 250–251
 fibrosarcoma, 251
 giant cell tumours, 245–246
 haemangiomas, 243–244
 introduction to, 37, 235
 leukaemia, 252–253
 lymphomas, 251–252
 malignant bone tumours, 235–237, 247–254, 248*t*
 metastatic bone tumours, 254–261, 256*t*, 259*t*
 myelomatosis, 253–254
 non-ossifying fibromas, 244
 osteoblastoma, 240–241
 osteochondromas, 243
 osteoid osteoma, 240
 osteomas, 237–240, 239–248*t*
 osteopoikilosis, 240
 osteosarcomas, 247–250
 periosteal chondroma, 242
 primary malignant bone tumours, 247–250, 249*t*
 simple (unicameral) bone cysts, 245
 bone types, 23–25
 Bonet, Theophillus, 230
 Boniface VIII, Pope, 4, 230
 Boorse, C., 49–51
 brachycephaly, 271
 breast cancer, 255–256
 British Institute of Preventive Medicine, 16
British Medical Journal, 133
 Brodie's abscess, 153
 brown tumors in hyperparathyroidism, 206
 brucellosis, 67, 135, 152, 161–162
 bunions, 122–124
 Byrne, Charles, 278

 Caffey's disease, 185
 calcium oxalate stones, 309
 calcium pyrophosphate dehydrate (CPPD)
 disease, 122
 campomelia, 286
 cancellous (or spongy) bone, 24
Candida albicans, 314
 cardio-vascular disease, 296–300
 caries in dental disease, 310–313

- carpel bones osteoarthritis, 88
 cartilage, 73–74, 172, 208–209, 237–247
 cartilage-related bone tumours, 245
 case-control (case-referent) studies, 343–344, 344*t*
 cave bear pathology, 16
 cerebro-spinal fluid (CSF), 144
 cervical rib, 143
 Charcot's joints, 166
 Charlemagne relic collections, 5
 chemokines, 28, 36, 155–156, 255
 cherubism fibrous dysplasia, 290
 children/childhood conditions
 Ewing's sarcoma, 250–251
 hip growth and development disorders, 282–285
 infantile scurvy, 203
 juvenile arthritis, 118
 juvenile idiopathic arthritis, 118
 juvenile Paget's disease, 195
 leukaemia, 252–253
 periosteal new bone, 180–185
 rates of growth, 264–266
 rickets, 173, 185, 188, 198–200
 stress markers and mortality, 351–353
 cholera, 147
 cholesterol gall stones, 308
 chondroblastoma, 242
 chondrocytes, 28, 30, 76
 chondrodermal dysplasia (Ellis-van Creveld disease), 273
 chondroplasia punctata (chondrodysplasia punctata), 273
 chondrosarcomas, 242, 250–251
 chronic recurrent multifocal osteomyelitis (CRMO), 153–154
 chronic sinusitis, 180
 circumferential growth of bones, 24
 cleft palate, 282
 coarctation of the aorta, 299–300
 coccidioidomycosis, 176
 cold abscess, 158
 collagen, 24–26, 30*t*, 272
 Colles fracture, 219–220
 colony stimulating factor (CSF-1), 30
 Committee for Inspecting the State of the Repository, 7
 common odds ratio (COR), 333–334*t*, 333
 compound fracture osteomyelitis, 151
 congenital absence of the patella, 288
 congenital bone diseases, 37
 congenital hip dislocation, 89
 congenital hip dysplasia (CHD), 283
 congenital syphilis, 171–173
 Connor, Bernard, 6–7, 107
 Contagious Diseases Acts (1864, 1866, 1869), 168–169
 conventional theory of disease, 53
 costo-transverse (CT) osteoarthritis, 87
 costo-vertebral (CV) osteoarthritis, 87
 Council of Tours (1163), 229
 craniofacial fibrous dysplasia, 290
 craniocopy, 10–15
 Crohn's disease, 116–117
 cross-striations in tooth enamel, 318
 Crusades, 3, 230
 crystal arthropathies, 115–122*t*, 122
 curiosities in palaeopathology development, 6–8
 cyst pathology, 307–309, 322
 cytokines
 bone cells and, 26–32, 29*t*, 38
 gout and, 120
 osteoarthritis and, 76
 osteoporosis and, 91–92
 osteosarcomas, 248
 pathological mechanisms and, 35–37
 periodontal disease, 314
 rheumatoid arthritis and, 99
 Staphylococcus aureus and, 149
 tuberculosis, 155–156
danse macabre, 4, 6
 Davis, Joseph Barnard, 13–15
 death from fractures, 211–212
 death rates, 340–342, 341–342*t*
 deformity in fractures, 212
 degenerative bone conditions, 36
 dense cortical (or compact) bone, 24
 dental calculus, 315–316

- dental disease
 ante-mortem tooth loss, 313
 caries, 310–313
 cysts, 322
 dental calculus, 315–316
 ectopic teeth, 320–321
 enamel developmental defects, 318–320
 fluorosis, 319–320
 introduction to, 310
 morphological variation, 320–321
 odontomas, 321
 periapical cavities, 316–317
 periodontal disease, 314–315
 tumours, 321–322
- Derry, Douglas, 17–18
- descending aorta aneurysms, 297–298
- Detestande feritatis* (Pope Boniface VIII), 4
- Devonian period (416–359.2 Mya), 38
- diabetes, 131, 155, 207
- diagenetic changes, 66–67
- diagnosis
 error rate in clinical diagnosis, 64–66
 historical influence, 62–63
 introduction to, 60–61
 in modern clinical practice, 63–66
 of osteoarthritis, 84–85
 in palaeopathology, 66–70, 69*t*
- diffuse idiopathic skeletal hyperostosis (DISH), 129–134, 207, 343–344, 344*t*
- direct rate ratio (DRR), 333
- direct standardisation, 332–333
- disadvantaged criterion of disease, 54
- discitis infection, 153
- disease, 40–44, 52–57. *see also* health and disease
- disease prevalence in human remains. *see also* palaeopathology
 application to palaeopathology, 333
 case-control (case-referent) studies, 343–344, 344*t*
 common odds ratio, 333–334*t*, 333
 comparisons of, 331–336, 333–334*t*
 in contemporary populations, 334–336
 death rates, 340–342, 341–342*t*
 direct standardisation, 332–333
- disease frequency, 326–331
 epidemiological importance of, 325–326
 frequency of disease, 326–331
 incidence rate of disease, 327–328
 indirect standardisation, 332
 introduction to, 325
 missing data, 329–331
 overview of, 328–329
 prevalence of disease, 328–329
 proportional mortality/morbidity rates, 338–340
 qualitative comparisons, 336–337
- displacement with fractures, 210
- distal interphalangeal joints (DIPs), 77, 81
- DM (diseased and missing) index, 331
- DMFT (diseased, missing, filled, total) index, 331
- DNA extractions, 21, 67
- doctrine of humours, 62
- dog tapeworm, 176–179, 307
- Down's syndrome, 281–282
- Dupuytren's contracture, 300–301
- dwarfism
 achondroplasia, 269–276, 270*t*, 272*t*, 275*t*
 chondrodermal dysplasia, 273
 chondroplasia punctata, 273
 introduction to, 266–267
 Madelung deformity of the radius, 276
 osteogenesis imperfecta, 271–273
 other forms of, 277
 overview, 266–277
 pituitary dwarfism, 267–268
 Turner's syndrome, 268–269
- dyschondrosteosis (DCO; Léri-Weill disease), 275–276
- dysphagia, 132
- eburnation, 77, 85–90, 142–143
- Echinococcus granulosus*, 176–179, 307
- ectopic teeth, 320–321
- elbow osteoarthritis, 87–88
- Elliot Smith, Grafton, 16–18
- enamel developmental dental defects, 318–320
- enchondroma, 241–242, 250
- ends (epiphyses) of bones, 24

- enostosis, 240
 enteropathic arthropathy, 116–117
 enthesophytes, 94, 110–113, 303
 eosinophilic granuloma, 246–247
 erosions
 ankylosing spondylitis, 110
 gout, 120–121
 gumma in syphilis, 169, 171
 psoriatic arthropathy, 115
 reactive spondyloarthropathy, 113
 rheumatoid arthritis, 96, 102–103
 erosive osteoarthritis (EO), 103–105,
 104–105*t*
 error rate in clinical diagnosis, 64–66
 Esper, E.J.C., 8–9
 Ewing's sarcoma, 250–251
 extra-spinal enthesophytes, 110

 faeco-oral spread of disease, 147
 femoral head fractures, 212–214
 fermentable carbohydrate, 311–312
 fibroblast growth factor (FGF), 33, 216, 271
 fibrodysplasia (myositis) ossificans
 progressive (FOP), 301
 fibrosarcoma, 251
 fibrous dysplasia, 246, 289–291, 290*t*
 fillings in caries, 311
 first palaeopathologist, 16–20
 Flower, William, 15
 fluorosis, 319–320
 foot osteoarthritis, 90
 Forestier's disease, 129–134
 formation phase of bone remodeling, 35
 fossil bones, 3–5, 8
 fossil faunas, 10, 21
 fractures
 aetiology of, 219–220, 220*t*
 complications of, 211–215, 215–216*t*
 defined, 208–209, 210*t*
 description of, 209–210
 epidemiology of, 217–219, 218–219*t*
 femoral head, 212–214
 healing phases, 216–217
 lunate fractures, 214
 osteoarthritis and, 214–215
 osteochondritis dissecans, 220–221, 221*t*
 overview of, 208–221
 scaphoid fractures, 214
 talus fractures, 214
 timing of, 217
 trauma of, 208
 treatment of, 210–211
 fungal infections of bone, 176–178, 176–178*t*

 gall stones, 307–308
 Gardner's syndrome, 238
 gastro-intestinal infections, 147
 General Household Survey in Britain, 51
 generalised osteoarthritis, 80–81
 genotypes, 99
 Ghon focus, 156
 giant cell tumours, 245–246
 gigantism, 278–279
 Gilray, James, 119
 glutamic acid, 41
 Gould, Stephen Jay, 11–13
 gout, 118–121
 granulomas in dental disease, 317
 Graunt, John, 154–155
 grave diggers, 6
 grossly diseased bone, 44–46
 growth and development disorders
 abnormal growth, 262–266
 campomelia, 286
 cleft palate, 282
 congenital absence of humerus, 286
 congenital absence of the patella, 288
 Down's syndrome, 281–282
 dwarfism, 266–277
 fibrous dysplasia, 289–291
 gigantism, 278–279
 hemimelia, 285–286, 286–287*t*
 hip disorders, 282–285
 introduction to, 262
 normal growth, 262–266
 oligodactyly, 288
 os acromiale, 289
 polydactyly, 288
 proximal femoral focal deficiency, 286–288
 rates of growth, 264–266

skull growth disorders, 279–281, 281*t*
 syndactyly, 288–289
 growth hormone (GH), 267, 278
 growth plates, 24
 ‘gull-wing’ deformity, 104
 gumma in syphilis, 169, 171
 gunshot wounds, 224–225

haemangiomas, 241–244
 haematogenous spread of disease, 148
 haemolytic anaemias, 305–306
 hand osteoarthritis, 88
 hanging trauma, 232–234
 Hawkes, Sonia, 21
 healing phases of fractures, 216–217
 health and disease. *see also* disease
 prevalence in human remains
 consequences for palaeopathology, 58–59
 disease, defined, 56–57
 health, defined, 48
 introduction to, 47–48
 state/condition, defined, 57
 theories of disease, 52–55
 theories of health, 48–52, 51*t*
 Health Assessment Questionnaire, 347
Health Survey for England, 51
 height and longevity, 353–354
 hemimelia, 285–286, 286–287*t*
 hereditary multiple exostoses (HME), 273–274
 heterotopic ossification (HO), 301–302
 heterotopic ossification traumatica (HOT),
 240–243
 Hill-Sachs lesion, 222
 hip disorders
 congenital hip dysplasia, 283
 overview, 282–285
 Perthes’ disease, 284–285
 slipped capital femoral epiphysis, 276–284
 hip osteoarthritis, 89–90
 histology, 21, 66–67, 250, 321
 HLA-B27 antigen, 107, 109, 111–112, 117
 Hodgkin’s lymphomas, 251–252
 holes in bones, 44–46
 holistic theory of health (HTH), 50
 Howship’s lacuna, 30

Hunter, John, 230
 Hunterian Museum of the Royal College of
 Surgeons of London, 278
 Hutchinson’s teeth with syphilis, 173
 hydroxyapatite (calcium apatite) disease, 122
 hyperostosis, 16, 293. *see also* diffuse
 idiopathic skeletal hyperostosis
 hyperostosis frontalis interna (HFI), 304–305
 hyperparathyroidism, 206, 206–207*t*
 hypertrophic osteoarthritis, 80–81

illogicality of diagnosis, 61
 incidence rate of disease, 327–328
 infant mortality rate (IMR), 342
 infantile scurvy, 203
 infection in fractures, 212
 infectious diseases. *see also* syphilis
 brucellosis, 161–162
 fungal infections of bone, 176–178, 176–178*t*
 introduction to, 147–148
 leprosy, 63, 148, 162–167
 non-specific infections, 179–187
 osteomyelitis, 148–154
 parasitic disease, 147, 176–179
 periosteal new bone, 181–187
 periostitis, 180–182
 poliomyelitis, 148, 174–175
 sinusitis, 179–180
 smallpox, 147, 175–176
 tuberculosis, 148, 154–162
 inflammatory bowel disease (IBD), 116
 inflammatory phase of healing with
 fractures, 216
 inflammatory response, 27, 35–37, 76,
 119–120, 122, 317. *see also* cytokines
 insulin-like growth factors (IGF), 33
 inter-vertebral disc disease, 86–87
 intermittent rheumatoid arthritis, 101–102
 intervertebral disc disease (IVD), 125–128, 343
 intervertebral foramen (IVF), 127
 iron deficiency anaemia, 307

joint diseases. *see* osteoarthritis
 joint margin, 74–75, 102, 115, 125
 juvenile arthritis, 118

- juvenile idiopathic arthritis (JIA), 118
 juvenile Paget's disease, 195
 juxta-cortical osteosarcomas, 249
- Keith, Arthur, 17
 Khushf, G., 51
 kidney cancer, 257–258
 kidney stones, 308–309
 kissing spine disease. *see* Baastrup's disease
 Klein, Richard, 47
 Klippel-Feil syndrome, 139–140, 140*t*
 knee osteoarthritis, 88–89, 347
 Kovács, L., 50–51
 kyphosis, 135–139, 135–136*t*, 159
- Landré-Beauvais, Augustin Jacob, 96
 Langerhans-cell histiocytosis, 246–247
 Langerhans giant cells, 156
 Larrey, Dominique Jean, 224
 Launois's deformity, 113
 legalised trauma, 232–234
 Legg-Calvé-Perthes disease, 89
 lepromatous form of leprosy, 164–165
 leprosy, 63, 148, 162–167
 lesions
 Bankart lesion, 222
 bone metabolism assumptions, 44–46
 in bones, 44–46, 222
 diagnosing metastatic lesions, 259–261
 Hill-Sachs lesion, 222
 lytic lesions, 159, 256
 metastatic lesions, 259–261
 osteolytic lesions, 253
 skip lesions, 113, 116
 soft-tissue lesions, 58, 296
 leukaemia, 252–253
 ligamentum flavum ossification, 129
 Lind, James, 202–203
 Liston, Robert, 226
 longevity and height, 353–354
 lumbar lordosis, 271
 lunate fractures, 214
 lung cancer, 256–257
 lymphomas, 251–252
 lytic lesions, 159, 256
- Madelung deformity of the radius, 276
 Maffucci's syndrome, 241–242
 magic/mysticism and illness, 62
 malaria, 56, 147, 306
 malignant bone tumours, 235–237, 247–254,
 248*t*, 322
 malignant disease, 45, 155
 malignant rheumatoid arthritis, 101–102
 marginal osteophytes, 84
 Marie-Strümpel disease, 109
 matrix metalloproteinases (MMPs), 76
 matrix vesicles, 28
 maximum bone mass (MBM), 32, 188
 Mayer, C., 9
 McCune-Albright syndrome, 291
 medicalisation of normal events, 48
memento mori, 4, 6
 meningiomas, 293–295
 mesomelic dwarfism, 270
 metabolic diseases
 diabetes, 155, 207
 hyperparathyroidism, 206, 206–207*t*
 introduction to, 37, 188
 osteomalacia, 201
 osteoporosis, 91–92, 188–193, 189–190*t*
 Paget's disease of bone, 42–44, 91, 193–198
 rickets, 198–200
 scurvy, 202–205, 204*t*
 thyroid disease, 205–206
 metacarpal fractures, 219
 metacarpophalangeal (MCP) joints, 88
 metastatic bone tumours, 254–261, 256*t*,
 259*t*
 micromelic dwarfism, 270
 Milwaukee shoulder, 87
 missing data in human remains analysis,
 329–331
 monastic diet at Westminster Abbey, 133
 monoclonal antibodies, 253
 monostotic fibrous dysplasia, 290
 Moodie, Roy, 18–20, 23
 Moon's molar with syphilis, 173
 morbidity, 56, 338–340, 346–347
 Morgagni, Giovanni, 230
 Morgagni-Stewart-Morel disease, 304

- morphological variation in dental disease, 320–321
- mortality, 56, 211–212, 226, 338–340, 351–353
- mortality odds ratio (MOR), 338–339
- Morton, George Samuel, 11–13
- movement and osteoarthritis, 78–79
- multifocal osteoarthritis, 80–81
- multisystem hormonal disorder, 131
- Museum of the Royal College of Surgeons of England, 15
- mycobacterial DNA, 160–161
- Mycobacterium bovis*, 157
- Mycobacterium leprae*, 163
- Mycobacterium lepromatosis*, 163
- Mycobacterium tuberculosis* complex (MTBC), 155–157
- myelomatosis, 253–254, 260
- Native American burial mounds, 11
- Neanderthal skeleton, 16
- necessary causes of disease, 41
- neoplastic diseases (tumours). *see* bone tumours
- neural tube defects, 143–144
- neuropathology, 292–296
- nitric oxide (NO), 31
- non-collagen protein, 26*t*, 67
- non-haemolytic anaemias, 305
- non-Hodgkin's lymphomas, 251–252
- non-metric traits in bone diseases, 45
- non-ossifying fibromas, 244
- non-union of fractures, 212
- Nordefelt, L., 50
- normal growth and development disorders, 262–266
- nosological category of disease, 53–54
- Nubian excavations, 17–18
- obesity-related disease, 43, 131
- occupation and osteoarthritis, 348–351
- odds ratio (OR), 343
- odontomas, 321
- oligodactyly, 288
- Ollier's disease, 241–242
- os acromiale, 289
- ossification of the posterior longitudinal ligaments (OPLL), 134–135
- osteoarthritis (OA)
- in animals, 94–95
- diagnosis of, 84–85
- fractures and, 214–215
- at individual sites, 85–90
- intervertebral disc (IVD) disease, 126–127
- introduction to synovial joints, 73–74*t*, 73–76
- natural history of, 82–83
- occupation and, 348–351
- other conditions and, 39, 42–44, 63, 91–94, 93*t*
- other types of, 80–81
- overview of, 76–77
- precipitants of, 78–79, 81*t*
- radiographic findings, 347
- osteoblastoma, 240–241
- osteoblasts, 26–32, 29*t*, 38
- osteochondritis dissecans, 220–221, 221*t*
- osteochondromas, 243
- osteoclasts, 26–32, 29*t*, 38, 194
- osteocytes, 26–32, 29*t*, 38
- osteogenesis imperfecta, 271–273
- osteoid osteoma, 240
- osteolytic lesions, 253
- osteomalacia, 201
- osteomas, 237–240, 239–248*t*
- osteomyelitis
- Brodie's abscess, 153
- chronic recurrent multifocal osteomyelitis, 153–154
- compound fracture osteomyelitis, 151
- discitis infection, 153
- fractures and, 212
- leprosy and, 165–166
- overview of, 36, 148–154
- phossy jaw, 151
- septic arthritis, 154
- vertebral osteomyelitis, 152
- osteopaenia, 203, 206, 252–253
- osteopetrosis, 274–275, 275*t*
- osteopoikilosis, 240
- osteoporosis, 91–92, 188–193, 189–190*t*, 203

- osteoprotegerin (OPG), 25–28
 osteosarcomas, 247–250
 oxalate crystal disease, 122
- Paget’s disease of bone (PDB), 42–44, 91,
 193–198, 236, 250, 330
 pain with fractures, 210
 palaeopathology. *see also* disease prevalence
 in human remains
 beginnings, 3–5
 curiosities and, 6–8
 diagnosis in, 66–70, 69*t*
 first palaeopathologist, 16–20
 health and disease, 58–59
 height and longevity, 353–354
 interpretation of, 345–346
 morbidity studies, 56, 338–340, 346–347
 mortality studies, 56, 211–212, 226, 338–340
 obsession with skulls, 40.10*t*, 43.120*t*, 9–15
 post-bellum developments, 20–22
 relics and, 5
 stress markers, 180–186, 351–353
 wrong-end reasoning, 347–348, 354–355
 Paleopathology Association, 10
Paleopathology (Moodie), 8–9, 18, 23, 38–39
 parasitic disease, 147, 176–179
 Parè, Ambroise, 224, 284
 patella-femoral joint, 88–89
 pathogenicity, 40
 pathognomonic symptoms, 63, 67–68
 patient autonomy, 53
 Pearson, Karl, 15
 periapical cavities, 316–317
 periodontal disease, 314–315
 periosteal chondroma, 242
 periosteal new bone (PNB), 181–187
 periosteal reaction, 258
 periosteum, 24–25, 28, 74, 148, 181–186, 300,
 302
 periostitis, 179–182, 351
 Perthes’ disease, 284–285
 phossy jaw, 151
 pigment gall stones, 308
 pituitary dwarfism, 267–268
 pituitary-hypothalamic-adrenal axis, 185
 pituitary tumours, 296
- plague, 147, 300
 platelet derived growth factor (PDGF), 33
 pleural effusion, 186
 pleurisy, 186
 pneumonia, 200
 poliomyelitis (polio), 148, 174–175
 polydactyly, 288
 polymicrobial infections, 151
 polyostotic fibrous dysplasia, 290
 popliteal artery aneurysms, 298–299
Porphyromonas gingivalis, 314
 posterior longitudinal ligament (PLL),
 132
 Pott’s disease, 159
 proximal femoral focal deficiency (PFFD),
 286–288
 primary bone, 24–25, 235, 247, 258
 primary malignant bone tumours, 247–250,
 249*t*
 primitive stones, 309
 progressive rheumatoid arthritis, 101–102
 proportional mortality rate (PMR), 338–340
 prostaglandins, 31, 36
 prostate cancer, 257
 proximal interphalangeal joints (PIPs), 81
 pseudo-pathology of bones, 46
 psoriatic arthropathy, 114–116, 115*t*
 pyogenic osteomyelitis, 149–150
- rachitic rosary, 200
 radiography of mummies, 19, 21
 radius/ulna fractures, 219
 RANKL secretion, 28–30, 101, 254
 reabsorption phase of bone remodeling, 33
 reactive spondyloarthropathy (ReA)
 (Reiter’s syndrome), 111–114
 regression to the mean, 263
 Reissner, George, 16
 Reiter, Hans, 111
 relics in palaeopathology development, 5
 remodelling phase of healing with fractures,
 216
 removal phase of bone remodeling, 35
 reparative phase of healing with fractures,
 216
 reverse theory of disease, 53

- rheumatoid arthritis (RA)
 defined, 103
 introduction to, 96
 overview of, 42, 63, 96–99
 pathophysiology of, 99–103
 radiological change, 346–347
 sero-negative arthropathies, 103
- rheumatoid factor (RF), 98–120
- rhizomelic dwarfism, 270
- rib fractures, 219
- rickets, 173, 185, 188, 198–200
- rind sign, 291
- rotator cuff disease (RCD), 92–94, 93*t*
- Ruffer, Marc Armand, 16–17
- sabre tibia, 173
- sacro-iliac disease, 112
- saddle nose deformity, 173
- scaphocephaly, 271
- scaphoid fractures, 214, 220
- Scheuermann's disease, 128
- Schmorl's nodes, 128–129
- Schramme, F., 50
- scoliosis, 135–139, 136–137*t*, 346
- scurvy, 202–205, 204*t*
- secondary bone, 24–25, 165
- septic arthritis, 154
- sero-negative arthropathies
 bunions, 122–124
 crystal arthropathies, 115–122*t*, 122
 enteropathic arthropathy, 116–117
 erosive osteoarthritis, 103–105, 104–105*t*
 gout, 118–121
 juvenile arthritis, 118
 psoriatic arthropathy, 114–116, 115*t*
 reactive spondyloarthropathy, 111–114
 rheumatoid arthritis, 103
 spondyloarthritides, 106–107
 undifferentiated spondyloarthritis,
 117–118
- sero-negative spondyloarthritides (SpA),
 106–107
- shaft (diaphysis) of bones, 24
- Sharpey's fibres, 125, 181–183
- shepherd's crook deformity, 290
- shortening in fractures, 212
- shoulder dislocation, 222–223
- shoulder osteoarthritis, 87
- sickle cell disease, 305–306
- simple (unicameral) bone cysts, 245
- Singh index, 192–193
- sinusitis, 179–180
- six lumbar vertebrae instability, 146
- skeletal dysplasias, 269–276, 270*t*, 272*t*, 275*t*
- skeleton. *see also* bone metabolism
 assumptions
 changes with syphilis, 171–174
 as curiosities, 6–7
 diffuse idiopathic skeletal hyperostosis,
 129–134
 grave diggers, 6
 Neanderthal skeleton, 16
 Nubian excavations, 17–18
 as protection, 37
- skip lesions, 113, 116
- skull growth disorders, 279–281, 281*t*
- skulls
 depictions of, 6
 growth disorders, 279–281, 281*t*
 obsession with, 40.10*t*, 43.120*t*, 9–20
- slipped capital femoral epiphysis (SCFE), 89,
 276–284
- smallpox, 147, 175–176
- soft tissue injury with fractures, 215–226
- soft-tissue lesions, 58, 296
- special pathology
 acoustic neuroma, 295–296
 anaemia, 305–307
 bone forming/formers, 302–304
 cardio-vascular disease, 296–300
 Dupuytren's contracture, 300–301
 heterotopic ossification, 301–302
 hyperostosis frontalis interna, 304–305
 introduction to, 292
 meningiomas, 293–295
 neuropathology, 292–296
 pituitary tumours, 296
 soft-tissue lesions, 58, 296
 stones and cysts, 307–309
 ulcers, 300

- specific bone changes in leprosy, 165
 spina bifida, 143–144
 spina bifida occulta, 144–146
 spinal fusion, 109–110
 spinal osteoarthritis, 86–87
 spinal pathology
 Baastrup's disease, 142–143
 cervical rib, 143
 diffuse idiopathic skeletal hyperostosis,
 129–134
 intervertebral disc disease, 125–128
 introduction to, 125
 Klippel-Feil syndrome, 139–140, 140*t*
 kyphosis, 135–139, 135–136*t*
 ligamentum flavum ossification, 129
 ossification of the posterior longitudinal
 ligaments, 134–135
 other anomalies, 143–146, 145*t*
 Schmorl's nodes, 128–129
 scoliosis, 135–139, 136–137*t*
 six lumbar vertebrae instability, 146
 spina bifida, 143–144
 spina bifida occulta, 144–146
 spondylolysis/spondylolisthesis, 140–142
 transitional vertebrae, 146
 split hand/foot malformation (SHFM),
 288
 spondylolysis/spondylolisthesis, 140–142
 Standardised Mortality (Morbidity) Ratio
 (SMR), 332
Staphylococcus aureus, 148–150
 state/condition, defined, 57
 sterno-clavicular joint (SCJ), 86
 stillbirth rate (SBR), 342
 Still's disease, 118
 Stocks, Percy, 18
 stone pathology, 307–309
 stress fractures, 220
 stress markers, 180–186, 351–353
 subchondral bone plate, 74
 sufficient causes of disease, 41
 Sydenham, Thomas, 119
 syndactyly, 288–289
 synovial joints, 73–74*t*, 73–76, 82
 synovial membrane, 75, 99
 syphilis
 congenital syphilis, 171–173
 introduction to, 67, 148, 167–169
 origins of, 169–170
 skeletal changes, 171–174
 talus fractures, 214
 tamponade effect, 213
Tannerella forsythensis, 314
 temporo-mandibular joint (TMJ), 85–86
 thalassaemia, 305–306
 thoracic outlet syndrome (TOS), 143
 Three Quick and the Three Dead, 4
 thyroid cancer, 258
 thyroid disease, 205–206
 thyrotoxicosis, 155
 TORCH group of infections, 185
 transitional vertebrae, 146
 trauma
 amputation, 225–228
 autopsy and, 229–231
 beheading, 232
 dislocations, 208, 221–223
 fractures, 208–221
 hanging, 232–234
 introduction to, 208, 208*t*
 legalised trauma, 232–234
 trephination, 228–229
 wounding, 223–225
 trephination trauma, 228–229
Treponema bacteria, 167–168, 170, 314
 Trisomy 21 abnormality, 281–282
 Trümmerfeld zone, 203
 tuberculoid form of leprosy, 164–165
 tuberculosis (TB), 148, 154–162
 tumour necrosis factor (TNF), 27
 tumours. *see* bone tumours
 Turner's syndrome, 268–269
 ulcerative colitis, 116–117
 ulcers, 300
 uncomplicated spondylolysis, 141–142
 undifferentiated spondyloarthritis (uSpA),
 106, 117–118
 uric acid, 119

- van Calcar, Stephan, 230
vascular endothelial growth factor (VEGF), 77
venereal syphilis. *see* syphilis
vertebral artery aneurysms, 298
vertebral osteomyelitis, 152
viral infections, 147
Virchow, Rudolf, 16
virulence, 40, 170, 317
vitamin C deficiencies, 202–205, 204*t*
vitamin D deficiencies, 198–201
von Bechterew's syndrome, 109–111
- Walgrave, Charles, 108
Wellcome, Henry, 19
- Wellcome Historical Medical Museum
(WHMM), 19
Wells, Calvin, 20–22, 46, 236
Wiseman, Robert, 224
Wnt signalling system, 31
Wolff's Law, 31, 182
Wood Jones, Frederic, 17–18
World Health Organisation (WHO), 48
wounding trauma, 223–225
woven bone, 24
wrist osteoarthritis, 88
wrong-end reasoning, 347–348, 354–355
- x-ray diagnosis of bone tumours, 258–259