

Index

Page numbers in boldface refer to key occurrences of words

- λ -abstraction, 153
- ω -indiscernible, 176
- ω -sequence, **86**, 86, 94, 96, 98–100, 109, 111, 114, 136, 145, 149, 156, 157
 - κ -generic, 110
 - arbitrary, 109
 - computable, 114
 - diagonal, 111
 - generic, **108**, 108–112, 114, 137, 156, 157, 162–165
 - computable, 114, 162, 165, 166, 181, 183, 184, 186
 - full, 108, 109, 112, 115, 162, 165, 183, 184, 186, 194
 - specific, 108–110
 - σ -additivity, 195
 - σ -algebra, 189, 193
- abduction, 25, 28, 37, 69, 139
- absoluteness, 177
- abstract, 95–97, 153
- abstraction, 82, 94, 134, 137, 138, 158
 - Cantorian, 134, 136, 137, 158
 - Dedekind, 135, 137
- abstraction principle, 86
 - for positions, 150, 151
- admissible system, 100, 101
- algorithm, 68
- analytic, 19, 20
 - pragmatically, 20
- analytical atheism, 21
- anaphora, 76
- Anselm of Canterbury, 35
- anti-realism, 22, 80
- Antonutti, Marianna, 35
- arbitrary object space, 54
 - complete, 54, 55
 - incomplete, 55
 - partial, **56**, 57
 - total, **54**
- arbitrary object theory, 210
 - typed, 46
- Aristotelianism, 81
- Aristotle, 79–81, 85
- astrology, 34, 35
- automorphism, 97, 103, 117, 119, 120, 145, 150, 152
- Axiom of Choice, 12
- Axiom of Infinity, 122
- Axiom of Replacement, 122
- Baire space, 65
 - topology, 65
- Banach limit, 203
- Banach, Stefan, 203
- Barcan formula, 171
- Barcan Marcus, Ruth, 171
- Basic Law V, 84
- Benacerraf's puzzle, 84, 85, 93, 95, 97, 98, 104
- Benacerraf, Paul, 1, 6, 7, 79, 81, 84, 85, 93–95, 97–100, 104, 111, 142, 149
- Benci, Vieri, xiii, 204, 206
- Berkeley, George, 47–49, 132, 133, 210
- Boolean algebra, 10
 - complete, 55
- Boolean operation, 55
- Boolean valued models, 213
- Boolos, George, 78
- bounded arithmetic, 73
- Bourbaki, 1, 89
- Breckenridge, Wylie, 39, 160
- Brickhill, Hazel, xiv, xv
- Burali-Forti, 86
- Burgess, John, xiv, 19–22, 51, 82, 97, 103, 122, 123, 150
- Buss, Sam, 73
- Calculus, 77
- Campbell-Moore, Catrin, xiv, xv
- canonical notation, 100
- Cantor's principle, **206**, 206
- Cantor, Georg, 2, 50, 77, 134, 137–139, 204
- cardinal number, 11, 134, 136

- strongly inaccessible, 201
- cardinality, 204
- Carnap
 - Rudolf, 19
- Carnap, Rudolf, 17–21, 26, 29, 30, 124–126, 163, 164, 170, 192
- Carnapian doublethink, 164
- categoricity, 86, 101–103, 113
 - probabilistic, 116
- category, 117
- category mistake, 47
- category theory, 1, 37, 117
- choice sequence, 179
- Church, Alonzo, 210
- classical reading, 133, 134, 146, 170
- co-meagre, 66
- codification, 153, 154
- coincidence, 168, 170
- compactness, 170
- comprehension, 45, 45, 46, 129, 132, 163, 185, 188
 - naive
 - for arbitrary objects, 46, 132
 - for sets, 25, 45
 - restricted
 - for arbitrary objects, 46
 - for sets, 25, 45
- computable, 114, 182
 - practically, 114, 115
- computation, 98–102
- computational complexity, 182, 184, 185
- computational structuralism, 101
- concatenation theory, 72, 73
- concept, 41, 124
 - denotation, 41, 42
 - mathematical, 84
- concrete, 104
- conditional probability, 195, 196, 200
- conditionalisation, 193
- configuration space, 109, 110, 116
- confirmational holism, 34, 35
- consistency, 29
- continuity, 65
- Continuum Hypothesis, 87, 89, 214
 - generalised, 206
- correlation, 155, 177
- countable additivity, 199
- counterfactuals, 76
- counterpart, 107
- Czuber, Emanuel, 66

- Damjanovic, Zlatan, 72
- De Clercq, Rafael, xiv

- de la Valée Poussin, Charles-Jean, 58, 59
- Dedekind, Richard, 1, 77, 86, 102, 134, 135, 137, 144, 145
- definability, 172, 175
- definable, 174
 - uniformly, 173
- deflationism, 33, 108, 140
- degree, 178
- degree of arbitrariness, 65, 212
- degree of randomness, 181
- degree structure, 179
- denotation, 124
- density, 66
- dependence, 64, 65, 126, 127, 127–131, 134–138, 155, 156, 165, 177, 178, 181, 209, 212, 213
 - co-, 127
 - functional, 177
 - one-way, 127, 128, 155
 - ontological, 103
 - probabilistic, 156, 194
 - two-way, 127, 155
- dependence logic, 76, 165, 177, 181, 212
- dependent sub-space, 56
- description
 - definite, 39, 41
 - indefinite, 39, 41
- determination, 128, 129, 177, 178
- Di Nasso, Mauro, 204, 206
- diagonal number, 63–65, 112, 174, 174, 175, 178, 180, 181, 187, 188, 196, 200
- Dieterle, Jill, 35
- difference principle, 204
- discernibility, 172
- discrete mathematics, 213
- distinguishability
 - relative, 175
- Dummett, Michael, 21

- Eddington, Arthur, 26
- elementary equivalence, 174
- eliminative structuralism, 92
- empiricism
 - British, 47
 - logical, 19, 20
- empty set, 121, 185
- epsilon-calculus, 76
- equinumerosity, 138
- Erdős, Paul, 116, 213
- Euler, Leonhard, 59, 64
- Evans, Gareth, 52
- exemplification, 94, 153

- expression, 68
 extensionality, 45
- fair die, 106, 108
 Feyerabend, Paul, 22
 fictionalism, 17, 23, 148
 field
 hyper-rational, 197, 198, 201, 202
 non-Archimedean, 201
 Field, Hartry, 1, 90, 148
 Fine, Arthur, 22, 26
 Fine, Kit, xi, xii, xiv, 2–7, 13, 16, 17, 24–26,
 30, 32, 33, 38–40, 42, 44, 48, 69, 71,
 76, 77, 105, 113, 123–142, 144, 146,
 149, 152, 155–159, 161, 163–165,
 177, 208–213
 finitary arithmetic, 73
 finitism, 71
 forcing, 77, 102, 213
 Form, 76, 78–80, 141, 211
 form, 71, 76, 141
 formalism, 101
 Forti, Marco, 204, 206
 Foundation, 128
 Fraenkel, Abraham, 12
 framework
 linguistic, 17–20
 Frege, Gottlob, 2, 3, 25, 39–41, 45, 49, 50,
 61, 66, 67, 69, 74, 75, 84, 86, 129,
 135, 137, 138, 146, 152, 159, 160,
 173, 209, 210
 Freiling, Chris, 214
 Fuchino, Sakaé, xiv, xv
- Gödel, Kurt, 25, 27, 81, 84
 Garson, James, 193
 Gaskin, Hilary, xv
 general triangle, 47
 generic attribution, 132, 133, 163
 generic hierarchy, 120, 121
 pure, 121
 generic reading, 133, 134, 146, 170
 generic truth, 165, 169, 170, 182
 Ghilardi formula, 171
 Ghilardi, Silvio, 171
 Goldbach's conjecture, 145
 Goldbach, Christian, 145
 Goodman, Nelson, 90
 Grädel, Erich, 64, 181
 graph, 68, 113
 arbitrary, 116, 117, 144
 countable, 115–117
 generic, 116, 144
 particular, 116
 Radó, 116
 simple, 115–117
- grounding, 31
 Grzegorzczuk, Andrzej, 72
- hairdresser, 53, 193
 arbitrary, 53, 54, 193, 194
 diagonal, 54
 fully arbitrary, 53, 54, 193, 194
 particular, 194
 specific, 53, 54
 Halbach, Volker, xiv
 Hallett, Michael, 135
 Heidegger, Martin, 21, 22
 Hellman, Geoffrey, 1, 92, 98, 138, 147, 148,
 158
 hermeneutic interpretation, 86
 Heylen, Jan, xiv
 Hilbert, David, 1, 61, 68, 76, 90, 101, 115
 Hume's principle
 for cardinality, 205
 for probability, 205, 206
 Hume, David, 47, 205
 hylemorphism, 79
- idea
 general, 47, 48
 identification problem, 84, 142
 identity, 45, 45, 126, 129, 151, 156, 163,
 168, 170
 identity criterion, 45, 67, 125, 130–132,
 135, 151, 152, 156
 for arbitrary objects, 45, 135, 137, 138,
 157
 for generic systems, 157
 for positions, 151, 152
 imagination, 70–75
 Incurvati, Luca, 71
 independence, 64, 65, 127, 130, 177, 181,
 182, 190
 probabilistic, 194
 independence logic, 212
 independent, 181, 182
 indiscernibility, 152, 175
 of identicals, 52, 170
 indistinguishability, 154, 155, 175
 individual concept, 124, 124–126, 162–164,
 166, 173, 191–193
 objectual interpretation, 193
 structurally rigid, 173, 174, 183
 induction
 mathematical, 187

- inference to the best explanation, 25, 28, 69
 infinite sum, 199
 infinitesimal, 50, 77, 113, 205, 212
 infinitesimally close, 207
 instantiation, 95, 96, 137, **146**, 146, 147,
 150, 151, 157, 158
 self-, 157
 instrumentalism, 36
 interpretation, 168
 intuition, 69, 70, 72–74, 84, 115
 intuitionistic mathematics, 179, 181
 Isaacson, Daniel, 92, 144
 Iseda, Tetsuji, xiv
 isomorphism, 84, 85, 99, 101, 102, 106,
 107, 113, 136
 recursive, 101
 isomorphism type, 101, 115
 computable, 166
 iteration, 74
 iterative hierarchy of sets, 89, 102, 206
 Ito, Ryo, xiv
- Jeshion, Robin, 71
- Kant, Immanuel, 25
 Keränen, Jukka, 98
 Ketland, Geoffrey, 151, 152
 King, Jeffrey, 76
 knowledge
 by acquaintance, 74
 by description, 74
 de dicto, 75
 de re, 74, 75
 Kolmogorov axioms, 189
 Kolmogorov complexity, 179
 Kolmogorov, Andrey, 65, 179, 189, 195, 205
 Kripke, Saul, xii, 7, 8, 31, 77, 107, 108, 163,
 164, 174, 183, 191
 Kuratowski, Kazimierz, 135
- Ladyman, James, 80, 81, 92
 Lakatos, Imre, 209
 Laplace, Pierre-Simon, 190, 191
 large cardinal, 27, 34, 201, 214
 large cardinal programme, 102
 Lawvere theory, 117
 Lawvere, William, 117
 Leśniewski, Stanisław, 132, 210
 Lebesgue measure, 203
 Lebesgue, Henri, 203
 Leibniz, Gottfried, 52, 170
 letter, 68
 Lewis, David, 28, 29, 31, 107, 122
- limit
 classical, 199
 generalised, 199, 203
 Linnebo, Øystein, xiii, xiv, 68
 Locke, John, 47, 76
 logic, 27
 classical, 15
 first-order, 14, 88
 two-sorted, 87
 intuitionistic, 163
 modal, 163
 quantificational, 15
 second-order, 85, 87–89, 102, 103, 113
 full, 87
 logical form, 39
- Müller, Thomas, xiv
 Müller-Lyer illusion, 25
 MacBride, Fraser, 153
 Macnamara, John, 130
 Maddy, Penelope, 23, 26, 34, 35
 Magidor, Ofra, xiv, 39, 160
 magnitude
 physical, 60
 Manders, Kenneth, 82
 Martin, Donald, 102
 mathematical induction, 185–187
 Σ_1 -, 73
 second-order, 186
 transfinite, 187, 188, 213
 mathematical model, **36**, 36, 37, 106, 150
 mathematical philosophy, **36**
 mathematical structure
 ante rem, 123
 mathematical theory
 abstract, 83
 algebraic, 83, 85, 88, 92, 103, 115, 120,
 144, 154
 categorical, 83, 85, 86, 88, 92, 102, 103,
 113, 144
 concrete, 83
 maximal specificity, 51
 measurable, 198
 measurable space, 189
 measure, 192, 204, 206
 Meinong, Alexius, 25–27
 Menger, Karl, 59
 mereology, 90
 metaphysical appearance, 24–27, 29, 30, 33,
 35–37, 140, 208, 209
 metaphysical nature, 17, 26, 30–32, 36, 37,
 105, 127, 140, 149
 metaphysical reality, 26, 27, 29

- metaphysics, 34–36
 - descriptive, 24
 - Finean, 24, 31
 - foundational, 5, 24, 24–27, 30–32, 131, 152, 156, 157
 - of mathematics, 32
 - naive, 5, 6, 24, 24–26, 29–32, 36, 37, 124, 125, 131, 143, 146, 147, 149, 152, 156, 208–210
 - traditional, 17, 23, 25
- metaphysics proper, 17
- methodology, 13, 13
 - metaphysical, 14, 17, 28, 126, 208, 209
 - scientific, 27, 209
- mini-world, 107, 108
- modal logic
 - Carnapian, 162, 164, 165, 170, 171, 213
 - Kripkean, 164
- modal profile, 164, 180
- modality, 146, 147, 163
- model
 - intended, 158
 - non-standard, 88, 113, 114
 - standard, 165
- multiverse, 102, 103
- Myhill, John, 19

- natural language, 140
- natural number, 211
 - κ -generic, 64
 - ω -generic, 64, 66, 181
 - 1-generic, 64
 - arbitrary, 47, 48, 59, 61, 62, 64–67, 75, 110–112, 114, 132, 145, 146, 163, 166, 175, 196
 - random, 180
 - fully arbitrary, 62, 63
 - particular, 145
 - second-order arbitrary, 64
 - specific, 48, 59, 61–63, 67, 75, 110, 111, 114, 145, 163, 166, 167, 172, 178, 179, 181, 185
- natural number structure, 136, 137, 139, 145, 158
 - computable, 115
 - generic, 111, 112, 114, 213
 - computable, 213
 - full, 111, 112, 115, 149, 213
- naturalism, 14, 23, 26, 149
- nature, 148
- Nelson, Edward, 73
- Nietzsche, Friedrich, 21, 35
- Nodelman, Uri, 153, 154

- nominalism, 147
- notation system, 75, 101, 181
 - computable, 101, 114, 115, 166
 - stroke, 115
- number, 134
 - arbitrary, 49, 50, 66, 67, 159, 177
 - determinate, 66, 67
 - indefinite, 49
 - indeterminate, 66, 67
 - random, 179, 212
 - specific, 49, 67, 160
 - variable, 42, 59, 69, 141, 142, 159, 211, 212
- numeral, 100, 101

- object, 126, 149, 164, 192
 - abstract, 68, 69, 74, 153, 154
 - arbitrary, 2, 39, 40, 44, 46, 47, 49–53, 69–71, 123–127, 129, 140, 141, 145, 148, 149, 155–157, 159, 161, 163, 164, 191–193, 209–212
 - dependent, 44
 - first level, 46
 - higher-order, 120, 121
 - independent, 44
 - second level, 46
 - second-order, 119, 120, 145
 - fictional, 51
 - fully arbitrary, 208
 - generic, 40
 - incomplete, 97, 104–106, 150, 150, 153
 - mathematical, 81–84, 91, 92, 94, 95, 106, 120, 124, 144, 145, 148, 154, 159
 - physical, 69, 92, 114
 - quasi-concrete, 68, 69, 70, 83, 101
 - specific, 39, 40, 44, 46–49, 126, 134, 146, 161, 164
 - structural, 175
 - thin, 68
 - variable, 40, 42, 74, 124–130, 133, 137, 158
 - independent, 130, 131
- Ockham's razor, 209
- Onishi, Takuro, xiv
- ontology, 17
- ontotheology, 21
- order type, 134
- ordinal, 206, 207
- outcome space, 189, 196, 200

- Paradox of the Barber, 54
- Parsons, Charles, 6, 19, 68, 70–72, 74, 82, 91, 104, 115, 123, 144, 148

- partial ordering, 178
- participation, 141
- partition, 178
- partition refinement, 178
- Peano Arithmetic, 73, 154, 165
 - first-order, 73, 101, 114
 - second-order, 86, 186
- permutation, 98, 149, 165, 166, 168, 203
 - computable, 166
 - recursive, 115
- permutation objection, 98, 138, 149, 153, 158, 159
- permutation-invariance, 180, 202
- Pettigrew, Richard, xiv, 93, 117, 149, 161
- phenomenology, 24
- physicalism, 89, 96
- Plato, 76, 78–81, 85, 97, 141
- platonism, 80–82, **83**, 84, 89, 95, 96, 102, 103, 126, 141
 - mathematical, 22, 23, 85
- plurality, 88, 89
- Poincaré, Henri, 79, 80
- position, 82, 94, 95, 97, 103, 150, 151, 166
- possibility
 - afthairetic, 51, 52, 60, 62, 148, 157, 195, 209
 - concrete, 147
 - logical, 148
 - mathematical, 148
 - metaphysical, 50–52, 148
 - quantitative, 195
- possibility afthairetic, 148
- possible world, 50, 51, 107, 109, 110, 168
- postulational, 139, 140, 142
- power set condition, **206**, 206
- predicativism, 139, 140
 - strict, 73
- Primitive Recursive Arithmetic, 73
- probabilistic proof methods, 213
- probability, 107, 108, 116, 189, 193, 196
 - non-Archimedean, 203
- probability function, 189, 193, 198, 200
 - classical, 189, 191, 194
 - countably additive, 189, 195, 199
 - Euclidean, **198**, 198, 202–205
 - finitely additive, 198, 202
 - non-Archimedean, **195**, 195, 202, 204, 205, 207, 213
 - perfectly additive, 199, 202
 - regular, **198**, 198, 202
 - total, 198, 202
 - uniform, 193, 194, 196, **199**, 199, 202
- probability triple, 189
- progressive, 188
- proof
 - mathematical, 14
- proper class, 201, 205
- proper name, 159, 173, 174
- property
 - arbitrary, 58, 60, 192
 - internal, 94
 - specific, 58
 - structural, 97
- prototype, 135–137, 156, 159
- psychologism, 137
- Putin, Vladimir, 153
- Putnam, Hilary, 31
- quantification, 159, 163
 - plural, **88**, 88, 89
- quantity, 58, 59, 191, 192
 - mathematical, 59, 60
 - measurable, 192
 - physical, 59, 60
 - variable, 59, 177, 212
- quasi-categoricity, 102, 103
- question
 - external, 17–19, 23, 30
 - internal, 17–19, 29, 30, 32
- quietism, 5, **16**, 23, 24, 27, 29, 30, 32–34
- Quine, W.V.O., 5, 13, 14, 19, 23, 28, 34, 69, 88, 90, 125, 151, 152
- Rényi, Alfréd, 116
- Radó graph, 116
- Radó, Tibor, 116
- random variable, 58, **189**, 189–194, 196, 200
 - fair coin, 189
- randomness, 179, 180
- range of values, 127
- rank, 128
 - strongly inaccessible, 201
- ratio formula, 191, 193
- realism, 1, 5, 6, 31, 80, 105, 126
 - mathematical, 22, 23
 - metaphysical, 28, 30, 32, 33
 - scientific, 22
 - super-, 23
- recursiveness, 98–100
- reduction, 83, 84, 144, 147
 - ontological, 5, 16, 25, 31, 40, 84, 86, 106, 126, 152, 156
 - semantic, 16, 148
- reductionism, 126
 - ontological, 156
 - set theoretic, 84, 137

- reference, 159, 160
 arbitrary, 39, 160
 Reinhardt, William, 27
 relation
 structural, 94
 relative frequency, 195
 representational type, 135–138, 158
 Rescher, Nicholas, 47
 research problem, 209
 Resnik, Michael, 1, 88, 95, 113
 restriction, 56
 revolutionary interpretation, 87
 rigid, 103
 rigid designator, 174
 Robinson arithmetic, 73
 Robinson, Abraham, 73, 212
 Rosen, Gideon, xiv, 29
 Ross, Don, 80, 81, 92
 Russell paradox, 43, 45, 46, 49, 163
 Russell, Bertrand, 6, 21, 27, 38, 39, 41–45,
 47, 49, 58, 76, 124–126, 135, 138,
 140, 146, 163
- sample space, 194
 Santambrogio, Marco, 2, 4, 65, 71, 132, 133,
 141, 142, 163, 211
 satisfiable, 170
 finitely, 170
 scepticism, 25
 Schiffer, Jonathan, 33
 second-order arithmetic, 182, 184–186
 true, 184
 set, 87–89, 103, 104, 200
 arbitrary, 200, 201, 213
 empty, 103, 104
 of natural numbers, 184, 185
 pure, 84, 85, 89, 102
 size of, 204
 set theoretic universe, 102, 103, 120,
 200
 set theory, 27, 35, 37, 84, 87, 89, 96, 102,
 103, 120, 122, 148, 176, 177, 200
 second-order, 91
 Shapiro, Stewart, xiv, 1, 14, 76, 94–99, 103,
 104, 123, 137, 138, 144, 146–152,
 154
 Shapiro, Stuart, 76
 Sider, Theodore, 14, 28, 34, 79
 singleton, 103, 104, 122, 185
 Skolem function, 76, 165
 Skolem, Thoralf, 87
 something-from-nothing, 33, 34
 Speranski, Stanislav, xiii–xv
- state, 44, 48, 49, 51, 52, 107, 110, 112, 115,
 127, 146–148, 157, 168, 192
 state description, 192
 state space, 44, 48, 106, 107, 113, 114, 194,
 196, 200, 201
 full, 108
 Stern, Johannes, xiv, xv
 Strawson, Peter, 24, 151, 152
 string of strokes, 68, 70, 71, 74
 arbitrary, 72–74
 string of symbols
 arbitrary, 74
 structuralism, 1, 77, 78, 143
 ante rem, 81, 95, 153, 154
 in rebus, 81
 computational, 101, 166
 eliminative, 78, 81, 83, 85, 86–89, 92, 93,
 99–101, 103, 146–148, 158
 epistemic, 80
 generic, 143, 157
 mathematical, 1, 2, 77, 81, 95, 102, 103,
 105, 112, 139, 143, 146, 158
 modal, 91, 92, 147
 non-eliminative, 78, 81, 83, 94, 94,
 96–99, 106, 123, 137, 138, 146, 149,
 151, 154, 157, 158
 ontic, 80
 physicalist, 91
 set theoretic, 89
 structure, 79–81
 ante rem, 94, 96, 98, 104, 146, 154
 derived, 82
 internal, 100
 mathematical, 1–3, 77, 81–83, 85, 86, 92,
 94–97, 101, 103, 105–107, 113, 120,
 122, 137, 143–148, 150, 153, 154,
 158
 superregularity, 205, 205–207
 superrrealism, 23
 supervaluation, 69
 symbol, 68
 symmetry principle, 202
 system, 85, 85–87, 89, 95, 96, 101, 103, 105,
 106, 108, 146, 147, 150
 admissible, 98
 arbitrary, 4, 106, 106, 108, 113, 114, 145,
 146, 155
 generic, 106, 106, 107, 112–114, 117,
 137, 143–147, 153, 156, 162
 particular, 144
 simply infinite, 145
 specific, 106
 system of variable objects, 129–131, 155

- universal, 131
- system-isomorphic, 85, 98
- Tait, William, 22, 23, 26, 71, 73
- Tatton-Brown, Oliver, xiv, 144
- Taylor, Sophie, xv
- Tennenbaum's theorem, 101
- Tennenbaum, Stanley, 101
- term, 41, 42
- theology, 21, 22, 34, 35
- thing, 41, 124
- translation-invariance, 203, 204
- Turing machine, 99, 166
- Turing, Alan, 99, 166
- two-indiscernibles, 175
- type, 48, 135, 141
 - universal, 48, 49
- ultrafilter, 9, 112, 196, 199–201, 204–206
 - fine, 196, 197, 201, 202
 - free, 196, 197
 - selective, 204
- ultrapower, 112
- uniform probability distribution, 191, 193
- universal, 70, 81, 141, 142, 211
 - structural, 94
- Urelement, 121
- Väänänen, Jouko, 64, 181
- vagueness, 69
- valuation, 168, 169
- value, 44, 127, 137, 141, 158, 182
- value range, 48, 49, 141, 194
- van Fraassen, Bas, 36
- variable, 40, 41, 43, 44, 76, 141, 181, 189, 191
 - aleatoric, 191
 - dedicated, 93, 149, 161
 - dependent, 149
 - independent, 149
 - first-order, 11
 - mathematical, 59, 211
 - physical, 191
 - random, 77
 - scientific, 58, 59, 191, 192
 - second-order, 11
 - stochastic, 191
- variable conjunction, 43, 124
- Venturi, Giorgio, xiv
- vertex
 - arbitrary, 118
 - potential connected, 119
- von Neumann, Johann, 135, 138
- Weierstraß, Karl, 50
- weight, 191, 194
- Welch, Philip, xiv
- well-ordering, 186–188
- Wenmackers, Sylvia, xiii
- Wiggins, David, xiv
- Williamson, Timothy, xiv, 28
- Wittgenstein, Ludwig, 24
- word, 70
- worldview, 32, 33
- Worrall, John, 80
- Zalta, Edward, 153, 154
- Zermelo, Ernst, 12, 45, 102, 103, 135, 138, 203