

Index

- acceleration
 - centrifugal, 14, 49, 55, 58
 - centripetal, 54, 55, 64
 - Coriolis, 57
 - Eötvös, 57
 - gravitational, 52
 - gravity, 88
 - tidal, 59,
- accelerometer, 91, 92
- accretion
 - Earth and planets, 5, 250
 - protoplanets, 15
- activation energy, 133, 314
- adiabatic condition, 254
- adiabatic temperature gradient, 255
- advection, 270, 271
- age of the Earth
 - historical estimates, 237
 - biblical, 237
 - cooling of the Earth, 238
 - cooling of the Sun, 238
 - Earth–Moon separation, 238
 - oceanic salinity, 239
 - sedimentary accumulation, 239
- radiometric
 - Precambrian rock ages, 250
 - zircon grain ages, 250
- age of the Moon, 250
- age of the solar system, 250
- alidade, 6
- alkali-vapor magnetometer, 343, 344, 345
- ambient seismic noise, 168, 177
 - continuous random sources, 176
 - Earth's hum, 177
 - interferometry, 178
 - oceanic origin, 178
 - spatial coherence, 177
 - virtual source, 180
- ampère, 289
- anelasticity, 135
 - creep component, 135
 - damping of free oscillations, 158
 - deformation, 134
 - retardation time, 134
 - tidal response, 63
- angular momentum, 2, 3, 4, 12, 65, 238
 - conservation, 3, 7, 57
 - Earth–Moon rotation, 12, 64
 - effect of earthquakes, 64
 - Jupiter, 3
 - of Earth's atmosphere, 64
 - of Earth's core, 64
 - of the planets, 3
- anisotropy
 - magnetic, 364
 - magnetization energy, 360, 361
 - magnetocrystalline, 359, 361, 403
 - magnetostatic, 359, 402
 - demagnetizing factor, 402
 - magnetostrictive, 403
 - seismic, 132, 134, 158
 - elastic properties, 130
 - lattice preferred orientation, 158
 - Love–Rayleigh discrepancy, 159
 - shear-wave splitting, 158
- aphelion, 7
- apogee, 7
- apparent polar wander, 24, 368, 378
- Argand diagram, 106
- asteroids, 1, 5, 14, 15, 16, 18, 250
 - Apollo-type, 15
 - asteroid belt, 6
 - Ceres, 1, 6, 15, 19
 - collisions with Earth, 15
 - collisions with Moon, 250
 - compositional types, 15
 - Earth-crossing orbits, 15
 - Pallas and Vesta, 15
- asthenosphere, 25, 33, 139, 226
- astrolabe, 6
- astronomical unit, 6, 7, 12
- back-arc basin, 33
- barycenter, 18, 58
- basalt
 - ages in island chains, 40
 - classification
 - andesitic type at subduction zones, 33
 - mid-ocean ridge type (MORB), 31
 - oceanic island type, 40, 284
 - magnetic mineralogy, 387
 - oceanic crustal Layer 2A, 30, 386
 - sea-floor magnetization, 29
- Biot–Savart law, 321
- blocking temperature, 364
- Bode's law, 6, 7
- Bouguer gravity anomaly, 100
 - across crustal block, 100
 - across mountain range, 101
 - oceanic and continental, 113
- bow shock, 323, 336
 - Earth, 322
 - Jupiter, 338
 - Mars, 337
 - Mercury, 336
 - Neptune, 339
 - Pluto, 340
 - Saturn, 339
 - Uranus, 339
 - Venus, 337
- bulk modulus, 128, 131, 150
- Callisto, moon of Jupiter, 8
- Chandler wobble, 65, 83, 143
 - Love numbers, 62
- charge, electrical, 288, 289
 - atmospheric, 292
 - definition of coulomb, 289
 - electron, 289
 - field lines, 289
- Charon, moon of Pluto, 18
- Clairaut's theorem, 75
- Clapeyron slope, 231
- Clausius–Clapeyron equation, 256
- collision hypothesis, origin of planets, 5
- complex number, 106
- complex plane, 106
- concordia–discordia diagram, 248
- conduction, electrical, 291
 - dielectric, insulator, 291
 - electrolytic, 291
 - electronic, metal, 291
 - mechanisms in the Earth, 314
 - semiconductor, crystal, 291
- conduction, thermal, 257, 262
 - by electrons, 257
 - by phonons, 257
 - crust and lithosphere, 262
 - radiation influence, 260
 - temperature gradient, 281
- conductivity
 - electrical, 308, 311
 - core, 315
 - crust, 314
 - mantle, 312, 314
 - hydraulic, 271
 - thermal, 257, 272
- conjunction of Earth and Moon, 61
- conservation of angular momentum, 3, 7, 57
- conservation of energy, 2, 7, 8
- continental drift, 22, 28, 31
 - paleomagnetic evidence, 24, 369, 380
 - plate tectonics, 24, 380
 - Wegener's hypothesis, 22
- convection, 257, 258, 280
 - compositional, 259
 - mantle models, 283
- core–mantle boundary, 283, 314
- D"-layer, 226

412 Index

- core–mantle boundary (cont.)
 - density change, 143
 - diffraction of P-waves, 221
 - electrical conductivity, 314
 - mantle plumes, 40
 - seismic velocity discontinuity, 217, 226
 - temperature, 256
- core–mantle coupling, 64
- Coriolis acceleration, 57
- correlation of time series, 179
- cosmic rays, 241, 248, 292
- Coulomb's law, 239, 288, 289
- creep
 - Coble type, 134
 - diffusion of atoms, 134
 - dislocation mobilization, 133
 - Nabarro–Herring type, 134
 - role of grain size, 134
- crust
 - Bouguer gravity anomalies, 113
 - Conrad discontinuity, 218
 - continental structure, 218
 - Mohorovičić discontinuity, 24, 191
 - oceanic structure, 114, 115, 352
 - thickness, 113, 120
- crystal structure
 - atomic lattice, 133
 - defects and dislocations, 133
- Curie temperature, 29, 400
- hematite, 359
- magnetite, 358
- measurement method, 360
- pyrrhotite, 359
- titanohematite, 359
- titanomagnetite, 358
- cyclostratigraphy, 68, 391
- D'Alembert's principle, 151
- D"-layer
 - heat flux from core, 284
 - influence on seismic waves, 221
 - post-perovskite, 285
 - screening of secular variation, 315
 - superplumes, 285
 - thermal boundary, 226, 257
 - thickness, 285
- Darcy's law, 271
- declination, 318, 322
- deformation type
 - anelastic, 134
 - brittle, 136
 - ductile, 136
 - elastic, 125
 - plastic, 136
 - shear, 127
 - transitional, brittle–ductile, 136
 - viscoelastic, 135
- density
 - Adams–Williamson equation, 227
 - measurement methods
 - Archimedes' principle, 97
 - gamma–gamma logging, 98
 - Nettleton profile, 99
 - relationship to seismic velocity, 98, 112
 - variation in the Earth, 227
- dielectric constant, 291, 305, 313
- diffraction, 161
 - Fraunhofer and Fresnel types, 221
- diffusion, 134, 281
 - creep, 134
 - equation, 263, 306
 - ionic, 293
- diffusivity, thermal, 258, 263, 265, 267, 273, 280, 281
- dilatation, 127, 151
- dipole
 - electrical, 291, 305
 - current geometry between electrodes, 299
 - magnetic, 318, 319, 320
 - field geometry, 326, 328
 - potential, 320
- direction cosines, 41, 43
- dislocations, 133
 - creep mechanism, 133
 - glide plane, 133
- dispersion
 - normal, 155
 - surface waves, 154
 - phase and group velocities, 155
- distributed acoustic sensing (DAS), 187
- diurnal variation, 314, 324, 325, 345, 346
- Doppler effect, 9, 10, 78, 82
- Doppler radar, 10
- downward continuation
 - geomagnetic field, 327
 - gravity anomalies, 106
 - magnetic field of Jupiter, 338
- dwarf planet, 1, 15, 18, 19
- dynamic topography, 75, 76
- dynamical ellipticity, 66, 70, 76
- dynamical form-factor, J_2 , 72
- dynamo, geomagnetic, 333
- Earth
 - age, 237
 - density–depth profile, 227
 - electrical properties, 292
 - gravitational potential, 70
 - mass and mean density, 53, 118, 119
 - rotation, changes with time, 63
 - shape, 49, 68, 70
 - flattening, 69, 73, 74, 76
 - size, 48
- Earth gravitational model 2008, 74
- Earth's internal structure, 24, 191, 217
 - core
 - composition, 226
 - diffraction of P-waves at core–mantle boundary, 221
 - fluid outer core, 25, 217, 226
 - shadow zone, 217, 218, 220
 - solid inner core, 226
 - crust
 - Conrad discontinuity, 218
 - continental structure, 229
 - Mohorovičić discontinuity, 217
 - oceanic structure, 228
 - mantle
 - lower, 232
 - D"-layer, 221
 - large low-velocity provinces, 232
 - upper, 229
 - seismic discontinuities, 231
 - temperature anomalies, 230
 - velocity anomalies, 230
- seismic phases, 219
 - ray paths, 218
 - travel times, 219
- velocity models, 225
 - iasp 91*, 225, 226
 - PREM, 225
- Earth's orbit
 - dimensions, 11
 - eccentricity, 12
 - cyclical change, 67
 - precession of perihelion, 67
- Earth–Moon rotation
 - barycenter, 58
 - future synchronicity, 65
 - tidal lag, 63
- earthquake characteristics
 - aftershocks, 193
 - duration of ground motion, 206
 - elastic rebound model, 191, 192, 205
 - energy and magnitude, 208
 - epicenter location, 193, 194
 - Wadati diagram, 194
 - epicentral distance, 193
 - focal depth, 193, 194
 - focal mechanism, 33, 196
 - double-couple source, 197
 - first motion quadrants, 197
 - radiation pattern, 197
 - single-couple source, 197
 - focus (hypocenter), 193, 196
 - foreshocks, 210
 - frequency of occurrence, 208
 - global distribution of epicenters, 25, 194
 - ruptured area, 206
 - secondary effects, 213
 - conflagrations, 215
 - landslides, 213
 - tsunami, 213
 - slow-slip events, 192
 - swarm events, 192
- earthquake intensity, 203
 - European Macroseismic Scale 1998, 204
 - isoseismal maps, 204
 - modified Mercalli scale, 203
 - relationship to magnitude, 203, 207
 - Rossi–Forel scale, 203
- earthquake magnitude, 205
 - body-wave magnitude, 205
 - moment magnitude, 206
 - Richter scale, 205
 - saturation effect, 205
 - seismic moment, 206, 207
 - centroid moment tensor analysis, 207
 - surface-wave magnitude, 205, 206
- earthquakes and society
 - early warning, 213
 - hazard analysis, 210
 - ground acceleration, 210
 - ground motion models, 210
 - probabilistic model, 211
 - seismic hazard maps, 211
 - nuclear explosion monitoring, 216
 - discrimination criteria, 217
 - prediction
 - Haicheng, China, success, 209
 - Parkfield experiment, 209
 - prediction difficulties, 209, 210

- earthquakes, historical, 206
 - Agadir (1960), 208
 - Aleutian (1946), 214
 - Anchorage (1964), 205
 - Chile (1964), 215
 - Chimbote, Peru (1970), 213
 - Loma Prieta (1989), 205
 - Mexico City (1985), 205
 - New Madrid (1811–1812), 195
 - San Francisco (1906), 205
 - Sumatra–Andaman (1960), 207, 213
 - Tangshan (1976), 193
 - Tohoku (2011), 213, 215
- East African Rift Zone, 35
- ecliptic plane, 1, 3, 8
- eclogite, 279
- eikonal equation, 152, 159
- elasticity, 125
 - elastic limit, 135
 - elastic moduli, 128
 - Hooke's law, 125
- electrical surveying methods, 292
 - electromagnetic induction, 307
 - airborne surveying, 308
 - depth penetration, 308
 - horizontal loop (HLEM), 308
 - in-phase and quadrature responses, 308
 - multi-frequency technique, 308
 - ground penetrating radar, 312
 - induced polarization, 302
 - decay time, 303
 - field method, 302
 - ionic accumulation, 302
 - pseudo-section, 303
 - magnetotelluric, 310
- resistivity, 296
 - double-dipole configuration, 298
 - Schlumberger configuration, 298
 - Wenner configuration, 298
- resistivity tomography, 304
- self-potential, 293,
 - anomaly, 294
 - galvanic action, 294
 - oxidation (redox) potential, 294
 - survey methods, 294
 - potential gradient, 294
 - total field, 295
- telluric currents, 295, 296
- transient electromagnetic, 309
 - airborne surveys, 310
 - secondary field decay curve, 309
 - skin depth effect, 309
- vertical sounding, 300
- electricity
 - electric charge, 289
 - fundamental principles, 289
 - historical concepts, 288
 - measurement units, 290
- electromagnetism, 304
 - electromagnetic wave, 305
 - frequency spectrum, 305
 - induction surveying, 305, 306
 - induction theory, 306, 307
 - Maxwell's equations, 304, 305
- Eötvös acceleration, 57, 93
- epicenter, 193
- equinoxes, 66
 - definition, 8
 - precession of, 66, 67, 236
- equipotential surface, 54, 59, 62, 73, 75, 80
- error function, 265, 266
- rotation on a sphere, 41
- Euler pole of rotation, 28, 34, 35, 41, 42
 - fit of Atlantic coastlines, 42
 - method of location, 42
 - paleogeographic reconstruction, 378, 380, 381
 - plate motion on sphere, 42
- Euler, Leonhard
 - complex numbers, 106
 - rotation on a sphere, 41
 - theory of free nutation, 65
- Europa, moon of Jupiter, 16
- European Geotraverse (EGT), 114
- European Radar Satellites (ERS), 82
- exoplanets, 7
- Farallon plate, 37
- fault-plane solutions, 197
 - beachball plot, 198
 - continental collision zones, 199, 201
 - Alps, 203
 - Himalaya, 201
 - fields of compression and dilatation, 198
 - oblique focal mechanism, 201
 - oceanic ridge, 199, 200
 - stereogram representation, 197
 - subduction zone, 201, 202
 - intermediate and deep earthquakes, 201
 - shallow earthquakes, 201
 - transform fault, 200
- faults
 - mechanics of faulting, 198
 - plane of failure, 198
 - stress axes, 198
 - tectonic faults, 199
 - listric faults, 199
 - normal faults, 199
 - reverse (thrust) faults, 199
 - transcurrent (strike-slip) faults, 80, 192, 199
 - transform faults, 199
- Fermat's principle, 161
 - reflection law, 162
 - refraction law, 162
- ferrimagnetism, 357, 401
- ferromagnetism, 357, 400
- field
 - concept, 289
 - electric, 289, 290
 - electromagnetic, 304
 - gravitational, 52
 - magnetic, 318, 320
- figure of the Earth, 68, 69, 73, 80, 112
- finite-difference analysis, 173
 - approximation of derivatives, 174
 - discretization, 173
 - discretized wave equation, 174
 - iterative solution, 174
- flexural parameter, 138, 139
- flexural rigidity, 137, 138, 139, 141
- flexure of lithosphere
 - at oceanic islands, 137
 - at subduction zones, 78, 116, 138
 - Great Meteor seamount, 138
- flow
 - laminar, 132
 - plastic, 135
 - solid-state, 132, 133
 - viscous, 132
- Fourier
 - analysis, 104, 309, 371
 - integral, 105
 - series, 104
 - series, double, 105
 - theory of heat conduction, 262
 - transform, 107
- fracture zones, 26, 34
- free-air gravity correction, 97
- Gal, definition, 52
- gamma–gamma density logging, 98
- Ganymede, moon of Jupiter, 16, 339
- Gauss coefficients, 327
- generation of internal field
 - dynamo theory
 - core conditions, 333
 - frozen-flux theorem, 333
 - magnetohydrodynamic equation, 333
 - simulations, reversing field, 334
 - historical models, 332
 - Precambrian geodynamo, 333
- geoid
 - definition, 75
 - residual, correlation with hotspots, 38
 - secular changes, 81
 - undulations, 75, 76, 78
 - large-scale, 76
- geomagnetism
 - core surface field, 327, 328, 331
 - dip poles, 329
 - dipole field, 328
 - dipole magnetic moment, 329
 - field elements, 319, 322, 325
 - field of internal origin
 - potential, 326
 - spherical harmonic analysis, 324
 - geomagnetic poles, 329
 - impulses (jerks), 314, 332
 - magnetopause, 323
 - magnetosheath, 323
 - magnetosphere, 322
 - magnetotail, 323
 - multipole representation, 326
 - non-dipole field, 330
 - potential of total field, 322
 - power spectrum, 327, 332
 - satellite measurements
 - CHAMP mission, 325
 - MAGSAT mission, 325
 - NGDC-720 model field, 327
 - SWARM mission, 325, 327
 - secular variation, 331, *See also* secular variation
 - separation of external and internal fields, 322
 - time spectrum of variations, 314
- geophone, 184
- geopotential, 73, 75
- georadar, 313
- geothermal gradient, 258
- Giant Impact hypothesis of lunar origin, 335
- Global Navigation Satellite System (GNSS), 66, 79
- global positioning system (GPS), 79
 - accuracy of location, 79
 - GPS networks, 79

414 Index

- global positioning system (GPS) (cont.)
plate tectonic motions, 79
- Gondwana, 23, 24, 380
break-up, 383
early models, 22
reconstruction, 22, 23
- gradiometer
gravity, 80, 87, 91,
magnetic, 325, 345
- GRAIL lunar mission, 13
- gravimeter, 89
astatized, 89
instrumental drift, 95
spring type, 90
superconducting type, 90
zero-length spring, 89
- gravitation
geocentric constant, GE , 52
gravitational constant, G , 9, 51
best estimate, 51
definition, 51
measurements, 51,
gravitational field, 52
gravitational potential, 52, 70
inverse square law, 56
- gravity
corrections to measurements, 93
Bouguer plate, 94, 96
free-air, 94
latitude, 95
time-dependent, 95
topographic (terrain), 94, 95, 96
gradient matrix and tensor, 93
gradiometry, 91
gravimetry. *See* gravimeter
increase from equator to pole, 74
measurement methods
absolute, 87
free-fall method, 88
pendulum method, 87
rise-and-fall method, 88
worldwide gravity network, 89
borehole method, 99
marine and airborne methods, 91, 93
relative measurement, 89
normal gravity, 73
radial variation in the Earth, 227
survey methods, 91
units and subunits, 52
values on reference ellipsoid
normal gravity formula, 74
Somigliana formula, 74
gravity anomalies, 32
analysis
downward continuation, 105
Fourier series representation, 103
polynomial representation, 102
regional and residual anomalies, 102
visual analysis, 102
wavelength filtering, 105
Bouguer anomaly, 100
crustal structure, 112, 113
density contrast, 101
free-air anomaly, 100
isostatic anomaly, 122
modeling
anticline and syncline, 109
general 3D body, 112
geometric models, 106
horizontal cylinder (anticline/syncline), 109
horizontal line element, 108
horizontal slab (vertical fault), 111
horizontal thin sheet, 110
sphere (diapir), 107
iterative modeling, 111
mountain ranges, 113, 114
oceanic ridges, 114
subduction zones, 116
wavelength, 101
ground penetrating radar, 312
group velocity, 155, 214
Grüneisen parameter, 256
gyromagnetic ratio, 344
- heat, 253, 254
conduction equation, 264
depth penetration of external heat, 265
mechanical equivalent, 254
sources in the Earth, 260
- heat flow, 254
continental, 261, 267
borehole measurements, 268
effect of porosity, 270
variation with crustal age, 269
equation, 257, 262
global variation, 273, 274, 275
mean heat-flow values by age, 274
plate tectonics
back-arc basins, 33, 260, 279
cooling of lithosphere, 265, 267
deep-sea trench, 33
oceanic, 271, 275
effect of hydrothermal circulation, 273
ridge systems, 32, 260
variation with lithospheric age, 272
subduction zone, 33, 279
radiogenic production, 261
heat-flow provinces, 261
reduced heat flow, 261
sources in crust and mantle, 262
spherical harmonic analysis, 275
Hooke's law, 89, 125, 128, 131, 135
elastic deformation, 125
elastic moduli, 128
linearity and elastic limits, 135
- hotspots, 38, 40, 286
elevation of geoid, 38
global distribution, 38
reference frame, 40
type of basalt, 40
- Huygens' principle, 159, 187
seismic diffraction, 161
seismic reflection, 160
seismic refraction, 160
- hydrostatic pressure, 228
- impact hypothesis
Cretaceous–Tertiary extinctions, 15
lunar origin, 12
power for early geodynamo, 383
- inclination, magnetic, 322
archeomagnetic field, 369
effect of true polar wander, 381
field direction, 318, 328, 329
flattening error, 365, 366, 370
GAD hypothesis test, 370
polarity reversal, 384
rock magnetization direction, 353, 376, 377
sign convention, 371
- inclination, orbital, 8
Earth satellites, 77, 80
Pluto's anomalous orbit, 18
the Moon, 12, 67
- incompressibility, 128
- inertia, 54
- InSAR technique, 82
interference fringes, 83
- insolation, 67
- International Geomagnetic Reference Field, 325, 340, 344
- International Reference Ellipsoid, 69, 73
- inversion of seismic data
direct method, 221
Herglotz–Wiechert inversion, 222
travel times, 222
indirect method, 221
forward problem, 221
seismic tomography, 222
- ionosphere, 5, 293, 295, 310, 311, 314, 323, 346
electrical currents, 324
Kennelly–Heaviside layer, 324
layered structure, 324
magnetic storm source, 324
- island arcs, 26, 194
gravity anomalies, 116, 120
isostatic imbalance, 113
locations at subduction zones, 31, 33
marginal basins, 260, 280
- isochron
diagram, 246, 248
mineral versus whole-rock ages, 244
radiometric, 244, 246
sea-floor spreading lineations, 390
- isostasy, 118, 119
hydrostatic equilibrium, 121, 122
isostatic adjustment, 81, 137
Fennoscandia, 121
northern Canada, 121
Swiss Alps, 123
- models
Airy, buoyancy, 119
Pratt, buoyancy, 120
Vening Meinesz, elastic plate, 120, 122
mountain range root-zones, 119
oceanic lithosphere equilibrium, 278
- isotherms
cooling lithospheric plate, 276, 277, 279
subducting cold plate, 279, 280
topographic influence on heat flow, 268
- isotopes, 239, 260
beryllium, 248
cosmogenic, 248
oxygen, 241
primordial, 241
radioactive krypton, 249
stable, 241
- isotopic ratios, 244
ion microprobe, 243
isochron diagrams, 244, 246, 248
mass spectrometer, 242
oceanic island basalts, 284

- oxygen isotopes, 249
- radiometric dating, 245
- use for cyclostratigraphy, 386
- Jupiter, 15
 - atmosphere, 16
 - Europa, 16
 - Galilean moons, 16, 339
 - gravitational field, 15
 - internal structure, 16
 - Juno mission, 15, 338
 - magnetic field, 16, 338
 - mass and angular momentum, 3
 - ring system, 16
- Kepler's laws of planetary motion, 7, 9, 12
 - inverse square law of gravitation, 56
- Königsberger ratio, 340
 - continental crustal rocks, 341
 - oceanic basalts, 340, 353
- Kuiper belt, 18
- Lamé constants, 130
 - relationships to elastic constants, 131
- Laplace equation, 71, 72
- large low-velocity province (LLVP), 232
- Larmor precession, 342, 344, 399
- laser ablation, 243
- Laser Geodynamics Satellites (LAGEOS), 77
- laser-ranging, 9, 12, 52, 66, 77
- Laurasia, 24, 383
- Laurussia, 22, 23, 378, 382, 383
- Legendre equation, 71
- Legendre polynomials, 71, 72, 75, 325
- Lehmann discontinuity, 225
- length of the day, 83
 - Babylonian and Arab datasets, 63
 - effect of the atmosphere, 64
 - effect of tidal friction, 63
- lightning, 292
- lineations, magnetic, 28, 29, 30, 34, 387
- lithosphere, 25
 - continental, 31
 - flexure, 116, 137, 138
 - linear load, 138
 - thin plate model, 138
 - three-dimensional load, 138
- oceanic
 - cooling models, 275
 - boundary-layer model, 277
 - flat plate model, 277
 - half-space model, 276
 - other heat sources, 277
 - thermal structure, 277
 - thickness variation with age, 31, 277,
- rigidity, 137
- tectonic plates, 25
 - size distribution, 284
- thickness, 140
- Lorentz field, 243, 321, 333, 335
- Love numbers, 62
 - Chandler wobble, 62
 - Mercury, 63
 - tidal theory, 62
- Love wave, 154
 - particle motion, 154
 - velocity, 154
- Lunar Laser Ranging experiment, 9, 12
- MacCullagh's formula, 70
- magnetic anomalies, 346
 - geometric models, 349
 - anticline/syncline, 350
 - horizontal crustal block, 350
 - anomaly shape, 351, 353
 - Poisson's relation, 351
 - sphere, 349
 - vertical dike, 348
 - approximation by dipole, 349
 - effect of depth extent, 348
 - inclined magnetization, 349
 - reduction to the pole, 349, 353
 - skewness of anomaly shape, 349
 - oceanic lineations, 37, 352
 - anomaly shapes, 353
 - multiple source layers, 353
 - surface distribution of poles, 346, 348
 - wavelength of anomaly, 327
- magnetic fields, extraterrestrial, 336
 - Jupiter, 338
 - Mars, 337
 - Mercury, 336
 - Neptune, 339
 - Pluto, 339
 - Saturn, 339
 - the Moon, 335
 - measurement using Lorentz force, 335
 - the Sun, 334, 335
 - Uranus, 339
 - Venus, 337
- magnetic minerals
 - ferrimagnetic mineral identification, 359
 - goethite, 359
 - greigite, 359
 - hematite, 359
 - maghemite, 359
 - magnetic properties
 - grain size dependence, 360
 - first-order reversal analysis, 363
 - multidomain behavior, 362
 - single-domain behavior, 361
 - stability of magnetization, 361
- magnetite, 358
 - biogenic formation, 368
- pyrrhotite, 359
- ternary oxides, 358
- titanohematite series, 359
- titanomagnetite series, 358
- magnetic relaxation, 361
- magnetic storms, 314, 324, 325, 335
- magnetic surveying, 340
 - airborne method, 344
 - Königsberger ratio, 340
 - marine method, 345
 - reduction of measurements, 346
 - altitude correction, 346
 - latitude correction, 346
 - reference field, 340, 346
 - survey design, 345
- magnetic susceptibility, 357, 358
 - Chinese loess profiles, 367
 - paleoclimatic indicator, 368
- magnetism
 - biogenic, 368
 - discovery, 317
 - environmental, 367
 - flux density, 317
 - magnetic B-field, 320
 - magnetic H-field, 357
 - magnetic poles, 318, 319, 320
 - physics of, 321
 - pioneering discoveries, 317, 318
- magnetization, 356
 - Earth's crust, 340
 - induced, 341
 - remanent, 340
 - analysis of components, 373
 - vector diagram, 373
 - anysteretic (ARM), 367
 - characteristic (ChRM), 372
 - chemical (CRM), 366
 - depositional (DRM), 365
 - isothermal (IRM), 366, 400
 - natural (NRM), 363
 - thermal (TRM), 364
 - viscous (VRM), 366
 - spontaneous, 400
- magnetometer
 - absolute measurement, 342
 - absorption-cell (optically pumped), 343
 - cryogenic, 371
 - flux-gate, 336, 341
 - optical pumping, 343
 - proton-precession, 342
 - gyromagnetic ratio, 342
 - scalar type, 342
 - vector type, 336, 342
- magnetopause, 323, 336
- magnetosheath, 323
- magnetosphere, 322
- magnetostratigraphy, 385
 - dating by cyclostratigraphy, 386
- deep-sea cores, 385
- polarity timescales, 385
- radiometrically dated lavas, 385
- magnetostriction, 403
- magnetotactic bacteria, 368
- magnetotail, 323
- magnetotelluric sounding, 310
 - deep conductivity structure, 311
 - electric and magnetic components, 310
 - interpretation, 311
 - inversion of data, 312
- mantle
 - convection, 280
 - cell aspect ratio, 283, 284
 - D"-layer, 285
 - layered mantle model, 283, 284
 - physical parameters, 282
 - sizes of lithospheric plates, 284
 - superplumes, 285
 - thermally activated creep, 284
 - whole mantle model, 284
 - plumes, 230, 285
 - definition of feature, 286
 - difficulties with concept, 286
 - relationship to D"-layer, 226
 - relationship to hotspots, 40

416 Index

- mantle (cont.)
 - role in mantle convection, 40
 - structure
 - D"-layer, 226
 - large low-velocity province (LLVP), 232
 - phase transitions, 225, 226, 257
 - upper mantle transition zone, 225
 - velocity discontinuities, 218, 226, 231
 - viscosity, 140, 140, 141, 143, 259
 - effects on Earth rotation, 142
 - estimates, 142, 142
- Mars, 14
 - crustal magnetic anomalies, 338
 - exploration with satellites and landers, 14
 - impact craters, 14, 338
 - internal structure, 14
 - magnetic field, 337
- mascon, 13
- mass spectrometer, 242
 - inductively coupled plasma, 243
 - ion microprobe, 243
 - laser ablation, 243
- melting point gradient, 256
- Mercury, 10, 336
 - gravity field, 63
 - internal structure, 11, 336
 - magnetic field, 336
 - MESSENGER mission, 11, 63, 336
 - periods of spin and orbit, 11
- meteorites, 249, 250
 - Allende, age of solar system, 250
 - compositional types, 250
- microseisms, 176
- Milankovitch climatic cycles, 67
 - periodicities, 68
- mineral phase transitions, 257
 - lower mantle, 285
 - upper mantle, 231, 255, 279
- Mohorovičić discontinuity, 24, 191, 217, 218
 - seismological and petrological, 218
- moment of inertia
 - axis of figure, 65
 - dynamical ellipticity, 70
 - MacCullagh's formula, 70
 - planetary, 2, 4
 - point mass, 2
 - solid body, 2
 - spherical shell, 20, 85
 - uniform sphere, 86
- Moon, 12
 - distance from the Earth, 12
 - early history, 335
 - Giant Impact hypothesis, 12, 250, 335
 - GRAIL mission, 14
 - gravitational field, 13
 - internal structure, 14, 335
 - libration of longitude, 12
 - moonquakes, 14
 - revolution without rotation, 58
 - seismic velocity-depth profiles, 14
- nebular hypothesis, 3, 5
- Néel temperature, 401
- Neptune, 17, 339
 - internal structure, 17
 - magnetic field, 339
 - rings and moons, 17
- Newton, Isaac, 50
 - calculation of relative mass of Jupiter, 8
 - curved path of projectile, 54
 - law of universal gravitation, 50
 - laws of motion, 50
 - spheroidal shape of Earth, 49, 50
 - verification of law of gravitation, 56
- normal distribution (bell curve), 266
- Nusselt number, 282
- nutration, 15
 - forced, 65, 66
 - free, 65
- obliquity of rotation axis, 8, 10, 67, 236, 339
 - cyclical changes, 67
 - Earth, 12
 - Neptune, 17
 - Saturn, 16
 - Uranus, 17
- occultations, defining planet's size, 9, 11, 14, 16, 63
- ocean depth increase with lithospheric age, 272, 273, 275, 277, 278
- octupole field, 326
- Ohm's law, 290
- Oort Cloud, 19
- opposition of Earth and Moon, 61
- oscillations, free (natural), 155
 - attenuation with depth, 157
 - comparison with surface waves, 157
 - normal modes, 91, 156
 - overtones, 156
 - power spectrum, 158
 - radial oscillations, 156
 - spherical oscillations, 156
 - toroidal oscillations, 157
- oxygen isotope ratio, 241
 - ice cores, 249
 - paleotemperature proxy, 241
 - temperature dependence, 241
- paleoclimate
 - evidence for continental drift, 22, 368, 380
 - magnetic proxies, 367
 - Milankovitch cycles, 67
 - oxygen isotope ratio, 241, 242
- paleomagnetism, 23, 356
 - analysis of magnetization
 - component separation, 371
 - progressive demagnetization, 371
 - stability of components, 372
 - analysis of remanent magnetization
 - progressive demagnetization, 372
 - vector diagram, 373
 - apparent polar wander, 378
 - correlation of APW paths, 378, 379
 - evidence for continental drift, 23, 380
 - field tests of stability, 374
 - conglomerate test, 375
 - fold test, 374
 - reversals test, 375
 - Fisher statistics of directions, 372
 - 95% angle of confidence, 374
 - precision parameter, 373
 - geocentric axial dipole hypothesis, 369, 370, 371, 376
 - paleogeographic reconstructions, 380
 - Paleozoic supercontinents, 381
 - Gondwana, 383
 - Laurussia, 382
 - Pangea, 382
 - paleomagnetic pole, 378
 - Precambrian paleomagnetism, 383
 - rock magnetometers, 371
 - tectonic applications, 375
 - true polar wander, 380, 381
 - hotspot APW, 381
 - virtual geomagnetic pole location, 376, 377
- Pangea, 22
 - break-up, 30, 383, 388
 - duration of supercontinent, 23
 - formation, 380, 382
- parallax method, 6
- perigee, 7
- perihelion, 7, 67
- permeability
 - hydraulic, 216, 270
 - darcy unit, 271
- magnetic, 305, 320, 357
- permittivity constant, electrical, 289
- phase transitions
 - upper mantle, 230
- phase velocity, 151, 155, 214
- phonons, 257
- planetesimals, 5
- planets
 - angular momentum, 4
 - characteristic properties, 3
 - gaseous giants, 1, 5
 - rocky terrestrial, 1, 5
 - definition of a planet, 1
 - dimensions, 2, 9
 - orbital parameters, 3
 - ring systems, 16
 - theory of origin, 5
- plasma, 322
- plastic flow, 135
- plate tectonics, 25, 31
 - continent–continent collision, 31
 - suture zone, 31, 137
 - driving forces, 43, 44
 - models of plate motions, 30
 - plate margins, 28, 199
 - conservative, transform faults, 34
 - constructive, oceanic ridges, 31
 - destructive, subduction zones, 32
 - diffuse boundaries, 35
 - seismic zones, 28, 195
 - role of triple junctions, 35
 - spreading rates
 - geological observations, 31
 - satellite observations, 77
 - volcanic island chains, 38
- plumb-line, 54, 94
 - anomalous deflections near mountains, 119
 - deflections near mountains, 118, 119
- Pluto, 1, 8, 18
 - anomalous orbit, 18
 - internal structure, 18
 - New Horizons flyby mission, 18
- Poisson solid, 131
- Poisson's ratio, 127, 128, 129, 131
- Poisson's relation, 351
- polar flattening, 2
 - Earth, 69, 73, 74, 76

Index

417

- Mars, 14
- Neptune, 17
- Saturn, 16
- Uranus, 17
- polar motion
 - APW paths, 379
 - Chandler wobble, 65
 - effect of isostatic adjustment, 143
 - polhody, 65
 - satellite tracking, 77
- polarity, paleomagnetic
 - chrons and subchrons, 384, 385
 - historical studies, 383, 384
 - magnetostratigraphy, 385
 - oceanic magnetic anomalies, 386
 - Vine–Matthews–Morley hypothesis, 353, 387
 - reversals, 29, 375
 - timescales, 30, 385
 - transitions, 384
- polhody, 65
- porosity, 98, 270
 - electrical conductivity, 293
 - grain size effect, 270
 - influence on induced polarization, 304
- potential
 - centrifugal, 55
 - difference (volt), 290
 - dipole, 319
 - electrical, 289, 297
 - geomagnetic, field of internal origin, 325
 - geomagnetic, total field, 322
 - gravitational, 52, 70
 - logarithmic, 109
 - single magnetic pole, 320
 - theory, Laplace equation, 71
- Prandtl number, 281
- precession
 - Earth's orbit, 67
 - Earth's rotation axis, 66, 67, 76, 236
 - nuclear magnetometers, 327
 - satellite orbit, 77
- Preliminary Reference Earth Model, 225
- pressure, radial variation in the Earth, 228
- protoplanets, 15
- P-wave, 149
- quadrupole field, 326
- radar, 9
 - ranging, 9, 10
 - synthetic aperture, 82
 - wavelengths, 9
- radiation, 257, 259
 - black-body, 260
 - Stefan's law, 260
- radioactivity, 239
 - becquerel, 240
 - decay process, 240
 - decay rate, 240
 - half-life, 240
 - heat production, 260, 261, 262
 - nuclear activity, 240
 - nuclear structure, 239
- radiometric dating
 - environmental processes, 248
 - beryllium, 248
 - noble gases, 249
 - methods, 242
 - argon–argon, 245
 - lead–lead, 248
 - potassium–argon, 244
 - radiocarbon, 242, 248
 - rubidium–strontium, 244
 - uranium–lead, 246
- Rayleigh number, 258, 281
 - critical value for convection, 259
 - mantle convection, 281, 282
 - radiogenic convection, 281, 282
 - thermal convection, 282
- Rayleigh wave, 154
 - particle motion, 154
 - velocity, 154, 155
- Rayleigh–Bénard convection, 281, 282
 - cell aspect ratio, 283, 284
- receiver function analysis, 221
- relaxation time
 - isostatic uplift, 140, 141
 - magnetization, 360, 361, 364, 366
- resistivity, 290, 292
 - apparent, 300,
 - electrolytic, 293
 - electronic, 291
 - semiconductor, 291
 - surveying, 296
 - electrode configurations, 298
 - lateral profiling, 298
 - vertical sounding, 298
 - tomography, 304
- retroreflector, 12, 13
 - absolute gravity measurement, 88, 89
 - LAGEOS satellite, 77
 - principle, 13
 - satellite laser ranging, 77
- revolution without rotation, 58, 59
- Reynolds number, 282
- ridges, oceanic, 26
 - heat flow, 32
 - sea-floor spreading, 28
 - seismicity, 32
 - spreading centers, 31
 - spreading rates, 30
- rigidity modulus, 128, 133
- Roche limit, 59, 60, 238
- rock magnetism, 356
 - magnetic domains, 341
 - magnetic minerals, 358
 - remanent magnetizations, 363
 - types of magnetic behavior, 357
- Rodrigues formula, 71
- satellite geodesy, 76
 - dynamic oceanic topography, 81
 - gravity and geoid measurement
 - CHAMP mission, 80
 - GOCE mission, 81
 - GRACE mission, 80
 - GRACE-FO mission, 80
 - mass loss in ice-sheets, 81
 - potential coefficients J_n , 72
 - satellite altimetry, 77
 - satellite laser-ranging (SLR), 77
 - determination of GE , 52
 - plate tectonic spreading rates, 77
 - time-dependent mass exchanges, 81
- Saturn, 16
 - composition, 17
 - internal structure, 17
 - magnetosphere, 339
 - moons, 16
 - rings, 16
- scattered disk objects, 19
- sea-floor spreading, 28, 29, 265, 353
 - anomaly pattern, 390
 - back-arc basins, 260, 280
 - Central Atlantic, 391
 - half-rates at ocean ridges, 29
 - GPS measurements, 31
 - uniformity of spreading rate, 387
 - initiation of current episode, 388
 - polarity reversal record, 387
- secular variation, 314, 330
 - dipole field, 330
 - archeomagnetism, 331
 - historic intensity decrease, 330
 - location of dipole axis, 331
 - fluid flow at core surface, 332
 - non-dipole field, 331
 - archeomagnetic evidence, 331
 - westward drift, 331
- seismic arrays
 - enhanced detection of events, 216
 - nuclear explosion monitoring, 216
 - proof of solid inner core, 218
 - records of lunar seismicity, 14
- seismic tomography
 - indirect inversion, 222
 - travel-time anomalies, 224
 - travel-time residuals, 223
 - velocity anomalies, 223, 224
 - waveform tomography, 224
- seismic velocity discontinuities, 143
 - Conrad discontinuity, 218, 229
 - core–mantle boundary, 226
 - D"-layer, 226
 - density changes, 227
 - Gutenberg discontinuity, 217, 226
 - inner core–outer core, 226
 - Lehmann discontinuity, 225
 - Mohorovičić discontinuity, 218
 - upper mantle transitions, 225, 283
- seismic wave propagation, 147
 - attenuation, 153
 - geometric spreading, 153
 - viscoelastic damping
 - absorption coefficient, 153
 - quality factor, 153
- body waves, 147
 - energy partitioning at interface, 163, 167
 - P-waves, 148
 - reflection and refraction coefficients, 167, 168
 - seismic impedance, 167
 - S-waves, 149
 - travel times to epicentral distances, 219
 - velocity–depth models, 225
- energy density of wave, 152
- spherical wave, 147
- surface waves, 147, 154
 - dispersion, 154
 - Love waves, 154
 - Rayleigh waves, 154
- wavefront, 147, 148

418 Index

- seismicity
 global
 active seismic zones, 25, 194
 focal depths, 195
 intraplate, 195
 subduction zones, 33
 tectonic plate margins, 25
 Wadati–Benioff zone, 196
 induced, 215, 216
 by fluid injection, 215
 by gas extraction, 216
 by hydraulic fracturing, 216
seismology
 Fermat's principle, 162
 Huygens' principle, 160
 ray paths
 concentric uniform shells, 219
 epicentral distances, 220
 curvature of path, 172
 multi-layered Earth
 epicentral distances, 220
 shallow layer reverberations, 221
 receiver function analysis, 221
 reflection seismology, 164, 167, 169
 continental crustal section, 169
 field procedures, 184
 common mid-point method, 185
 continuous profiling, 185
 split-spread method, 185
 inclined reflector, 165
 depth falsification, 166
 layer thickness estimation, 165
 migration of section, 167
 noise sources, 168
 ground roll, 169
 multiple reflections, 169
 normal moveout, 164, 165
 stacking of records, 169
 supercritical reflections, 164
 syncline and anticline, 166
 two-way travel-time, 164
 refraction seismology, 169
 apparent velocities, 172
 critical angle of incidence, 163
 critical distance, 164
 crossover distance, 170
 double refracted ray, 170
 head wave, 169
 inclined interface, 171
 intercept time, 170
 travel time, 170
 seismic noise. *See also* ambient seismic noise
 seismogram, 147
 seismic phases, 149
 synthetic seismogram, 167, 207
seismometer
 broadband, 184,
 arrays, 185, 185
 equation of motion, 182, 183
 floating type, 187
 inertial type
 electromagnetic, 181
 horizontal motion, 181
 principle, 180
 vertical motion, 181
 instrumental damping, 182
 invention and development, 191
 long-period, 184
 ocean-bottom, 186
 optical, distributed acoustic sensing, 187
 resonant frequency, 182
 short-period, 184
 separation of variables, 263, 264
 shear modulus, 128, 129, 150
 skin depth, 307, 309
 Snell's law, 161, 163, 164, 170, 172
 solar system
 geocentric model, 5
 heliocentric model, 5, 7, 11
 theories of origin, 3
 solar wind, 322
 solid angle, 347
 solstices, 8
 Somigliana's normal gravity formula, 74
 spherical harmonic analysis, 318
 free oscillations, 156
 geoid potential, 75
 geomagnetic field, 322, 327, 369
 Gauss–Schmidt coefficients, 326
 global heat flow, 275
 gravitational field, 74
 Jupiter's magnetic field, 338
 spherical harmonic functions, 72, 324
 sectorial and tesseral harmonics, 72, 326
 zonal harmonics, 326
 spherical trigonometry, 42
 stacking
 of correlation functions, 178, 180
 of seismic records, 169
 standing wave, 156, 157
 Stefan–Boltzmann constant, 260
 stereogram
 first motions in earthquake, 198
 paleomagnetic directions, 371
 strain
 extension, 126
 longitudinal, 126
 matrix, 126, 128
 shear, 127, 128, 150, 395
 strain-hardening, 136
 stress
 deviatoric, 198
 lithostatic or hydrostatic, 198
 matrix, 126
 normal, 126, 128, 129, 131
 shear, 126, 132, 133, 150, 198
 subduction zone, 32, 138
 forces driving plate tectonics, 43
 gravity anomalies, 34, 116
 heat flow, 33
 island arcs, 33
 lithospheric flexure, 137
 role of cold descending slab, 44
 seismicity, 33
 trench suction, 44, 45, 284
 volcanism, 33
Sun, 334
 composition, 334
 convection, 334
 magnetic field, 334
 photosphere, chromosphere, corona, 334
 rotation, 334
 solar flares, 335
 sunspots, 334
 magnetic fields, 335
 superconductivity, 90
 superparamagnetism, 361
 superplumes, 232, 285
 susceptibility
 antiferromagnetic, 401
 definition, 340
 diamagnetic, 399
 paramagnetic, 399, 400
 Curie–Weiss law, 399
S-wave, 149
synthetic aperture radar, 82
 interferometric SAR, 82
telluric currents, 295
temperature
 absolute zero, 254
 concept, 253
 measurement scales, 254
 profile in the Earth, 255, 256
 temperature gradient, 238
 adiabatic, 255, 257, 258
 continental borehole measurements, 267
 in D''-layer, 284
 geothermal, 258
 measurement in boreholes, 267
 measurement in the oceans, 272
 melting point, 256
 outer core, 333
 subduction zone, 279
 superadiabatic, 258, 259, 281, 282
tesla, 319, 321
Theia, 12, 383
thermal boundary layers, 226, 257, 259, 277, 284
thermally activated process
 Arrhenius equation, 361
 creep, 133, 284
 diffusion, 246
 lithosphere ductility, 136
 semi-conduction, 314
thermistor, 267, 272
thermochemical piles, 232
thermodynamic parameters, 253, 254,
tides
 anelastic response, 63
 bodily Earth-tides, 57, 62
 diurnal inequality, 59
 effect on gravity measurements, 61
 horizontal tide, 62
 increase in Earth–Moon distance, 64
 increase in length of day, 63
 Love numbers, 62
 marine tide, 57, 62
 phase lag, 63
 semidiurnal tide, 58, 59
 solar tide, 59
 spring and neap tides, 61
 synchronicity of rotations, 12, 64
time units
 convention for ages and dates, 242
 day, sidereal and solar, 235
 month, sidereal and solar, 236
 second, ephemeris time, 236
 universal time, 236
 year, sidereal and tropical, 236
timescale
 biostratigraphical, 236

chronostratigraphical, 237	tsunami, 214	mantle, lower, 142
geological, 236, 237	early warning system, 215	mantle, upper, 141
eons, eras, periods, and epochs, 237	Pacific Ocean earthquakes, 214, 215	viscous flow, 134, 135
geomagnetic polarity, 68, 385, 387, 389	period of wave, 213	Newtonian fluid, 132, 134, 140
Titan, moon of Saturn, 16	Sumatra earthquake, 214	viscous flow, in mantle, 21, 43
titanomagnetite, 358, 359, 387	Tohoku earthquake, 215	volcanic islands
oceanic basalt magnetization, 359	velocity dependence on ocean depth, 213, 214	arcuate chains at plate margins, 38
transform faults, 34, 199, 200	wavelength, 214	linear intraplate chains, 40
fracture zones, 34		volcanic tremor, 192
location of Euler rotation pole, 34	Uranus, 17, 339	
New Zealand Alpine fault, 34	composition, 17	Wadati diagram, 194
oblique slip, 200	discovery, 9	Wadati–Benioff seismic zone, 33, 196, 201, 231
relative motion, 201	internal structure, 17	wave equation
seismicity, 34	magnetic field, 17, 339	D’Alembert’s principle, 151
travel time	obliquity of rotation axis, 10, 17	numerical solutions, 173
dependence on epicentral distance, 220	rings, 17	finite-difference method, 174, 175
trench, deep-sea, 26, 31, 33, 36	spin axis obliquity, 339	finite-element analysis, 175
geoid undulation, 78		one-dimensional
gravity anomaly, 116	Van Allen radiation belts, 323	compressional wave, 149
heat flow, 279	Venus, 11, 337	shear wave, 150
lithosphere flexure, 139	magnetosphere, 337	properties of waves, 151
role in subduction, 44	retrograde rotation, 11	three-dimensional equations, 394
Vening Meinesz isostasy model, 120	surface temperature, 11	compressional wave, 395
triple junctions, 35	Venus Express spacecraft, 11	shear wave, 395
evolution of northeast Pacific plates, 37	very long baseline interferometry (VLBI), 66, 76, 83	waveform tomography, 224, 225
formation of San Andreas fault, 38	Vine–Matthews–Morley hypothesis, 29, 32, 387	wavelength filtering, 105
interplate velocity diagram, 35	virtual geomagnetic pole, 23, 356	
possible types, 37	viscoelasticity, 135, 142	
relative velocity diagram, 37	viscosity, 132, 134	Young’s modulus, 128, 129, 131
stability criteria, 36, 37	kinematic, 281	Yungay landslide, 213
true polar wander, 286	mantle, 140, 140, 143	
		Zeeman effect, 334, 343