

Index

Locators in bold refer to tables; those in *italic* to figures, and superscript numbers to endnotes

- AACAP (American Academy of Child and Adolescent Psychiatrists) 427, 442
- ABA (applied behaviour analysis) 562
- A, B, A; *see* N-of-1 trials
- ABC charts (antecedents, behaviour, consequences) 159, 340, **340**
- abduction (kidnap) **284**, 289, 469
- abduction (logic) 479
- abnormality *see* normality and abnormality
- abuse** 469; *see also* safeguarding; sexual abuse; emotional abuse; substance abuse
 - altruistic punishment 888
 - asking questions 471
 - brief cruelty 113
 - child abuse 469
 - complaints 687
 - cruel 113, 261, 349, 469
 - cultural 469
 - deduction, induction, and abduction 479
 - disagreements with parents 152
 - family therapy 358
 - manipulative tactics 133
 - meaning-making 472
 - physical examination 91
 - prevention 835
 - psychological sequelae 472
 - reasoning/avoiding leaping to conclusions 471
 - recognising/suspicion of 471
 - safeguarding thresholds 475
 - talking to parents 473
 - types 469–470
- academia *see* research
- academic centres, assessment by 782
- acceptability**
 - of diagnoses 228
 - of treatments 301, 359
- acceptance, Kübler-Ross stages of bereavement 154
- acting out 249–250
- action bias 302
- active listening *see* listening skills
- adaptability, clinician** 504; *see also* coping strategies; flexibility
 - adapting evidence to a child 28
 - continuum of styles **505**
 - length/frequency of sessions 45, 506
 - shaping the job to strengths and weaknesses 508
 - varying standards to suit the situation 505–506
- adaptive prescribing 398–399
- adaptive teaching 829
- adaptive thresholds 735
- ADHD (attention deficit hyperactivity disorder)**; *see also* atomoxetine; stimulants
 - academic efficiency 170
 - Aristotle 890
 - Band-Aids/temporary interventions 333
 - Bayesian diagnosis 166
 - benefits of diagnosis 221
 - clinics 636–637, 656, 847
 - comorbidity 140, 179, 183, 315, 528, 529, 768, 852–853
 - contrary effect of methylphenidate 32
 - diagnostic thresholds 734
 - disadvantaged parents 112
 - economics 834
 - ethics of medication 575–576
 - evolution 950
 - false positive/false negative diagnoses 95
 - genetics (risk alleles) 224
 - hyperfocus 134
 - in parents 111, 112–113, 690
 - international reliability 5
 - inter-rater reliability 213, 295
 - learning about children’s experiences 19–20
 - lumping-splitting 184
 - medication effectiveness **835**
 - misconceptions 135
 - neurodevelopmental teams 656
 - non-core features 84–85, 194, 768
 - non-normalisation 419
 - observational skills 84–85
 - oversimplification 200, 538
 - parents with 111
 - prevalence 734
 - preventive interventions 834
 - questionnaires 49, 51
 - replacement diagnoses 215, 216
 - role of medication 376
 - systems of care, limitations 110–111
 - talking treatments vs medication 306
 - threshold 734, 735, 740
 - treatment failures 324
 - treatments (overview) 95, 161, 200, 218, 306, 314, 315, 376, 418–419, 525, 529, 530
 - undiagnosing 215
 - value of diagnosis 137
 - vignettes 11, 60, 110–111, 161, 175, 220, 264, 314, 315, 336, 356, 372
 - websites 328
- adherence 324; *see* non-adherence
- Adler, Alfred 5, 602²⁸⁰⁹
- admission to hospital *see* inpatient units
- adolescents *see* teenagers
- adopters, early 642, 815, 929
- adoption**; *see also* parents (substitute)
 - breaking the news 14, 568
 - child-parent relationships 14
 - fraudulent 82
 - genograms 99
 - as natural experiment 13, 112, 138–139
 - overindulgence of adopted children 14
 - parents 108
 - policies 573–574, 612–613
 - significance of 42, 80, 99, 102
- ADOS (Autism Diagnostic Observation Schedule) 50, 95, 442; *see also* autism
- adrenaline (epinephrine)** 418, 419, 851
 - clonidine 391, **451**, 509
 - propranolol 396, 811
- adrenarche 188
- Adult Attachment Interview 889
- adult psychiatry** 11, 205–206, 653, 891
 - ADHD 403, 419
 - Adult Attachment Interview 889
 - aggression 455
 - bipolar 379
 - comparison with CAP 82, 271, 285, 360, 455, 503, 653, 847, 860
 - consent 299–300
 - depression 309, 362, 660, 911
 - doses 378, 909
 - family history 100
 - Games People Play 122
 - history taking from 75, 77–78
 - hospital wards 225, 446–447
 - with ID 11, 455, 575
 - illiteracy 112
 - maturation of personality 22
 - money as motivator 345, 622–623
 - prolactin 908
 - psychosis risks 292
 - research extrapolations 33, 390, 418, 563, 804–805
 - treatment effect sizes 296, 382
- adults**; *see also* parents
 - bed-sharing 334
 - bullied 482
 - decisions to opt out 12, 133
 - disadvantaged 112–113
- adversarial collaboration 708
- 3di *see* Developmental Diagnostic Dimensional Interview

- adversarial systems** 777
 - collaboration 708
 - slugs 931
 - adverse clinical events 281–282
 - advocacy**
 - educational help 653
 - explanations 227
 - inter-agency 303, 777
 - particular cases 524
 - rationing 638, 928
 - aesthetics** 68, 881; *see also* art
 - beauty 1, 10, 211, 243–246, 247, 254, 497, 510, 534, 536, 556, 687, 867, 869, 881, 893, 915
 - cognitive dissonance 254, 459, 534–535
 - cognitive ease 534
 - unaesthetic 469^{2002,2386,2397,2534,2665,2829,3338}
 - ugly words 248–252
 - Africa**
 - art 18
 - child psychiatry 847
 - colonial 514
 - Adichie, Chimamanda 822^{2217, 2755}
 - early map 584
 - Mandela, Nelson 587³²¹⁸
 - Roman Empire 3552
 - age factors**; *see also* development, trajectories; teenagers, mental age
 - autism spectrum disorders 136
 - parental 298
 - agendas for sessions 118–119, 509; *see also* meetings
 - aggression *see* anger; rudeness; violence
 - agitation 153, 154
 - alcohol** 431
 - clinician use 272
 - foetal alcohol syndrome 76, 170, 568
 - parental use 260, 324
 - teenagers use 26–27, 260
 - aligning** 586, 665
 - academic 487
 - altruistic 577
 - in conversation 265
 - customer 633
 - decision maker 646
 - employer 648
 - failure to align 251, 694³⁰⁰¹
 - gerrymandering 664
 - goals 144, 620–621, 646
 - leadership 610
 - local services 652
 - managers 646, 648, 649
 - parents 147, 265
 - patients 26, 66, 368, 559, 561
 - power 319–320, 663–665
 - private practice 592
 - teams 597, 649
 - alliance, therapeutic 101; *see also* relationships
 - alternative therapies
 - see* complementary therapies
 - altruism** 577
 - evolution 870
 - in professionalism 503, 950
 - altruism, competitive 319–320
 - altruistic cheating 559, 564; *see also* honesty
 - altruistic punishment 2154
 - ambiverts 501
 - America *see* United States
 - amphetamines 135
 - analogy 182, 542; *see also* metaphor
 - anchoring 538
 - anchoring heuristic 37, 257, 538
 - Andreasen, Nancy 172, 173
 - anger**; *see also* rudeness; violence
 - controlling responses to 157
 - de-escalation 155–156
 - ending the therapeutic relationship 159
 - parents 114, 115–116, 121, 155–157, 339
 - patients 245, 268, 482
 - professional responses to 158–159
 - towards colleagues 682, 776
 - towards parents 121–122
 - towards self 275
 - towards superiors 682
 - understanding/comprehension of
 - reasons for 158
 - warning signs 155
 - wise use of 682
 - your getting angry 121–122, 148, 682, 755
 - animal models 415, 851
 - anonymity *see* confidentiality
 - anorexia *see* eating and feeding disorders
 - antacids, medication interactions with 396
 - antidepressants** *see* fluoxetine; sertraline; SSRIs
 - anxiety 32
 - general usage 419–420
 - and suicide(ality) 296, 466, 466
 - timecourse of medication effects 409
 - antifragility 811–812
 - antihistamines 333, 336, 392
 - antipsychotics** 420, 909; *see also*
 - aripiprazole; clozapine; olanzapine; quetiapine; risperidone
 - Band-Aids/temporary interventions 333
 - choosing one 421
 - effect sizes in adults 382
 - medicine-based psychiatry 420–421
 - rare side-effects 412
 - risk vs benefits 282
 - side-effects 415–416
 - sleeping problems 335–336
 - timecourse 400–402, 401, 402
 - treatment of violence 455
 - vignettes 380, 421
 - weight gain 416, 420
- antisocial behaviour 15; *see also* conduct disorder; criminality
- ants ^{2967, 3030, 3381, 3460, 3544}
- anxiety, clinician 244, 274, 829–830
 - your anxiety 27, 77, 274, 284, 422, 500, 524, 526, 687
- anxiety, patient**; *see also* obsessive compulsive disorder; post-traumatic stress disorder; school refusal; anxiolytics
 - adjustment reactions 189
 - anxious parents 109–111
- Band-Aids/temporary interventions 333
- effects of relieving anxiety 189, 409, 428, 770
- indicating deeper problem 27, 470, 473, 528, 529
- medications 32
- medicine-based psychiatry 420
- neurodevelopmental teams 656–657
- not anxious enough 396, 420, 566
- paradoxical ways of reducing 559
- preventive interventions 835
- role in mental illness 6
- secondary effects 132–133, 153–154, 161, 183, 459, 460–461, 478, 645
- side-effects of stimulant medication 413
- talking treatments vs medication 307, 308
- treatments 128, 295, 296–297, 307, 356, 360, 363, 367, 568–569
- use of words/appropriate vocabulary 25, 253
- variant of normality 6, 253
- Yerkes Dodson 623
- anxiety, team**
 - anxious system 654
 - team anxiety 473, 604, 674–675
- anxiolytics** 32, 388, 389, 391, 409, 419–420, 428; *see also* benzodiazepines
 - propranolol 811
 - SSRIs, *see* antidepressants
 - vignettes 32–33, 370, 389, 420
- apologies**
 - clinician 158, 279, 688
- aporia** 146, 253, 356, 589, 824, 828
 - learning after mistakes 260, 263, 275, 281, 533, 812, 864
- appearance/dress**
 - clinician 40–41; *see also* professionalism of patient 57
- appointments**; *see also* interviews; sessions
 - systems thinking 628–629
 - timing the next appointment 37, 257
- appraisal**
 - 360-degree 280–283
 - corporate ³⁰⁸⁷
- approximations 165, 202, 249–251
- aripiprazole**
 - co-prescribing 188, 389–390, 394
 - figures 393, 394
 - high-dose prescribing 380, 393–394
 - partial agonist effects 380, 394
 - for prodromal symptoms 402, 903
 - receptor saturation 393
 - side-effects 416
 - vignettes 161, 380, 394–395, 816
- Aristotle 682, 819, 890
- arithmetic, screening for educational difficulties 762
- arms race** 692, 698, 707, 871
 - biological examples 692^{3181, 3381}
- art**; *see also* drawing, music, writing,
 - aesthetics; *specific artists/writers by name*
 - art of mathematics 163
 - bad practice ²⁰⁰²
 - beauty 247, 534, 867 ²⁰⁰²
 - classification 238
 - genres which span the space of human experience 17–18
 - literary works 20–21

Index

- art** (*cont.*)
musical expression 24
non-Western 17, 19
order of learning 764
poetry of life 10
provenance 919
sailing 1
teaching child 89–90, 94
art therapy 598
Asch, Solomon 676
ASD (autism spectrum disorders) *see* autism
Asimov, Isaac 63, 512
Asperger, Hans 5
Asperger syndrome 126, 140, 183, 184–185, 253, 547
in adults 115, 175, 375
démodé 184–185, 214, 735
diagnostic thresholds 735
disagreements with parents 150
divorced/separated parents 115
Hans 5
rethinking diagnosis in view of DSM changes 214
schools 108, 766–767, 768, 771
screening 50, 885
as special gift 134
vignettes 27, 68, 108, 175, 366, 373, 768
assertiveness, disagreements with parents 144–145
assessment; *see* checklists; diagnosis; interviewing; questionnaires; *and see contents for full breakdown of volume 1*
atomoxetine 393, 403, 431, 436, 451, 835
figures 403, 403, 410
high-dose 393
monitoring 431, 436
timecourse of effects 403
vignettes 389
attachment disorder 138–139, 594
debates 138
holding therapy 338
phases in research 858
vignettes 138–139
vs restraint 453
attention/attention-seeking 344, 352, 456, 458, 467–468, 823–824
attention deficit hyperactivity disorder *see* ADHD
audits 426, 836; *see also* clinical governance vignettes 100, 836
Australian paediatric behaviour assessment protocol 427
authorisation/asking permission 722
authoritarian parents 614
authoritative parents 115, 614
authority figures 114, 269
autism; *see also* Asperger syndrome
changes with age 136
clinician mistakes in assessment 275
cortisol 427
diagnostic decision-making 221
false positive/false negative diagnoses 95, 96
increasing prevalence 16, 883
interpretation of test results 92
length of sessions 427
in literature 21
lumping-splitting 52, 177, 184–185, 806, 807
misconceptions 135
misdiagnoses 6, 225, 275, 342, 479, 548
parents with 111
physical characteristics 57
prevention of risk 289
preventive interventions 835
questionnaires/assessment 50, 52
screening 878, 879
treatments 151–152, 311, 314–315, 333–334, 378–379, 389, 398, 401, 421, 447, 455, 652, 677, 852–853
underlying causes 189
autocratic leadership 614, 615
automation 842; *see also* computer
diagnostic tools 204–205
getting in a rut 843
routines/habits 842–843
Susskind and Susskind on 845
autonomy
ethics 570, 572
intrinsic reward systems 620
paradoxical interventions 558
availability heuristic 20, 77, 267, 274, 539–540
average person 13; *see also* normality and abnormality
avoidance behaviour; *see also*
oppositionality; school refusal
acceptability of diagnosis 228
intergenerational patterns 99
pathological-demand avoidance 113, 140–141
vignettes 12, 100, 110
awareness-centred teaching styles, trainees 818–819
baboons 924–925
Bacon, Sir Francis 367, 780, 808, 886, 942
backlogs
acute 755
bootstrapping 754
chronic 754–755
dealing with 713; *see also* efficiency
emails 786
balance 1–2; *see also* good enough child
psychiatry
ambiverts 501
cynicism levels 501–502
decision balance sheet 258–259
deep vs broad knowledge 549
as element of mastery 552–553
evidence-based practice 28, 29–30
figure 189, 2, 581
flexibility levels, clinician 504
in formulations 183, 782
happiness/seriousness levels 500
honesty and dishonesty 567
humanity/warmth 501
individual vs population 435
levels of care 496, 497–498
in management 277
measured vs unmeasured outcomes 694–701
medicalisation levels 502–503
moral balancing 567
political 747
prescribing 378–379
preventive interventions 832
professionalism 503
quality of treatment 422, 436
ratchets 720
in reading 803
reflective practice 500
ROC curve 285
second opinions 782
short-term vs long-term effects 778
treatment dynamics 320–321
work-life balance 509, 753–754
balanced cheating 564, 567; *see also* honesty
balanced discussions, relationship management 357
balanced states, dynamics of treatments 322
Baldwin effect
Band-Aids 332–333
bandwagon effects, heuristics 533, 541
barnacles ^{3181,3552,3152}
philosophical ²⁷⁶⁹
base rates 876, 877
baseline
establishing an individual's baseline 252, 342
for a disorder 5
population 553–554, 637
vignettes 464
Basho, Matsuo 19
battleship game 81
Bauman, Zygmunt 635
Bayesian reasoning
alternative therapies 338
autism screening 878, 879
Bayesian blood tests 209, 544
Bayesian diagnosis of hyperactivity 166
Bayesian journal reading 805–806
caeruloplasmin 209
causality 165–166
core of psychiatry 893
formal methods 878–879
interpretation of test results 92
of autism 878
of false beliefs 913
of somatising 488–489
predicting the future 39
psychogenic symptoms 488
rare problems 208–209
two-way tables 878, 879
Bayes, Thomas 488
beauty 247, 534, 867, 881
bedrock facts 194, 584
bees 871, 913
behavioural interventions 339–340, 363;
see also role-modelling
ABC charts 340
addressing specific challenges 351–352
appropriate rewards and punishments 345–346, 350
complex/difficult formulations 197
computer time 344, 354
core rules 339
demonstrating 347–348

- family therapy 358
- hypoglycaemia example 346–347
- increasing desirable behaviours 341
- making it easy to succeed 351
- making targets achievable 350–351
- money 344, 345
- offering tips unasked 351
- paradoxical 558–560
- parent training 230, 343, 344, 346
- politeness money 353
- positive set against negative reinforcers 346–347
- praise 348–349
- progress charts 342
- punishments 349–350
- relapses 346
- rewards 344
- school sources of information 342
- self-ratings 342
- setting achievable targets 342–344
- sociability training 345
- strategies 317–318
- target-setting and baseline states 340–342
- teaching self-management techniques 354
- teenagers 345, 346
- treatment failures 325
- troubleshooting 346, 351
- unrealistic expectations 351
- violence 453
- vs environmental interventions 346
- belief systems *see* ideas, fixed
- beneficence, ethics 570, 572
- benzodiazepines 32, 333, 416, 423
- bereavement**
 - parent's hopes for normal child 82, 149, 154
 - stages (Kübler-Ross) 154
 - threshold 729
 - vignettes 82, 95, 154
- Berne, Eric 133
- Berwick, Don 788, 866
- Besag, Frank 44, 160
- Beveridge, Allan 20
- bias** 533; *see also* heuristics
 - cognitive ease 533–534
 - coincidence-related 539
 - commitment bias 535
 - confirmation bias 174, 203–204
 - self-serving bias 536–537
 - similarity bias 538
- BIF *see* borderline intellectual functioning
- Big Five personality constructs *see* personality
- binaries**; *see also* black-and-white thinking
 - in causation 895
 - gender 27
 - gray code 894
- biopsychosocial formulations 207
- bipolar affective disorder** 139–140
 - adaptive prescribing 398–399
 - anti-manic agents 333, 376, 379, 420
 - “epidemic” 16
 - mood stabilisers¹⁰²³
 - psychosocial treatments 230, 314
 - role of medication 376
 - sleep 314, 334
 - treatment 313–314
- triggers 189, 398–399, 423
- vignettes 7, 11, 98, 164, 166, 214, 380, 396, 399, 566, 718–719, 783–784
- biting**
 - glass 337
 - other people 399, 575, 656
 - self 61, 83–84, 167, 330, 337, 376
- black-and-white thinking** 93, 238, 249–251, 319, 357, 383, 677, 778, 828, 842
 - alternatives 24, 130, 143–144, 250, 268, 353, 360, 372–373, 486–487, 499, 503, 721
 - blaming 684
 - in education 761
 - in ethics 175, 564, 570–577, 583, 700–701²⁹⁵⁵
 - in judging trainees 828
 - over-valued ideas 374
 - in prioritising 721
 - in psychogenic conditions 131, 488, 493
 - in self-harm 463–464
 - in sexuality 27
 - in taking medicines 264
 - talking treatments 360
 - teaching trainees 828
- black humour 72
- black swans 290–291
- Blair, Tony 319, 358, 617^{2582,2585,3118}
- blame** 683, 686; *see also* complaints;
 - criticism
 - blame-free culture 685–686
 - blame of juniors 685, 690, 828
 - blaming the child 256
 - clinicians' self-blame 35, 159, 206, 533, 748, 749
 - managing blame 683
 - patients feeling blamed 230, 568
- blame diffusion** 684–685
 - changing ideas 369
 - de-escalation of anger 156
 - thinking strategies 370
 - timing the next appointment 37
- blindness, literary works 20
- blindness**
 - blinded trials 150, 384–385, 400, 407–408
 - evolved²⁹¹⁴
 - Helen Keller 20
 - one eye 210
 - theory-induced 536, 540
- Blitzkrieg networking 760
- block contracts 284
- blood pressure, physical examination 91
- blood sugar *see* hyperglycaemia;
 - hypoglycaemia
- blood tests** 93
 - antipsychotics 29, 93, 262
 - Bayesian reasoning 209
 - gaming example 698
 - normal ranges 93
 - opportunistic testing 93
 - organising 91, 627–628, 846
 - systems thinking 628
- boarding schools 771
- body language 147, 569
- body odour**
 - colleagues 567, 827
 - patients 57, 471
- Bolam test 276, 443
- Bolitho criterion 276
- boom crutches, complex/difficult formulations 200
- bootstrapping**
 - backlogs 754
 - interventions 332
- borderline intellectual functioning (BIF) 7–8, 653, 733, 761; *see also* nonverbal learning disability
- boredom, as assessment technique 44, 45, 73, 74, 88
- bottleneck 523, 632, 817, 868, 872³⁴⁶⁰
- boundaries**
 - authoritative parents 115
 - clinical relationships 106–107
 - humanity/warmth 501
 - in patient–clinician relationship 106, 453, 501
 - of disorders 16, 174, 553–554, 859
 - work–life balance 509
- bounded rationality, cognitive heuristics 534
- Bowlby, Donald 138
- box-ticking 287, 627; *see also* checklists
- Bradford Hill criteria, causation 168
- brainstorming 368, 672, 674
- branded medications 386
- breakdowns, parental 337, 447
- breakfast 31, 132, 197, 331, 356
- breaking bad news 120
- bribes, using 324; *see also* rewards
- Britain *see* National Health Service; United Kingdom
- Browne, Thomas 134
- bubbles, economic 908
- bubbles, using in assessment 50
- budget cuts *see* cuts in funding
- Buffett, Warren 514, 932
- building blocks of knowledge, order of learning 764
- bullying** 481–482
 - bystanders 483, 680, 683
 - by colleagues 550–551, 680, 704
 - cyberbullying 482
 - educational interventions 766–767
 - effects of scale 277, 578–580
 - ethics 578, 583, 645
 - interventions 483
 - of mother 220
 - talking to child 482
 - teachers as sources of information 483
 - types 482
 - vicious cycle 872
- bureaucracy 436, 635–636; *see also* management
 - management
- bureaucratic indulgency patterns 645
- Burningham, John 882
- burnout 623–624, 755–757
- business**; *see also* funding; management systems; organisational ethics
 - bureaucracy 635–636
 - competitive funding 634–635
 - competitive working 633–634
 - corporate culture 71, 649–650, 667, 709, 791, 855, 859, 922, 923

Index

- business** (*cont.*)
customer-driven 633
economies of scale 595
local competition 634
buspirone, anxiety 32
butterflies 167–168, 187, 644, 810, 938
button-pushing, orchestrating treatment 296
buying in 514
bystander roles, bullying 483
- caeruloplasmin 88–89, 93, 167, 209, **209**
Caesar, Julius 514
caff  ine 233, 391, 419
California **273**, 877, 940–941
calluses, as marker of autism 57
Cameron, David 768
Canada 272, 276, 392, 549
cancelling appointments 799
cannabis 93, 157, 239
blood test 93
controversy 239
depersonalisation 459
in mother 157
risk 110
self-medication 639
CAPA (Choice and Partnership Approach)
capacity; *see also* caseload; resilience; slack
capacity to be cruel 577
humans' limited capacity to be rational
or ethical 534
legal capacity 11
managers' or clinicians' ability to
understand complexity 522
your thinking capacity 80
car metaphors, presenting the formulation 233
Care & Treatment Reviews (CTRs) 862
care coordinators *see* keyworkers
care pathways 532, 637–638; *see also* desire
paths
cuckoo in the nest 640
four-tier CAMHS framework 638
individualised care paths 630–631
integrated care pathways 532
neurodevelopmental teams 655–658
New Zealand 617
pros and cons 637–638
systems thinking 625–626
and your development 637, 812
care standards *see* guidelines; standards
of care
career 510–512; *see also* research; teaching
balance 509
being pushed 555, 747–748, 751, 918
early in career, where to start 511, 517,
519, 671
effects of age 364, 515–518
failure to get job 122, 502
job interviews 534, 896
late in career, quality reducing 551–552
into management 498
portfolio career 509
post-retirement 588, 645, 760, 847, 862
retirement 273–274, 519–520, 645, 706,
719
slowing down 273–274, 588, 706, 719,
774, 869
strategy in job choice 853
transition to private 588, 590
career balance 509
career development 510–511; *see also*
continuing professional development;
job (starting new)
benefits of change 814
changes over time 515–518
clinical practice 510
coherence 510
individuality of clinicians 510
moving into managerial roles 498
personal direction and goals 513–518
Carnegie, Dale
Carroll, Lewis 218
case discussions, efficient 671–673
discussion of ideas 673
ideas generation/brainstorming 672,
673–674
presenting the case 672
case reports, evidence-based practice **30**
caseload *see* workload and overwork
catastrophe 277, 288–289, 356; *see also*
suicide
catastrophising 130, 360, 499
catatonia 141, 396, 528
causes and causality 160 *See also* forced
choice
abuse 479
addressing the cause of problems 162
Bayesian thinking 165–166
blame attributions 684, 685
Bradford Hill criteria 168
causal reasoning 167–168, 169–170
cognitive heuristics 538–539
combined nomothetic/idiographic
162–163
consilience 166–167
cumulative nature 160
diagrams 182, 190, 191, 192, 199, 279,
357, 462, 534
exception-oriented questions 162
family history to aid diagnosis 167
fishbone diagram 632
multiple 161–162, 180
psychogenic symptoms 485
trauma 479
underlying causes 189–190
CBT *see* cognitive behavioural therapy
CD *see* conduct disorder
cerebral palsy 19–20, 134
certainty and uncertainty
appropriate uses of dishonesty 568
diagnostic limitations 226
embracing uncertainty 36
future predictions 34, 35
not knowing what to do 302–303
presenting the formulation 231–232
professionalism 503
what children and parents want from
healthcare 127
certainty effect 36–37
CFTMEA 892
CG (clinical governance) 284, 425
CGAS (Children's Global Assessment
Scale) 341
chairs 41, 118
change; *see also* ideas (changing)
and creativity 812
paradoxes of 556
resistance to 358
chaos, regulated 59
charity; *see also* altruism
personal 576, 588, 594, 636, 924–925
charities 221, 372, 467–468, 758, 795
chat/small talk 67, 74, 299, 602
cheating 564; *see also* gaming; workarounds
checklists 174
game theory 692
risk assessment systems 285–286
systems thinking 627, 632
unintended consequences/limitations
287
Chekhov, Anton 20
chess 320, 822, 846, 904
chicken game 778
child protection *see* abuse; safeguarding
children taken into care 774–775
competition with colleagues 705
ethics 573–574
China 849; *see also* Lao-Tzu; Sun Tzu
centralised 914
game of *wei qi* (Go) 320
Mao and the Cultural Revolution ^{3003,3336}
military 304
numerology 269
poetry lover 210
in 1500 501
traditional medicine 332, 338
Zhao Ziyang ²⁷⁸²
Chinese traditional medicine 332
choice *see also* forced choice
choice overload 300
from experience vs description 209–210
omitting choices 722
in persuasion 265, 266–267
totalling 100% 164, **165**, 200, 468, 547
in treatment choice 266–267, 300
use of words 251
Choice and Partnership Approach (CAPA)
Chomsky, Noam 923
chunks of CAMHS 861
chunks of text 240
Churchill, Winston 201, 754, 891, 898, 950
circular questioning, family therapy 359
citations, interdisciplinary 841
civil service, language of 644; *see also*
bureaucracy
Clare, Anthony 12, 227, 304–305, 360, 439,
914
Clausewitz, Colonel Carl von 318–319, 884,
891, 903
clinical ethics committees 587
clinical governance (CG) 284, 425
clinical relationships *see* relationships
(clinical)
clinics
medication review 59
organisation for efficient functioning 671
special-purpose 637

- Clinton, Bill 512, 760
clonidine 386, 387, 391, **451**, 477, 509,
 825–826, 915
closed questions 23, 75–76, 104
closing a case 152, 723
clothes; *see* appearance/dress
 patient 154, 246, 458–459
 yours 40, 104, 105–106, 843
clozapine 93, 380, 387, 421, **446**, 910
 blood tests 93, 910
 vignettes 380
club privileges 514
cobalt poisoning case 211
cocaine 259, 772
Cochrane test, efficiency 710
coevolution, nature-CAMHS parallels 871
Coghill, David 59, 74, 427, 671, 946
cognitive behavioural therapy (CBT) 360,
 363, 312
 effect sizes **296**
 falsificationism 367
 negative aspects 363
 patient-centredness 363
cognitive demonstrations, behaviour
 management 348
cognitive dissonance 367, 368, 370, 534–
 535, 535
 vignettes 368, 370, 473
cognitive ease
 and honesty/dishonesty 567
 and intuition 546
 bias 533–534
 figure 534
 in persuasion 268
 stories 372
cognitive heuristics *see* heuristics
cognitive remediation therapy 105
coherence 510, 534, 546
cohesion, multidisciplinary teams 596
cohort studies, evidence-based practice **30**
coincidences 211, 539, 709, **811**, 904
 vignettes 169–170
colleagues
 allocation of workload 703
 anger with 682, 776
 asking colleagues for advice 781–782
 asking for opinions or favours 602
 body odour 567, 827
 clinical debates 673
 cooperative 707–708
 eating with 673, 708, 760
 fundamental attribution error 547
 getting cross with colleagues 682
 honesty and dishonesty 566–567
 ineffectual colleagues 380, 706
 judging and measuring the quality of
 706–707
 learning from 708, 815
 methods of persuasion 265
 obtaining help from colleagues 244
 overenthusiatic 35, 137, 140, 183, 319,
 396, 439, 498, 511, 517, 520, 553, 642,
 676, 807
 problems with 704
 problems with their advice 435
 special clinical relationships 107
 tact with 214
 troublesome colleagues 375, 705
 ways to delegate 675
collusion 248–249
colour-coding text 799
comfort zones, extending *816*; *see also*
 innovation
commitment bias, cognitive heuristics 535
committing oneself 56, 66, 721
commoditisation of healthcare 555, 633,
 644
communication methods 785, 787; *see also*
 emails; phone calls
communication skills; *see also* listening
 skills; earshotting
 chat/small talk 67
 communication of risk 69–70, 267
 communication of statistics 69–70
 complaints 687
 connecting with the family 66
 difficult/unpleasant parents 114
 ending the session 70
 eye contact 57
 humour and lightheartedness 71–72
 interrupting 67
 with management 646–647
 metacommunication 67
 multidisciplinary teams 600
 nonverbal communication 62, 65–66
 putting families at ease 74
 relational aspects of communication 68
 subtle communication 65, 68
 talking to parents 117–118
 trying out ideas 66
 undiagnosing (rethinking diagnosis)
 215
communication styles 117–118
comorbidities
 ADHD with anxiety 96
 ADHD with autism 315, 852–853
 broader view 222
 diagnostic decision-making 221
 drawbacks of specialisation 550
 effect on thresholds 733
 evidence-based practice 28
 single-purpose clinics 637
comparisons; *see also* contrast effects;
 deep vs superficial approaches, forced
 choice
 behavioural vs environmental
 interventions 346
 cost-cutting vs quality 860
 deep vs broad knowledge 549
 diagnostic categories vs continua
 171–172
 genetic vs environmental factors 13
 personalised medicine vs efficiency
 859–860
 talking treatments vs medication
 308–309
compassion, ethics of 576–577; *see also*
 kindness
compensatory cheating 564, 567
competency **431–432**, 911
competition/competitive working 3–4,
 633, 702, 707, 708, 860
business 633–634
development of CAP 874
funding 634–635
local competition 634
nature-CAMHS parallels 870–871, 874
preparation for 707
Public Goods Game 708
complaints 687; *see also* apologies
 about another staff member 690
 complex situations 689–690
 dealing with 688–689
 primary prevention 687
 secondary prevention 688
complementary therapies 337–338
 anxiety 32
 definitions 338
 traditional Chinese medicine 332
complex organisations, quality
 improvements 424
complex-case assessment clinics 637
complexity/complex formulations 193,
 522; *see also* simplification
 boom crutches 200
 clinical 522
 collecting further information 198
 complaints 689–690
 emergent properties 523
 evolutionary increase 522, 817, 872
 finding a way through 198–199
 future research directions 850
 heuristics 194
 integrated care pathways 532
 levels of analysis 201
 neurodevelopmental teams 657
 organisational systems 522
 overcomplication 200
 oversimplification 199–200
 parallels between nature and CAMHS
 868
 pre-/semi-/pseudo-diagnoses 199
 prioritising/pruning data 194, **195**
 probability of accuracy/validity 202
 professionalism 503
 realistic approaches to 875
 resolution 202
 simplification of 523–524
 stories 372
 ways of dealing with 193, 198–199
 wicked problems 198, 524–525
 winnowing 200–201
compliance, definitions 324; *see also*
 noncompliance
comprehensive assessments 236
compromise 270, 739, 929
computational models 852
computer; *see also* automation; software
 bedtime 335
 as a bribe 344
 computer addiction 354, 532, 807, 15
 computer use by children 60, 183
 computer violence 489
 cyberbullying 482
 development 844–845
 workarounds 630
computer time, behaviour management
 interventions 344, 354

Index

- computerised printing, prescriptions 385
- concept-centred teaching styles, trainees 818–819
- concordance, definitions 324; *see also* shared decision-making
- concrete reasoning 113, **195**, 229–230, 250, 890, 901
- conduct disorder 137, 138, 835–836; *see also* antisocial behaviour; criminality
- conferences, networking 758–759
- confidence-levels** 499; *see also* overconfidence
- defensive medicine and intuition 547
- confidentiality**; *see also* informed consent
- email exchanges with patients/parents 785
- letter/report-writing 235, 245
- talking to parents 118
- teenagers 23
- treating friends/colleagues/family members 107
- vignettes 898
- confirmation bias 174, 203–204
- conflict resolution 680, 684, 837
- conflicts**; *see also* disagreements with parents
- anger with colleagues 682
- between agencies 287, 475, 776
- between authorities 439–444, 692
- between CAP and employer 175, 584, 643, 648
- between colleagues 375, 596, 679
- between equals, marital 114–115, 116
- between management levels 277, 582
- between parent and child 356, 357, 370
- between team and child 522
- between team and employer 599, 636–637
- between team and family 530, 584
- in CAP 496–499
- conflicts, team** 679, 680
- forces governing dishonesty 565
- internal conflicts, in teens 258–259, 370, 473
- natural tensions 777
- professionalism 503
- risk events 276, 277
- what children and parents want from healthcare 127
- conformity culture**; *see also* groupthink
- health management systems 642
- interdisciplinarity 838
- confrontation 146–148
- conjunction fallacy 184, 203
- Conners form 51, 112, 314
- conscientiousness 22; *see also* obsessive behaviour
- consciousness** 360, 363, 495, 853^{2769, 2771}
- figure 53
- of tics 342
- psychogenic symptoms 485, 486, 487
- raising awareness 819
- stream-of-consciousness 67, 241
- unconscious 77, 133, 484, 533, 544–545, 548, 586, 738
- consequence sharing
- consent, informed** 299–300, 417, 503, 903
- by young person 300
- duty of continuity 40
- implied consent 256, 865
- permission for data use 245, 940
- to share information 245
- use of personally identifiable data 245
- consilience 166–167, 867
- consistency 641–642; *see also* inconsistency
- consistency effect 372, 535
- constipation 199, 904
- consultancy services, managerial 650
- continuing professional development** 511–512; *see also* career development;
- learning in our career
- buying into the system 514
- curiosity 512
- keeping up to date 804–805
- knowledge of the field 512
- learning from colleagues 708
- multiple intelligences/five minds 516
- professionalism 503
- providing quality treatment 426
- seven habits of highly effective people 516
- stages in skill development 518
- specialty/context-specific knowledge 512–513
- systems thinking **628–629**
- use of words
- ways of developing further 513
- continuity of care, need for** 11
- building a long-term bond 102–103
- hospital admission 449
- teenagers 23
- what children and parents want from healthcare 127
- contracts, block 284
- contracts, psychological 645
- contradictions, discrepancies, and surprises** 131, 144, 147–148, 215
- concerns over meta-analyses 30
- listening skills and active listening 63–64
- note-writing/history taking 74
- paradoxical 2, 556, 561–562
- research 63
- role in diagnosis 210
- wicked problems 524
- contrast effects 266, 537
- convergence**
- convergence in MDT 603, 672, 687, 838
- convergent evolution 869
- in discussion 299, 598
- factors preventing 596
- in neurodevelopmental team 654–655, 657
- conversion disorders 490; *see also* psychogenic symptoms
- cooperation**
- adversarial collaboration 708
- Anna Freud 882
- between services 652–654
- conditional cooperation 708
- with colleagues 435, 702, 708
- collusion 173
- with employer 585, 700–701, 798
- in evolution 871
- game theory 692
- importance of relationships 924–925
- inter-agency 43, 778
- paradoxical interventions 558
- with parents 119, 129, 497
- smokescreen 699
- uncooperative child 82, 345
- withdrawal of cooperation 900
- coping skills, child**
- social services, working with 778
- and vicious cycles 191
- coping strategies for overwork**
- bad/ineffective 752–753
- long-term methods 754
- short-term methods 753
- copper deficiency, rare problems 209, **209**
- coral 871, 875²²²⁹
- corporal punishment 350
- cortisol levels, in response to length of sessions 427
- co-sleeping 334; *see also* sleep
- cost-cutting *see* cuts in funding
- cost-effectiveness**
- preventive interventions 833–834
- quality-adjusted life years 640–641
- quality of treatment 422–423
- risk management 635
- counter-transference, relating to parents 108
- courtesy, working with secretarial staff 606
- covert administration of medicine 395
- co-working**
- creativity 813
- efficient team functioning 674–675
- future phases for the development of CAP 873–874
- trade-offs **674**
- COWS (clearly, only when, straightaway) acronym 348
- CPD *see* continuing professional development
- cranial nerves, neurological examination **91**
- creativity** 810; *see also* innovation;
- metaphors
- antifragility 811–812
- brainstorming 674
- co-working 813
- creativity pumps 218
- facilitating 812–813
- and flexibility 811
- good mood fostering creativity 500
- imposed innovation/changes 812
- incorporating new ideas 812
- inevitability/value of disorganisation 810–811
- and insight 811
- operant learning 812
- crescendos 57, 58, 84–85, 153, 310
- Crick, Francis 875, 897, 914, 944
- criminality** 8, 15, **228**, 475, 775; *see also* prison; antisocial behaviour
- court 472

- doctors 272
- economic cost 834, 836
- malingerer 87
- needy 584, 744
- normal 8, 16
- parental 450–451, 475, 775
- crisis management plans 26, 263, 388–389, 909
- critical mass 212, 588, 651, 653, 654–655, 661
- criticism**
 - critical parents 269–270
 - of juniors/trainees 827
 - of parents 120, 265
 - punishments 350
 - relationship management 355
- crowdsourcing 846, 852
- cruelty *see* abuse
- CSA (child sexual abuse) *see* abuse
- cuckoo in the nest initiatives 640
- cultural**
 - abuse 469
 - evidence-based practice 28
 - greeting new patients/families 43
 - sleeping habits 334
- culture, organisational**; *see also* conformity culture
 - blame-free 685–686
 - multidisciplinary teams 595
 - vignettes 7, 372–373, 469, 772
- curiosity 21, 82, 512
- curse of expertise** 553–555
 - curse of expertise for clinical work 553
 - curse of expertise for training 554
 - curse of expertise for ultra specialists 553
 - curse of the gifted 557
 - winners' curse 634
- cuts in funding** 747; *see also* rationing
 - avoiding 748
 - blame diffusion 685
 - boundary problems 836
 - coping with 749
 - cost-cutting vs quality 860
 - emotional impact 747–748
 - lowering standards 433–434
 - opportunities/positive aspects 750
 - preparation for 749
 - preventing service collapse 749
- cutting** 458–459
 - reasons for 458
- cynicism levels, clinician 501–502
- cytochromes 401, 403
- damaged children 17, 79, 480, 574
- DAMP 186
- Darwin, Charles** *see* evolution
 - country size ²⁸¹⁸
 - how to observe 82³¹⁷⁶
 - imperfection ²⁸³⁶
 - limits of Darwinism 857^{3525,3599}
 - luck 855²⁹²⁵
 - the man 838, 855^{2811,2925}
 - persuasion by ²³⁶⁴
 - the poor 578
 - pre-Darwin 849³⁵²²
 - quiet 253
 - social Darwinism 162
 - species 868, 869^{2871,3596}
 - thinking path ³⁴⁴⁸
 - universal Darwinism 867
 - using waste data 856³⁵⁶⁸
- dashboard, patient 642, 800–801
- data collection *see* information collection
- database organisation 793–795
- DAWBA (Development and Well-Being Assessment)
- Dawkins, Richard 229, 843, 868, 869–870 ^{2001,2165,2397,2882,3102,3460,3596}
- Dead Man Rule 47
- deafness 25, 83
- death of patients in your care** 468; *see also* bereavement; suicide
 - actual risk 437, 466, 496, 684
 - discussing sensitively 26, 67, 299
 - effect on management 276
 - goal of reducing 622
 - life events 478
 - other discussions 147–148, 268, 684
 - patient dies 468
 - SIDS 212
 - suicidal ideas 823–824
 - suicide prevention 461, 462, 622, 837
- debriefing, negative effects 480
- deception *see* honesty/dishonesty
- decision balance sheets 259
- decision fatigue 752
- decision-making** *see also* drug companies;
 - exploring; heuristics; influencing; persuading; aligning; choice; ethics; evidence
 - by yourself, preparing for decision-making 42, 80
 - with colleagues 140, 277, 678–679
 - decision aids 298, 944
 - encouraging rational-thinking in parents 299
 - narrow framing 639
 - overload 752
 - PowerPoint 174
 - preferences, parents and children 126
 - shared understanding 151
 - shared with parents and patients 297–298
 - shared with patients 126, 297
 - use of drawings 299
- deduction, logical 479
- deep knowledge 548; *see also* expertise
- deep vs superficial approaches** 526
 - assessment 526
 - examples 530–531
 - looking for deep explanations 527
 - treatments/interventions 529–530
- defensive medicine 499, 221, 274, 282
- delay, therapeutic 409; *see also* timelines (medication effects)
- delegation 616³⁰⁴⁶; *see also* monitoring
- delusions**; *see also* psychosis
 - causality 162
 - Mental State Examination 58
 - vignettes 528, 890
- demanding parental types 113
- democratic leadership 614, 615
- demonstration, behaviour management 348
- denial of diagnosis 149, 154, 266; *see also* disagreements with parents
- Dennett, Daniel 122, 200, 495, 525, 813
- depersonalisation** 127–128, 459, 768
 - in burnout 755
 - and self-harm 459
 - and staff burnout 755
- depression**; *see also* antidepressants;
 - bipolar; bereavement; suicide; depersonalisation; life events; scales; screening
 - choice of words 249, 252
 - contributory factors 479, 932
 - depressed parents 111, 479
 - diagnostic thresholds 735
 - difficulties with diagnosis 12, 15, 50–51, 95, 98, 133, 154, 164, 165, 464, 485, 528, 532, 638, 718–719, 823–824, 936
 - economics 834, 835
 - French system 892
 - genetics (risk alleles) 180, 224, 479
 - inter-rater reliability 213
 - long-term factors 823
 - medicine-based psychiatry 419–420
 - neurodevelopmental teams 656–657
 - normative 6, 223
 - in parents 109–111, 157, 479, 778, 823–824, 836
 - prevalence 16
 - preventive interventions 835
 - role in mental illness 6
 - role of medication 376
 - self-harm 292, 456, 458–459
 - talking treatments vs medication 308–309
 - talking with teens 24–25
 - thresholds 733
 - toolbox for depression
 - treatment selection 295–296
 - treatments 267, 308, 360, 367, 370, 376, 787
 - triggers 220, 472, 482, 683–690
 - using appropriate vocabulary with teens 25
 - vignettes 266
 - your depression 502
- depression, clinician** 502
 - See also* burnout.
- deprioritising 721, 754–755; *see also* prioritising
- Derrida, Jacques 907
- Descartes, Rene 243, 316, 894
- descriptive psychopathology 17, 171–172
- desire paths 630
- desperation 154, 356, 811, 900–901
- Developmental Diagnostic Dimensional Interview (3di) 52,861
- development**
 - advanced countries 594, 927
 - as a clinical goal 293, 320
 - conduct disorder 835–836
 - developing countries 17, 378, 469, 769, 861, 950
 - developmental history 48–49, 77–78, 430
 - developmental problems 183
 - drawings 56–57

Index

- development** (*cont.*)
history taking 77–78
metaphors 183, 234
milestones 16, 82
of CAMHS 842, 857
of systems 625
of ourselves 503, 510–512, 518, 519, 548
prevention economics 833–834
screening 762
therapies tied to life stages 312
trajectories 337, 351, 398
dexamfetamine (dexamphetamine) 24,
328, 388, 392, 405, 407, 763
diabetes, medication side-effects 282, 283,
379, **436**; *see also* glucose
diagnosing; *see also* causes and causality;
differential diagnosis; DSM; drift;
forced choice; formulations; physical
examination; tests; undiagnosing,
comorbidity; *specific disorders*
academic centres 782
acceptability of diagnoses **228**
alternatives to diagnosis 223
automatic diagnosis 204–205
benefits of 136, 213–214, 218–220, 221,
770
categories vs spectra 171–172
confused 137
consilience 166–167
cost & value of diagnoses 221
decision-making 221–222
denial of diagnosis 149
diagnosis from treatment (*ex juvantibus*)
202, 218, 226
diagnosis of exclusion 174, 184
disagreements with parents 148–150
discrepancies, surprises, and
contradictions 210
errors/mistakes 7, 177, 459, 743
false positive/negatives 93–96
genetics 224
hierarchies of diagnoses 176–177
importance of diagnoses 218–220
initial appointment interviews **46**
limitations 220–221
lumping vs splitting 184
medicine-based psychiatry 417
misconceptions 134, 137
motivated reasoning 735
online voting 847
over-broad diagnoses 186
partial or atypical diagnoses 226
pathological demand avoidance
140–141
pharmacological dissection approach
418
pre-/semi-/pseudo-diagnoses 199
psychiatry without diagnoses 218,
222–223
psychiatry without formulations 225
psychogenic illness 491–494
reliability/validity 31
resistance to losing diagnosis 213–214
response as confirmation of diagnosis
218
scepticism 807
single-purpose clinics 636–637
strategic 735
superficial or deep 526
thresholds 732–733, 735
uncertainty 226
undiagnosing 213
unconventional 149
use of words 252
working / provisional / tentative 221
zebras 896
diary-keeping 77, 800
dictation, letter/report-writing 241
differential diagnosis 2–3, 128, 178, 208,
216, 502, 505–506, 548, 636–637,
902, 911; *see also* depression;
oppositionality; bipolar; fabricated or
induced illness; somatising
ADHD 11, 51, 52, 60, 94, 110–111, 161,
166, 200, 220, 335, 356, 390, 400, 891
attachment 138
autism 50, 215, 221, 657
burnout 938
formulations 178, 179
hallucination **165**, 210, **294**
physical conditions and substance abuse
891
school refusal 763
sexual misbehaviour 538
in your mind 57–58, 81
differential interviewing systems 80, 81
digit span testing 348, 762, 763
diminishing returns, Pareto principle
dinosaurs 41, 852, 869, 875^{3336,2587}
diplomacy, exercising 228–229, 243–244
disadvantaged parental types 112–113
disagreements with parents 142–143,
152
appropriate uses of dishonesty 569
assertiveness 144–145
confrontation between ideas 146
denial of diagnosis 149
inflexible parents 150–151
methods of persuasion 265
parental wrong or different diagnoses
148–150
personal confrontation 146
purposes of confrontation 146
spectrum/degrees of confrontation
146–148
treatment refusal 301
unrealistic expectations 150
ways of dealing with 143–144
discharging patient 675
admitting failure 330
after nonattendance 584, 719, 741
care pathways 637–638
efficient team functioning 675, **676**
gaming 698, 748
incentives 612
inpatient 146–147, 453, 539–540, 561
medicines 658–659, 717
multidisciplinary team 675
premature 74, 289, 342, 423, 735
private 591
risk 541
suicidal patients 465
disclosure by clinicians, pros and cons 106
discrepancies *see* contradictions,
discrepancies, and surprises
discrimination 439, 741
disengagement *see* engagement
(maintaining)
dishonesty *see* honesty/dishonesty
disorganisation, inevitability/value of
810–812
disrupt-then-reframe method 269
dissociation 16, 484, 485, **486**, 490
double dissociation
dissonance *see* cognitive dissonance
distortion/distorting forces; *see also*
WYSIATI
distraction
avoiding work distractions 712
distribution problem 660, 737, 860
distraction *see also* misdirection
as treatment 225, 333, 450²⁹³⁴
by diagnoses 220
counterproductive by clinician 106, 157,
248
in testing 50, 54, 56
of clinician 47, 201, 285, 545, 604, 629,
727, 805
superstimuli 346, 529
teenager 25
diversity
between psychiatrists 29, 519, 735
in evolution 870^{3338,2818}
interdisciplinarity 838–841
in team 596, 673, 812
of medical specialties 651, 916
within CAP 519
divorced/separated parents 46, 115, 250
parental over-generosity 128
parental types 114–115
sequelae 114–115, 128, 130, 566
vs discord 115, 480
DM+D (Dictionary of Medicines and
Devices)²⁶⁵⁹
DMDD (disruptive mood dysregulation
disorder) 140
DNA (did not attend, was not brought)
584, 741
do good-be good, self-image 372
Do not do 442
doctors; *see also* professionalism; trainees
cuts in funding 747–748
enthusiastic clinicians 626
good-enough child psychiatry 496–497
idiosyncrasies 567
keeping up to date 803, 880
lowering standards 435–436
personal mentors 519–520
phone calls 786
private practice 590
quality of treatment 423, 426
role in multidisciplinary teams 603–604
styles of working **505**
dodo bird conjecture 201, 361
Dodo metaphor 920
dogmatism 268, 596, 858
doing less 556, 710, 721; *see also* efficiency;
prioritising

- dopamine transporter 393
- dopaminergic medication 394
- dosage trials** 407–408; *see also* N-of-1 trials
 - teacher-rated 408–409
- dose, medication** 391–392
 - dose adjustment 397–398
 - dose reductions 188, 357, 386–387
 - high dose 124, 391–392
 - intentionally low dose limits 741
 - minimum effective dose 397
 - parent-and patient-controlled dose adjustment 398
 - receptor saturation, aripiprazole 393
 - reduction plan 37, 188, 377, 389–390, 420, 741
 - tiny dose 266, 421
 - titration 168, 394, 416, 420, **430**, 909, 910
- dragon mums 128, 763
- drama, genres of human experience 17–18
- draw-a-man test 89, 94, 151, 177, 528
- drawing**
 - relating to children 56–57
 - Rey-Osterreith 90
 - shared decision-making 299
- dreams, inspirational/motivational **600**, 622
- drift**
 - from mainstream 282
 - personal standards 79, 335–336, 418, 550–552, 735
 - teenagers 289
 - towards retirement 719
- drug companies**
 - broad influence on CAP 174, 218–220, 669
 - gifts/inducements 586, 587, 923
 - highly processed data 31
 - influence on our thinking 520, 538, 554, 586, 735, 805
 - manipulation 586²¹⁷⁸
 - marketing licences 395–396
 - medicine information services 586–587
 - representatives 586
 - research bias potential 586
 - research funded by drug companies 31
- drug holidays 337; *see also* medicines
- DSH (deliberate self-harm) *see* self-harm
- DSM (Diagnostic and Statistical Manual of Mental Disorders)** 174; *see also* diagnosis
 - checklist-diagnosis system/memes 174
 - comorbidities
 - critiques 172–174, 859
 - deep vs superficial treatments 531
 - differences from ICD 173
 - DSM changes 214
 - genres of human experience 17
 - interpretation of test results 92–93
 - interviewing systems 80
 - misconceptions 135–136, 137
 - role of experts in creating DSM 554
 - subtleties of use 174–175
- due process 493²⁹⁷³
- Dunbar number 716
- duty**; *see also* professionalism, politeness
 - confidentiality 245
 - conflict between duties 573
 - employers’ duties to staff 645
 - explain clearly 227
 - Good Medical Practice, 573
 - keeping up to date 803
 - listen 62–64
 - monitor colleagues 217
 - prima facie duty 570
 - to the profession 503
 - professional 159
 - to the public 735, 833
 - quality 422
 - shared decision-making 297
 - superordinate goals 912
 - to your employer 503, 572
 - work with colleagues 595
 - work within your limits 780
- Dworkin, Ronald 178
- dynamical formulations 191–192; *see also* vicious cycles
 - dynamic prescribing 397–409
 - dynamic regulation 192
 - dynamic testing 93
 - dynamically stabilised systems 788
- dynamics**
 - balanced states 322
 - balancing of career 509
 - bubble 908
 - disorganisation 810
 - entropy 720
 - feedback loops 192
 - general treatment dynamics 320–321
 - juggling 713–714
 - nudges 256
 - ratchets 720
 - routines 322
 - snowball effect 317–318
 - stable states 321
 - team dynamics 670–682
 - vicious cycles
 - virtuous cycles 191–192
- dyslexia 99, 134, 189
- dyslexithymia 51
- early interventions *see* prevention and early interventions
- earshotting 67–68, 269
- eating**; *see also* glucose
 - breakfast 31, 132, 197, 331, 356
 - fussy 352
 - importance during overwork 752
 - side-effects of medication 412–413, 421
 - with colleagues 673, 708, 760, 925
- eating and feeding disorders** 16, 186, 735, 744; *see also* hypoglycaemia; methylphenidate
 - anorexia nervosa 9, 90–91, 105, 132–133, 190, 358, 369, 559²³²³
 - bulimia 180
 - changing ideas 369
 - diagnostic lumping vs splitting 186
 - family therapy 358
 - inpatient units **446**
 - normality and abnormality 9
 - one problem leading to another 190
 - paradoxical interventions 559
 - priority treatment 725
 - restricted diet 352, 398, 420, 421, 677
 - vignettes 164, 247
- economics**
 - bubbles 908
 - Cantillon effect ³²²⁴
 - Coase Theorem ³⁵⁹⁵
 - competition 633
 - cost of special schools 768
 - creative destruction 750
 - cuts 749, 934
 - economic cycle 750
 - Econs 851, 859
 - effect of doctors’ pay on diagnoses 175
 - effect of doctors’ pay on treatments 741
 - entrepreneurs ³¹²⁰
 - ethics of health economics 248, 578
 - frugal innovation 861
 - game of numbers 694–701
 - incentives 622–623, 640
 - Mifid2 895
 - prevention economics 833–834
 - regressive policies 584
 - Ricardo’s Law 616–617, 928
 - risk-taking 35–36
 - tragedy of the commons 693
- ecosystems** 631
 - biomantle 941
 - genes in gene pool 950
 - in healthcare organisations 869
 - leaf litter 885
 - of clinical services 735
 - of social agencies 777
 - pre-human 947
 - variation between countries 847
- education of CAPs *see* trainees (teaching)
- education** 317, 761–763; *see also* school refusal
 - benefits of diagnosis 219
 - bullying 482
 - changing schools 768
 - education words 251, 653
 - educational interventions 761
 - financial incentives 765
 - fitting curriculum to the child’s needs 763
 - home-school book 539, 765
 - home schooling 334, 338, 767
 - home tuition 470, 767
 - inclusion 768
 - order of learning 764
 - other types of school 771
 - over-education 763–764
 - private education 589–590
 - pros and cons of mainstream schooling 769
 - residential school / care 130, 132, 222, 251–252, 263, 333–334, 383, 386–387, 445–449, 660, 771, 776–777, 778, 832–833
 - school refusal 763
 - screening for difficulties 762
 - special education 91–92, 266, 314–315, 333–334, 657, 659, 768

Index

- education** (*cont.*)
special schools 770–771
special units 770
strategies 317
types of intervention 764–767
unwanted 12, 311, 532
vignettes 39, 83–84, 96, 130, 152, 154, 575, 770
zone of proximal development 766
educational misconceptions 135
educational psychologists 762
educational services, cooperation with NDTs 653–654
educational words 251–252
effect sizes 296–297, 382
effects of medication 411; *see also* side-effects
efficacy principle 580
efficiency 709–710; *see also* case discussions (efficient); team functioning (efficient). Pareto principle
administrative hygiene 712
allocating appropriate time per task 714–715
avoiding distractions 712
avoiding task-switching 713
being too busy 721
clinical advances and trends 861
Cochrane Test 710
and creativity 810
diminishing returns 330, 922
doing less 556, 710, 721
facing unpopular tasks 714
false efficiency measures 710
juggling tasks 713–714
measures 436–437
over-efficiency 710–711
performance improvements 709
personalised medicine vs efficiency 859–860
savings *see* cuts in funding
self-organisation 711–712
STAR*D 905, 911
effort, paradoxes 557
egalitarianism 601
Einstein, Albert 500
electrocution experiments, Milgram 269, 571, 578, 643, 677
electronic devices, child's use of
positive vs negative reinforcers 346, 347
sleeping problems 335
elephant identification problem 214
Eliot, Charles W. 62
Eliot, T. S. 506–507, 902
emails 785–786
EMDR (Eye Movement Desensitisation and Reprocessing) 364, 477, 481
emergencies; see also prevention; triage;
red flags
on call 861
emergency admissions 582
fitting them in 305, 509, 627
individual plan 388–389
prioritising 724–725
private practice 591–592
strategies 313, 329, 448
violence 451, 453
emergency cases, prioritising 509, 626–627, 725
emergent properties 523
emotional abuse 358, 463, 469
emotions, role in mental illness 6
empathy 503, 510, 756
ending the session 70
ending therapy *see* termination of therapy
endowment effect, cognitive heuristics 539
engagement, maintaining
clinical advances and trends 863–864
relating to children 56
talking to parents 119
teenagers 26
environmental interventions *see also* treatment plans, sequenced
educational 765
for staff 424–425, 449, 577, 620, 645, 667–668, 684
for yourself 623–624, 735, 752, 755–757; *see also* computers
influencing peers and subordinates 667–668
intuition 547
kindness 577
routines 322
social services, working with 778
what children and parents want from healthcare 255–256
vs behaviour management interventions 346
envy 702, 704, 711
epidemics 174, 212
epilepsy 43, 58, 96, 221, 275, 468, 489, 657, 729, 771
pseudoseizures 489
subclinical 96, 944
vignettes 60, 96, 390
EPSE (extra-pyramidal side effects) 390, 394
equity *see also* inequality, due process 94, 127, 583–584, 928
ethics 570, 572
Erickson Milton 162, 346, 561³¹⁵⁰
errors/mistakes
assessment 275, 279
blame 686
clinician responses to 279–280
diagnostic 7, 177, 459, 743
paradoxes of 556
parental 389, 391
escalation of situations
clinician mistakes in assessment 279
competition with colleagues 706
de-escalation strategies 155–156
disagreements with parents 121
with management 647
prevention of violence 450
punishments 350
rages and tantrums 352
estimates; see also vagueness
beginners 248
cognitive bias 472
guestimates 165, 166, 454
over-estimation of risk 274
ethics 570, 571; *see also* autonomy; distribution problem; honesty/dishonesty; hypocrisy; organisational ethics; rescue; values/value systems and altruism 577
cognitive enhancement 693
committees 587
conflicts 571, 576, 579, 774
ethical short-term / long-term trade-offs 778
4Ps 570, 572
and kindness 576–577
limits of ethical persuasion 269
nonmaleficence 500
in persuasion 269
prescribing 572–576
private practice 589–590
professionalism 503
regulatory bodies 571–572
of service provision 580
treating friends/colleagues/family members 107
eureka 533; *see also* heuristics
evidence-based practice (EBP)
balanced approaches 28, 29–30
definitions 28
guidelines 439
hierarchy of evidence 30
meta-analyses 30
precedents 864
pros and cons 28–29
protocol 33
providing quality treatment 426
randomised controlled trials 30–32
triage 730
evolution (natural selection) 867–875; *see also* homology; Darwin; Lamarck; variation; ecosystems; selectionism
ad hoc³¹⁰²
Baldwin effect³⁵⁵²
co-evolution 871
convergent 869
group selection 869³⁵⁸³
periodic crises 750
reticulate 951
sexual selection 871–872
evolutionary epistemology *see* evolution; selectionism; philosophy (evolutionary epistemology)
evolvability; see also adaptability; innovation; modularity, bottleneck
co-working 873–874
environmental change 750
particulate inheritance 932
promoting 872
reducing 641
sex 870
step change 873, 887, 950
exaggerations 64, 77, 131–132
examination, clinical
mental state examination 57–58
physical 90–91, 506
vs history taking 885
exams
agitation 131–132, 153

- cash for exams 765
- cynics 917, 938
- school interventions 331
- sick role 485
- stimulants 377, 693
- vignettes 12, 95, 264, 368, 763, 772
- writing therapy 481
- exception-oriented questions, causality 162
- exclusion effect, guidelines 441
- exercise** 336, 494, 558, 696
 - and professional resilience 756
- exhaustive interviewing systems 80, 81
- expectations**; *see also* parental expectations
 - behaviour management interventions 351
 - changing ideas 368
 - educational 762
 - teaching trainees 828
 - teenagers 25
 - working with secretarial staff 605
- experience of being a child** 19
 - childlike curiosity, clinician 21
 - learning about children's experiences 19–20
 - literature about children's lives 20–21
- expertise** 548
 - accessing global sources 847, 848
 - curse of 553–555
 - and experience levels 550–552
 - future role of 875
 - growth of 538, 549
 - and intuition 545
 - multidisciplinary teams 597
 - prescribing 383
 - problems with 553–555
 - role of experts in creating DSM 554
 - specialisation/specialist services 549–550, 553–554
 - stages in skill development 518
 - teaching 554–555
 - types of mastery 552
 - value to employer 555
- explanation**; *see also* presenting the
 - formulation; stories
 - in persuasion 269
 - side-effects of medication 411–412
 - vs behaviour management techniques 339, 340
- exploring**
 - in Africa 543
 - battleship 81
 - before battle 585
 - blinker 20, 25, 59, 549, 704, 911, 951
 - by a child 84–85, 259
 - by ants 871
 - by slime mould 924
 - exploration-exploitation 596, 710, 853–854, 867
 - interviewing a child 54, 457
 - in music 951
 - vs anxiety 420
 - vs core research 852–853
 - vs morality 239
 - vs not exploring 381, 428, 551
 - vs risk 816
 - vs theory 849
 - vs writing 240
- expressive writing trauma interventions 481
- externalising behaviour 40, 49–50, 295, 653
- extinction**
 - behavioural 273, 351, 556
- extinction bursts 324
 - of fear 190, 374, 854
- extinction of species 869, 915, 920, 937
- extraverts, clinician 501
- extreme demand avoidance (EDA) 140–141
- extrinsic reward systems 619–621, 926
- eye contact 43, 53, 63, 66, 156
- Eye Movement Desensitisation and Reprocessing *see* EMDR
- Eysenck, Hans 30, 529
- fabricated or induced illness (FII) 140, 190, 375, 889
- FAE (fundamental attribution error) 7, 536
- failure, management indicators** 649–650;
 - see also* errors/mistakes; treatment failures
- fairness *see* equity; inequality
- false**; *see also* dishonesty; truth
 - false epidemics 16²⁰¹⁷
 - false negatives 94, 96, 108
 - false positives 93, 209, 518, 554, 772, 861–862
- false balance, in persuasion 269
- falsificationism, changing ideas 367
- families**
 - initial appointment interviews 40
 - neurodevelopmental teams 657–658
 - nonadherence to treatment regimes 327
 - putting at ease 74, 75
 - research limitations 455
 - self-harm 463
 - violence 453, 454
- family dynamics** 17–18, 355, 479, 526; *see also* family therapy
 - figures 182, 191, 321, 357
 - turbulence in the room 60–61
 - vignettes 467–468, 532
- family history** 97; *see also* history taking
 - intergenerational patterns 99
- family therapy** 355–359, 360, 783–784;
 - see also* externalising; talking therapies
 - child not wanting to attend 560
 - contraindications 359
 - models on table 24
 - naming feelings 122
 - second opinions 783–784
 - side-effects 364
- family trees *see* genograms
- fathers; *see also* parents
 - beliefs 115, 350
 - poverty and disability 112–113
 - society's attitudes²³¹²
- fatigue, decision 752; *see also* burnout; workload and overwork
- feedback, adaptive 426, 790–791
- feedback loops 192, 230, 359; *see also* vicious cycles; virtuous cycles
- feeding *see* eating
- feel the force 506–507
- female genital mutilation 469
- Feynman, Richard 371, 542, 554, 570, 806, 810²⁰⁰⁴
- fight-or-flight systems, and stimulant medication 419
- FII *see* fabricated or induced illness
- filters/gateways *see* thresholds
- financial incentives**
 - behaviour management interventions 344, 345
 - drug company 586, 587
 - educational interventions 765
 - long-term 498, 580, 634, 641, 778, 833–4, 929
 - paying teens and parents 345
 - politeness money 353
 - research findings 31
 - response cost 906
 - staff motivation 622–623
- finches; *see* Galapagos
- first impressions, halo effects 537
- fishbone diagram, causes and causality 632
- 5-HTTLPR gene, resilience to trauma 479
- 5-minute work chore punishment 350
- five why's approach 632
- fixed ideas *see* ideas (fixed)
- fixed mind-set, intelligence as 348
- flexibility, clinician** 504; *see also* adaptability
 - and creativity 811
 - length of sessions 45
 - parallels between nature and CAMHS 869, 872
 - teaching trainees 829
- flow states 506–507
- flowcharts, seven basic tools of quality 632
- flower diagrams 839, 850 *see also* Feynman, Frost, orchids
- fluoridation of water 583
- fluoxetine**
 - boosting effects on other drugs 409, 410
 - and suicide 419, 466, 466
- Flynn effect 938
- flywheel effect (accumulating momentum) 523²⁸⁴⁴
- focussing illusion, *see* illusions
- foetal alcohol syndrome 76, 170, 568
- follow-up sessions/appointments**
 - Choice and Partnership Approach
 - systems thinking 628
- food** *see* eating
- foot**
 - drawing 57
 - fetish 194
 - football 26, 54, 67, 80, 232–233
 - itchy 548
 - odour 57
 - shoes 351, 353, 917
- forced choice** 164
 - death of patient 468
 - hearing voices 165
 - limitations 164, 200, 468

Index

- formulary**
BNF (British National Formulary) 377, 378, 442, 795^{2639, 2689}
learning 379, 618
local 33
personal 382
formulations 178–179; *see also* complexity/complex the formulations; dynamical formulations; PPPP; presenting the formulation; toolboxes
cognitive heuristics 540
conflicting/imbalance 183
genetics 180
graphical 182
hardware-software metaphor 183
interacting processes 180–181
keeping simple 179
lumping-splitting debate 184
models aiding 181
role of metaphor 182–183
two-stage 189
umbrella diagnoses 184
Foucault, Michel 907, 922
framing effects
to alter the apparent size of items 267
avoiding narrow framing 204, 547; *see also* care pathways
cultural 66
to encourage moral considerations 577, 903
to guide choices 266, 267, 467–468
in management 277, 645
framing, broad 277, 299, 487, 499
disrupt-then-reframe 269
encouraging broad frame 481, 913
euphemism 228
formulation 178–179, 680
less black-and-white diagnosis 213, 214
in negotiation 270
role in team 603
seeing multiple points of view 129, 734
seeing others' points of view 122
seeing the reverse 204
framing, narrow 514, 535, 541
framing in conversation; *see also below*
France 89–90, 144; *see also* Derrida; Lamarck; Lavoisier; Montaigne, Napoleon; Voltaire
Frances, Allen 160, 174, 849³³¹²
epidemics 16, 174
Franklin, Benjamin 144
free rider problem 693
free will 162, 269, 340, 486–487, 919, 921; *see also* autonomy
figure 487
free/unpaid work 594
Freud, Anna 882
Freud, Sigmund 62, 202, 360, 495, 806, 838, 855^{2144, 2261, 2600, 2819}
Frost, Robert 516
Fry, Stephen 22
fun interactions 347, 349; *see also* humour
fundamental attribution error (FAE) 7, 536
funding; *see also* cost-effectiveness; cuts in funding
competitive funding 634–635
educational interventions 767
funding game 618, 693
and quality of treatment 423–424
furniture/placement 41, 118
futile cycles, clinical 668
future of CAP 845–846, 857, 873
Berwick on 866
competitive working 874
cost-cutting vs quality 860
co-working 873–874
crowdsourcing 846
de skilling of staff 860–861
dogmatism of the past 858
DSM limitations 859
education of CAPs 862
efficiency 861
engagement, maintaining 863–864
expertise 875
growth of the discipline 857
information utilisation improvements 873
innovatory waves 857–858
international spread of ideas 847, 848
legal parallels 864–865
multidisciplinary teams 860
NHS 859
on-call systems 861–862
personalised medicine vs efficiency 859–860
precedents 864
realistic approaches to complexity 875
revolutions 857
simulations 862–863
galactorrhea 390
Galapagos Islands ^{2799, 3258, 3338, 3596}
finches ^{2799, 3596, 3533}
giant tortoise 591
game theory 691–692; *see also* numbers
game
checklists 692
Funding Game 693
Inspection Game 693
interagency chicken 778
Prisoner's Dilemma 692, 778
public goods 708
rational herding 541
Ritalin Game 693
Teach Your Garden to Weed Itself 693
Tragedy of the Commons 693
games; *see also* chess; numbers game
battleship game 81
checkers 885
dungeons and dragons 691
game of chicken 778
game of numbers 694
games of strategy 320
Games People Play 101
Go (*wei qi*) 320
other electronic games 133, 267–268, 335, 354, 485, 532
parent-child game 356
Public Goods Game 708
roulette 34
strategic 320
tiddlywinks 320
violent games 332, 450, 451, 479
gaming 691–692, 697
avoiding cuts in funding 748
different responses to targets 699
honest triers 700–701
knaves 699
management responses to 701
saints 699
Gandhi, Mahatma 910
gardening leave 585
Gardner, Howard 516
gateways *see* thresholds
Gawande, Atul 35, 926
gender identity 16, 126, 739; *see also* sexuality
gender dysphoria 27
transgender 669
General Medical Council 262, 435, 439, 504, 572, 576, 692, 706, 922
general practice (GP) 40, 148, 223, 593, 638, 780
Berwick 866
broad thinking 782
confidentiality 245
gradually accumulating knowledge 79, 799
prevention 831
referrals from 727, 739, 781
relationship with patients 106, 107
shared care 237, 314, 383–384, 398, 431–432, 442, 489, 594, 713
techniques useful in CAMHS 84–85, 211, 351, 504, 862
generalists 515, 782; *see also* specialism
generic vs branded medications 386
genetics
animal models 851
biopsychosocial 207, 678, 894
cumulative risk alleles 224, 850
cytochromes 401, 403
gene pool 870, 874^{2583, 3601}
genetic clinics 636–637, 660, 795
genetic counselling 219
genetic testing 129, 742, 861²²⁵²
genetic version of genogram 99
geneticists 43, 169
heritability 180
level of disability 657
levels of description 201, 852
microarray 128–129, 892
perception of risk 38, 660
rare problems 208–212
serotonin 224, 479
size of genetic influence 13, 97–100, 180
social Darwinism 162
genograms 14, 97–100
geography; 7, 482 *see* Africa; America (and California, New York, Oregon), Australia, Britain, Canada, China, France, Galapagos, Germany, Greece, India, Italy, Japan, New Guinea, New Zealand, Norway, Pakistan, Russia, Singapore, networks, landscapes, immigrants, islands, exploring, development (of countries)

- cities 128, 238, 857, 861–862, 936
- cold ^{3181, 3338}
- dissemination of ideas ³¹¹⁰
- DSM 140
- East Asia 482
- emotional 610–615
- geographic spread ³¹⁰²
- glomming 766
- Lewin's free movement 615
- migration of doctors 238, 580³³¹³
- Norway ⁷²⁸⁷¹
- rural 738, 743–746, 847, 861²⁴⁶²
- variation 135, 208–212, 734
- villages 334, 746, 869²⁸⁸²
- your patch 284, 513, 626, 661
- Germany** 15, 17, 211, 928, 945; *See also*
 - Nazism; Schiller
 - du Bois-Reymond ²⁷⁷⁰
- gerrymandering 664
- getting things done 627–628, 665–666
- Getting Things Done* 711
- gifts, disorders as 134
- gifts, drug company 586, 587
- gifts, from parents 107
- Gillick competence 116
- Giuliani, Rudy 291, 612–613, 634, 666
- global expertise, accessing 847, 848
- glucose 61, 752, 938
- gluten 150
- GMC *see* General Medical Council
- Go game of strategy 320
- goals**
 - children and parents 126
 - needs/wants 128
 - conflicting goals 129
 - ecological interventions 255–256
 - goals, establishing 126–127
 - kindness 255
 - parental inputs to therapy 128
 - priority listing 127
 - target-setting 127–128
 - unreasonable requests and expectations 128–129, 130
- goals, clinician**
 - continuing professional development 513–518
 - future research directions 855
 - staff motivation 622
- gold**
 - “gold dust” in each assessment 243
 - “gold dust” intermodality comparisons 306, 308
 - gold-standard CAMHS 738
 - gold-standard diagnoses 216, 221
 - gold stars 344
 - golden rule 231
 - Golden Rules of CAMHS admissions 448–449
 - gold-standard reports 243
 - secretaries 605–609
 - unexpected results 813
- Goldacre, Ben 35, 212, 822
- good enough**; *See also* satisficing
 - child psychiatrist 437, 496
 - diagnostic methods 896
 - parents 496
 - standards 428, 433–434
- Good Medical Practice 573
- Goodhart's law 694, 697
- Goodwin, Guy** 306, 445, 586
 - heartland of psychiatry 904
 - mood stabilisers, 807
- gossip 521, 602, 821; *see also* chat smalltalk
- Gould, Stephen Jay 595^{2020, 2665, 3528, 3552}
- governance, clinical (CG) 284, 425
- government** 436, 685, 902, 914
 - agenda 562, 664, 767, 831–837
 - changing over time 514, 594, 693, 743, 925, 927
 - health 424, 589, 736, 738
 - lobbyists 669
 - regulation 693, 694
 - relationship to competition 633
- GPs *see* general practice
- graphical formulations 182
- Greece**; *see also* Socrates; Aristotle;
 - Plato; logic; aporia; eureka;
 - Procrustes
 - cosmology ²⁸⁸³
 - Dioscorides ³³⁸⁸
 - etymologies 254
 - eudaimonia* ²⁸⁰⁷
 - Herodotus ³¹⁹⁵
 - kairos* 253
 - Oedipus 568
 - perfection ²⁰⁰⁶
 - Sisyphus 623–624
 - Sparta ³⁰⁴⁹
 - Xenophon 602
- green light (traffic light system) 252
- greeting new patients/families 43, 53–54
- grey swans 290, 291, 707
- groups *see* team functioning
- groupthink** 676–677
 - avoiding 678–679
 - giving equal weight to all opinions 678
 - interdisciplinarity 838
- growth charts 6, 41, 91, 416
- growth mind-set, intelligence 348
- guesimates 165, 166, 454
- guidelines, clinical** 439; *see also* NICE
 - guidelines
 - assessment of 440
 - conflicting 439, 443
 - conventionality/political correctness 443
 - creative use of 444
 - definitions 439
 - departing from/when to follow 440
 - evidence-based practice
 - local 442
 - most useful 442
 - problems with 440–441
 - protocols 443–444
 - status 440
 - uses and misuses 442–443
 - guilt, clinician 158
 - guilt, patient 79, 538
- habits**; *see also* behavioural
 - Ben Franklin 144
 - buying in ⁵¹⁴
 - in children 15, 83–84, 257, 366, 421
 - in clinicians 174, 199–200, 388, 436, 813, 842–843, 943
 - in employees 923
 - in family 560
 - medicines 398
 - military drill 945
 - in organisations 945
 - in parents 416
 - RDoC 854
 - in students 551
- habituation, behavioural 190, **486**
- Haldane, JBS 495, 761, 913
- hallucination** 162, 205–206, 527; *see also*
 - psychosis
 - asking about 58
 - forced choice **165**
 - two-way table 16
 - vignettes 6, 98, 394–395, 561, 772
- halo effects 537
- Hamming, Richard 708, 721, 813
- handovers, efficient team functioning 671
- handshakes 43, 70, 103
- happiness levels 500
- hard work, paradoxes of 711; *see also*
 - efficiency
- hardware-software metaphors 183, 842
- harm** 115, 140, 468, 469–476, 889; *see also*
 - self-harm; violence; punishments;
 - abuse
 - from trauma 478–480
 - iatrogenic **294**, 338, 459, 491, 500, 564, 719, 920
 - NNH (number needed to harm) 944
 - in resource allocation 562, 578
- Hart, H.L.A. 554
- Hawthorne effect** 560–561²⁶⁴⁷
 - Hawthorne studies 702–703, 932
- headbanging 273, 330, 376, 656
- Health Pathways system, New Zealand 617
- hearing voices, forced choice **165**
- heart 84, **284**, 299, 943
 - vignettes 414
- heartrate 13, 86, 197, 390, 393, **432**
- height, physical examination 91
- Hepworth, Barbara 358
- heritability *see* genetics
- hesitations, listening skills 64
- heuristics** 3–4, 533–541; *see also* WYSIATI;
 - framing; regression to the mean;
 - possibility effect; certainty effect;
 - confirmation bias; conjunction fallacy;
 - optimism; vivid; sunk cost fallacy;
 - representativeness; Kahneman;
 - illusions
- ADHD 96
- affect 919
- anchoring 538
- availability 20, 77, 267, 274, 539–540
- and bias 533
- bounded rationality 534
- causal illusion 538–539
- cognitive dissonance 534–535
- cognitive ease 533–534

Index

- heuristics** (*cont.*)
coincidence-related 539
commitment bias/consistency effect 535
complex/difficult formulations 194
contrast effects 537
efficient team functioning 670
endowment effect 267, 539, 906
in evolution 533, 539
fundamental attribution error 536
future predictions 34–35
halo 537
keeping up to date 806
loss aversion/endowment effect 539
motivated reasoning/self-serving bias 536–537
no-contrast effects 537–538
prescribing 377
prevention of risk 283
priming 538
question substitution 537
representativeness/similarity bias 538
single-cause fallacy 539
social heuristics 541
question substitution 537
talking therapies 360
unexplained unavailability 267
heuristics, professional
ADHD 96
assessments 194
avoiding mistakes 283
bandwagon 541
general 294
intervening 294
managing resources 670
medicines 377
minimally processed data 31
ordering treatments 312
perpetuating 180, 331
predicting 34–35
wicked problems 524–525
hierarchy
definition of bureaucracy 636
delegating 616–617
middle of hierarchy 643
of acceptability of diagnoses 228
of confrontation 146–148
of diagnosis 176–177
of economic benefits 634
of educational placements 768
of evidence 30; *see also* evidence-based practice
of management 585–586, 634
of medication, in polypharmacy 391
of service provision 580
of staff and clinics 668, 685, 780
of treatments 391, 668
of values 571
partially organised 629
risks held in hierarchy 276
top-down controls 872
varying decisions 582
vs networks 636, 760
Hindley, Peter 25
hindsight bias 499
histograms, seven basic tools of quality 632
history; *see also* religion; poetry; military prehistory 364, 623, 840; *see also* evolution
Ancient; *see* Greece; Italy; China
16 c; *see* Montaigne; Shakespeare; Machiavelli
17 c, Harvey 19; *see also* Basho; Descartes; Newton; Bacon
18 c; *see* Franklin; Schiller; Bayes; Lavoisier
19 c, Colonial Africa 514; *see also* Darwin; Lincoln; Marx; Mendel
20 c, World War I 548³⁵⁷⁸; *see also* Nazism; Gandhi; Haldane; Freud
20 c, World War II 201, 17, 318
great listeners of history 62
historical reasoning 891
historicism vs science 162–163, 891
maps 543
of a local service 658–659, 796
of CAMHS 597, 664
of psychiatry 612, 796, 858^{3546,3552}
of science 892, 947–948
history, in clinical work
family history 97
history of personal friends 107
history of presenting problem 187–188
order of questions 77
predictable over- and under-estimates 77
presenting a history 671–672
taking a history 73–81
ways to force comprehensiveness 540
holding technique, violence 453
holidays
drug holidays 109, 264, 337
staff vacations 398, 713, 753, 786
summer learning loss 765, 939
vignettes 39, 109, 264, 484, 575
holistic approaches, need for 490
Holmes, Oliver Wendell 527
Holmes, Sherlock 79, 167, 200–201, 428, 780, 805
home schooling by parents 767
home tuition by teachers 767
home visits 86, 428
homeopathy 338
homology, definitions 182
honest triers 699, 700–701; *see also* gaming
honesty/dishonesty 564–566
appropriate uses of dishonesty 568–569
changes over time 567–568
children 566
colleagues 566–567
ethical conflicts
forces governing dishonesty 565
parents 566
personal levels of 567
psychogenic symptoms 492
HONOSCA (Health of the Nation Outcome Studies for Children and Adolescents) 341
hope
communication of risk 69
future predictions 34–35
presenting the formulation 231
unreasonable parental requests and expectations 129
what children and parents want from healthcare 127
hospital admissions *see* inpatient units/admissions
hubris *see* overconfidence
humanity, clinician 501, 503
humility 499; *see also* confidence-levels
humour
children's 71
communication in sessions 64, 71–72
de-escalation of anger 156
nano-punishments 349
relationship management 355
thinking strategies 370
hurdles
for referrals 727, 732, 741, 745
for diagnosis 732
for inpatient care 465, 445
Huxley family (Thomas Henry and Julian) 99, 229, 892, 910
hybrids 840
brainstorming 674
Checkpoint Charlie 840
distance 932
on-call 862
switching medicines 313
hydroxyzine, anxiety 32
hygiene, administrative 712; *see also* efficiency
hygiene factors vs motivators 619; *see also* extrinsic reward systems; intrinsic reward systems
hyperactivity; *see also* ADHD
Bayesian thinking 166
deep vs superficial treatments 530
hyperglycaemia 94, 415
hypermobility joints 57
hyperthymia 252, 396, 566
hypocrisy³¹¹⁸
hypoglycaemia 321, 346–347, 529, 673, 725, 752; *see also* breakfast; glucose
hysteria 487, 492, 494; *see also* psychogenic symptoms

iatrogenic harm *see* debriefing, negative effects
ICD (International Classification of Disease), differences from DSM 173; *see also* DSM
ICE (ideas, concerns and expectations) ; *see also* expectations; ideas
ID *see* intellectual disability
ideas, changing 365, 372; *see also* influence; persuasion; stories
adding ideas/assimilating new ideas 365
cognitive dissonance theory 367, 368, 370
disproving entrenched ideas/falsificationism 367
examples 369–370
ideas in good currency 664
influencing patients and parents 257
nonadherence to treatment regimes 327
organisational influence 664, 665–666
paradoxical uses of contradiction 562
paradoxical ways of reducing bad behaviours 559

- prescribing 384
- presenting the formulation/explanations 229
- reinforcement of ideas 371
- removing ideas 367–368
- stereotype threat 367–368
- use of words 248–249
- ideas, fixed** *see also* buying in addressing 374; *see also above* over-valued ideas 374 resistance to change 358
- ideas generation 672, 673–674
- ideas in good currency, organisational influence 664
- identifiable victim effect 580
- idiographic approaches 162–163
- idiosyncrasies, clinicians 567
- ignorance, rational 704^{2002, 3527}
- ignorance, Socrates on 819
- illiteracy, disadvantaged parents 112–113
- illness behaviour *see* sick roles
- illusions**; *See also* heuristics causal illusion 538–539 focussing illusion²⁰⁹ illusory confirmation 547 of continuity 102, 786–787 of control 901 of correlation 878 of discontinuity 418 of effectiveness 397–398 of knowledge or skill 206, 542, 551, 934 of quantity 77 of rigour 885 of understanding 94
- imaginary friends 43, 96, 184, 210, 275, 557, 569
- immigrants *See also* geography (migration) 11, 114, 653, 658, 772
- impairment** effect on prevalence 876 impaired but undiagnosed 96, 148, 160, 176, 302, 732–733 influenced by society 733 undefined 173
- impressions, halo effects 537
- improvisation 813
- inclusive education 769; *see also* mainstream schooling
- inconsistencies, detection of dishonesty 569; *see also* contradictions
- India 945; *see also* Gandhi
- indirect interventions, paradoxes as 558
- individual-think 681
- individual variation *see* personalised medicine; variation
- induction, logic 479
- inductive intuition 542
- inequality** *See also* distribution problem; equity proportional to need 570 regressive systems 584 tiers of care 638 wartime triage 728–729
- inertia, systemic 832, 842; *see also* rigidity
- inflexibility *see* flexibility
- influence, organisational** ; *see also* power aligning with power 663–665 bringing about change 665–666 ideas in good currency 664
- influence, with patients and parents 255**; *see also* ideas (changing); persuasion; stories; words decision balance sheets 259 default choices 256–257 drug using example 259, 260 ecological interventions 255–256 facilitating change 257 kindness 255, 577 motivational enhancement therapy 258–259 motivational interviewing 257, 258 nudges 256, 257 story editing 256
- influence, with peers and subordinates** ecological supports 667–668 methods of persuasion 667 minority groups 669
- information collection, from multiple sources** complex/difficult formulations 198 drivers of quality 427 learning throughout career 792–793 levels of care 428 providing quality treatment 426 school sources 342, 428 suicidal ideation 456–457 treatment failures 324
- information glomming 766
- information overload, complex formulations 198
- information provision, for parents and children** in persuasion 263 keeping up to date 807–808 nonadherence to treatment regimes 328 prescribing 386
- information sources, keeping up to date 806
- information utilisation, future CAP development 873
- informed consent 299–300, 417, 503, 903
- infrequent presentations *see* rare problems
- innovation** cross-regulation 812 exercising caution 815 extending comfort zone 816 externally imposed changes 812 learning from colleagues 815 limits to innovative changes 817 maximising safety 814 parallels between nature and CAMHS 872 stifled by conformity culture 642
- inoculation, teasing at school 483
- inpatient units/admissions 445** avoiding 448–449 deliberate overdoses 464, 465 disadvantages of 446–447 discharge from hospital of suicidal patients 465 goal of reducing 622
- medical insurance company case report 464
- reasons for admission 445, 446
- role of outpatient staff 449
- sectioning under Mental Health Act 449
- what children and parents want from healthcare 127
- insects 871, 892, 950; *see also* ants, bees, butterflies
- Insel, Thomas 172, 831, 849–850, 854
- insight 121, 182, 193, 542, 627, 811; *see also* creativity; intuition
- Inspection Game 693
- institutional (organisational) abuse 470
- institutionalisation 446
- integrated care pathways 532
- intellectual disability (ID)**; *see also* dyslexia; education; IQ; nonverbal learning disability draw-a-man test adults with ID 11, 455, 575 benefits of inpatient 836 clinician mistakes in assessment 275 cost of formal diagnoses 221 genetics 13, 180, 657, 660 isolated strengths 89–90, 132–133, 225 isolated weaknesses 189, 470 neurodevelopmental service 651–662 population screening 50, 151–152, 836
- intelligence quotient *see* IQ
- intentionality 369^{2110, 2609}
- inter-agency chicken game 778
- interdisciplinarity 838** clinical 838–839 clinical flower diagram 839 individualism and training 838, 839 network of published citations 841 research 840–841
- intergenerational patterns 99
- international expertise, accessing 847, 848
- internet** buying of medicines 396 cooperative clinical problem-solving 846 cooperative research 934 cyberbullying 482 misleading checklists 148 protection software 805
- interpreter 40–41, 45, 48, 118, 432, 607, 799
- interpreters, providing 584
- interruptions** communication skills 67 good relationships/being nice 602
- interventions *see* treatment interventions
- interviewing**; *see also* history (clinical), talking to children, talking to parents adult interviews 75 children's interviews 75–76 first session 40–42 frequency of sessions 506 interpreting answers to questions 76–77 intuition 507 letter/report-writing proformas 240 questions, history taking 75–76 seeing child without the parents 12, 23, 26–27 session length 427, 506

Index

- interviewing** (*cont.*)
structured and semi-structured
interviews 81
systems 80, 81
typing during 41, 105
- interviews, initial**
appearance/dress 40–41
background information collection 40, 42
family preparation for the session 40
fetching patients from waiting room and
greeting 42–44
furniture provision/placement 41
length of sessions 44–45
mental preparation, therapist 42, 80
photos to aid recognition 43
pre-assessment questionnaires 48–49
purpose/goals of the session 46
red flags 86
session length 44–45
time allocation 46
toy provision 41
typing in the session/computer use 41
- intrinsic reward systems**
clinicians 644
influencing peers and subordinates 668
staff motivation 619–621
- introverts, clinician 501
- intuition** 506–507, 542–544
building/improving 546
complex/difficult formulations 198
ecological supports for 547
experts vs novices 545, 549
history taking 79
prescribing 379
secure and insecure reasoning **544**
and simplification 524
System 1/System 2 thinking 544–545
taming/using wisely 547
treatments/interventions 507
when to trust 136, 200
- intuition pumps 218, 525
- inverse care law 584
- investigations** 88–96; *see also* tests
automated interpretation 846
chasing the results 91
cost 221
normal range 93
- Ioannidis, John 31, 883
- IQ (intelligence quotient)/IQ tests**
771–772
borderline intellectual functioning 7–8
characteristics of specific IQ ranges 9
drawbacks of praising 348, 349
interpretation of results 92
misconceptions 135
- irrationality, predictable 704; *see also*
heuristics
- Islands *see* Galapagos
- cultural³⁰²⁴
diversity²⁸¹⁸
gigantism³⁰⁰⁷
innovation 872^{3533, 3596}
of knowledge 706³³⁷¹
loss of skills^{2914, 2917}
- Italy** 7, 175, 749, 817; *see also* Caesar;
Venice
Cicero 571
- latin 254
Pollio 881
- ITP (interpersonal therapy) 363
- James, Henry 21, 62
James, William 913–914
- Japan** 135, 510, 913, 915; *See also* Go; Basho
bullying 482
CAMHS 847
excellence 510
ikigai 915
MMR 135, 847
Mount Fuji 904
Pearl Harbour 201
- jargon, avoiding 229, 236, 237, 240; *see also*
words
- Jaspers, Karl 501, 522, 533, 891
- jobs, starting new** 217, 745, **792**; *see also*
career development
intentional moves 814
learning from predecessor 381
shaping the job to strengths and
weaknesses 508
taking over someone else's case 508–509
trainees 824
- jokes *see* humour
- jootsing (jumping out of the system) 853–854
- journal scanning, keeping up to date 808
- judgment, professional 503
- juggling tasks 713–714
- just-in-time planning 312, 931
- justice *see* equity
- Kafka, Franz 254, 747
- Kahneman, Daniel** 163, 170, 205, 544–545,
546, 547, 880
mood 500, 752
on science 850²⁵¹⁶
Systems 1 & 2 255, 544
types of error 30–31, 279–280, 441, 514,
538, 540, 546²⁵⁰³
unpredictable situations 206, 546
- Kandel, Eric 364
- Kanner, Leo 162, 371^{2227, 3532, 3543}
- keeping up to date** **802**, 803
Bayesian journal reading 805–806
heuristics 806
information for parents and children
807–808
information sources 806
informative/entertaining conflicts
806–807
journal scanning 808
levels of 803–804
maintaining standards 804
organising what you learn 808, 809
related subjects 804–805
sceptical/opposing viewpoints 803, 807
selectivity/what to avoid 805
- Kendler, Kenneth 193, 890, 894
- Kennedy, Robert 611
- key performance indicators (KPIs) 424,
612, 634
- keyworkers 531
- Killeen, Peter 890
- kindness** 576; *See also* values; charity;
politeness
- clinical relationships 104
ecological support for kindness 577
ethics of 576–577
examples in CAMHS
influencing patients and parents 255, 577
kind interventions to beware of 336
letter/report-writing 237, 243, 244
weighing kindness against autonomy
255
- Kipling, Rudyard 644, 920
- Klein, Donald F. 418
- Klein, Gary 30, 193, 533, 709, 811, 881, 946
knaves 699; *see also* gaming
knight's move treatments 297
- KPIs *see* key performance indicators
- Kübler-Ross stages of bereavement 154
- Kuhn, Thomas^{2253, 3534}
- labels, diagnostic** 171
effect on thinking 248
family therapy 359
personality disorders 175
post-traumatic stress disorder 477
that evoke sympathy 317
- LAC (looked-after child) *see* parents
(substitute)
- Lamarck, Jean-Baptiste 947
- landscapes and maps**; *see also* exploring
academic disciplines 841
badlands 316, 317²⁵²⁵
battleship game 81
boundaries 859
conceptual 181–182²²⁷¹
expertise 549
mountains 859
stable states 321
unknown regions 543, 816
wrongly centred 898
- language**; *see* body language; words
body 62, 65–66, 146–148, 569
development 16, 83, 882, 886
economic 248, 538, 577
foreign 238, 252, 658, 762
global spread 929
management 251
moral talk 583
of disciplines 238, 364, 406
remediation 333–334, 372, 770
Sapir-Whorf²³⁸³
severity **185**
slang 23
Spanish 772
styles 63, 117–118, 144, 227, 238
- Lao-Tzu 34
- Lavoisier, Antoine²³⁰³
- law/legal**; *see also* Goodhart's law
advice to schools 263, 653
Bolitho 276
capacity 11
DSM used as 440–441
enforcing school attendance 767
inverse care law 562
Italian laws 817
lawsuits **273**
legal thinking 864
misguided clients 126
obligation to profession 572, 860

- parental arguments 116
- Power Law 288–289
- precedents 864–865
- rescue principle 580
- risk events 276, 279
- trauma ²⁷⁵⁵
- unreasonable parental requests and expectations 129
- LD (learning disability) *see* intellectual disability
- leadership** 610; *see also* delegation; Guiliani monitoring; motivation; power
 - advisory/supportive roles 611
 - roles in CAMHS 612
 - tasks of a leader 610–611
 - teams 614
- leaflets, information *see* information provision
- leakage, nonverbal 66
- lean methodology 632
- learned helplessness 623, 642
- learning**; *See also* aporia; habits; habituation; extinction; zone of proximal development; reinforcement; education; trainees; keeping up to date; reading
 - behavioural 339–354
 - from others' mistakes 272
 - from our mistakes 260, 288–289, 382, 828
 - generalising 163, 360, 391–392, 537, 764, 911
 - glomming 766
 - learning systems 3–4, 788–796
 - multi-loop learning 789
 - order of learning 764, 822
 - problem-based learning 551
- learning disability *see* intellectual disability
- learning in children**; *see also* learning
 - behavioural 339
 - glomming 766
 - 90% rule ¹⁰²⁴
- learning in our career** 788–789, **792**; *see also* continuing professional development; reading; order of learning
 - data collection 792–793
 - database organisation 793–795
 - feedback 790–791
 - learning from colleagues 708, 815
 - ways of getting better at the job 789–790
 - working with multidisciplinary teams 795
- learning, organisational 630, 658–659, 795–796
- lecturing, benefits for teacher 821
- Lee Kuan Yew 319–320, 571, 663, 880
- legal *see* law
- letter/report-writing** 235
 - artwork styles 238
 - brief messages 236–237
 - communication methods 787
 - comprehensive letters 236
 - confidentiality 235, 245
 - dictation 241
 - diplomacy 243–244
 - goals of 237
 - interview proformas and report templates 240
 - kindness 237, 243, 244
 - length 240
 - letters of apology 689
 - long reports 242–243
 - multiple contributors 243
 - multiple versions for differing recipients 237–238
 - private practice sample cover letter 590
 - pros and cons of letters 235
 - redaction 243–246
 - second opinions 781, 782–784
 - stages of process 241–242
 - systems thinking 625, **628**
 - typing skills 240
- levels of care *see* standards of care
- LGBT (lesbian, gay, bisexual, transgender) 27
- Lieberman, Jeffrey 858, 947
- life events** 170, 478, 485, 876
 - psychogenic symptoms 485
 - in timeline 168, 182
 - and trauma 478
- life management, clinician 318
- lightheartedness 71–72, 155; *see also* humour
- likelihood, communication of statistics 265
- liking, role in persuasion 265
- Lincoln, Abraham 319, 334, 803, 820, 881, 908, 929, 935
- lipid profiles 93³³¹¹
- listening skills**; *see also* communication skills
 - discrepancies, surprises, and contradictions 63–64
 - eliciting further information 63
 - history taking 73
 - initial appointment interviews 44
 - involving children in treatment planning 64
 - listening to parents 62–63
 - methods of persuasion 265
 - nonverbal communication 62
 - observational skills 83
 - seven habits of highly effective people 516
 - what children and parents want from healthcare 127
- lists** 797
 - data needed for common tasks **802**
 - diary 800
 - patient dashboard 800–801
 - patient listing tables 799–800
 - to-do lists 798
- literature**
 - genres of human experience 17–18
 - learning about children's experiences 20–21
 - lithium 297, 313, 98, 451, 379
 - local guidelines 442
- logic**; *see also* binaries; conjunction fallacy; exceptions; validity
 - ad hominem 148
 - deduction, induction, and abduction 479, **544**
 - demonstrating via inconsistencies encouraging logic 300
 - errors of logic 360, **544**
 - kindness vs logic 577, 685
 - logic in an MDT 675
 - logic in persuasion 371
 - mood vs logic 35, 39, 205, 500, 547
 - normative illogic 211
 - paradoxes 556
 - post hoc ergo propter hoc 684
 - practicality vs logic 783
 - syllogism 684
 - System 1 vs System 2 544
- logjams/stuck states 321
- logrolling 523
- long-conserved functions 419, 529, 918, 946
- long-term goals, professional 513–515
- looked-after children *see* parents (substitute)
- loss aversion 539
- loss, parental feelings of 82, 149, 154, 219
- love**
 - cake mix 811
 - children need 255–256
 - cognitive dissonance 534
 - self-harm 457
 - sick role 485
 - unconditional love 501
- lumping-splitting** 184, 185–186, 526
- ADHD 184
- autism spectrum disorders 184–185
- umbrella diagnoses 185
- Machiavelli 319, 519, 663, 703
- Magee, Bryan 890, 894, 942, 945
- magical thinking 16, 542
- mainstream schooling 768, 769
- 'major tranquillisers', calming effects 420; *see also* antipsychotics
- maladaptive behaviours, sick roles 15
- malinger**; *see also* fabricated or induced illness
 - false positive 772
 - manipulative tactics 131
 - red flags 87
 - testing for 885
 - vignettes 133, 763, 772
- malpractice claims 271, 550–551
- managerial clinicians 733
- managers/management** 643; *see also* power
 - aligning with 646, 648, 649
 - bureaucracy
 - bureaucratic indulgency patterns 645
 - career moves 498
 - China 914
 - clinician-relations 646
 - communication with 646–647
 - cuts in funding 747
 - distinction from leadership 610
 - doctors as managers 498
 - emotions/feelings of 643
 - failure of management indicators 649–650
 - good management indicators 649
 - good-enough child psychiatry 498
 - management-speak 644

Index

- managers/management** (*cont.*)
management words 251, 583
managerialism 254, 527, 642, 904, 917
needs for numbers 694
negotiating with 646–647
organisational ethics 578
power 644–645
psychological contract 645
responses to gaming 701
restructuring 645, 664, 667
risk events 276–278
in strong bureaucracies 613–614
UK 498
working with 645–646
workload negotiations 646, 647
- management systems**; *see also* business;
care pathways
anti-innovation 641
conformity culture 642
cost-effectiveness 640–641
'cuckoo in the nest' initiatives 636–637
push for consistency 641–642
single-purpose clinics 636–637
top-down control 641–642
mandatory training, definitions 439
Mandela, Nelson 933
mania *see* bipolar affective disorder
maniacs, rational 699
- manipulative tactics** 131
exaggerations 131–132
and hospital admission 446
malingerings 131
opportunism 132
parental strategies 133
in persuasion 266
self-harm 456
ways of dealing with 133
well-practised patients 132–133
- maps, *see* landscapes
market, healthcare 633; *see also*
commodification
- Marx, Karl 847
Maslow, Abraham 687, 926
mastery, intrinsic reward systems 620
mastery, types 552
- maturation**
of a clinician 515–518, 552, 921
of CAMHS / CAP 88, 276, 441–442, 817,
838, 857–866, 870, 942, 950
of child 22, 136, 141, 338, 464
of psychiatry 858
of a service 658
- MCOs (Managed Care Organizations) 592
MDD (major depressive disorder) *see*
depression
MDTs *see* multidisciplinary teams
Meadow, Roy 167–168, 212
meaningful behaviours, observation 84–85,
86
meaningfulness, and staff motivation
620–621, 622
Medawar, Peter 182–183, 673, 763–764,
872^{3499, 3525}
Medawar zone 851
medical insurance company case report,
suicide 464
- medical model 140, 172, 761
medical students 830 *see also* trainees
- medicalisation**; *see also* medicine-based
psychiatry
appropriate levels 502–503
of common misbehaviour 137, 140
psychogenic illness 491–494
- medicines** 376; *see also* dose; dosage trials;
noncompliance; polypharmacy;
prescribing; side-effects; timelines;
treatment plans, sequenced
ADHD 835
altering effect of other treatments 308,
394, 409
ambivalence to, teenagers 23
Band-Aids/temporary interventions 333
death of patients in your care 468
effect sizes 297
ethics 572–576
generic vs branded 386
history 323, 385, 391, 792, 800–801
liquid 327, 377–378, 383, 395, 396
misconceptions 134, 135
missed doses 76, 811–812
names 248
nonpsychiatric medicines 396, 909
overmedicating populations 135
parents adjusting 398
persuading child to take 377–378
rationing of care 741
sleeping problems 335–336
stopping 289, 401, 466
strategy 317
swallowing 377–378
switching medications 313
to confirm diagnosis 218
use of words 248
using money to encourage compliance
345
violence 451
weaning off 387
- medicine information services 586–587
- medicine-based psychiatry** 417
antidepressants and anxiolytics 419–420
antipsychotic medication 420–421
diagnostic clarification 417
keeping an open mind on use of
medication 418
pharmacological dissection approach
418
stimulant medication 419
- Meehl, Paul 202, 205, 849, 907
- meetings**
academic conferences 759
agendas 118–119, 509
care coordination 312, 449
chairing 118–119, 598, 671–673, 677,
759, 862, 925
child protection 677–678, 775
efficient team functioning 671
external 931
leaving early 504
mortality and morbidity 920
team 289, 437, 540, 671–673, 675
melatonin, for sleeping problems 294, 326,
334, 335–336
memes 174, 874
- memory** 788–796; *see also* learning systems
checklists 627
coping with poor memory 42, 45, 382,
783, 855, 865, 917
how much should we know 512
how up to date should we be 803–804
multi-loop learning 789
oracle 512
organisational 796, 873
organising yourself 711–712
remembering the patient 43, 102
- Mendel, Gregor 568³⁵⁴⁶
- menstrual cycle**
adrenarche 188
bipolar 313
catamenial 32
menarche 188
pre-menstrual tension 767
- mental age 89, 176, 194, 296, 771
Mental State Examination 57–58
- mentors** 519–521
anti-mentors 520, 611
menu of treatments 300
meta-analyses, evidence-based practice 30
- metabolism**
absorption 393
CYP2D6 401, 403
cytochromes 384–385
metabolic crisis 528
- metacommunication 67
- metaphors, use of** 182–183, 233–234; *see*
also car, hardware-software
gun 133, 205, 305, 332, 380
vignettes 121, 156, 183
- methylphenidate** 32, 189, 301, 337,
378–379, 383, 398–399, 404, 431–432,
822, 910, 911
co-prescribing 305, 315, 389–525
effect on maths results 404
effect on musical expression 24
explaining 233, 269
high dose 109, 147–148, 391, 393, 509
preparations 404
published trials 306
rare side-effects 412
relationship to diagnosis 170, 218
reliability 323, 835
side-effects 199, 282, 384–385, 412
timecourse of medication effects 404, 406
titration 315, 402
vignettes 109, 147–148, 325, 336, 390,
413, 529, 743, 768, 772
vs caffeine 419
vs dexamfetamine 388, 407
- microcharacteristics 223²²⁵²
- Milgram, Stanley**
conflict between authorities 692
electrocution experiments 269, 571, 578,
643, 677
Obedience to Authority 880
- military**; *see also* arms race; strategy;
Clausewitz; Sun Tzu; Nazism;
Churchill; trauma; World Trade
Center; games; triage; bureaucracy;
obedience; metaphors (gun)
army historians 796
avoiding battle 325, 666

- battle fatigue 755
- battleship game 81
- care of combatants 136, 325, 755, 836
- cavalry 842
- counterinsurgency 892
- drill 945
- eclecticism 304
- fallibility 949–950
- gun risk 457, **461**, **544**
- hierarchy and obedience 444, 819, 820, 923
- history with science 891
- known unknowns 94
- need for thought 174, 842
- Pearl Harbour 201
- propaganda 248, 251, 669
- reconnaissance 795
- recruitment 175
- strengthening effect 916
- submarines 924, 949–950
- trench foot 548
- zeal 619–624
- mini-lists 802
- minimum acceptable standards 435, 437–438; *see also* standards of care
- minimum effective dose (MED) 397
- minocycline 412
- minority groups 669; *see also* cultural perspectives
- mirroring, talking to parents 118
- misattributions, and trauma 479
- misconceptions 134
- misdirection technique 50²⁰⁶⁶
- mistakes *see* errors/mistakes
- miswanting 127
- MMR vaccine, misconceptions 135
- MMORPG (massively multiplayer online role-playing game) 354
- mobile phones *see* phone(s)
- addiction 354, 558
- vignettes 48, 83–84, 356
- yours 65, 797, 898
- models; *see* animal models; computational models; role-modelling; medical model
- data flow model 181; *see also* psychotherapy
- misdirection**: 885²⁰⁶⁶
- modularity**
- biological segments 948
- of brain 134, 918
- of data and theories 849–850
- of specialist services 940
- silos 580, 636, 658, 842
- money *see* financial incentives
- monitoring, staff** 617
- amount 617–618
- problems with 617
- statistics 621
- SURF+C acronym 617
- Yerkes-Dodson curve 623
- monoamines 417, 904; *see also* dopamine; serotonin
- Montaigne, Michel de 5, 533, 585
- Mood and Feelings Questionnaire (MFQ) 49
- mood assessment 49, 58; *see also* bipolar affective disorder; depression; hyperthymia
- mood stabilisers 379, 399, 313, 297, 807
- moral balancing 564, 567
- moral balancing 564, 567
- moral language in organisations 583
- morals** 570; *see also* ethics; honesty/dishonesty
- flexibility levels, clinician 504
- and simplification 524
- what is normal 9
- mothers**; *see* parents
- beliefs about pregnancy 38
- BIF 7, 112–113
- dragon mother 128, 469, 763
- knowledge level 115
- other preventive interventions 835
- story editing 256
- motivated reasoning/thinking** 135
- cognitive heuristics 536–537
- motivation**; *see also* staff motivation
- motivating yourself 508, 644
- of psychogenic symptoms 487
- motivational enhancement therapy (MET) 258–259
- motivational interviewing (MI) 257
- motorway effect 550, 658
- muddling through 739, 810, 861
- multidisciplinary teams (MDTs)** 595; *see also* team functioning
- avoidance of interruptions 602
- being a good team member 601–602
- celebration of successes 600, 602
- clinical advances and trends 860
- diversity 596–597
- efficient team functioning 670
- egalitarianism 601
- good relationships 602
- organisational influence 665
- overlapping expertise 597
- as a phase 860
- problems in team function 670–682, 803
- pros and cons **596**
- psychiatrist's role 603–604
- representative disciplines 597, **598**
- secretarial staff 605–609
- senior members 602
- setting up/maintaining learning systems 795
- task allocation 820
- team roles 598–599
- team structure 597
- multi-loop learning, throughout career 789
- multiple medications *see* polypharmacy
- multitasking 73
- Munchausen syndrome by proxy 133, 140; *see also* fabricated or induced illness (FII)
- Munger, Charlie 702, 803, 804–805
- music**
- Charlie 'Bird' Parker 506
- conductor 312
- complexity 951
- evolution 869
- feelings 881
- Glenn Gould 920
- importance over-valued 20–21
- importance undervalued 642
- intuition 506
- learning to play 511, 515–516, 553
- Mahler 310
- methylphenidate 24, 50–51, 412–414
- Mozart 892, 908, 915, 917
- multiple intelligences 516
- orchestra 599
- orchestrating 310–315, 785
- singing 11
- teens 23
- transitions 310–315
- tricks 892, 908, 921
- visualising 117–118
- Myers-Briggs Type Indicator (MBTI) 882
- Nabokov, Vladimir 187, 254, 810, 867, 938
- nano-punishments 349
- Napoleon Bonaparte 847
- narrative**; *see* stories
- National Health Service of UK (NHS) 278, 287, 498, 589–590, 594, 634, 640, 642, 697, 738^{3110, 3569}; *see also* NICE; politicians
- future trends 859
- positive 859^{3004, 3099}
- National Institute for Health and Care Excellence *see* NICE
- natural experiments**; *see also* overdoses
- antidepressants 466
- autism and MMR 135
- cutting corners 436
- demonstrating causation 168, 856
- inter-psychiatrist variation 815
- for learning 810
- maladministration 406
- twins reared apart 13, 112
- natural selection *see* selectionism; evolution
- Nazism 162, 248
- NDTs *see* neurodevelopmental teams
- negative expressed emotion (NEE), family therapy 358
- negative reinforcement *see* punishment
- negotiating**
- with government 358, 647
- with managers 646
- with patients 270
- Neighbour, Roger 818–819
- networking** 758
- Blitzkrieg networking 760
- conferences 758–759
- Farley files 102
- inter-organisational/external 760
- intra-organisational/internal 760
- long-term 760
- managing big networks 759
- patient support networks 759
- skills 647
- neurodevelopmental teams (NDTs)**
- care pathways 655–658
- cooperation between services 652–654
- direction of effort 660
- as formal speciality 651
- location/where to place 661–662
- maturational stages of team 658–659
- scope 651, 656, 659–661
- staffing 654–655
- target populations 659
- team skills needed 659, 660
- UK provision 651

Index

neurological examination 71, 91
New Guinea 924–925
New York 17, 175, 473, 612, 634, 645, 823–824; *see also* World Trade Center
New Zealand 617, 739
Newton, Isaac 849, 895, 946
NHS *see* National Health Service of UK
NICE (National Institute for Health and Care Excellence) 30, 427, 435, 440, 641, 739, 806, 807; *see also* EMDR
challenging behaviour 455
depression 441
Do not do 286, 442
myopia 441–442
risk checklists 442, 692
wellbeing in the workplace 679
niche
in autism 231
in CAMHS 550, 588, 597, 603³⁰¹⁶
finches ³⁵²⁸
local services 652
marsupials 869
in your career 510³⁰⁷⁴
night terrors 16
NIMH (National Institute of Mental Health), Research Domain Criteria (RDoC) **854**
90% rule 369, 470, 528, 763, 766; *see also* Pareto principle
Nixon, Richard 664, 895
NLD *see* nonverbal learning disability
NNT (number needed to treat) 834, 944
N-of-1 trials 384–385, 408
nomothetic approaches 162–163
Non-adherence with treatment 326–327
addressing obstacles 327
definitions 324
helping patients understand 327
information for young people 328
information leaflets for parents 328
orchestrating treatment 301
treatment failures 323
ways of dealing with 327
nonmaleficence 570, 572
nontechnology 302–303
nonverbal communication 62, 65–66; *see also* body language
nonverbal learning disability (NLD/ NVLD) 71, 86, 139, 470
humour 71
vignettes 138–139, 470
normalisation
in conversation with children 55
living with problems (rather than treating) 302
thinking strategies 370
normality and abnormality 5–6, 13–14
average person, no such thing as 13
base rates of health conditions 876
misbehaviour is normal 351
bell-shaped curves/normal distributions 8
borderline intellectual functioning 7–8
categories of normality 14–16
characteristics of specific IQ ranges 9
common errors in diagnosis 7
defining/recognising abnormality 14–16
developmental changes 464
developmental milestones 16
false positive/false negative diagnoses 94
genetic influences 13–14
hallucinations 16
history taking 79
injunctive normal 17
normal variation 8–9, 12, 27, 334
normal/norms/normative definitions 5
sleeping problems 334
statistical analysis 16–17
teenagers 27
normative 5, 211
not doing things *see* deprioritising; doing less
note-taking 41, 73
novices *see* trainee clinicians
nudges 321
influencing patients and parents 256, 257
politeness money 353
relationship management 355
Numb (film) 459
numbers game 694; *see also* quantitative data; targets
needs of managers for numbers 694
subjective measures 695
what to measure/outcome criteria 695
nurses 11, 156, 532, 546, 634, 721, 747
disagreements 423, 448, 449
ethical style 578
nurse prescribing 671, 718, 861
school nurse 342, 383, 423, 833
Nutt, David 377, 388, 806
NVLD *see* nonverbal learning disability

Obama, Barack 843, 926
obedience 261, 344–345, 350, 353, 515–518²⁹⁹¹
obesity *see* weight
observational skills 82
history taking 79
learning about children's experiences 19
listening skills and active listening 83
meaningful behaviours 84–85, 86
parental behaviour 83
obsessionality
disadvantages of obsessionality 682, 755
encouraging it 793, 808, 843
fighting it 79, 240, 243, 433–434, 436, 646, 714
paradox 711
in parent 42, 148
in yourself 79, 210, 518
obsessive compulsive disorder 15, 25, 219, 473, 530–531, 538; *see also* worry
baselining 39
deep vs superficial treatments 530–531
guilt 538
treatment 388, 420
vignettes 25, 232–233, 302, 325, 337, 368, 370, 396, 478, 559, 639, 743, 768
Occam's broom 917
Occam's razor 179
occupational therapy (OT) 214, 261, 530
ODD *see* oppositional defiant disorder

off-label/off-licence prescribing 392, 395–396
olanzapine 6, 93, 313–314, 380, 387, 402, 415, 421; *see also* antipsychotics
side-effects 415–416
OMIM (Online Mendelian Inheritance in Man) database 796, 846, 851
on-call systems 861
online voting 846, 847
open door, keeping 26
open label trials **30**
open-mindedness, keeping up to date 803
open questions 23–24, 54, 75
operant learning, creativity 812
operant training, effect sizes **296**
opportunistic; *see also* shih
blood tests 93
child's rewards 344
self-development 551, 800, **804**
training 521, 554–555, 822–823, 827
watchful waiting 291, 301–302
opportunity cost
in job content 498
in organisational ethics 580
in organising yourself 20, 422, 512, 725, 803–804, 805, 884
in team function 898, 924
of other clinical choices 177, 299, 641
of prescribing 135, 376, 903
oppositional defiant disorder (ODD) 140, 213
oppositonality 149, 183, 189, 343, 350, 766
optimism *see* hope
optimistic bias 35–36
orchids 871, 875^{2222, 2243, 3152}
ordeal therapy 350
order effect
of medicines 336, 389
of persuasion 269
of questions 77
order of learning
educational interventions 764
trainee clinicians 822–823
Oregon prioritisation system 739
organisational abuse 470
organisational ethics 578, 587; *see also*
drug companies; whistleblowing
definitions 578
ethical conflicts 579
ethics of service provision 580
ethics of treatments/interventions 580, 581
health inequality 583–584
inverse care law 584
moral language 583
rules 579
scale of operations 578–580
organisational *see* systems thinking
complexity 522
curse of expertise 555
innovation 817
lowering standards 435–436
paradoxes 557
prevention of risk 283–284
quality of treatment 423–424
resource allocation paradoxes 562

- setting up/maintaining learning systems 795–796
- Osler, William 709, 818, 864
- OT (Occupational Therapy); *see* occupational therapy
- outcome criteria, numbers game 695
- outcome measures, numbers game; *see also* questionnaires
- overconfidence 35–36, 547, 551, 690, 902; *see also* confidence-levels
- overdoses** 460
 - clinicians learning from 389, 392, 393, 457, 557, 618
 - parental mistakes 389, 391
 - as self-harm 69, 273–274, 296, 466, 480, 685
- over-education 763–764, 860–861
- over-efficiency 710–711
- overmedicalisation, psychogenic illness 491–494
- overmedication 135, 414
- oversimplification, diagnostic 171–172, 199–200
- over-valued ideas 374; *see also* fixed ideas
- overwork *see* workload and overwork
- oxygen 891
- paediatrics**; *see also* physical problems;
Meadow
 - differences from CAP 128, 237, 271, 653, 727
 - in NDT 662
- painful topics *see* sensitive topics
- Pakistan 550
- panics** 470
 - parent catastrophising 110, 447
 - stereotype threat 367–368
 - treatment 308
- paper 797
- paradoxes** 556, 557
 - appropriate uses of dishonesty 568
 - assessment 50
 - clinical examples 557–561
 - contradictions 561–562
 - effort 557
 - email backlogs 786
 - negotiations with parents 562
 - of change 556
 - of knowledge 556
 - of life 556
 - of power 556
 - of seniority 517
 - organisational systems 557
 - over-efficiency 711
 - paradoxical reactions to medication 336
 - paradoxical ways of increasing good behaviour 559–560
 - paradoxical ways of reducing bad behaviour 558–559
 - preference paradox 249
 - pseudo-blunders 560–561
 - psychotic event 561
 - relational aspects 557
 - resource allocation 562
 - Rose’s paradox 737
 - scientific 563
 - Simpson’s paradox 563
 - systems of healthcare 557
 - tiers/tiered-systems 638
 - treatments/interventions 557, 558
- paranoid**
 - alternative explanations 157, 225, 527, 770–771, 772²²²²
 - assessing 58
 - in the family 103, 235–236
 - in management 922
 - street definition 25
 - treatment 395
- parasites^{3199, 3381, 3552}
- parasuicides 296, 419, 466; *see also* suicide
- parent-child game 356
- parental expectations**
 - private practice 590
 - rudeness and aggression/anger 158
 - talking to parents 119–120
 - unrealistic expectations 150
 - unreasonable requests and expectations 128–129, 130
- parenting programmes 831, **834**
- parents**; *see also* disagreements with
 - parents; adoption; safeguarding
 - alternatives to disagreeing 143–144
 - arguments 115
 - boarding schools 771
 - breakdowns 337, 447
 - complacency 147–148
 - cruel 113, 261, 349, 469
 - demanding parents 592
 - demanding the wrong thing 128–129
 - effect on mood and IQ 275
 - ethics 447, 455, 573–574, 575, 725
 - extra tests 37, 149
 - honesty and dishonesty 566
 - hospitalisation **446**, 447, 582, 657
 - illiteracy 112–113
 - impact of cuts in funding 748
 - influencing **255**; *see also* ideas (changing)
 - intellectual disability 657
 - interruptions from 56
 - mental illness in 19–20
 - observation of parental behaviour 83
 - 1:1 parenting 355, 467
 - over dosing mistakes 389, 391
 - parent-child game 356
 - parent training 343
 - parental alienation 115
 - parental arguments 115–116
 - parental goals 435
 - positive opposites 349
 - positive parenting 7, 339, 342, 356
 - private patients 592
 - punishment vs rewards 113
 - reasoning about risk 70
 - relating to 108
 - relationships with children 14
 - role in educational interventions 764–765
 - role in treatment failures 324
 - seeing child in a positive light 95, 112, 132, 765
 - shared understanding 151
 - substitute 575, 771; *see also* adoption
 - substitute parenting, fostering 367
 - training **296**, 343, 344, 346
 - vignettes of substitute parenting 82, 95, 112, 132, 447, 573–574, 582, 775, 779
 - what they want from healthcare 128
- parents, types of** 108
 - anxious parents 109–111
 - demanding parents 113
 - depressed parents 111
 - difficult/unpleasant parents 114
 - disadvantaged parents 112–113
 - divorced/separated parents 114–115
 - over-ambitious 763
 - over- optimistic parents 149, 150, 154, 231, 348
 - over-thoughtful **228**
 - super-parents 108
 - undemanding/passive parents 114
- Pareto principle 434, 632
- part-time work**
 - creating opportunities for change 291
 - portfolio careers 509
 - reducing hours 753
 - 10,000 hours 789
- partial reinforcement 556, 346
- partially organised work systems **628–629**
- partnerships 101, 104; *see also* relationships (clinical)
- passive parents 114
- pathognomonic signs 167, 189, 491, 890
- pathological demand avoidance (PDA) *113*, 140–141
- pathologisation 16–17
- patience, treatment failures
- patient dashboard 642, 800–801
- patient listing tables 799–800
- patient perspectives**
 - cuts in funding 748, 749
 - view of service quality 127, 423
 - what teenagers want 23
- Pauling, Linus 813, 920
- PDA (pathological demand avoidance) *113*, 140–141
- PDT *see* psychodynamic therapy
- Pearl, Judea 168, 192
- perceptual distortions, Mental State Examination 58; *see also* hallucinations; voices
- perfectionism 112, 422, 433–434, 646; *see also* good-enough child psychiatry
- periodic priority lists 509
- permission from management 722; *see also* consent
- permissive parents 614
- perpetuating factors 180, 210, 293–294, 312, 494, 522
- personal learning *see* learning in our career
- personal respect *see* respect for patients
- personal touch 65, 68
- personalised medicine**
 - clinical advances and trends 859–860
 - cost-cutting vs quality 860
 - ethical conflicts 859–861
 - guidelines 442
 - individualised care paths 513
 - multidisciplinary teams 860

Index

- personality**
Big Five 17, 253
bureaucratic 636
clash 120, 159, 679
effect of clinician's age 515–518
effect of environment 13
effect of medicine 14, 134, 412, 442
exploitable 643, 755
of clinician 37, 158, 553, 643, 829
personality disorder 15, 171–177, 250, 287, 442, 739
- persuasion** 262–263; *see also* influence;
stories
appropriate situations for persuasion 264
appropriate uses of dishonesty 568
authority figures 269
being directive 263
choice, offering 265, 266–267
compromise 270
contrast effects 266
denial of diagnosis 266
don'ts/tactics to avoid 268–269
ethics 269
explanation 269
false balance 269
information provision 263
leadership 613
methods of persuasion 264–266, 667
motivational interviewing 266, 269
nagging/criticising parents 269–270
negotiation 270
quantitative data 267–269
representativeness 538
shared decision-making with families 297–298
- pervasive demand avoidance 113, 140–141
pervasive developmental disorder – not otherwise specified (PDD-NOS) 139
perverse effects 254, 287, 652
perverse incentives 278, 612, 694, 727
Peter Principle 517
pharmaceuticals *see* drug companies;
medicines; prescribing
- pharmacy**; *see also* polypharmacy; formulary
DM+D 909
risk 281
- phenomenology 171, 951; *see also*
experience of being a child
- philosophy**
evolutionary epistemology 633, 811, 867
philosophers; *see* Aristotle; Dennett;
Derrida; Descartes; Foucault; Kuhn;
Lao-Tzu; Magee; Occam; Pearl;
Popper; Schön; Socrates; Taleb;
Voltaire; Whitehead; Wittgenstein
philosophy of science 31, 203, 849, 858, 872, 883, 892, 946
tree of knowledge 381, 951
value of knowledge 36, 803–804
words 247–254
epistemology (knowledge, meanings)
167, 202, 222, 533–541, 895; *see also*
explaining, analogy, models; logic;
taxonomy
evolutionary epistemology 633, 811, 867
- tree of knowledge 381, 951
value of knowledge 36, 803–804
hermeneutics (interpretation of
authoritative texts) 249, 439, 501, 627, 735, 864, 916
ontology (existence, what is) 140–141, 162, 184–185, 186, 596, 810, 904
metaphysics (reality)
grand consilience 867–875, 891, 892; *see also* consciousness; free will; causes;
statistics; aesthetics
reification 219, 248, 254
teleology (final purpose) 369, 495, 613, 620–621, 694, 881, 890, 915, 916, 949;
see also ethics; religion
- phone calls** 786; *see also* electronic devices
clinician preferences 786
giving advice by phone 787
preferred communication methods 785
private practice 591
responding to 786–787
working with secretarial staff 608
- photos**
camera choice 844
cognitive benefits 508
eliciting sympathy 577
of handwritten notes
of paperwork 844
of patients 42
permission for photographs 43, 940
software to handle 844
to aid recognition, initial interviews 43
used by schools 276
- physical examination** 90–91, 506; *see also*
tests
interpretation of results 91–93, 92
obtaining results 91
vs history taking 885
- physical illnesses, not discounting 528
Picasso, Pablo 721
pictures *see* drawings; photos
pilot schemes, systems thinking 630
- placebo effect**
EMDR 481
honesty and dishonesty 569
paradoxes 561
prescribing 395
unconventional therapies 337–338
vignette 569
- planning fallacy 35–36, 509
Plato 498, 513
- poetry** 10, 20–21, 881, 898; *see also* Basho;
Carroll; Eliot; Frost; Kipling; Lao-Tzu;
Schiller; Shakespeare; Wilde
English 595, 797
Philip Larkin 914
shy poetry lover 210
software 843
- poker, games of strategy 320
- politeness** 143–144; *see also* kindness;
hypocrisy
autistic 111
as duty 573
empty statement 144–145, 649
impediment to MDT 675, 679
politeness money 345, 353
political correctness 443, 603
- politicians**; *see also* Blair; Caesar; Cameron;
Churchill; Clinton; Franklin; Gandhi;
Giuliani; Kennedy; Lee; Lincoln;
Marx; Nixon; Obama; Thatcher;
Trump; Zhao
blame diffusion 685
commoditised care 503
cuts 685, 736, 747
Farley files 102
gaming 685
language 248, 251, 443, 664, 665, 736, 934
maturation 916–917
networks 760
optimism 255
trust 104
- politics**; *see also* politicians; government;
voting; aligning;
cynicism 501–502
defence of politics 777
gerrymandering 664
political processes 101, 358, 647, 685, 777, 810³⁴¹³
relationship to professional life 838
relationship to science 946
setting of priorities 664, 747, 937
tail wagging the dog 580, 669
willingness to pay 635, 836
- polypharmacy** 389–390
avoiding parental mistakes 391
dose reduction 509
finding alternatives to if possible 390
fluoxetine boosting effects 410
helpful tips 391
individualised hierarchy 391
interactions with non-psychiatric
medicines 396
order effects 336, 389
problems of separating out the effects 391
simultaneous treatments 305
- pop psychology 17
Popper, Karl 203, 174, 253^{2311, 2397, 3536}
portfolio careers 509
positive mental health promotion 837
small/surface interventions 331
positive regard 65, 68, 148
positive reinforcement *see* praise; rewards
possibility effect 209, 274, 547
postcode lotteries, preventive interventions 836
- post-traumatic stress disorder (PTSD)**
180, 184, 186, 477–483, 807; *see also*
trauma; EMDR
mechanism 190, 854, 908
- poverty 112–113, 223, 324, 353, 939
- power** 613; *see also* influence; leadership;
management
dynamic flow 615
hard/soft 613
managers 644–645
paradoxes of 556
in strong bureaucracies 613–614
teams 614
Power Law 288–289
power-sharing, with difficult/unpleasant
parents 114

PPPP (predisposing, precipitating, perpetuating, and protective); *see also* perpetuating factors; protective factors; triggers

ethics 570, 572
formulations 180
prevention 831
tools for formulation 207
pragmatic clinicians 733

praise;

see also criticism
children who can't take praise 68
for children 348–349
in the MDT 577, 678–679
in undiagnosing 214
of colleagues 577, 602, 706, 754
of parents 120, 265, 577
of trainees 690, 827

precedents 864–865

predictable irrationality 704; *see also* heuristics

predictions 34

benefits of diagnosis 219
certainty effect 36–37
effect of beliefs 37, 38
heuristics 34–35
and intuition 547
optimistic bias 35–36
paradoxes of 556
regression to the mean 36
reliability 34
risky 167
suicide 460–461
timing the next appointment 37
using prediction as an intervention 69
violence 450–451

preference paradox 249

preferences, patients and families 312

pregabalin 32

prescribing 376; *see also* dose; dosage trials; medication; polypharmacy; timecourse of medication, *see also* aripiprazole; atomoxetine; methylphenidate; risperidone, DM+D 909

acquiring knowledge 379, 381
adaptive prescribing 398–399
antipsychotic drugs effect sizes 382
avoidance of 377
balance 378–379
covert administration of medicine 395
dynamic prescribing 397
ethics 572–576, 575
expertise 383
factors in choice of medication
generic vs branded 386
heuristics 377
high doses 391
interactions with other medicines 396, 400
leaflets for parents 386
learning about and updating knowledge 379–383
off-label (or off-licence) prescribing 395–396
placebo effect 395
practical details 378
printing prescriptions 385

private practice vs state sector 594
prophylactic medication 388–389
record-keeping 385
role in child psychiatry 376
sleep medicines 336
starting a new medication 383–384
swallowing 377–378
unusual prescriptions 388
value of personal formulary 382

presenting the formulation 227

acceptability of diagnosis to parents 228
addressing parental beliefs 229
checking the message has got through 233
clarity 229–230
core message 230
fostering realistic levels of hope 231
gene-environment interactions 230
helping parents remember 230–231
metaphors, use of 233–234
patient-centredness 228
persuasiveness 227
presenting certainty/uncertainty 231–232
tact with parents 228–229
understandability 229

Preskorn, Sheldon 218, 382

prevalence of disorders

of DSM diagnoses 877

prevention and early interventions 831;

see also Rose's paradox
addressing age-specific risks 834
ADHD-related problems 834, 835
anxiety 835
ASD-related problems 835
balance of effort 832
clinical interventions for referred children 832
depression 835
economics of 833–834
future research directions 852
of abuse 835
of admissions 448–449
of complaints 687
of conduct disorder 835–836
of educational failure 189, 766, 834
of risk 283–284
of suicide 461
of violence 450
parenting programmes 831, 834
postcode lotteries/need for integrated funding 836
primary, secondary, tertiary 450, 832
promotion of positive mental health/resilience 837
psychosis 836
targeting high-risk groups 832–833
universal interventions 833

priming

cognitive heuristics 538
history taking 77, 538
honesty and dishonesty 567
influencing patients and parents 577
printing of prescriptions 385

prioritising 724–725; *see also* rationing based on severity, treatability, or accessibility 744–746

dealing with low-priority tasks 726
emergency cases 626–627
high-priority referrals 725, 744, 745
procrastination 726
seven habits of highly effective people 516

systems thinking 626
timing the next appointment 37
workload reductions 721, 754

prison; *see also* criminal

alternatives 446–447
family story of 388
parole board 752
prison exposure as intervention 905
release of dad 292
Stanford Prison Experiment 677
victim guilt 370

Prisoner's Dilemma 692, 778

private practice 588

billing/payment for services 591–592
caseload 719
categories/types of practitioner 592
clinicians' values 590
combined with private/state-sector working 593
diagnostic thresholds 735
entering/starting as a private practitioner 592–593
ethics of 589–590
excluding/rejecting patients 591
free/unpaid work 594
prescribing 594
problems with 590–591
requirements for 588–589
sample cover letter 590
vs state sector treatment 594

probability, communication of 69–70; *see also* statistics

process measures 696

procrastination 726

Procrustes 201, 884

prodromes, schizophrenia 34

professional language *see* words

professional training *see* trainee clinicians (teaching)

professionalism

appearance/dress 40–41
balance 503
clinical relationships 104
epitaph of the profession 866
letter/report-writing 239

proformas; *see also* templates

for experts 81
for interviews 241
semi-structured interviews 81

prolactin 380, 416, 432, 703²⁶²⁸

prophylactic medication, prescribing 388–389

propranolol; *see* adrenaline
protective factors 160, 180, 293–294, 332, 451; *see also* PPPP

protocols 443–444; *see also* guidelines

proving oneself wrong 203

pruning data 194, 195; *see also* winnowing

pseudo-blunders, paradoxes 560–561
pseudodiagnosticity 204

Index

- pseudo-experts 546, 548
pseudo-rules 439
psychiatry; *see* doctors; future of CAP;
Andreasen, Asperger, Besag, Clare,
Coghill, Erickson, Frances, Goldacre,
Goodwin, Jaspers, Kandel, Kanner,
Kendler, Lieberman, Nutt, Preskorn,
Rutter, Steinberg, Szasz, Taylor,
Timimi, Turk, Wessely
heart of psychiatry 227, 376, 603^{2271, 2520,}
²⁷⁶³
multidisciplinary teams **598**
learning systems 788
without diagnoses 218
without formulations 225
without medicines 410–411
psychodynamic therapy (PDT) 346,
363–364; *see also* talking therapies;
psychotherapists
genres of human experience 17
heuristics 360
indications for psychodynamic therapy
363–364
Meehl 202²⁵⁹⁶
metaphors 182–183
negative aspects 364
probability 202
as software 183
symbolism 678
therapist disclosure 106
psychoeducation, living with problems 302
psychogenic symptoms 484
appropriate medicalisation/testing
491–494
appropriate uses of dishonesty 568, 569
Bayesian reasoning 488
being honest with patients 492
causes and causality 485
checklists 485–486
definitions 485
diagnostic reliability and certainty
492–493
interventions 494
liaison with fellow professionals 489
need for holistic approaches 490
physical vs psychological explanations
488–489
processes operating 486, 487
use of words 486–487, 491
psychological contract 645
psychologists; *see* Asch; Berne; Galinsky;
James; Kahneman; Killeen; Klein;
Meehl; Maslow; Milgram; Rapport;
Thaler; Vygotsky
educational psychologists 64, 240, 528,
658, 732, 761–763, 767
psychology; *see* learning; attention; IQ tests;
ABC charts; psychologists; therapies;
consciousness; illusions
psychosis 58, 150, 205–206, 374, 876; *see*
also antipsychotics; schizophrenia;
delusion; hallucination
caseness 162
diagnosing **165**, 676–677
diagnostic hierarchy 176–177
early intervention 836
episodic 398–399
false positive diagnoses 94
family history 388, 459, 527, 656–657
in ID 861–862, 887
inpatient **446**
misdiagnosis 459
paradoxes 561
prevention 836
risks 291, 292
role of medication 376
scales 382
service design 744, 745
sleep 398–399
stimulants 390, 772
treatment 312, 360, 376, 382, 388,
398–399
vignettes 11, 96, 98, 225, 528, 772
psychotherapists (psychodynamic); *see*
also Bowlby; Adler; Freud (Anna and
Sigmund); Winnicott; Yalom
Baker, Steve ²³⁷⁶
Jung, Carl 533
psychotherapy 360; *see also*
psychodynamic therapy, cognitive
behavioural therapy; talking
therapies
continuum of styles **505**
intuition of psychotherapists 546
risks of psychotherapies 364
role in multidisciplinary teams **598**
PTSD *see* post-traumatic stress disorder
puberty 16, 57, 207, 337, 472
vignettes 188, 396, 409, 473, 770
Public Goods Game 708
punishment 339–354
alternatives 256, 289, 451, 560, 764
altruistic punishment 888
appropriate 345–346, 350
behaviour management interventions
349
consequence sharing (punishing two
children) 352
corporal 256, 350
cruelty 113
effect on relationship 350
eliciting information 54–56
illusion of effectiveness 397–398
parental attitude 324, 350
punishing the employer 617, 623
punishment not working 324, 350
relationship management 355
robotic 324, 344–345
self-punishment 333, 456–468
tit for tat 933
pushing colleagues 268
QALYs *see* quality-adjusted life years
QNCC (Quality Network for Community
CAMHS) 435, 632, 662, 742
qualitative statistics ^{166, 538, 584}
quality, staff 599
quality-adjusted life years (QALYs)
ADHD-related problems 834
cost-effectiveness 640–641
quality vs quantity, treatment 422–423, 497;
see also standards of care
quantitative data; *see also* numbers game;
statistics, forced choice
Bayesian thinking 165–166
communication of statistics 69–70
in persuasion 267–269
target-setting 127–128
quasi-organisation, systems thinking
628–629
question substitution heuristic 537
questionnaires 205–206; *see also*
toolboxes/tools
ADHD 51
autism 52
efficient team functioning 671
examples and limitations of use 48,
50–51
Mental State Examination 57–58
pre-assessment questionnaires 48–49
teenagers 24
uses/applications 47
questions 74–76; *see also* history in clinical
work; interviewing
closed 23, 75–76, 104
future research directions 852
interpreting answers to 76–77
open 23–24, 54, 75
order of 77
pitfalls 76
teaching trainees 819
quetiapine 93, 214, 313–314, 387; *see also*
antipsychotics
quick screening interviewing systems
80, 81
race to the bottom 435, 436, 634–635, 701,
703, 860 ²¹²⁹
protective factors 497
research methods ²⁰⁴²
rages, behaviour management
interventions 352
vignettes 83–84, 356, 473
random events, causality 169–170; *see also*
coincidences
randomised controlled trials (RCTs)
30–32
data processing implications 31
limitations 30–31
reasons for scepticism 31–32
rape 212, 233, 333, 366, 370
Rapport, Mark 47 ³³⁷⁵
rare problems 208
Bayesian reasoning 208–209
choice from experience vs description
209–210
combinations of events 211
normative processes/non-normative
conditions 211
repeated rare events 211–212
seeking super-specialist opinion 212
rare side-effects of medication 412
ratchet-systems, caseloads 720
rating scales *see* questionnaires
rational herding 541, 692, 908
rational irrationality 704
rationality 438, 736–737; *see also*
prioritising; standards of care

- cuts in funding 749
- external, explicit rationing by funders 738–740
- general mechanisms 740–741
- high-priority referrals 744, 745
- internal, implicit rationing by clinicians 740–741
- internal vs external 737
- limits to 742
- New Zealand approach 739
- Oregon, USA approach 739
- and overwork 751
- principles 738, 740
- QNCC measures of performance 742
- Rose’s paradox 737
- specific methods 741
- tiers/tiered-systems 638
- UK approach 739
- RCTs *see* randomised controlled trials
- RDoC (Research Domain Criteria) 846, 853
- reading, professional 803, 880
 - Bayesian reading 805–806
 - before the appointment 42, 783
 - keeping up to date 803–808
 - mega-readers 803
 - paired reading 764
 - reading by children 68, 189, 252, 344, 346, 457, 765, 771, 772
 - remembering what you read 792, 793, 808
 - re-reading 237, 244
 - sceptical reading 806
 - secondary sources 942
 - specific reading recommendations 806–807
 - what not to read 805, 855
 - what to read in general 813, 840–841
- reassurance**
 - of normality 15
 - when you don’t know what to do 302–303
 - vignettes 15, 79, 115, 548, 823–824
- receptor saturation 393, 397
- reciprocation effect, in persuasion 269
- recognition, intrinsic reward systems 621
- reconfiguration *see* cuts in funding
- reconsolidation 369, 908
- record-keeping, prescribing 385
- red flags** 86
 - backlogs 754–755
 - initial appointment interviews, 86
 - prevention of risk 281–282, 437
 - risk events 289
- redaction 245–246
- referrals**
 - abolishing 860–861
 - gaming 698
 - handling them 281, 625–626, 671, 743
 - high priority 725
 - limiting 717, 727–728
 - low priority 729, 798
 - overweighting 205–206, 538, 549, 659
 - private 593, 719
 - re-referrals 44, 74, 170, 289, 505–506, 612, 658–659, 675, 698
 - read the letter 42, 128, 235
 - referral forms 533–534, 693
 - referral sources 23, 51, 654, 727, 744
 - stopping 935
 - thresholds 659, 732
 - timing 36, 684
 - triage 728–729
 - triple hurdle 732, 878
- reflective practice 500, 503
- regress**; *see also* school refusal
 - behavioural regression 141, 882
 - cognitive regression (loss of skills that the child wants to perform) 135, 660
 - multiple regression²³²⁰
 - in nature^{3381,3352}
 - of CAMHS and other complex systems³⁵⁵²
 - of expert 554
 - regression in fantasy 338
 - regression to the mean 36, 99, 169, 231, 320, 397–398, 455²⁵⁶³
 - regressive systems 584
- regulated chaos 59
- regulation**
 - affective tone of interviews 60–61
 - being wide-ranging and open-minded 59, 60
 - self-regulation, therapist 61
- reinforcement, negative *see* punishment
- reinforcement, positive *see* praise; rewards
- relationships, child-parent 14, 97, 108, 123, 355
- relationships, clinical** 101
 - benefits of good 103
 - building a long-term bond 102–103
 - caring about the child 105
 - caring about the parents 105
 - clinician-parent relationships 108
 - communication skills 68
 - cutting 458
 - different kinds of relationship 101
 - drawings 56–57
 - friendly rapport 104
 - genograms 53
 - history taking 79
 - illusion of continuity 102
 - kindness 104
 - limits/boundaries 106–107
 - maintaining engagement 56
 - methods of persuasion 265
 - nonadherence to treatment regimes 327
 - paradoxes 557
 - parental interruptions 56
 - pathological stabilisation 357
 - patients/consumers/customers 101
 - personal interest and knowledge of the family 105
 - professionalism 104
 - self-disclosure 105–106
 - sensitive topics 54–56
 - talking therapies 361
 - things to avoid 103
 - touch 105
 - treating friends/colleagues/family members 107
 - trust 103–104
- relationships, professional** 355, 521
- multidisciplinary teams 602
- staff motivation 621
- religion**; *see also* selection; evolution;
 - Gandhi; immigrants; sexuality; charity
 - anti-religion 348
 - buying in 374, 514, 858
 - confession 10
 - commandments 702
 - dissonance 370
 - exorcism 149, 218, 338, 469
 - the force 506–507
 - Freud 893
 - Greek 890
 - greetings 43
 - guilt 27
 - Jesus 585, 780
 - Judaism 43, 248
 - moral compass 523–524
 - morals 570
 - nirvana 181
 - over-valued ideas 374
 - religiosity 13
 - religious schools 771
 - scrupulosity 374
 - suicidality 331
 - thought distortion 248, 536
 - utopians and prophets 585–586
 - Zen 532
- rent-seeking 908–909
- report templates 240; *see also* letter/report-writing
- representativeness heuristic 538
- rescue**; *see also* advocacy
 - buying in 514
 - rescue-lists 802
 - rescue principle 330, 580
- research**; *see also*; randomised controlled trials
 - addressing multifactorality 850
 - animal models 851
 - asking the right questions 852
 - bias, pharmaceutical companies 586
 - big and small science 855
 - computational models 852
 - genetics 851
 - interdisciplinarity 840–841
 - job structures which enable clinical trials 853
 - jumping out of the system (jootsing) 853–854
 - long-term 855–856
 - Medawar zone/levels of difficulty 851
 - need for theoretical frameworks 849–850
 - network of published citations 841
 - personal direction and goals 855
 - relevant to CAP 840
- Research Domain Criteria (RDoC) 17, 854
- resigning**; *see also* part-time work
 - alternatives 753–754, 756
 - other management red flags 276–278, 281
 - effect on cuts 748
 - resigner as a resource 381, 524, 796
 - threat of 647

Index

- resilience**
professional 756
promotion of 837
to trauma 479
resistance to change 358; *see also* ideas (fixed)
- resource allocation** 736; *see also* rationing
paradoxes 562
systems thinking 626
- respect for patients** 65, 68
teenagers 23
- restraint**
by parents 453
inpatient 450
vignettes 324
- reverse digit span test, cognitive demonstrations 348
- rewards**; *see also* financial incentives; praise
appropriate 345–346, 350
behaviour management interventions 344, 349
preferring punishment 113
relationship management 355
setting positive against negative reinforcers 346–347
for teams 668
- Rey-Osterrieth figures, drawing tests 90
- rigidity, systemic 365, 371, 496, **628–629**, 872; *see also* adaptability; flexibility
- Ringelmann Effect 675
- risk alleles 224
- risk events** 271–272; *see also* black swans; suicide; defensive medicine
assessment 285–286, 287, 450–451, 457
and caseload 717–718
clinician anxiety 274
clinician mistakes 275, 279–280
conflicts of interest 276, 277
cumulative risks 291
diffusion/sharing risks 284
financial risks 278
headbanging 273
inpatient risk 272
investigating serious incidents 279–280
legal 276, 279
malpractice claims, USA 271
management views 276–278
media attention 277
moral hazard 273–274
over-estimation of risk 274
Power Law 288–289
psychosis 291, 292
red flags 281–282, 289
short-term vs long-term risks 282
societal policies **284**
Swiss cheese model of safety checks 281
types of risk events 272, **273**
violence 450–451
windows of risk 292
- risk factors**; *see also* psychosis (risk factors)
for delinquency 905
for depression 224
for diabetes 278
for PTSD 831²⁶¹⁸
for suicide **461**
for violence 289, 450
- risk management**; *see also* predictions; psychosis (risk factors)
adaptive risk thresholds 659
asking permission 722
being creative 810–817
briefer history 428
communicating risk 69, 94
communication of risk 69–70, 267
cost-effectiveness 635
creating opportunities 291
developing our attitude to risk 275, 518
formal risk assessments 285
game theory 692
groups managing risks 284, 596
heuristics for prevention 283
implementing regular checks 282
innovation 814
intelligent redundancy 280
mild confrontations 323
organisational structures to reduce risks 283–284
positive effects of worrying about 274
positive risk-taking 100, 291
prevention 280–283, **284, 832, 833, 834**
providing quality treatment 426
risk aversion influencing decision-making 229, 316, 502, 634
risk in predicting the outcome of projects 35
risk registers 277
risk vs uncertainty 290
risks of psychotherapy 364
safety netting 280
senior management approach to risk 277
spotting patterns 282
risks vs benefits of interventions 303
- risky predictions** 167, 203, 467–468, 814, 912
- risperidone** 262; *see also* antipsychotics; prolactin
adaptive prescribing 398–399
broad use 822
combining with stimulant 315, 389, 394, 402
covert 395
discussing with parents 367, 369
dose titration 315, 416
and eating 352, 421
effect size 382, 402
emergency plans 388–389
failure of 394, 412
generic prescribing 386
high-dose 389
long-term effects 282, 283, 398
metabolism 401
reduction 188, 289, 314–315, 340, 389–390, 398, 401
reliability 83, 394, 451, 455
side effects 415–416, 908
and sleep 336
timecourse 376, 400–402
views on blood tests 29, 93, 262, 698
vignettes 83–84, 132, 188, 314–315, 389, 399, 566, 575
with aripiprazole 393–394, 402
with behavioural programme 421
with fluoxetine 409
vs mood stabilisers 379
vs other antipsychotics 421
- Ritalin Game, game theory 693
- river of life diagram, 870
- Robbins, Trevor 415, 418
- Robot Game, relating to children 54
- role-modelling** 349, 350
behaviour management interventions 346, 349
by same-sex parent 346
effect sizes **296**
leadership 611
teaching trainees 819
- Rose; *see also* flower
Feynman's rose 881
Rose's paradox 450, 737, 833–834, 930
Steven 203, 293, 890, 897, 945–946
- round and round discussions 299
- routines**
automatic 842–843
ecological interventions 322
when to ignore 59; *see also* regulated chaos
- rudeness**; *see also* anger
clinician 122
controlling responses to 157
ending the therapeutic relationship 159
professional responses to 158–159
understanding/understanding reasons for reasons for 158
warning signs 155
- rule-following parental types 109
- rules**
breaking rules 444, 629, 738, 910, 943
enforcement 579, 817
guidelines 439–444
impossible rules 440–441
non-enforcement 643, 645, 817
rules of doctoring 569
rules of thumb 533; *see also* heuristics
social rules 121–122, 189
too many rules 911
unwritten rules / pig factor 817
working around rules 175, 645
- ruts, getting in 843
- Russia *See also* Tolstoy, Chekhov, Nabokov, Vygotsky 497, 641^{2722,3063,3095,3549}
- Rutter, Michael 63, 331, 795, 806, 846, 858, 880, 885, 892–893, 946
- SAD: seasonal affective disorder 309, 266
separation anxiety disorder 877, 767
- sadness, using appropriate vocabulary with teens 25
- safeguarding / child protection**
469–476; *see also* abuse; sexual abuse; emotional abuse; parents (substitute)
abusive treatments 338
complaints 157, 687
confidentiality 245
cultural 469

- difficult judgments 475, 677, 767
- escalating 474, 939
- finger tripod 167
- groupthink 677–678
- interviewing 55, 471
- nexus test ³³⁷⁸
- quantitative thinking 441, 834, 835, 878
- relationship with parents 101, 474
- removing children 774–775
- school nonattendance 767
- Social Services 775, 776
- thresholds, abuse 475
- training 251
- vignettes 132, 157, 474, 677–678, 705, 774, 775, 779
- safety nets, prevention of risk ^{280,724}
- saints 699; *see also* gaming
- salami slicing 749; *see also* cuts in funding
- Sandberg, Sheryl 521
- satisficing 437–438
- scaffolding, educational interventions 765
- scales, general**
 - dead man rule 47
 - limitations 48
 - malingering 763, 772
 - risk assessment 442, 463
 - treatment goals 127–128
 - visual analogue (Likert) 24, 56, 137, 187, 196
- scales, specific** 13, 47; *see* questionnaires
- ADHD-RS (ADHD Rating Scale) 51, 343, 383, 734
- attachment 138
- cognitive ability 836
- Conners 47
- depression 15, 638, 885
- impulsiveness 8
- IQ tests 771–772
- Paddington Complexity 389–525, 703
- psychosis 382
- Savry 450
- self-esteem 460–461
- social 8, 141
- more scales ²⁰⁶⁹
- scapegoating, family therapy 359
- scatter diagrams, seven basic tools of quality 632
- scattergun investigations 305, 332
- scepticism, need for**
 - keeping up to date 803, 807
 - RCT results 31–32
- Schiller, Friedrich 15
- schizophrenia**; *see also* psychosis
 - diagnostic thresholds 735
 - naming symptoms/putting things into words 219
 - negative expressed emotion 358
 - stigma 220–221
- schlimmbesserung 254
- Schön, Donald 208, 553, 625, 838, 880, 893, 949
- school refusal**; *see also* educational interventions
 - bullying 482
 - child protection 767
 - complex/difficult formulations 196
 - educational interventions 763
 - normality and abnormality 12
 - suicidal patients 465
- school reports 110, 161, 187, 194, 383, 390, 428, **432**; *see also* teachers
- schizophrenia** 890, 904, 905–906, 918; *see also* psychosis
 - diagnosing 16, **165**, 205–206, 418
 - early onset 657
 - problems of diagnosing 96, 98, 171, 186, 220–221, 222, 228 ³³⁰⁶
 - prodrome 291, 302, 388, 831
 - treatment 345, 358, 367, 380, 382, 395, 653
- vignette 772
- science**; *see also* genetics; economics; evolution; sociology; computers; diagnoses; dynamics; game theory; psychologists; research; statistics; Crick; Darwin; Feynman; Haldane; Hamming; Killeen; Lamarck; Medawar; Pauling; Rose; Watson
 - future research directions 855
 - gold-dust studies 306–309
 - interdisciplinarity 838–841
 - paradoxes in science 563, 883
 - parallels between nature and CAMHS 872
 - processes of science 31, 203, 849–856, 883, 892
 - relationship to clinical work 28–33, 850, 858, 866
 - using evidence 28
- Scott Fitzgerald, F. 370
- screening** 49, 833; *see also* questionnaires, mental age
 - ADHD 47, 95
 - autism 50, 833, **878**
 - depression 833
 - for main diagnostic groups, *see* SDQ
 - for main sections of history 81, 428
 - metabolic screen 401
 - screening questionnaires 49, 133 ²⁰⁶⁹
 - screening questions **430**
 - smokescreen 698–699
- sculpting in the session 24
- SDQ *see* Strengths and Difficulties Questionnaire
- seasons** 631, 937, 941
 - autumn 516
 - ice ages 937
 - spring 314
 - summer 264, 765
 - winter 309, 674–675
- second opinions** 780, 784
 - appropriate situations for 781
 - deciding who to refer to 782
 - giving/providing tactfully 782–783
 - informal 781–782
 - letter-writing strategies 781, 782–784
 - practical vs fastidious approaches 783
 - private practitioner/state sector 593
 - receiving a contradictory opinion 784
 - referral types 780–781
- secretarial staff**
 - cuts 646, 649
 - dealing with emergency cases 626
 - letter-writing 625
 - role in multidisciplinary teams 605–609
 - setting up/maintaining learning systems 795
- sectioning under Mental Health Act 449
- selection**
 - case selection 685, 696
 - groups 870 ³⁵⁸³
 - job selection 502, 596
 - multilevel 869 ³⁵⁸³
 - of medical students 821, 923
 - selecting a treatment 295–296, 310–315, 333–334
 - selection of ideas 30, 31, 164, 674 ²⁰⁴²
 - selective hearing 203, 233, 553
 - selective schools 161, 763
- selectionism** 867–868; *see also* convergence, evolution; philosophy (evolutionary epistemology)
 - competition 870–871
 - complexity 872
 - cooperation 871
 - evolving our job content 509
 - evolving the way we work 843
 - flexibility levels 869, 872
 - innovation 872
 - learning from nature 872–873
 - nature-CAMHS parallels 868
 - piecewise evolution of a service 640, 847
 - river of life diagram 870
 - selfish genes 869–870
 - spandrels 869
 - spatial scales 869
 - timescales 869
- selective mutism 132–133, 183, 428
- selective serotonin reuptake inhibitors *see* SSRIs
- self-actualisation, career development 511
- self-biting 61, 83–84, 167, 330, 337, 376
- self-disclosure, pros and cons 106
- self-entertainment 96, 161, 225, 367
- self-esteem of patients, ways of increasing 560–561
- self-fulfilling prophecies, educational 762
- self-harm** 456; *see also* overdoses; suicide
 - agitation 153
 - black-and-white thinking 463–464
 - clinical responses to address 463
 - cutting 458–459
 - depersonalisation 459
 - epidemiology and risk assessment 457
 - future predictions 34
 - history taking 456–457
 - pharmacological dissection approach 418
 - preventive interventions 833
 - reasons for **458**
 - short-term vs long-term management of risks 463
- selfish genes 869–870
- self-management techniques 354
- self-organisation 711–712
- self-ratings, behaviour management 342
- self-referral, teenagers 23
- self-regulation, therapist 61

Index

- self-serving bias, cognitive heuristics 536–537
- semantic fluency, screening for 762
- semi-structured interviewing systems 81
- senior clinicians/seniority**
 - paradoxes of 517
 - role in multidisciplinary teams 602
- sensitive topics** 4, 54–56
 - See also* genograms
 - interpreting answers to questions 76–77
 - multidisciplinary teams 600
 - teenagers 26–27
 - treating friends/colleagues/family members 107
- sensory processing disorder, value of diagnosis 139
- separated parents *see* divorced/separated parents
- serious incidents (SIs)** 277, 279–280, 453, 629, 685, 796
 - Goodhart’s law 697
 - Power Law 288–289
 - prevention 281–282, 796, 862
- serotonin 407, 409, 418; *see also* SSRIs
- sertraline, and suicide 419, 466
- service provision**; *see also* standards of care
 - levels 743–744
 - organisational ethics of 580
 - strategy 318
- sessions *see* interviewing; meetings
- seven habits of highly effective people 516
- severity of illness, talking treatments vs medication 306
- sexual abuse** 164, 370, 467–468, 472; *see* abuse
 - culture-specific abuse 469
 - subsequent effects 472, 485
- sexual reproduction 472, 485, 674, 870, 872, 874³¹⁸¹
- sexual selection, nature-CAMHS parallels 871–872
- sexuality**; *see also* gender identity;
 - menstrual cycle; puberty
 - confidentiality 245
 - Freud’s view 360
 - funders’ / voters’ views 739, 744
 - illusory²⁰⁷²
 - LGBT 27
 - of clinicians 272
 - parents’ views 374
 - and religion 27
 - suicide attempts 460–461
 - talking about 25, 27²⁰⁰⁴
 - touch 105
 - vignettes 27, 232–233, 370, 473
- Shakespeare, William 175, 367, 556^{2147,2782,3180}
- shared decision-making *see* decision-making
- shared understanding, clinical relationships 105
- Shaw, George Bernard 508
- shepherding techniques 257
- shih 318–319, 904; *see also* opportunistic vignette 705
- Shipman, Harold^{2979,3463}
- “**should**” 340, 439, 440, 819
 - definitions 439
 - vs behaviour management techniques 340
- shouting 349; *see also* punishment
- SIB (self-injurious behaviour) *see* self-harm
- siblings**
 - behaviour management interventions for 352
 - rivalry 120
- sick roles**
 - as adaptive/maladaptive behaviours 15
 - benefits of sick role 219
 - psychogenic symptoms 485, 494
- side-effects of medication** 411
 - antipsychotic medication 415–416
 - benzodiazepines 416
 - communication of risk 70
 - explaining to parents 411–412
 - future predictions 34
 - learning and updating knowledge 379
 - misconceptions 134
 - polypharmacy 390
 - questionnaires 49
 - rare side-effects 412
 - risks vs benefits 303
 - stimulant medication 412–414, 415
- side-effects of talking therapies 364, 411
- silly habits, normality and abnormality 15
- Silver, Nate 880^{2046,2732}
- similarity bias, cognitive heuristics 538
- simile, definition 182
- Simon, Paul 556
- simplification** 523–524
 - appropriate uses of dishonesty 568
 - pros and cons 527
 - single-cause fallacy 539
- Simpson’s paradox 563
- simulations, clinical advances 862–863
- simultaneous treatments, orchestrating 304–305; *see also* comorbidities; polypharmacy
- Singapore *see* Lee Kuan Yew
- single-cause fallacy 539
- single-issue minorities 669
- single-purpose clinics 636–637
- skill development, stages of 518; *see also* continuing professional development
- slack in the system, 627, 734, 749, 751
- sleep** 112, 331, 333, 334–336
 - bedtime advice 335
 - medications 335–336
 - medicine-based psychiatry 421
 - normal variation 334
 - relationship management 356
 - temporary interventions 333
 - vignettes 421, 778
- sleepwalking, normality and abnormality 16
- small man syndrome 704
- small talk/chat 67, 74, 299, 602
- SMART (specific, measurable, achievable, realistic, with a timeframe) goals 622
- smells** *see* body odour
- smiles**
 - in mistakes 275
 - in persuasion 257
 - on the phone 786
 - rebounds 191–192, 513, 535
 - smileys in motivation 270, 617, 621, 668
 - subtle 346
 - too much 25
- smileys 617
- Smith, Adam 633–634, 747, 842
- smooth talking, disagreements with parents 143–144
- sociability training 345
- social class 596, 835–836
- social environments, influencing colleagues 668
- social heuristics 541
- social interventions 317, 467–468
- social loafing, efficient team functioning 675
- social services, interventions/ involvement** 773
 - abuse 474, 475
 - cooperation with NDTs 653
 - ethical conflicts 774
 - inter-agency working 773–774
 - multidisciplinary teams **598**
 - natural tensions 777
 - professional responsibility 779
 - taking children into care 774–775
 - societal risk prevention policies **284**
- socioeconomic background 596, 835–836
- sociology**; *see also* altruism; autonomy; colleagues; competition; conflict; co-working; criminality; culture; divorce; duty; groups; hierarchy; inequality; influence; kindness; manipulation; Milgram; networks; obedience; organisational; parents; partnership; politics; prison; rational herding; regulation; rent-seeking; relationships; rules; stigma; theory of mind; trust
 - bubbles 908
 - conformity 676–677
 - Dunbar number 716–717
 - evolution 869–870, 871
 - gaming 697
 - gridlock of complexity 911
 - groupthink 676
 - incumbents 875, 883
 - leadership 610
 - rigidity 872
 - sclerosis²⁶⁹⁴
 - single-issue minorities 669
 - social loafing 675
 - systems thinking 625
- Socrates 253, 803
- Socratic questioning 359, 819
- software** 843–844
 - implementing 844–845
 - picture handling 844
- soiling, management 343
- sorry 59, 122, 124, 143–144, 157, 279, 688
- space of free movement 615
- spandrels, nature-CAMHS parallels 869
- spatial scales, nature-CAMHS parallels 869

- special educational needs *see* educational interventions
- special interests, children and teenagers 19, 26
- special schools** 770–771
 - terminology/use of language 770
- specialism/specialists** 210, 549–550;
see also paediatrics; super-specialist; sexuality; epilepsy; neurodevelopmental team
- catchment 211
- curse of expertise 553–555
- downside 586, 637, 770, 782, 810
- drug abuse 260
- eating disorders
- forensic 284
- hierarchy 214, 216, 228
- hurdles to referral 739, 743
- ID 701
- ID inpatient 380
- information spread 938
- learning from 721
- over-specialist 110–111
- pros and cons 549–550
- second opinions 780–784
- single issue minority 669, 741, 840–841
- upside 212, 588, 662, 781, 866
- vision 743
- your team 601, 621
- spectrum 250
- speech and language therapy (SLT) 186, 214, 372, 654–655, 920
- speech, in Mental State Examination 57–58
- sphygmomanometers 41, 91
- splitting**; *see also* divorce
 - dissociation 490
 - of a diagnostic concept 184, 529–530
 - of a group 133, 465, 561–562, 680, 759, 775, 795, 898
 - of heart sounds 887
 - parental alienation 115
 - psychic 898–899
 - splitting the difference 270
- spreadsheets 893
- Squiggle Game 54, 105
- SSRIs**; *see also* antidepressants; fluoxetine;
sertraline
 - for anxiety 32
 - and suicide 466
 - timecourse of medication effects 409
- stable states 321²⁸⁷¹
- staff/staffing**
 - neurodevelopmental teams 654–655, 659, 660
 - protection from upsetting situations
 - quality of 599
 - and treatment quality 426
- staff motivation** 619
 - clinician self-motivation 508, 644
 - demotivators 623–624
 - extrinsic/intrinsic reward systems 619–621
 - financial incentives 622–623
 - meaningfulness of goals 620–621, 622
 - relationship building 621
 - statistics 621
 - Yerkes-Dodson curve/stress levels 623
- standards of care** 422, 427, 433; *see also*
guidelines; rationing
 - adjusting to fit resources 427
 - broad standards set by QNCC 742
 - and caseload 717–718
 - clinical practice 428
 - clinician views 423, 426
 - cost-cutting vs quality 860
 - costs/downsides of quality care 422–423, 433–434
 - deploying limited resources 433
 - detailed table 428
 - diverse views 435–436
 - general discussion of standard-setting 437–438
 - good-enough care 433–434
 - information collection 427, 428
 - institutional 735
 - keeping up to date 804
 - length of sessions 427
 - lowering your standards 433–438
 - luxury items 436–437
 - measures 424
 - minimum acceptable standards 435
 - need for hospital admission 445
 - organisations' views 423–424
 - quality vs quantity 422–423, 497
 - reasons for lowering standards 433–434
 - risk events 275
 - satisficing 437–438
 - in specific situations 434
 - standards slipping 551
 - standards too high
 - varying standards to suit the situation 505–506
 - ways to improve 424–426
- Stanford Prison Experiment 677
- Star Trek* 813, 914, 938
- starvation 6; *see also* eating and feeding disorders
- states, changing**
 - defining/recognising abnormality 6, 7
 - and traits 323
- statistics**; *see also* quantitative data; Bayes;
NNT (number needed to treat), forced
choice, qualitative
 - autism screening **878**
 - available statistics 703
 - base rates 876
 - causality 163, 165–166
 - communication to patients/parents 69–70
 - copper 209
 - depression **49**
 - discussing probabilities 69
 - hallucination 16
 - misleading graphs 404, 455
 - normality and abnormality 16–17
 - percentages 23–24, 267–269, 423
 - Power Law 288–289
 - self-harm risk-assessment 457
 - staff monitoring 621
 - suicide attempts 460–461
 - thinking statistically 160
 - two-way tables 878
 - unpopularity with patients/parents 127
 - violence 454
- stealing 15, 366, 370; *see also* honesty/
dishonesty
 - vignettes 366, 566
- Steinberg, Derek 231, 235, 517, 880, 897
- Steinberg, Saul^{2158, 2193}; style: 117, 142, 171
- stereotype threat 367–368
- Stickler syndrome 211
- stigma** 23, 91–92, 126, 134, 140, 149, 188, 220–221, 228, **446**, 554, 583, 634–635, 762, 767
 - associative 220–221
 - conduct disorder 137
 - hospital admission 446
 - teenagers 23, 24
 - what children want from healthcare 126
- stimulants** 377, 418–419; *see also*
methylphenidate; dexamfetamine;
caffeine; adrenaline; ADHD
 - for aggression **451**
 - in autism 852–853
 - cognitive effects 92, 404, 419, 771
 - ethics 575–576, 583–584, 693
 - high dose 124
 - limitations 768
 - long-term 337
 - paradox 394, 557
 - in rats 415
 - relationship to ADHD diagnosis 200, 218
 - side-effects 135, 264, 282, 412–414, 468, 772
 - titration 408–409
 - two forms simultaneously 305, 389, 391
 - with anti-epileptics 390
 - with antipsychotics 394
- stories** 370–371
 - alternatives to whistleblowing 585
 - dodo bird conjecture 361
 - editing 256
 - reinforcement of ideas 371
 - trauma interventions 480
- strategic diagnoses, strategic diagnoses 735
- strategy and tactics** 316–322, 613; *see also*
Clausewitz; coping strategies; game
theory; career; goals
 - balancing short-term & long-term effects 778
 - military model of team 820
 - politics and war 318–319
 - risk-management strategies 279–286
 - solving wicked problems 524–525
 - strategic diagnoses 735
 - strategic second opinions 781
 - strategies with difficult patients 158
 - strategy in family therapy 359
 - teaching strategies to patients 463
 - team self-protection strategies 682
- Strengths and Difficulties Questionnaire (SDQ) 49, 50^{2067, 2069}
- stress**; *see also* burnout
 - length of sessions 427
 - and overwork 751
 - self-monitoring 753–754
 - using appropriate vocabulary with teens 25
 - Yerkes-Dodson curve 623

Index

- stodpy, as good word to use 253
Structured Assessment for Violence Risk in Youth (SAVRY) 450–451
structured interviews 81
stuck states 321; *see also* dynamics of treatments
students *see* trainee clinicians
Sturgeon's Law 805
subjective measures, numbers game 695
subjectivity in diagnosis 220; *see also* intuition
subservience, disagreements with parents 150
subsidiarity 616
substance abuse 104, 135, 259, 260, 272, 345, 363, 431, **446**, 461, 552, 833, 847, 891; *see also* alcohol; cannabis; cocaine
 motivational interviewing 257
substitution heuristic 537
sudden infant death syndrome (SIDS) 212
sugar *see* diabetes; glucose
suicide 273, 456–468
 black-and-white thinking 463–464
 discharge from hospital 465
 history taking 456–457
 medical insurance company case report 464
 multiple 212, 276
 prediction 460–461
 preventive interventions 463–464, 833
 risk by age and sex 272
 risk reduction/prevention 461–463, 462
 ROC diagram 285
 side-effects of SSRIs 296, 419, 466
 when patients die 468
SUIs (serious untoward incidents) *see* serious incidents
sunk cost fallacy 535
 in long projects 884
 in therapies 330, 541, 668, 675
Sun Tzu 318–319, 666, 668, 680, 705
 paraphrased 268
superficial approaches *see* deep vs superficial approaches
SURF+C acronym, staff monitoring 617
surprises *see* contradictions, discrepancies, and surprises
swallowing, medications 377–378
Swiss cheese model of safety checks 281
symbiosis 595, 716, 939
symbolism, in psychogenic symptoms 485; *see also* metaphors
symptom substitution 530
syndrome; *see also* Tourette
 chromosome inversion 467–468
 Down 134, 253
 Lesch-Nyhan 211, 218
 Prader-Willi 32, 167, 211, 398–399, **544**, 657
 rare syndromes 208, 211, 212, 657
 Stevens-Johnson 390
 Stickler 211
 synergistic effects of medication 394
 synergistic effects of teamwork 516
systematic desensitisation, effect sizes **296**
systematic reviews **30**
systems thinking 625
 checklists 627
 ecosystems 631
 emergency cases 626–627
 ensuring things get done 627–628
 individualised care paths 630–631
 letter-writing 625
 pilot schemes 630
 prioritising 626
 quasi-organisation **628–629**
 resource allocation 626
 seven basic tools of quality 632
 teaching trainees 626
 workarounds 629
Szasz, Thomas 586, 807 ²⁷²²

tact *see* diplomacy
tactics 316; *see also* strategy
Taleb, Nassim 290
talking therapies 360; *see also* cognitive behavioural therapy; psychodynamic therapy
 combination therapies 306
 dodo bird conjecture 361
 heuristics 360
 introducing therapies 360–361
 long-term/persistent benefits 362
 side-effects 364
 vs medication 305, 306–309, 308
talking with children 19, 20–21, 53
 children who won't interact 60
 drawings 56–57
 engagement, maintaining 56
 getting children to talk 53–56
 parental interruptions 56
 sensitive topics 54–56
 small children 53
 topics to cover 55
talking with parents 117
 abuse 473
 angry condemnation of the child 121
 answering questions for the child 120
 being cross with clients 121–122
 being rude to clients 122
 breaking bad news 120
 communication styles 117–118
 criticising parents 120
 engagement, maintaining 119
 expectations and concerns 119–120
 furniture provision/placement 118
 starting the conversation 118–119
 tearfulness 119
talking with teenagers 23–26
tantrums, interventions 352
targets 694–695; *see also* Goodhart's law
 behaviour management interventions 340–344
 leadership 612
 making targets achievable 342–344, 350–351
 negative/secondary effects 696
 responses to 699; *see also* gaming
 task-switching, avoiding in name of efficiency 713
taxonomy 17, 182–183, 798, 868–869, 889, 938
Taylor, Eric 561, 587, 759, 806 ^{2043,2753}
Teach Your Garden to Weed Itself, game theory 693
teacher-rated dosage trials 408–409
teachers, as sources of information 342, 428
teaching; *see also* trainee; 90% rule; education; tutors; learning
 confidentiality 237–238
 headteachers 612
 1:1 767
 schoolteachers 40, 51, 110, 184–185, 296, 314, 342, 383, 390, 393, 408–409, 428, 761
 teachers as sources of information 194
 teaching medical students *see* trainees, medical students
team functioning, efficient 670
 case discussions 671–673
 co-working 674–675
 discharge of patients 675, **676**
 handovers 671
 heuristics 670
 leadership 614
 meetings 671
 multidisciplinary teams 670
 social loafing 675
tearfulness, parents 119
teasing at school 469, 482, 483; *see also* bullying
teenagers 22
 behaviour management interventions 345, 346
 confidentiality 245
 conscientiousness 22
 difficult topics 26–27
 engagement, maintaining 26
 initial interviews 40, 41, 44, 46
 meeting expectations of therapist 25
 Mental State Examination 57–58
 naming feelings/putting things into words 24
 normal variation 27
 sexuality and gender identity 26, 27
 showing respect for 23
 talking with 23–26
 using appropriate vocabulary 24–25
 what they want from CAMHS 23
telephones *see* phone calls
templates, letter/report-writing 240
tension; *see also* stress
 between ways of thinking 761
 natural tension between services 777
termination of therapy
 disagreements with parents 152
 rudeness and aggression/anger 159
terrorism 261, 288–289, 374, 504, 669
tests 88; *see also* ADOS; blood tests; digit span; drawings, exams; IQ; scales; screening; SDQ
 arranging tests 88
 blood tests 93
 disguised tests 88
 dynamic testing 93

- false positives/false negatives 93–96
- general vs specific tests 88–89
- interpretation of results 91–93, 92
- and intuition 544
- obtaining results 91
- textbooks, recommended 880
- thalassaemia, learning about children's experiences 19–20
- Thaler, Richard 277
- Thatcher, Margaret 334, 440, 732
- theory of mind 20, 97–99, 175
- theatre, genres of human experience 17–18
- therapeutic relationship *see* relationships (clinical)
- therapies *see* treatments *and see specific therapies by name*
- thinking methods**; *see also* black-and-white thinking; cognitive-behavioural therapy; heuristics; ideas; systems thinking; statistics
 - changing ideas 370
 - complex/difficult formulations 198
 - contorted thinking 134, 150, 213, 249–250 ²³⁸⁹
 - end of big theories 858
 - ethical thinking 570
 - patient-centred thinking 228
 - preparation for thinking 80
 - presenting the formulation 229–230
 - sloppy thinking 171, 294, 535, 735
 - ways of thinking 516
- Thoreau, Henry David ^{2001,3544}
- threats** 349; *see also* punishment
 - influencing patients and parents 261
 - violence 451
- thresholds** 732
 - for accepting referrals 732
 - ADHD 734
 - adjustments to criteria 734–736
 - boundaries of service 745
 - diagnostic 732–733
 - effect of motivations 735
 - effect on research 850
 - subthreshold conditions 733
 - threshold effect 7, 31, 693, 733
 - treatments/interventions 733–734
- thyroid 111, 400, 457
- tics**, *see also* Tourette
 - assessment 337
 - books and websites 807–808
 - causes 378–379, 412, 566
 - comorbidity 389–390
 - medicalisation 230, 502
 - thresholds 716, 729
 - treatment 333, 342, 397, 420–421, 558, 566, 657, 765
- tiers/tiered-systems**
 - four-tier CAMHS framework 638
 - neurodevelopmental teams 657
- time-out punishments 349, 350
- timecharts, seven basic tools of quality 632
- timecourse of illness** 187–188, 189–190
 - long-term and short-term effects 190
 - one problem leading to another 189–190
- therapies tied to life stages 312
- two-stage formulations 189
- watchful waiting 302
- timelines, of medication effects** 400
 - antipsychotics 400–402, 401
 - anxiolytics 409
 - atomoxetine 403, 403
 - dose reduction 386
 - methylphenidate 404, 406
 - slow-release stimulants 404–406
- timescales/timing of interventions**
 - developmental trajectories 337
 - duration between sessions 506
 - frequency of sessions 506
 - nature-CAMHS parallels 869
 - session length 427, 506
 - within-session 506
- Timimi, Sami 103, 586
- titration, dosage 168, 394, 416, 420, 430 ^{2660,2662}
- Tocqueville, Alexis de 594
- to-do lists 798
- Tolstoy, Leo** 10, 229, 810 ^{3342,3364}
 - Anna Karenina 641, 893, 895 ²²⁹⁴
- tomboys 16; *see also* gender identity
- toolboxes**
 - behaviour management 339–354
 - for depression 295
 - for persuading 262
 - interventions in a causal network 192
 - parents' 228–229
 - PPPP interventions 180
 - relationship management 355–359
 - tools for influencing 255
- tools for thought**
 - creativity pumps 218
 - heuristics 918
 - intuition pumps 525
 - quiver 892–893
 - Swiss Army knife 822
- top-down control**
 - aligning with power 664
 - health management systems 641–642
- touch, in clinical relationships 43, 105, 356, 743; *see also* handshakes
- Tourette syndrome 14, 376 ²⁶²²; *see also* tics
- toy provision 41
- TRAAY (Treatment Recommendations for the use of Antipsychotics for Aggressive Youth) 452
- trade-offs *see* balance
- traditional medicine 332; *see also* complementary therapies
- traffic light system 252, 653, 748, 836
- tragedy of the commons 675, 693
- trainees** 818
 - benefits for teacher 821
 - curse of expertise 554–555
 - flexibility of approach 829
 - goals achieved **826–827**
 - individual differences in trainees 820–821
 - intuition 545
 - order of learning 822–823
 - providing feedback 827–828
 - sample syllabus **825–826**
- stages in skill development 518
- supervision 821–822
- systems thinking 626
- task allocation 820
- teaching styles 818–819
- trainee workloads 820
- trainees in difficulty 828–829
- transitions between juniors 824
- use of words 251
- vignettes 151–152, 244, 448, 471, 618, 704, 823–824
- traits**; *see also* personality and states 323
 - use of word 250
- transformational leadership 610
- transparency, multidisciplinary team members 600
- trauma** 477; *see also* abuse; post-traumatic stress disorder
 - Complex / Type II 480
 - interventions 480–481
 - psychological sequelae 478–480
- treatment failures**; *see also* noncompliance
 - with medication
 - behavioural programmes 326
 - causes of inadequate responses to treatments 325
 - confusing behaviours 330
 - definitions 324
 - detecting/recognising 323
 - escalating the assessment 330
 - history taking 324
 - information collection, from multiple sources 324
 - logjams 329
 - parental roles in 324
 - partial failures 324–325
 - repeated failures 328–329
 - trying new approaches 325
 - unhelpable problems 330
- treatment, general information**; *see contents for full breakdown of volume 2*
 - Band-Aids/temporary interventions 332–333
 - basic/easy treatments 331
 - bootstrapping 332
 - broad approaches 293–294
 - button-pushing 296
 - cumulative interventions 332
 - effect sizes 296–297
 - encouraging rational-thinking in parents 299
 - ineffective interventions 336
 - informed consent 299–300
 - menu of options 300–301
 - involving children/parents 64, 65, 297–298
 - knight's move treatments 297
 - long-term treatments 337
 - orchestrating 293, **294**, 300–301
 - packages of treatment 333–334
 - priority listing 296
 - providing quality 426
 - refusal 301; *see also* noncompliance with medication

Index

- treatment, general information** (*cont.*)
- scattergun interventions 332
 - simultaneous treatments 304–305
 - six basic interventions 331
 - small/surface interventions 331–332
 - stimulant medication 337
 - treating friends/colleagues/family members 107
 - treatment selection 295–296
 - unconventional therapies 337–338
 - use of drawings 299
 - watchful waiting 301–302
- treatment plans**
- bipolar affective disorder 313–314
 - emotional cases 312
 - multi-stage planning 313
 - order of interventions 312
 - predictions of responsiveness 34
 - response as confirmation of diagnosis 218
 - sequenced 310–311, 312
 - switching medications 313
 - therapies tied to life stages 312
- trees**
- competing for light 871
 - probability trees 454
 - supporting others 519
 - taproot 839, 944
 - taxonomic problem 869
 - and their parasites 939
 - woods 108, 428
- triage** 263
- problems with 730
 - as quick check/brief first contact 729
 - targeting helpability 729
 - targeting severity 728–729
- triangular questions 54, 55
- triangulation** *see also* earshotting
- exaggerations, parental 77
 - for information reliability 428
 - in persuasion 266
- triggers**
- ABC 340
 - anxiety 470
 - bipolar affective disorder 314
 - social services 775
 - violence 770, 453
- troubleshooting**
- behaviour management interventions 346
 - shaping 351
- TrueCrypt encryption program 843
- Trump, Donald 269, 457
- trust** 564; *see also* honesty/dishonesty
- building in treatment plans 312
 - clinical relationships 103–104
 - methods of persuasion 264
- truth *see* honesty/dishonesty; values/value systems
- turbulence, regulating affective tone of
- interviews 60–61
- Turk, Jeremy 219
- tutors** 219, 321, 333, 765
- ethics 589–590, 693, 938
 - 90% rule 766
 - psychomotricienne 89–90
 - vignette 108, 161, 470
- twin studies**
- different reactions of siblings to parenting 112
 - normality and abnormality 13–14
 - two-stage formulations 189
 - typing in the session 41, 105
 - typing skills, letter-writing 240
- umbrella diagnoses 184; *see also* lumping-splitting
- uncertainty *see* certainty and uncertainty
- unconscious mind *see* consciousness
- undiagnosing (removing diagnosis)** 213
- by predecessors in the job 217
 - communication skills 215
 - correcting one's own diagnoses 217
 - correcting other people's diagnoses 217
 - overturning multi-clinician assessments 216
 - replacement diagnoses 215
 - resistance to losing diagnosis 213–214
 - tact with colleagues, parents, and patients 214
 - taking a humble stance 213
- unexplained unavailability heuristic 699
- unintended consequences, treatments 29
- United Kingdom**; *see also* General Medical Council; NICE; QNCC; National Health Service
- English idiosyncrasies 214, 760, 797, 810^{3382,3546}
 - English language 595, 772, 939
 - neurodevelopmental teams 651
 - rationing of care 739
- United Nations declarations, ethics 571–572
- United States**; *see also* New York; World Trade Center
- accents 57–58
 - ADHD 5–6, 734
 - army 174, 796
 - CAP provision 738
 - diagnostic differences 140, 173, 220–221
 - financial incentives 734, 741, 860
 - internal variations 734, 738
 - law 300, 860²⁶⁹⁴
 - leadership 611, 612
 - medication use 336
 - parenting 348
 - rationing of care 739, 741
 - vs rest of world 17, 173, 840
 - space shuttle 289, 497²¹²⁹
 - TANF program 921
 - vs UK 5, 15, 734
- unpaid work 594
- unreality feelings, using appropriate vocabulary 25
- vagueness**
- listening skills 62, 63
 - redaction 245–246
 - use of words 250
- validation of feelings 156, 494
- validity**
- complex formulations 202
 - diagnostic 31, 172
 - ecological validity 344
 - face validity 333, 373, 514, 744, 896
 - illusion of validity 514, 546, 553–554
 - illusions of 546
 - of clinical judgment 205, 678
 - of DSM 137, 172, 223, 852
 - of meta-analyses 30
 - of opposed views 678, 858
 - of peer feedback 699
 - of questionnaires 49–50, 141, 772
 - of RCTs 31
 - validation by treatment 384–385, 418²³¹⁸
- values/value systems** 570–571; *see also* ethics
- conflicting 571
 - hierarchy 571, 581, 582
 - influencing other's values 577
 - mentors 520
 - normality and abnormality 9
 - randomised controlled trials 32
- VEER acronym (validate, educate, empathise, and rehabilitate), psychogenic symptoms 494
- Venice 175, 749, 914
- venlafaxine 32
- vested interests** *see also* self-serving bias;
- cognitive heuristics
 - mentors 520
 - pharmaceutical companies 586
- vicious cycles**
- clinical futile cycles 668
 - dynamical formulations 191
 - escalation of anger 121
 - pathological stabilisation 357
 - self-defeating beliefs 369
 - standards of care in inpatient units 449
- violence** 450; *see also* abuse
- avoiding medication 455
 - biting 399, 575, 656
 - domestic 358, 470
 - levels of prevention 450
 - management in clinic 453
 - medication role 376, 451
 - medicine-based psychiatry 421
 - neurodevelopmental teams 656
 - non-medical treatments 451
 - predictions 450–451
 - research limitations 455
 - risk assessment 450–451
 - side-effects of medication 412
 - threats 451
 - timecourse of medication effects 401
 - TRAAY protocol 451, 452
 - vignette 141
- virtual patients, simulations 863
- virtuous cycles 191–192
- vivid ideas, cognitive heuristics 127, 286
- voices, hearing 6, 16, 58, 87, 165, 169, 772²⁷⁶⁹
- voluntary work 594
- Voltaire, 584³³⁸⁴
- voting**
- child protection vignettes 677–678, 705, 775

- fundlers' /voters' views 739, 744
- futuristic 846, 847
- large reports 216, 243
- single issue minorities 669
- team discussions 672
- Vygotsky, Lev *see* zone of proximal development
- waiting lists** 727
 - Choice and Partnership Approach 731
 - limiting referrals 727–728
 - rationing of care 740–741
 - reducing waiting times 728
- walking conversations, with teenagers 24
- wastefulness**
 - indicators 74
 - See also* Pareto principle
- watchful waiting 301–302
- Watson, James 708^{277,3471}
- websites, internet buying of medicines 396
- weeds** 234, 750, 924; *see also* cannabis
 - garden weeding itself 693
 - Larry 884
- weight** 6, 13, 41, 76, 189, 233, 257, 331, 431–432, 436, 677, 902, 911
 - high (obesity) 94, 150, 282, 345, 377, 389–390, 396, 416, 561, 831–837
 - low 109, 164, 199, 247, 337, 367, 369, 403, 413, 414, 762
 - normality and abnormality 6
 - physical examination 91
 - rapid loss 6
 - recent gain 457
 - side-effects of medication 416, 420
- Weiss, Gaby 1
- Wessely, Simon 14, 477, 923, 942
- whales 351, 874
- “what the hell” effect 435, 568, 887, 901, 921; *see also* race to the bottom
- whistleblowing 584–586
- white lies 568–569; *see also* honesty/dishonesty
- Whitehead, Alfred North 193, 842^{2002,2006,3556}
- “why” questions** 632
 - about past events 75
 - to children 56
 - repeated 129
 - sounding confrontational 76
 - in the team 673
 - to trainees 819
 - vs “how” 932–933
- wicked problems** 198
 - complexity 524–525
 - multidisciplinary teams 597
- Wilde, Oscar ^{2332,2928}
- Wilson, E.O. 496, 789–790, 850, 852, 871, 880, 883, 897
- Wilson, Jacqueline 21
- win-win thinking 516
- windows of risk 292
- Winnicott, Donald 57; *see also* Squiggle game
- winnowing**
 - complex/difficult formulations 200–201
 - data 194, **195**
 - wisdom, developing 101, 129, 178, 512; *see also* expertise
- wisdom of the crowd 541
- withdrawal of medication** 221
- Wittgenstein, Ludwig 5,248
- Woolf, Virginia 10, 534^{2587,2893}
- word fluency test 762
- words** 4, 247
 - avoiding jargon 229, 236, 237, 240
 - changing ideas 248–249
 - communication of statistics 69–70
 - educational words 251–252
 - effect on thinking 248–249
 - fun words 253–254
 - grading/intensity 249, 252
 - inexactitude 249–251
 - letter/report-writing 236–237
 - management-speak 644, 251
 - manipulative tactics 131
 - misunderstood by child 247, 366, 478
 - moral language 583
 - patients/consumers/customers 101
 - personal usage 185–186
 - presenting the formulation 229
 - psychogenic symptoms 486–487, 491
 - simple or fancy 51
 - special schools 770
 - talking to parents 117–118
 - teen words 24–25
 - unreasonable parental requests 129
 - vagueness, role of 250
 - words for prediction 69
 - words to avoid 220–221, 249
- work-life balance 509
- work-to-rule 645, 649
- vignette 649
- workarounds 629, 630
- working diagnosis 221
- working practices, solo 682
- workarounds** 629–630; *see also* gaming, cheating, coping strategies
 - bureaucratic 722, 645
 - DSM 175, 735, 739
 - exam rules 95, 763³³⁶³
 - guidelines 444
 - legal³⁵⁶⁷
 - not using 860
- solitary work 682
- workload and overwork** 646, 647, 716, 721, 751; *see also* burnout; coping methods; prioritising
 - allocation of workload 703
 - building up a caseload 719
 - decision overload 752
 - deprioritising/dropping tasks
 - establishing limits 716–718, 754
 - feeling pressurised into difficult decisions 774
 - information provision to patients 722–723
 - limiting referrals 727–728
 - not asking permission 722
 - private practice 719
 - and quality of treatment 717–718
 - ratchet systems 720
 - refusing in a pleasant manner 721–722
 - restricting what is on offer 722
 - self-monitoring 753–754
 - service-wide 728
 - stress overload 751
 - trainees 820
- World Trade Center terrorist attacks**
 - 211–212, 291
 - destruction 612
 - preparedness 291
 - reasoning 211–212
- worldwide expertise, accessing 847, 848
- worms**
 - can of 703, 773
 - historical reasoning 891
 - hookworm 331
 - Stonehenge soil ^{3102,3423}
- worry** 25, 253, 623; *see also* anxiety, OCD
- writing in the session, clinician 41, 105
- writing style 238; *see also* letter/report-writing
- writing therapy 481
- WYSIATI (What You See Is All There Is)** 80, 164, 540
 - and intuition 547
 - presenting the case 672
 - simplification 524
- Yalom, Irvin 515, 920
- yellow flags 87
- Yerkes-Dodson curve 623
- Zhao, Ziyang 914
- zombie effect** 134, 369, 406
 - zombie run 611
- zone of parental control 396²⁷³⁹
- zone of proximal development 470, 766
- zugzwang 254