

Index

- A,B,C (airway, breathing, CPR) resuscitation for maternal collapse, 14
- abdominal pain in pregnancy
 acute urinary retention, 169
 background of, 168
 complications
 acute cholecystitis, 172
 acute chorioamnionitis, 171
 acute fatty liver of pregnancy (AFLP), 172
 acute polyhydramnios, 170–171
 causes of, 174
 causes unrelated to pregnancy, 173
 clinical investigation, 173
 HELLP syndrome, 171–172
 key concepts, 173–176
 management algorithm, 175
 placental abruption, 170
 pregnancy conditions that could cause, 172
 rectus abdominis rupture, 172
 sepsis, 171
 symphysis pubis diasthesis, 172
 topographical guide to, 174
 urinary tract infections, 172
 uterine scar dehiscence, 171
 uterine torsion, 171
- ectopic pregnancy and, 169
- fibroids and, 170
- gastritis and, 170
- hyperemesis gravidarum, 170
- implications, 168
- miscarriage and, 168–169
- musculoskeletal causes, 169
- ovarian cysts and, 169
- ovarian hyperstimulation syndrome (OHSS), 170
- ruptured rudimentary horn, 170
- absence seizures, 207
- acute abdomen, 168
- acute adrenal insufficiency, 226
- acute appendicitis abdominal pain, 173
- acute cholecystitis, 172
- acute chorioamnionitis abdominal pain, 171
- acute fatty liver of pregnancy (AFLP), 172
- acute hepatitis and abdominal pain, 173
- acute intrapartum hypoxia, 82
- acute pancreatitis and abdominal pain, 173
- acute polyhydramnios and abdominal pain, 170–171
- acute puerperal uterine inversion
 aetiology, 133
 classification, 134
 defined, 133
 implications, 133–134
 incidence of, 133
 key concepts, 137–138
 key pitfalls, 137
 key pointers for, 134
 mortality rate, 133
 recent developments, 137
 recurrence of, 137
- acute puerperal uterine inversion management
 general anaesthesia, 136–137
 hysterectomy for, 137
 key actions, 134
 non-surgical uterus repositioning, 135–136
 shock management, 134–135
 surgical uterus repositioning, 137
- Addison's disease
 background of, 226
 clinical investigation, 226
 key concepts, 226–227
 management, 227
- adrenal system during pregnancy, 3
- adverse drug reactions. *See also* drug overdose in pregnancy
 defined, 249
 incidence of, 250
- amniotic fluid embolism (AFE)
 defined, 47
 first-line management
 fetus delivery, 48–49
 hypotension and coagulopathy correction, 48
 resuscitation, 48
 implications of, 47
 incidence of, 47
 key concepts, 47–48, 50
 key pitfalls, 49–50
- maternal collapse and, 11, 141, 144–145
- morbidity and mortality, 47
- second-line management
 diagnosis, 49
 reporting documentation, 49
 transfer to intensive care unit, 49
 symptoms and signs, 48
- anaphylaxis
 classification, 247
 clinical presentation, 247
 clinical reactions, 247
 defined, 246–247
 pathophysiology of, 247
- anaphylaxis in pregnancy
 aetiology, 248
 caesarean section delivery, 248–249
 consequences of, 249
 differential diagnosis, 248
 general anaesthesia, 249
 incidence of, 248
 labour timing, 248
 management, 249
 maternal collapse and, 12, 141, 145
 neuraxial anaesthesia, 249
 seriousness of, 247–248
- antepartum haemorrhage
 aetiology, 36–37
 defined, 35
 perinatal mortality, 35
 placental abruption, 37
- anterior shoulder dystocia, 86
- anticoagulants
 implications for VTE, 17
 during IVTE VTE labour and delivery, 23
 VTE postnatal, 23
- aortocaval compression resuscitation, 10
- appendicitis
 abdominal pain, 173
 pregnancy clinical practice, 5–7
- arrhythmias types, 159
- arterio-venous occlusions, 181
- assertiveness in obstetrics, 303–304
- asthma in pregnancy, 4
- atony, 139
- atypical sinusoidal pattern (CTG), 80
- atypical variable deceleration, 81

Index

- Bakri balloon, 137
 baroreceptors (CTG), 81
 blood circulation volume and maternal resuscitation, 11
 blood gases during pregnancy, 2
 blood pressure
 preeclampsia and eclampsia measurement, 26–27
 during pregnancy, 2
 blood pressure control for pregnancy hypertension
 post delivery, 31
 severe, 30–31
 blood transfusion
 incidence of, 245
 reactions
 early, 245–246
 late, 246
 risk factors for haemorrhage, 245
 blood volume during pregnancy, 1
 blunt trauma, 252
 breathlessness in pregnancy
 classification, 165
 clinical investigation, 166
 defined, 164
 diagnosis, 164
 implications, 164
 incidence of, 164
 key actions, 164–165
 key concepts, 166–167
 key pitfalls, 166
 key pointers to specific conditions, 164, 165
 management, 165–166
 types of, 164
 breech presentation
 contraindications, 58
 defined, 56
 delivery
 general principles for, 58–59
 head, 60–61
 legs and buttocks, 59–60
 trunk and shoulders, 60
 delivery complications
 caesarean section, 63
 entrapped fetal head, 62
 summary of, 61–62
 twins, 63
 umbilical cord prolapse, 62
 implications, 56–58
 incidence of, 56
 key concepts, 58, 63–65
 key pitfalls, 63
 management options, 58, 64
 in midwife-led delivery
 key actions to improve outcomes, 129
 management algorithm in lithotomy position, 130
 management algorithm in upright position, 130
 undiagnosed, 128–129
 predisposing factors for, 56
 types of, 56
 Burns Marshall technique, 60, 61
 caesarean section. *See also* crash caesarean section
 algorithm for degree of difficulty in delivery, 118
 anaphylaxis and, 248–249
 complications
 bladder injury, 117
 bleeding management, 116
 bowel injury, 116, 117–119
 extension of lower segment uterine incision, 117
 fetal, 116
 fetal injury, 116
 inferior epigastric vessel injury, 117
 key concepts, 119
 key pitfalls, 119
 maternal, 116
 medico-legal, 116
 omental vessel injury, 117
 thrombin, 117
 unexpected bleeding, 116
 upper abdominal bleeding, 117
 visceral organ injury, 116
 defined, 107–108
 incidence of, 108
 MBRRACE, 316
 mortality from, 109
 perimortem
 anaesthesia for, 280–281
 implications, 279–280
 key concepts, 281
 key pitfalls, 281
 performing rapid, 280
 postmortem, 280
 cardiac arrest in pregnancy
 chest compressions for, 279
 delivery timing, 256
 fetal assessment, 256
 imaging modalities, 257
 incidence of, 279
 key concepts, 257
 resuscitation of newborn, 280
 secondary survey, 256–257
 cardiac conditions and maternal collapse, 142, 145
 cardiac disease and maternal collapse, 11–12
 cardiotocograph (CTG)
 changes during vaginal delivery, 84
 complexogram, 77
 fetal compromise and, 76
 guidelines, 84
 cardiotocograph (CTG) interpretation algorithm, 79, 83
 baseline fetal heart rate, 78–80
 baseline heart rate accelerations, 80
 baseline heart rate decelerations, 80–81
 baseline heart rate variability, 80
 basics, 78
 contractions, 82
 fetal monitoring checklist, 84
 cardiovascular system in pregnancy
 blood pressure, 2
 ECG, 2
 heart, 1
 cauda equina syndrome
 background of, 214
 diagnosis, 214–215
 implications, 214
 key pointers for, 214
 management
 key actions, 215
 low-resource center, 215
 surgical options, 215
 central serous retinopathy, 180
 chemoreceptors (CTG), 81
 chronic intrapartum hypoxia, 83–84
 CIPHER model, 28
 closed loop communication, 302
 coagulability during pregnancy, 1
 communication in obstetrics
 closed loop, 302
 importance of, 301
 SBAR tool, 301
 complicated variable deceleration, 81
 constipation in pregnancy, 4–5
 cord prolapse in midwife-led delivery management, 126
 types and risk factors for, 125–126
 corneal changes
 management, 179
 vision blurring/loss in pregnancy, physiological changes, 179
 crash caesarean section; *see also* caesarean section
 benefits of, 108
 defined, 108
 delivery difficulties, 113
 fetal risk factors for, 109
 incidence of, 108
 key pointers for, 109
 low-resource center management, 114–115
 maternal risk factors for, 108–109
 MEOWS chart, 114
 perimortem, 114
 perioperative management, 110–112
 placenta delivery, 113–114
 postnatal debrief, 114
 surgical techniques, 112–113
 cycling (CTG), 80

- damage control resuscitation (DCR), 254
- deep vein thrombosis (DVT)
 classification, 17
 confirmation of, 20
 defined, 17
 IVC shunt, 23
 treatment of acute, 21
- diabetic ketoacidosis (DKA)
 defined, 200
 diagnosis in pregnancy, 201–202
 key pointers for, 200
 management
 fluid monitoring, 202–203
 infusion and blood glucose monitoring, 203–204
 key pointers for, 204–206
 potassium and electrolytes, 203
 occurrence of, 200
 pathophysiology of, 200–201
 severe, 202
 symptoms and signs, 201
- diabetic retinopathy
 non-proliferative, 181
 proliferative, 181–182
- dizygotic twins
 defined, 92
 incidence of, 92
- drug overdose in pregnancy; *see also*
 adverse drug reactions
 adverse outcomes and, 191
 beta-blockers, 197–198
 calcium channel blocking, 197
 diagnosis, 191
 digoxin poisoning, 196–197
 hypoglycaemia, 195
 implications, 191
 iron overdose, 198–199
 management
 aspirin, 195
 cardiac life support, 191–193
 extracorporeal drug removal, 199
 give antidote, 193–194
 patient assessment and stabilisation, 191
 recent developments, 199
 risk assessment, 193
 supportive care, 199
 maternal collapse and, 12, 145
 most common drugs, 191, 192
 physiological changes and, 191
 reversible cause for maternal collapse, 13
 risk timing, 191
 suicide rates, 191
 sulphonylureas, 194–195
 tricyclic antidepressants (TCAs), 196
- dyspnoea. *See* breathlessness in pregnancy
- Each Baby Counts initiative (EBC)
 key concepts, 318
 key findings, 317–318
 reasons for, 317
- early neonatal deaths, 317
- eclampsia
 accurate vital signs measurement, 26–27
 defined, 26
 epidemiology, 26
 maternal collapse and, 12, 140, 144
 in midwife-led delivery, 127–128
 prevention and treatment, 31
- ectopic pregnancy and abdominal pain, 169
- electrocardiogram (ECG) during pregnancy, 2
- emergency caesarean section. *see* crash caesarean section
- endocrine emergencies during pregnancy
 acute adrenal insufficiency, 226
 Addison's disease, 226–227
 hypopituitarism, 227
 lymphocytic hypophysitis, 227–228
 myxedema coma, 224–225
 pheochromocytoma, 225
 Sheehan's syndrome, 228–229
 thyroid storm, 221–224
- endocrine system during pregnancy
 adrenal, 3
 clinical practice, 4
 glucose metabolism, 3
 pituitary, 3
 thyroid, 3
- epilepsy
 clinical examination of pregnant woman with seizure evidence, 209
 clinical practice, 4
 defined, 207
 diagnosis, 208–209
 implications, 207–208
 incidence of, 207
 key concepts, 210–212
 key pitfalls, 210
 management
 drug treatment, 210, 212
 immediately after seizure, 209–210
 low-resource center, 212–213
 during seizure, 209
 status epilepticus, 210
 maternal collapse and, 12, 142, 145
 occurrence of, 207
 risk factors for seizures, 208
 seizure types
 absence, 207
 focal, 207
 generalised, 207
- episiotomy
 perineal trauma and, 153
 repair, 155
Escherichia coli and sepsis, 44
 exaggerated Sim's position, 128
 extended breech presentation, 56
 extended perinatal death
 defined, 317
 rate of, 317
- Faber/Patrick's test, 214
- fetal growth restriction in pre-eclampsia, 28
- fetal-maternal haemorrhage
 key pitfalls, 258
 occurrence of, 257–258
- fetal monitoring checklist (CTG), 84
- fibrinolysis during pregnancy, 1
- fibroids and abdominal pain, 170
- Finkelstien's test, 214
- first-line SPR manoeuvre, 87–89
- flexed breech presentation, 56
- flexion point principle, 102–103
- fluid overload
 clinical presentation, 240
 defined, 239
 incidence of, 239
 low-resource center management, 242
 management, 240–241
 risk factors for, 239–240
- fluid underload
 case study, 242–243
 clinical presentation, 241
 defined, 239
 incidence of, 241
 low-resource center management, 242
 management, 241–242
 risk factors for, 241
- focal seizures, 207
- footing breech presentation, 56
- forceps
 breech presentation delivery, 61
 delivery, 101–102
 Piper's, 62
 procedure, 99–100
- fractures during pregnancy
 background of, 217
 compartment syndrome, 217
 diagnosis, 218
 DVT, 217
 hip dislocation, 219
 key concepts, 218
 leg cramps, 217
 management
 low-resource center, 219
 options, 218–219
- fullPIERS model for pre-eclampsia, 27–28

Index

- gall bladder in pregnancy, 4
 gastritis and abdominal pain, 170
 gastrointestinal system during pregnancy, 2
 general anaesthesia; *see also* intubation
 failure in general anaesthesia
 acute puerperal uterine inversion management, 136–137
 anaphylaxis and, 249
 generalised seizures, 207
 glucose metabolism during pregnancy, 3
 glycosuria in pregnancy, 7
 Golden Hour antibiotics, 45
 gradually evolving intrapartum hypoxia, 82–83
 Graves eye disease, 182
- haematology changes during pregnancy
 blood volume, 1
 coagulation and fibrinolysis, 1
 platelets, 1
 red blood cell volume, 1
 haemolysis, elevated liver enzymes and low platelets (HELLP), 171–172
 haemorrhage
 3 E's after every obstetric emergency, 41
 aetiology, 35
 blood transfusion and, 245
 clinical practice, 4
 clinical presentation, 38
 defined, 35
 female maternal, 257–259
 key concepts, 37, 41–42
 key pitfalls, 41
 management
 haemostasis, 35, 36, 37
 implications, 35–36
 key actions, 38
 steps, 35, 36
 maternal collapse and, 11, 142–144
 and placenta praevia, 35, 38
 risk factors for, 38
 trauma and, 254–255
 types, 35
 haemostasis
 haemorrhage steps, 35, 36, 37
 postpartum haemorrhage, 38–41
 Haultain's operation, 137
 heart changes during pregnancy, 1
 heart palpitations during pregnancy
 arrhythmias and, 159
 background of, 159
 causes of, 159
 clinical investigation, 160–161
 defined, 159
 diagnosis, 161
 implications, 159–160
- key concepts, 161–162
 key pitfalls, 161
 key pointers for, 160
 management algorithm, 162
 heart rate decelerations according to parasympathetic receptor baroreceptors, 81
 chemoreceptors, 81
 heart rate decelerations according to uterine contractions
 early, 80
 late, 81
 prolonged, 81
 variable, 81
 HELPERRS procedure, 123
 high myopia in pregnancy, 182–183
 hip dislocation
 diagnosis, 219
 key concepts, 219
 management, 219
 human factors in obstetrics
 debrief, 298
 high reliability organisations, 298
 importance of, 297
 non-technical skills
 assertiveness, 303–304
 communication, 301–302
 HALTS potential performance issues, 304
 leadership, 302–303
 online resources, 304–305
 situational awareness, 298–301
 stress, 303
 summary of, 299
 tiredness and fatigue, 304
 WORM classification, 297–298
 Huntingdon's operation, 137
 hydrostatic reduction, 136
 hyperemesis gravidarum and abdominal pain, 170
 hyperkalaemia
 blood transfusion and, 246
 reversible cause for maternal collapse, 13
 hyperpigmentation during pregnancy, 3
 hyperstimulation (CTG), 82
 hypopituitarism
 aetiology, 227
 clinical presentation, 227
 diagnosis, 227
 pre-existing, 228
 hypothermia
 blood transfusion and, 246
 reversible cause for maternal collapse, 13
 therapeutic, 269
 hypovolaemia and maternal collapse, 13
 hypoxia and maternal collapse, 13
 hysterectomy, acute puerperal uterine inversion, 137
- indicated preterm birth, 283
 inferior vena cava shunt (IVC), 23
 instrumental vaginal delivery
 complications, 104–105
 defined, 98
 diagnosis, 99–100
 failure
 complications after, 293
 defined, 292
 determinants of, 292
 emergency caesarean section after, 292
 implications, 292
 incidence of, 292
 risk factors for, 292
 FID scoring, 294
 flexion point principle, 102–103
 forceps delivery, 101–102
 implications, 98
 incidence of, 98
 key pitfalls, 105
 key pointers for, 98–99
 low-resource center management, 105
 management, 100–101
 maternal morbidity from, 293–294
 prerequisites for, 293
 training and assessment, 105–106
 trial of, 294
 types and classification, 98
 ultrasound fetal head position
 before, 104
 ventouse delivery, 102
 intestinal obstruction and abdominal pain, 173
 intracerebral tumours and vision, 182
 intracranial haemorrhage and maternal collapse, 12
 intrapartum haemorrhage
 aetiology, 37
 defined, 35
 perinatal mortality, 35
 intrapartum hypoxia
 CTG interpretation, 78–82
 fetal compromise, 76
 implications, 76–77
 indications for, 78
 key concepts, 84
 key pitfalls, 84
 key pointers for, 77
 types
 acute, 82
 chronic, 83–84
 gradually evolving, 82–83
 subacute, 82
 intubation difficulties and maternal resuscitation, 11

- intubation failure in general
 anaesthesia; *see also* general anaesthesia
 defined, 231
 diagnosis, 232–233, 236
 implications, 231–232
 incidence of, 231
 key actions, 236–237
 key concepts, 237
 key pitfalls, 237
 key pointers for, 232
 management
 equipment and preparation, 234
 low-resource center, 237
 perioperative care, 235–236
 pre-medication, 234
 Rapid sequence induction, 231
 Mortality rate, 315–317
- knee–chest position, 128
- labour analgesia and maternal collapse, 12
- labour ward fire drill
 defined, 307
 evaluation, 309
 example of, 309–310
 implementation, 309
 implications, 307
 key concepts, 309, 310
 key facts about, 307
 key pitfalls, 310
 medical conditions
 for, 307
 needed equipment, 309
 planning, 307–308
- late fetal losses, 316
- late neonatal death, 317
- leadership in obstetrics, 302–303
- legal medicine
 caesarean section complications, 116
 implications for VTE, 18
- less invasive surfactant administration (LESS), 268–269
- linea nigra during pregnancy, 3
- liver during pregnancy, 4
- Lovset's manoeuvre, 60
- low-resource center management
 cauda equina syndrome, 215
 crash caesarean section, 114–115
 epilepsy, 212–213
 fractures during pregnancy, 219
 instrumental vaginal delivery, 105
 intubation failure in general
 anaesthesia, 237
 maternal death rate, 315
 newborn resuscitation, 270
 perineal trauma, 157
 preterm birth diagnosis, 285
 psychiatric emergencies, 189
- resuscitation for maternal collapse, 14–15
- retained placenta, 151
- risk management in obstetrics, 326
- shoulder dystocia, 90
- symphysis pubis diasthesis (SPD), 216–217
- trauma, 258, 259
- twin delivery, 96
- umbilical cord prolapse, 70–71
- VTE, 24–25
- lung function changes and maternal collapse resuscitation, 10–11
- lymphocytic hypophysitis, 227–228
- magnesium sulphate therapy, 287
- maternal collapse; *see also* postpartum maternal collapse
 aetiology, 11–12
 assessment, 143
 defined, 10
 epidemiology, 10
 physiological changes affecting resuscitation, 10–11
 reversible causes for, 12–13
- maternal collapse aetiology (for late postpartum collapse)
 cardiac conditions, 142
 central nervous system, 142
 pulmonary embolism (PE), 141
 sepsis, 141–142
- Mauriceau–Smellie–Veit (MSV) manoeuvre, 60–61
- McRobert's manoeuvre, 87, 123
- melasma during pregnancy, 3
- meningiomas and vision, 182
- mental state examination, 187–188
- midwife-led obstetric emergencies
 cord prolapse, 125–126
 home-birth trends, 120
 postpartum haemorrhage, 120–122
 severe preeclampsia and eclampsia, 127–128
 shoulder dystocia, 122–125
 undiagnosed breech presentation, 128–129
- miniPIERS model, 27
- miscarriage and abdominal pain, 168–169
- modified early obstetric warning score (MEOWS), 114
- monozygotic twins, 92
- mortality rate
 acute puerperal uterine inversion, 133
 intubation failure in general anaesthesia, 231
 MBRRACE, 2014–2016, 315–316
 postpartum maternal collapse, 139
 preterm birth, 283
- thyroid storm, 221
- trauma, 252
- Mothers and Babies: Reducing Risk through Audits and Confidential Enquiries (MBRRACE)
 caesarean section and, 316
 key concepts, 318
 mortality rate, 2014–2016, 315–316
 placenta praevia, 316
- musculoskeletal system
 abdominal pain in pregnancy, 169
 cauda equina syndrome, 214–215
 changes during pregnancy, 214
 common conditions, 214
 fractures during pregnancy, 217–219
 management, 215
 symphysis pubis diasthesis (SPD), 215–217
- myxedema coma
 clinical tests, 225
 diagnosis, 225
 incidence of, 224
 key concepts, 225
 key pitfalls, 225
 management, 225
- neonatal deaths
 defined, 317
 rate of, 317
 twin delivery, 317
- newborn resuscitation
 anticipation of, 262
 equipment and environment, 262
 evaluation
 initial infant assessment steps, 263
 temperature management, 262–263
 umbilical cord clamping, 262
 frequency of, 261
 guidelines, 261
 management algorithm, 264
 physiology of, 261–262
- non-proliferative diabetic retinopathy, 181
- obese pregnant women in clinical practice, 8
- obstetric anal sphincter injuries (OASIS)
 perineal trauma and, 153
 repair, 155–156
- obstetric unit standard suggestions, 14, 242
- occult umbilical cord prolapse, 66
- ovarian cysts and abdominal pain, 169
- ovarian hyperstimulation syndrome (OHSS), 170
- overt umbilical cord prolapse, 66

Index

- palmar erythema during pregnancy, 3
 Pendleton's rules, 309
 penetrating trauma, 252
 peptic ulcer and abdominal pain, 173
 perimortem caesarean section
 management, 114
 resuscitation for maternal collapse,
 11, 14
 perinatal mortality
 defined, 317
 haemorrhage and, 35
 perineal trauma
 classification, 153
 diagnosis, 154
 episiotomy and, 153
 implications, 153–154
 key concepts, 157
 key pitfalls, 157
 key pointers for, 154
 management
 episiotomy repair, 155
 low-resource center, 157
 OASIS repair, 155–156
 subsequent pregnancy, 156–157
 surgical principles, 154–155
 OASIS injuries and, 153
 occurrence of, 153
 prevention, 157
 pheochromocytoma, 225
 Phalen's test, 214
 Pinard's manoeuvre, 59
 Piper's forceps delivery, 62
 pituitary apoplexy, 227
 pituitary during pregnancy, 3
 placenta accreta spectrum (PAS)
 classification, 273
 defined, 273
 diagnosis, 273–274
 implications, 273
 incidence of, 273
 key concepts, 277–278
 key pitfalls, 277
 key pointers for, 273
 management
 antepartum, 274–275
 conservative, 275
 key actions, 274
 postoperative care, 277
 radical surgical, 275
 triple P procedure, 275–276
 placenta praevia
 clinical features, 38
 defined, 38
 and haemorrhage, 35
 management in low-resource
 setting, 38
 MBRRACE, 316
 placental abruption
 abdominal pain in pregnancy, 170
 and antepartum haemorrhage, 37
 platelets during pregnancy, 1
 Poole shark teeth pattern (CTG), 80
 positive end-expiratory pressure
 (PEEP), 266–267
 posterior shoulder dystocia, 86
 postpartum haemorrhage
 defined, 35
 haemostasis, 38–41
 incidence of, 35
 key actions, 37, 38
 and maternal collapse
 atony, 139
 causes of, 140
 most common cause, 139
 thrombin, 140
 trauma, 139–140
 in midwife-led delivery
 definition and risks, 120–121
 delivery of placenta, 121
 incidence of, 120
 key actions to improve outcomes,
 121–122
 tissue, 140
 postoperative care, 41
 postpartum maternal collapse; *see also*
 maternal collapse
 aetiology
 amniotic fluid embolism (AFE),
 141
 anaphylaxis, 141
 drug overdose, 141
 eclampsia, 140
 postpartum haemorrhage,
 139–140
 timing of onset, 139
 uterine inversion, 141
 defined, 139
 epidemiology, 139
 management
 amniotic fluid embolism (AFE),
 144–145
 anaphylaxis, 145
 cardiac conditions, 145
 central nervous system, 145
 drug overdose, 145
 eclampsia, 144
 haemorrhage, 142–144
 intra-abdominal bleeding, 144
 placenta delivery, 144
 pulmonary embolism (PE), 145
 mortality rate, 139
 sepsis, 145
 thrombin, 144
 tone, 144
 trauma, 144
 uterine inversion, 145
 preeclampsia
 accurate vital signs measurement,
 26–27
 defined, 26, 29
 epidemiology, 26
 key concepts, 26
 management
 anaesthesia, 32
 antenatal corticosteroids, 31
 blood pressure control, 30–31
 CIPHER model, 28
 collaborative management
 approach to, 27
 fetal assessment, 28
 fluid monitoring, 31–32
 fullPIERS model, 27–28
 in midwife-led delivery, 127–128
 miniPIERS model, 27
 mode of delivery, 30
 postnatal review, 30
 standardised care, 27
 timing of delivery, 28–29
 place of care, 27
 pregnancy
 anatomical and physiological
 changes, 5
 cardiovascular system in, 1–2
 endocrine system in, 3
 fluid changes, 239
 gastrointestinal system in, 2
 haematology of, 1
 renal system in, 2
 respiratory system, 2
 skin changes during, 3
 pregnancy clinical practice
 appendicitis, 5–7
 asthma, 4
 constipation, 4–5
 endocrine system, 4
 epilepsy, 4
 glycosuria, 7
 haemorrhage, 4
 key concepts, 8
 key pitfalls, 8
 liver and gall bladder, 4
 recent developments, 8
 skin changes, 8
 summary of key changes in, 6
 thyroid function tests, 7
 preterm birth
 aetiology, 283, 284
 defined, 283
 diagnosis
 biomarker tests, 285
 caution around, 284–285
 cervical length ultrasound, 285
 combination cervical length
 ultrasound and biomarkers,
 285–286
 low-resource center, 285
 predictive techniques, 283
 tests based on gestational age, 286
 incidence of, 283
 mortality rate, 283

- rescue cerclage, 289–290
 risk factors for, 283, 284
 types of, 283
- preterm infants
 intubation versus CPAP, 268
 stopping resuscitation, 269
- proactive risk, 322–323
- proliferative diabetic retinopathy,
 181–182
- prospective analysis of risk, 325
- pseudo-sinusoidal pattern (CTG), 80
- psychiatric emergencies
 defined, 185
 diagnosis, 185
 implications, 185
 incidence of, 185
 key concepts, 189
 key pitfalls, 189
 key pointers for, 185
- management
 assessment for immediate risks,
 185–186
 de-escalation, 188–189
 low-resource center, 189
 mental state examination,
 187–188
 obtain background information,
 186
 obtain collateral information, 186
 obtain history, 186–187
 rapid tranquilisation, 189
 restraint, 189
 risk assessment, 188
 types of, 185
- pulmonary embolism (PE)
 confirmation of, 21
 defined, 17
 leading direct cause of maternal
 death, 18
 maternal collapse and, 141, 145
 maternal implications, 17
- pulse oximetry
 newborn resuscitation, 266
 preeclampsia and eclampsia
 measurement, 27
- radiology and VTE, 17
- rapid sequence induction, 234–235
- reactive risk, 323–324
- rectus abdominis rupture, 172
- red blood cell volume during
 pregnancy, 1
- renal system during pregnancy, 2
- rescue cerclage, 289–290
- respiratory system during pregnancy
 anatomical changes, 2
 blood gases, 2
 physiological, 2
- resuscitation for AFE, 48
- resuscitation for maternal collapse
 A, B, C (airway, breathing, CPR), 14
 aortocaval compression, 10
 blood circulation volume, 11
 intubation difficulties, 11
 lung function changes, 10–11
 management in low-resource
 setting, 14–15
 obstetric unit standard suggestions,
 14
 perimortem caesarean section, 11,
 14
 S&T (shout, safe, tilt), 13
- resuscitation of newborn
 antenatal magnesium sulphate, 269
 anticipation of, 262
 approach
 airway manoeuvres, 263–266
 algorithm, 264
 breathing manoeuvres, 266–267
 circulation, 267
 drugs for, 267
 documentation, 268
 equipment and environment, 262
 evaluation
 initial infant assessment steps, 263
 temperature management,
 262–263
 umbilical cord clamping, 262
 frequency of, 261
 guidelines, 261
 hypoxic ischaemic encephalopathy,
 269
 intubation versus CPAP for preterm,
 268
 LISA procedure, 268–269
 low-resource center management,
 270
 physiology of, 261–262
 post care, 268
 versus stabilisation for preterm
 infants, 268
 stopping, 269–270
 surfactant administration, 268
- retained placenta
 defined, 147
 diagnosis, 148
 implications, 147
 incidence of, 147
 key actions, 148
 key concepts, 151
 key pitfalls, 151
 key pointers for, 147
 management
 3 E's, 151
 first-line procedure, 149
 low-resource center, 151
 second-line manoeuvres, 149–151
 morbidity and mortality, 147
 partial separation of, 148
 recent developments, 151–152
- retrospective analysis of risk, 324
- reverse Wood screw manoeuvre,
 124–125
- risk management in obstetrics
 defined, 320
 implications, 322
 importance of, 320–321
 key concepts, 325
 key pitfalls, 325
 key pointers for, 321–322
 low-resource center, 326
 risk event incidence, 321
 steps
 analysis of risk event, 324–325
 control of risk events, 325
 identification of risk type,
 322–324
 treatment of risk events, 325
 tools to assist, 324–325
 types of risks, 321
- risk types
 proactive, 322–323
 reactive, 323–324
- rotational thromboelastometry
 (ROTEM), 255
- Rubens II manoeuvre, 124
- rudimentary horn rupture and
 abdominal pain, 170
- running start manoeuvre, 125
- S&T (shout, safe, tilt) resuscitation, 13
- saltatory pattern (CTG), 80
- SBAR communication tool, 301
- second-line SPR manoeuvre, 89
- sepsis
 abdominal pain in pregnancy, 171
 aetiology, 43
 antimicrobial stewardship, 45–46
 clinical examination, 45
 defined, 43
 diagnosis, 44–45
 Golden Hour antibiotics, 45
 incidence of, 43
 key concepts, 46
 key facts about, 43
 key organisms, 43–44
 key pitfalls, 46
 maternal collapse and, 12, 145
 online resources, 46
 risk factors for, 44
 sepsis 6 bundle, 45
 sepsis 6 bundle, 45
 sepsis and postpartum maternal
 collapse
 genital tract, 142
 other body systems, 142
 urinary tract, 142
 septic shock, 43
 serum biochemistry ranges during
 pregnancy, 4

Index

- Sheehan's syndrome, 227, 228–229
 SHEEP model, 298
 shoulder dystocia
 defined, 86
 diagnosis, 86
 indications for, 86
 key concepts, 90
 key pitfalls, 90
 key pointers for, 86
 management
 first-line SPR manoeuvre, 87–89
 low-resource center, 90
 second-line SPR manoeuvre, 89
 symphysiotomy procedure, 90–91
 in mid-wife led delivery
 algorithm for management, 126
 definition and risks, 122
 key actions to improve outcomes, 125
 management, 123–125
 types of, 86
 sickle cell crisis and abdominal pain, 173
 simulation training
 3 E's, 312–313
 debrief and feedback, 312
 defined, 311
 documentation, 312
 reasons for, 311
 requirements, 312
 role in obstetrics, 311
 scientific outcomes from, 313
 types of, 311
 sinusoidal pattern (CTG), 80
 situational awareness and SHEEP model, 298
 skin
 clinical practice, 8
 during pregnancy, 3
 spontaneous preterm birth, 283
 management
 antibiotics, 289
 corticosteroid treatment, 286–287
 magnesium sulphate therapy, 287
 progesterone, 287–289
 tocolysis, 287
 transfer to neonatal care unit, 289
 treatment summary, 288
 SPR manoeuvre
 first-line, 87–89
 second-line, 89
 STAN analyser, 77
Staphylococcus and sepsis, 44
 stillbirths
 defined, 317
 rate of, 317
 twin delivery, 317
Streptococcus and sepsis, 44
 striae gravidarum during pregnancy, 3
 stroke
 hypopituitarism and, 227
 maternal collapse and, 142, 145
 subacute intrapartum hypoxia, 82
 symphysiotomy procedure, 90–91
 symphysis pubis diasthesis (SPD)
 and abdominal pain in pregnancy, 172
 diagnosis, 216
 implications, 216
 incidence of, 215
 key concepts, 216
 key pitfalls, 216
 key pointers for, 216
 management, 216
 algorithm, 218
 conservative, 217
 low-resource center, 216–217
 surgical options, 217
 tachysystole (CTG), 82
 tamponade and maternal collapse, 13
 tear film changes
 management, 178–179
 vision blurring/loss in pregnancy, physiological changes, 178
 tension pneumothorax and resuscitation, 13
 three E's
 after obstetric emergencies, 41
 retained placenta, 151
 shoulder dystocia, 89–90
 simulation training, 312–313
 thromboelastography (TEG), 255
 thrombo-embolism
 maternal collapse and, 11
 reversible cause for maternal collapse, 13
 thromboprophylaxis and VTE, 18
 thyroid
 clinical practice, 4, 7
 during pregnancy, 3
 thyroid storm
 clinical investigation, 222
 complications, 224
 diagnosis, 221–222
 fetal management
 implications, 224
 principles, 224
 incidence of, 221
 indications for, 221
 key concepts, 224
 key pitfalls, 224
 management
 principles, 223
 supportive care, 223
 maternal management
 anti-thyroid treatment, 223–224
 principles, 223
 therapeutic options, 224
 mortality rate, 221
 symptoms and signs, 221
 tocolytics, 136
 transurethral resection of prostate (TURP), 137
 trauma
 cardiac arrest, 256–257
 disability and neurological status, 256
 fetal maternal haemorrhage, 257–259
 issues related to, 252–253
 key concepts, 253
 key pitfalls, 253
 mortality rate, 252
 and postmortem caesarean section, 280
 prevention, 258–259
 trauma injury mechanisms
 blunt trauma, 252
 penetrating trauma, 252
 trauma management
 airway with cervical spine control, 253–254
 breathing and ventilation, 254
 circulation and haemorrhage control, 254–255
 key concepts, 256
 key pitfalls, 256
 low-resource center management, 258, 259
 point of care testing, 255
 principles, 253
 rotational thromboelastometry (ROTEM), 255
 thromboelastography (TEG), 255
 tricyclic antidepressants (TCA), 196
 triple P procedure, 275–276
 twin delivery
 diagnosis, 93
 implications, 92
 key concepts, 96
 key pitfalls, 95–96
 key pointers for, 92–93
 management
 delivery mode, 93
 delivery timing, 93
 internal podalic, 94
 during labour, 93–94
 low-resource center, 96
 third stage, 94–95
 mortality and, 317
 twins
 epidemiology, 92
 incidence of, 92
 types of, 92
 typical sinusoidal pattern (CTG), 80
 typical variable deceleration, 81

- umbilical cord prolapse
 - defined, 66
 - diagnosis, 67
 - implications, 66
 - incidence of, 66
 - key concepts, 66–67, 71
 - key pitfalls, 71
 - in low-resource center, 70–71
 - management
 - conservative, 70
 - definitive, 67–69
 - initial, 67–69
 - prediction, 67
 - prevention, 67
 - training, 71–74
 - types of, 66
- uncomplicated variable deceleration, 81
- urinary retention and abdominal pain, 169
- urinary tract infections, 172
- uterine inversion and maternal collapse, 141, 145
- uterine rupture
 - defined, 51
 - diagnosis, 52–53
 - implications, 52
 - incidence of, 51
 - key concepts, 54
 - key pitfalls, 54
 - key pointers
 - induction with prostaglandins or oxytocin, 51
 - obstetric manipulation, 51–52
 - uterine scar, 52
 - management, 53–54
 - risk factors for, 51
- uterine scar dehiscence and abdominal pain, 171
- uterine torsion and abdominal pain, 171
- uterus repositioning
 - general anaesthesia, 136–137
 - Haultain's operation, 137
 - Huntingdon's operation, 137
 - hydrostatic reduction, 136
 - non-surgical methods, 135–136
 - surgical methods, 137
 - tocolytics, 136
- venous thromboembolism (VTE)
 - anticoagulants during labour and delivery, 23
 - clinical management, 18
 - defined, 17
 - diagnosis, 18
 - IVC shunt, 23
 - key concepts, 24
 - key pitfalls, 23–24
 - maintenance treatment of, 23
 - management in low-resource setting, 24–25
 - maternal implications, 17
 - patient information, 18
 - postnatal anticoagulation, 23
 - postnatal review, 23
 - risk identification algorithm, 19
 - risk reduction, 25
- thromboprophylaxis
 - and, 18
 - treatment of acute, 21
- ventouse delivery, 102
- vision blurring/loss in pregnancy
 - implications, 178
 - key concepts, 183
 - management algorithm, 183
 - pathological changes
 - arterio-venous occlusions, 181
 - central serous retinopathy, 180
 - eclampsia, 179–180
 - preeclampsia, 179–180
 - physiological changes
 - corneal changes, 179
 - summary of, 178
 - tear film changes, 178–179
- pre-existing systemic diseases
 - changes
 - Graves eye disease, 182
 - high myopia, 182–183
 - intracerebral tumours, 182
 - meningiomas, 182
 - non-proliferative diabetic retinopathy, 181
 - proliferative diabetic retinopathy, 181–182
- Wood's screw manoeuvre, 88, 124
- WORM classification (workmanship, omissions, relationships and mentorships), 297–298
- Zavanelli's manoeuvre, 90