
Index

- π , 68, 72
- \mathbb{A}^1 -derived category, 144
 - effective, 143
- \mathbb{A}^1 -homotopy, 139
- Abel's theorem, 65
- algebraic conjugate, 1
- algebraic curve, 83
 - genus, 34
- algebraic integer, 1
 - house, 9, 27
- algebraic K -group, 85, 92
- algebraic number, 1
 - degree, 1
 - height, 1
 - length, 1
 - totally real, 1, 17
- Andrews–Gordon identities, 51, 60
- Baker's theorem on the genus of curve, 33
- Beilinson regulator map, 88, 99, 102, 142
- Beilinson's conjectures, 66, 101, 106
- Beilinson–Deninger–Scholl elements, 130
- Bernoulli polynomial, 111, 129, 135
- Bloch–Beilinson regulator map, 85, 88
- Bloch–Kato conjecture, 107
- Bloch–Wigner dilogarithm, 49, 54, 56, 58, 61, 87
 - Kummer's relation, 55
- Calabi–Yau threefold, 133
- Carlson's theorem, 70
- Catalan's constant, 36, 78
- Chow motive, 140
- Clausen function, 55
- Clausen's formula, 72
- cohomology
 - de Rham, 85, 97
 - Deligne–Beilinson, 95, 97, 146
 - middle-dimensional, 103
 - motivic, 98, 106, 140
- compactification, 146
- congruence subgroup, 112
- continued fraction, 10
- cross ratio, 58
- cup-product, 98, 99
- Dedekind eta function, 75, 120, 133
- Dedekind zeta function, 12
- Deligne–Beilinson cohomology, 95, 97, 146
- Deligne–Beilinson spectrum, 150
- Deninger cycle, 102
- Deninger path, 89
- diamond operator, 123
- dilogarithm, 49
- Dirichlet character, 10
- Dirichlet class number formula, 10
- Dirichlet L -function, 10, 37
- discriminant of number field, 10, 11, 22, 27
- discriminant of polynomial, 20, 23, 25, 28
- Eisenstein series, 117, 131
- Eisenstein subspace, 136
- Eisenstein symbol, 129, 135
- elliptic curve, 41, 66
 - Hasse–Weil zeta function, 100
 - L -value, 66
 - period, 42
 - regulator map, 66
 - Weierstrass form, 41, 67
- elliptic dilogarithm, 58
- equivariant Tamagawa number conjecture (ETNC), 107
- Euler's constant, 25

- Euler's totient function, 2, 25
- exact polynomial, 92, 103
- Fermat prime, 5
- Fermat's little theorem, 21
- finite correspondence, 138
- five-term identity, 51, 54
- free energy, 68
- function field, 85
- fundamental unit, 10, 12
- Gaussian polynomial, 59
- Gelfond's inequality, 9
- generalised Riemann hypothesis, 26
- geometrical motives, 140
 - effective, 139
- Hadamard's inequality, 20, 25
- Hecke operators, 133
- homology group, 89, 127
- horospherical map, 135
- hyperbolic volume, 55, 58
- hyperelliptic curve, 66
- hypergeometric differential equation, 65, 71
- hypergeometric function, 64, 65, 67, 69, 75, 77–80
 - Clausen's formula, 72
 - contiguous relation, 69
 - Euler–Pochhammer integral, 70
 - Gauss summation, 70
- Ising model, 68
- Jacobi triple product, 59
- Jensen's formula, 6, 36, 42, 56, 74, 89
- K -group, 85
- Kronecker symbol, 10
- Kronecker's theorem, 2
- L -function, 100
- Landau–Mignotte bound, 8
- Legendre relation, 119
- Lehmer's polynomial, 5, 25
- Lehmer's problem, 5, 11, 14, 19, 23, 25, 40, 45
- linear Mahler measure, 75, 77, 80, 105
- Lobachevsky function, 55
- localisation sequence, 86
- localisation theorem, 86
- logarithmic Mahler measure, 7, 9
 - multivariate, 30
- logarithmic singularities, 96
- Lucas–Lehmer test, 3
- Möbius transformation, 109
- Mahler measure, 7, 9
 - functional equation, 67
 - multivariate, 30
 - p -adic, 45
- Manin–Drinfeld theorem, 129
- Matsumoto's theorem, 85
- Mayer–Vietoris sequence, 88, 89, 139
- Mellin transform, 74
- Mersenne prime, 3
- Milnor symbol, 85, 99
- Minkowski's theorem, 22
- modular curve, 110, 125
- modular form, 75, 111
 - L -value, 77, 80, 81
- modular parametrisation, 76, 113
- modular symbol, 110, 135
- modular unit, 110
- modularity theorem, 113
- Morel motive, 142, 145
- motive, 99, 106, 137
 - associated to a variety, 139
 - Lefschetz, 140
 - Morel, 142, 145
 - multiplicative group, 140
 - projective line, 139
 - Tate, 140, 144
- motivic cohomology, 98, 106, 140
- Newton polygon of polynomial, 33
- Newton polytope of polynomial, 33
- Nisnevich topology, 142
- number field
 - cyclotomic extension, 37
 - discriminant, 10, 11, 22, 27
 - group of units, 10
 - monogenic, 23
 - real quadratic, 10
 - regulator, 10, 11
 - totally real, 26
- p -adic Mahler measure, 45
- p -adic syntomic regulator, 45
- pentagonal identity, 51
- Pick's formula, 46
- Pochhammer symbol, 64
 - q -version, 49
- polynomial
 - cyclotomic, 2, 25, 28
 - discriminant, 20, 23, 25, 28
 - exact, 92, 103
 - height, 1, 32
 - irreducible, 1
 - length, 1, 32

- minimal, 1
- monic, 1
- Newton polygon, 33
- Newton polytope, 33
- primitive, 1
- quasi-monic, 31
- reciprocal, 3, 4, 40
- reducible, 1
- resultant, 28
- root discriminant, 23
- tempered, 41, 46, 92, 106
- totally real, 23, 26
- q -binomial coefficient, 59
- q -binomial theorem, 50, 59
- q -exponential function, 49
- q -factorial, 50
- quantum dilogarithm, 50
- quantum pentagonal identity, 50
- quasi-period map, 119
- random walk
 - density, 74
 - uniform, 73
- regular Riemann sum, 7, 11, 38, 39, 45
- regulator map, 88, 91, 99, 142, 146
 - enhanced, 93, 106
 - example, 99, 151
- residue, 87, 121, 129
- resolution of singularities, 95, 146
- resultant of polynomials, 28
- Riemann surface, 83
 - with punctures, 84
- Riemann's zeta function, 100
- Riemann–Roch theorem, 112
- Rogers dilogarithm, 54, 60
- Rogers–Ramanujan identities, 51, 60
- Rogers–Zudilin method, 115
- root discriminant of polynomial, 23
- Salem number, 21, 25, 27
- Schinzel–Zassenhaus conjecture, 27
- Schwarz reflection principle, 65
- Schwarz's lemma, 15
- shifted factorial, 64
- Shokurov cycle, 128
- Siegel unit, 111, 119, 130, 132
- spectrum, 146
 - Deligne–Beilinson, 150
- Stolz–Cesàro theorem, 72
- Sturm's bound, 112
- Szegő's first limit theorem, 68
- tame symbol, 86–88
- Tate motive, 140, 144
- tempered polynomial, 92, 106
- Toeplitz determinant, 68
- unit, 10
- universal elliptic curve, 126
- upper half-plane, 84, 109
- Vandermonde determinant, 19
- zero locus, 37, 83
- zeta Mahler measure, 73