

Index

- Aboriginal community controlled health services (ACCHS), 82
- Aboriginal and Torres Strait Islander peoples
 - case studies, 84, 90, 109, 417
 - and communication, 86–7
 - health of, 81, 83, 103–5, 356
 - men's health, 110
 - in prisons, 413
 - terminology, 81
- abuse, 52
- access to health care, 52–3, 94, 167–8, 304–5, 323–4, 415
- action-oriented approach, 85
- adolescence, 319–20
- adolescents
 - and families, 320
 - health of, 316–17, 319–20
 - see also* young people
- adult learning, 30
- adulthood, 319
- advanced practice nurse (APN), 360, 422
- advertising material, 324
- advocacy, 8, 247, 321
- affirmations, 232
- aged persons mental health services, 288
- aggression, 263–4
- alcohol consumption, 104, 340
- alcohol, tobacco and other drugs (ATOD) use
 - case studies, 343, 349–50
 - harm associated with, 342
 - harm minimisation, 343
 - health education, 346
 - and mental health, 345, 349
 - prevalence, 340–2
- andragogy, 30
- artificial intelligence, 210–11
- assessments
 - guide, 109
 - mental health, 290–1
 - refugees, 367–70
 - risk, 256–8, 370
 - by school nurses, 313–14
 - sexual health, 330
 - see also* community needs assessment
- assumptions about sexuality, 330
- asylum seekers
 - definition, 365
 - and Medicare, 368
- attitudes, 286
- auditory learners, 30
- Australian Bureau of Statistics (ABS), 42
- Australian Community Inclusion Initiative, 48
- Australian Health Informatics Education Council (AHIEC), 218
- Australian Institute of Health and Welfare (AIHW), 217
- Australian National Disability Insurance Scheme (NDIS), 49
- Australian Nursing and Midwifery Accreditation Council (ANMAC), 140, 423
- Australian Nursing and Midwifery Federation, 218, 394
- Australian Primary Health Care Nurses Association (APNA), 261
- Australian Productivity Commission, 49
- Australian Standard Geographical Classification (ASGC), 355
- autonomy, 248–9, 267
- bag technique, 263
- behaviour modification
 - case studies, 233, 235–6
 - Five 'As' Model, 229–31
 - motivational interviewing (MI), 229, 231–3
 - stages of, 228
 - support for, 229
- bias, 102
- big data, 209, 216–17
- biopsychosocial model, 60
- birth notification systems, 301
- Bradshaw's typology of need, 174–5
- brokerage, 245
- bullying, 313, 316–18
- burden of disease, 104
- businesses, 379
- capacity building, 181, 274, 301
- cardiovascular disease, 225
- care coordination, 53, 405
- care management, *see* case management
- care plans, 248, 260, 267, 313
- carers
 - and case conferences, 248–50
 - case studies, 72–3
 - paid, 401–2
- case conferences, 129, 248
- case management
 - approaches to, 244–5
 - case studies, 247, 249
 - clinical, 245
 - definition, 241, 405
 - evidence for, 243–4
 - history of, 242–3
 - and home-based nurses, 405
 - phases, 241
 - rationale for, 243
 - recovery-orientated, 245
 - skills for, 246–7
 - termination of, 250
- case managers, 53, 242, 244, 246–50, 293
- change, stages of, 228
- change talk, 232
- child abuse, 302
- child and adolescent mental health services (CAMHS), 288
- child health services, *see* maternal, child and family health (MCFH) services
- children, 66–7, 299–300, 313–14
- Children, Youth and Families Act 2005* (Cth), 302
- Chronic Care Model, 226–7
- chronic conditions
 - definition, 223
 - described, 223–4
 - management, 403
 - and refugees, 366
 - risk factors, 224–6
 - role of nurses, 227–35
 - and school nurses, 313
- cisgender, 161, 335
- clinical case management, 245
- clinical placements, 142–4
- clinician–patient interaction, 215
- closed groups, 33
- cognitive behaviour therapy (CBT) programs, 67, 70
- collaboration, 36, 426
- collectivism, 159
- colour in written information, 29
- Commonwealth Home Support Programme (CHSP), 401
- communication
 - and aggression, 263–4
 - and culture, 159, 163, 167
 - electronic, 128–9
 - of health information, 24–5
 - and Indigenous peoples, 85–8
 - interprofessional, 125–9

- motivational interviewing (MI), 232–3
 - and risk, 260
 - skills, 345
 - talking sexual health, 329–30
 - and teams, 126
 - written, 127–8
 - see also* information provision
- communities
 - connecting with, 280
 - definition, 13, 173
 - and Indigenous peoples, 87, 94
 - safety in, 256–7
 - working as part of, 13
 - working ‘in’, 14
 - working ‘with’, 14
- community action strategies, 9
- community-aged care, 401
- community awareness campaigns, 305
- community-based drug withdrawal programs, 348
- community-based organisations, 285
- community-based participatory research, 176
- community capacity, 173
- community care units (CCU), 288
- community competency, 173
- community consultation processes, 183–4
- community development, 9–10, 34–6, 274
- community health centres, 274
 - case studies, 10, 15–16
- community health nurses (CHN)
 - case studies, 15–16, 276–7
 - in communities, 280
 - gender-sensitive health care, 107–9
 - and Indigenous peoples, 94–6
 - multidisciplinary practice, 53
 - and people living with disability, 48
 - professional practice, 281–2
 - and public health, 13
 - role of, 275–6
 - skills of, 282
 - terminology, 12
 - work of, 274
 - working as part of community, 13
 - working ‘in’ community, 14
 - working ‘with’ community, 14
- community health nursing
 - definition, 274
 - practice-described, 274–5
 - practice evaluation, 282
- community health programs, *see* health programs
- community liaison groups, 183
- community mental health nurses (CMHN)
 - as case managers, 293
 - case studies, 289–90, 294
 - mental health promotion, 292–3
 - role of, 286, 289
- community mental health nursing
 - definition, 287
 - described, 287–9
- community needs assessment
 - addressing needs, 177
 - case studies, 181–5, 280–1
 - challenges to undertaking, 175
 - data collection, 176–80, 277–8
 - definition, 277
 - described, 173, 277–9
 - disseminating results, 177
 - information collected, 277–8
 - laying groundwork, 282
 - principles of, 175
 - prioritising actions, 177, 279
 - process of undertaking, 176–8
 - responding to, 180–1, 280
- community non-residential withdrawal programs, 348–9
- community participation, 9–10, 173, 305
- comparative needs, 175
- competency frameworks, 218
- competency standards, 395
- condoms, 335
- confidentiality, 168, 217, 321, 332, 359, 405
- conflict, 130–1, 162–3, 366
- connectedness, 320
- consumer-directed care (CDC)
 - model, 401
- consumer health informatics, 215–16
- contact tracing, 333
- continuity of care, 245, 301
- contraceptive use, 336
- correctional health systems, 411–12
- correctional nurses
 - challenges, 416–17
 - described, 411
 - emergency responses, 415
 - and health screening, 414–15
 - role of, 412–15
- correctional nursing
 - case studies, 416–17
 - described, 411–12
- correctional services, 288, 412–13
- counselling, 333, 345
- credibility, 281
- crisis assessment and treatment teams (CATT), 288
- critical incidents, 257
- cross-dressing, 335
- cultural awareness, 165
- cultural competence, 164
- cultural differences, 162
- cultural relativism, 162
- cultural responsiveness, 84–5, 88–93
- cultural safety, 84–5, 91–2, 164, 166, 332–3
- cultural sensitivity, 165
- culturally appropriate practice, 86
- culturally competent care, 167
- culturally and linguistically diverse (CALD), 168
- culture
 - case studies, 162, 168
 - and communication, 159, 163, 167
 - described, 158–9
 - and health, 161–3
 - and language, 167–8
 - in schools, 316–18
- culture conflict, 162–3
- curricula, 140
- cyberbullying, 316
- cybersecurity, 217
- data
 - big, 209, 216–17
 - definition, 207
 - integrity, 208
 - types of, 178, 182
 - use of, 209
- data breaches, 217
- data collection
 - described, 207
 - ethics, 208
 - methods, 208
 - needs assessments, 178, 277–8
 - primary, 178–80
 - secondary, 180
 - strategies, 176–7
- data linkage, 216
- data registries, 216
- death, causes of, 103–4
- decision making, 35, 125
- decolonising, 89
- de-escalation, 264
- demand reduction, 343
- demographic data, 182
- dental dams, 335
- detoxification, *see* drug withdrawal programs
- developmental evaluation, 199
- digital diagnostics, 211
- digital health
 - definition, 207
 - examples, 209–14
- digital therapeutics, 211
- disability
 - definition, 42
 - models of, 44–7
 - prevalence, 42
 - see also* people living with disability
- Disability Action Plan 2019–2023*, 48
- discharge, 250
- discrimination, 102, 160–1
- disease management, *see* case management
- diversity, 160, 167

434 Index

- dress, 261
- driving, 261
- drug and alcohol nurses
 - community-based, 346
 - drug withdrawal programs, 348–9
 - needle exchange programs, 346
 - pharmacotherapy, 347
 - role of, 344–6
- drug use
 - case studies, 343
 - prevalence, 340
 - see also* alcohol, tobacco and other drugs (ATOD) use
- drug withdrawal programs
 - community-based, 348
 - described, 348
 - home-based, 348
 - hospital-based, 349
- dual diagnosis, 345
- dual diagnosis programs, 288
- duty of care, 256, 267, 380
- early life experiences, 5
- early psychosis prevention and intervention programs (EPPIIC), 288
- economic factors, 5, 342
- economic resources, 35
- education, 5, 51, 105
- education for nurses
 - clinical placements, 142–4
 - nurse practitioners (NP), 423
 - pre-registration, 140–1
 - rural health nurses, 359
- effectiveness, 200
- efficacy, 200
- efficiency, 200
- eHealth literacy, 25
- electronic communication, 128–9
- electronic health records, 208–10, 214
- embarrassment, 329
- emergency nurse practitioner, 422
- emergency responses, 357, 385, 415
- employees, 378, 380–1
- employers, 378, 380–1
- employment, 5, 51, 105
- empowerment, 22, 34, 243
- end-of-life, 71
- enhanced services, 303–4
- environmental factors, 43, 51–2, 230
- environments, 6, 9, 316–18
- epidemiological data, 182
- equity, 200, 304–5
- ethical aspects, 127
- ethics, 208
- evaluation
 - community health nursing, 282
 - developmental, 199
 - health programs, 189, 198–200
 - models of, 200
 - outcome, 198
 - process, 199
 - structural, 199
- evidence-based care, 233–4
- evidence-based case studies, 182
- expressed needs, 174
- extrinsic motivation, 231
- families
 - and adolescents, 320
 - and case conferences, 248–50
 - connectedness, 320
 - and home-based nurses, 404
 - and young people, 320
- family-centred approach, 82, 302, 314
- family health services, *see* maternal, child and family health (MCFH) services
- felt needs, 174
- Five ‘A’s’ Model, 229–31
- fly-in fly-out (FIFO) workers, 114
- forensic mental health nurse, 414
- forensic services, 288
- FRIENDS program, 67
- funding models, 48
- gender
 - definition, 101
 - and sex, 101
- gender bias, 102
- gender differences
 - causes of death, 103–4
 - and health, 103–5
- gender diverse, 101
- gender equality, 105
- gender identity, 161, 330, 335
- gender indicators, 105–6
- gender inequity, 102
- gender-sensitive health care, 107–9
- general practice nurses (GPN)
 - case studies, 393–5
 - described, 390–1
 - professional practice standards, 394–5
 - role of, 275, 392–3
- general practices
 - in Australia, 390–1
 - in New Zealand, 391
 - workforce, 391
- generalisations, 160
- geographical information systems, 216
- Global Advisory Panel on the Future of Nursing taskforce, 15
- global health, 15
- globalisation, 160
- goals, 230
- governments, 9
- groups
 - rules, 33
 - stages of group process, 33
 - working with, 32–3
 - see also* support groups
- harm reduction, 343
- harmful use, 346
- hazardous substances, 382–3
- hazardous use, 340
- hazards, *see* risk
- Health Belief Model, 230
- Health Care Cards, 368
- Health Care Homes program, 128
- health care interpreter services, 369
- health care reform, 10, 22
- health coaching, 31
- health education
 - alcohol, tobacco and other drugs (ATOD), 346
 - case studies, 32, 361
 - in communities, 280
 - definition, 26, 189
 - described, 26
 - and health literacy, 22, 26
 - principles of, 36
 - in schools, 314–15
 - sexual, 335–6
 - working with groups, 32–3
 - working with individuals, 31
 - working with populations, 34–6
- health equality, 7
- health factors, 43
- health history taking, 329–30
- health indicators, 199
- health indices, 199
- health informatics
 - building blocks, 207–9
 - case studies, 214, 218
 - consumer, 215–16
 - described, 207
 - population, 216–17
 - primary care, 214–15
- Health Informatics New Zealand (HiNZ), 218
- health information
 - case studies, 26
 - communicating, 24–5
 - definition, 26
 - described, 27
 - providing, 27, 167
 - verbal, 27–8
 - visual aids, 29
 - written, 28–9
- health literacy, 235
 - and decision making, 35
 - definition, 22
 - described, 22–4
 - eHealth, 25
 - good, 23
 - and health education, 22, 26
 - and health informatics, 215–16
 - people in prisons, 414
 - poor, 23
 - and refugees, 369–70
- health management, *see* case management
- health profiles, 199
- health programs
 - case studies, 193, 200–2
 - evaluation, 189, 198–200

- implementing, 197
- planning, 189
- planning models, 191–7
- planning stages, 191
- school, 315–16, 318
- health-promoting schools (HPS), 66
- health promotion
 - case studies, 10, 88
 - declarations, 8, 83
 - definition, 189
 - goal of, 35
 - and Indigenous peoples, 94–6
 - planning, 191
 - prevention, 11–12
 - principles, 8
 - processes, 189–90
 - responding to needs, 280
 - in schools, 314–15
 - strategies for action, 8–10
 - theoretical frameworks, 190
 - in workplaces, 384
 - see also* mental health
 - promotion; sexual health promotion
- health records
 - electronic, 208–10, 214
 - Immigration Medical Examination, 367
- health reporting, 102–3
- Health and Safety at Work Act 2015* (NZ), 379
- Health and Safety at Work (General Risk and Workplace Management) Regulations 2016* (NZ), 379
- health screening, 414–15
- health-seeking behaviours, men, 110–11
- health services
 - advertising material, 324
 - barriers to accessing, 323–4
 - building capacity, 323
 - mental health, 61, 288
 - reorienting, 10
 - universal child and family health services, 300–1
 - youth friendly, 320–3
 - see also* access to health care
- health surveillance, 382–3
- health visitors, 12
- Healthy People, Healthy Country strategies, 83
- hegemonic masculinity, 111
- higher education settings, 67
- HITComp domains, 218
- hoarding, 262
- holistic approach, 47
- holistic nursing, 354, 405
- home-based care
 - case studies, 402, 406–7
 - changing contexts of, 401
 - definition, 400
 - described, 400
- home-based drug withdrawal programs, 348
- home-based nurses
 - described, 400
 - and multidisciplinary practice, 403, 405–6
- home-based nursing, history of, 400–1
- home visits
 - case studies, 256–7, 265–6, 303, 406–7
 - challenges, 404–5
 - and clients at risk, 266–7
 - described, 256
 - during, 262–5
 - maternal, child and family health (MCFH), 302–4
 - preparing for, 261–2
 - pre-visit preparation, 258
 - and safety, 261–5
- homeless outreach services, 288
- Hospital Admission Risk Program (HARP), 403
- hospital-based drug withdrawal programs, 349
- hospital in the home (HITH) program, 403
- human resources, 35
- human rights, 47, 380
- Humanitarian Settlement Program, 367–8
- humility, 90
- illicit drugs, 340
- images in written information, 29
- Immigration Medical Examination, 367
- immunisation programs, 314
- impairment, 42, 45
- incidents, 256
- income, 5, 51
- Indigenous Advancement Strategy (IAS), 87
- Indigenous Allied Health Australia (IAHA), 89
- Indigenous peoples
 - and communication, 85–8
 - and communities, 94
 - and cultural responsiveness, 88–93
 - definition, 81
 - and education, 105
 - health of, 81–2
 - historical influences on health, 81–3
 - and primary health care (PHC), 83–5
 - terminology, 81
 - see also* Aboriginal and Torres Strait Islander peoples; Māori
- individualised funding models, 48
- individualism, 159
- individuals, working with, 31
- industrial revolution
 - fourth, 207
 - third, 207
- infants
 - health of, 299–300
 - mental health, 65
- infertility, 336
- informatics, 207
 - see also* health informatics
- information, 207
- information governance, 217
- information provision
 - in communities, 280
 - engaging clients, 27, 29
 - and refugees, 369
 - social marketing, 25
 - verbal, 27–8
 - visual aids, 29
 - written, 28–9
 - see also* communication
- insurance, workers' compensation, 381–2
- interdisciplinary practice
 - definition, 354
 - professional identity, 124
 - role blurring, 123
 - scope of practice, 123
- International Association for Public Participation (IAPP), 36
- internet of things (IoT), 207
- interpreters, 168, 369
- interprofessional practice
 - case studies, 129, 131
 - and communication, 125–9
 - and conflict, 130–1
 - definition, 122
 - professional culture, 124–5
 - teamwork, 125–6
 - see also* case conferences
- interprofessional teams,
 - characteristics, 122
- intersex, 101
- intimate partner violence (IPV), 5
- intrinsic motivation, 231
- isolation, professional, 318, 359
- Kaupapa Māori Theoretical (KMT) approach, 88
- kinaesthetic learners, 30
- knowledge, 207
- land management, 83
- language, 167–8
- learning, 30–1
- legal aspects, 127, 256–7
 - and adulthood, 319
 - child abuse, 302
 - human rights, 380
 - occupational health and safety (OH&S), 379–81
- LGBTIQ people, 102, 161, 333, 335
- life expectancy, 82, 103, 110
- listening, 86, 91–2, 232

436 Index

- literacy, 23
 - see also* health literacy
- machine learning, 211
- mandatory reporting, data breaches, 217
- mana*, 90
- Māori
 - case studies, 93, 162, 332
 - causes of death, 103
 - and communication, 86–7
 - cultural safety, 91–2
 - described, 81
 - health of, 82, 356
 - and medications, 92
 - men's health, 110
 - in prisons, 413
 - and respect, 90
 - and spirituality, 92–3
 - well-being, 82
 - whānau* (family)-centered care, 82
 - women's health, 103
- marginalisation, 44
- masculinity, 111
- maternal, child and family health (MCFH) nurses
 - case studies, 303, 305–6
 - community participation, 305
 - home visits, 302–4
 - practice approach, 302–3
 - qualifications, 301
 - role of, 301–2
- maternal, child and family health (MCFH) nursing practice, 305–6
- maternal, child and family health (MCFH) services
 - access to, 304–5
 - described, 300
 - enhanced services, 303–4
 - primary health care (PHC) approach, 306
 - service delivery, 300–1
 - social justice, 304
- media, 25
- media campaigns, 34
- medical model of health, 44–6
- medical records, 128
- Medicare Benefits Scheme, 214, 368, 390
- medications, 92, 267
- meetings, 126
 - see also* case conferences
- men
 - addressing health, 114
 - case studies, 114
 - health issues, 112
 - health of, 103–4, 110
 - health-seeking behaviours, 110–11
- men who have sex with men, 334
- Men's Sheds, 114
- mental health
 - and alcohol, tobacco and other drugs (ATOD) use, 345, 349
 - assessment, 290–1
 - care, 285–6
 - case studies, 66, 72–3, 289–90, 294
 - definition, 60, 285
 - gender differences, 104
 - lifespan approach, 62–72
 - people in prisons, 417
 - people living with disability, 50
 - policies, 286
 - prevalence, 60
 - recovery-orientated practice, 285–6
 - refugees, 370–1
 - risk factors, 61
 - settings-based approach, 62–5
 - and social networking, 317
 - wellness and well-being, 60
- mental health promotion
 - children, 66–7
 - community-based organisations, 285
 - and community mental health nurses (CMHN), 292–3
 - definition, 60–2, 292
 - and end-of-life, 71
 - and higher education settings, 67
 - mothers, 65
 - 'other' settings, 72
 - and pre-retirement, 70
 - and prisons, 69
 - and retirement, 70–1
 - and schools, 66
 - and unemployed, 69
 - and universities, 67
 - and workplaces, 68–9
- mental health services, 61, 288
- mental illness
 - and adolescents, 316
 - definition, 285
 - prevalence, 285
- mHealth, 212
- midwives, 299, 301
- migrant programs, 288
- mobile health, 212
- mobile support and treatment services (MSTS), 288
- mothers, 65
- motivational interviewing (MI), 31
 - communication, 232–3
 - described, 229, 231–2
 - processes, 232
- Movember Foundation, 114
- multiculturalism, 160
- multidisciplinary practice
 - case studies, 54
 - in correctional services, 412
 - and home-based nurses, 403, 405–6
 - people living with disability, 53
- see also* interprofessional practice
- multi-morbidity, 224
- My Health Record, 210
- National Disability Insurance Agency, 48–9
- National Framework for Universal Child and Family Health Services*, 301
- National Men's Health Strategy 2020–2030*, 112
- National Strategic Framework for Chronic Conditions*, 226
- natural language processing, 211
- needle exchange programs, 346
- needs
 - addressing, 177
 - Bradshaw's typology of, 174–5
 - definition, 174
 - responding to, 180–1, 280
 - see also* community needs assessment
- neglect, 52
- negotiation, 130
- networking, 281, 321, 359
 - see also* social networking
- New Zealand College of Primary Health Nurses (NZNO), 261
- non-English-speaking background (NESB), 23, 27
- non-government organisations, 9
- non-verbal information, 28, 127, 263
- normative needs, 175
- nurse–client relationships
 - in correctional services, 416
 - and culture, 161–3
 - different cultural backgrounds, 85
 - and discrimination, 160–1
- Nurse Entry to Practice Programme, 146
- nurse practitioners (NP)
 - in Australia, 424–5
 - benefits of role, 428
 - career progression, 422–4
 - case studies, 427–8
 - and collaboration, 426
 - definition, 422
 - described, 422
 - qualifications, 282
 - role of, 422–3, 425
 - and rural health nurses, 360
 - scope of practice, 424
- nurses, *see specific types of nurses* (e.g. community health nurses (CHN); pre-registration nursing students)
- Nursing Council of New Zealand (NCNZ), 140
- Nursing and Midwifery Board of Australia (NMBA), 423
- nutrition, 225

- occupational health nurses (OHN)
 - case studies, 384–5
 - definition, 378
 - practice, 385–6
 - role of, 379–80, 383
 - workplace monitoring, 383
- occupational health and safety (OH&S)
 - case studies, 384–6
 - described, 378–9
 - health surveillance, 382–3
 - and home visits, 256, 261–5, 404
 - legal aspects, 379–81
 - remote areas, 256–7
 - responsibilities, 380
- Offshore Humanitarian Program, 367
- older adults, 331, 401
- open groups, 33
- othering, 160
- Ottawa Charter for Health Promotion*, 8–9, 186
- outcome evaluation, 198
- outreach services, 303–4
- overweight, 104, 225
- pain management, 343
- palliative care, 71, 359
- parents, 316
- Parents' Evaluation of Developmental Status (PEDS), 303
- parking, 261
- participation, 82
- partnerships, 82, 176
- pathology testing, 392
- patient portals, 210
- pedagogy, 30
- peer support, 289
- Pender's Health Promotion Model, 193
- people in prisons, 69, 411–14, 416–17
- people living with disability
 - access to health care, 52–3
 - case studies, 43, 47, 54
 - context for practice, 43–4
 - environmental factors, 51–2
 - health and needs of, 49–50
 - lifestyle and behavioural risk factors, 51
 - mental health, 50
 - physical health, 50
 - social exclusion, 52
 - social factors, 51–2
 - stigma, 52
 - working with, 47–9
- people who inject drugs, 334
- performance indicators, 200
- person-centred care
 - described, 125, 158
 - teach back, 31
- personal factors, 43, 230
- personal skills, developing, 10
- personal threat, 263–4
- pharmaceuticals, 340
- pharmacology, 345
- pharmacotherapy, 347
- phone etiquette, 258
- physical activity, 225
- physical examinations, sexual, 333–4
- physical health, 50
- physical resources, 35
- Plunket Society, 391
- policies, 9, 286, 315–16
- political factors, 6
- population health informatics, 216–17
- populations, 34–6
- post-traumatic stress disorder, 370
- poverty, 51
- power, 160–1
- practice guidelines, 286
- Practice Nurse Incentive Program, 390
- Precede-Proceed Model, 194–7
- precision medicine, 209
- pregnancy, 336
- prejudice, 160–1
- pre-registration nursing students
 - case studies, 144, 148
 - clinical placements, 142–4
 - education, 140–1
 - perceptions of primary health care (PHC), 143–4
 - transition to professional practice (TPP) programs, 146–7
- pre-retirement, 70
- preschool children, 66
- prevention
 - primary, 11
 - secondary, 11
 - tertiary, 12
- pre-visit preparation, 258
- primary care, 390
 - approach, 306
 - definition, 275
 - described, 11
- primary data, 178–80
- primary health care (PHC)
 - approach, 306
 - and clinical placements, 142–3
 - definition, 4, 391
 - described, 11, 16–17
 - and Indigenous health, 82–5
 - and Indigenous peoples, 94–6
 - and maternal, child and family health (MCFH) services, 304–5
 - and pre-registration nurses, 143–4
 - working in, 144–5
- primary health care nurses (PHCN)
 - case studies, 148
 - clinical placements, 142–3
 - growth, 391
 - men's health, 114
- pre-registration education, 140–1
- transition to professional practice (TPP) programs, 146–7
- transitioning from acute care, 147–8
- working in primary health care (PHC), 144–5
- primary health care nursing, 12–13
- primary health networks (PHNs), 275, 391
- primary health organisations (PHO), 391
- prisons, 69, 412
 - see also* correctional services; people in prisons
- privacy, 168, 217
- problem-solving, 230
- process evaluation, 199
- professional boundaries, 405
- professional challenges
 - correctional nurses, 416–17
 - rural health nurses, 358–60
 - school nurses, 318–19
- professional culture, 124–5
- professional identity, 124
- professional isolation, 318, 359
- professional organisations, 124
- professional practice standards, 318, 394–5
- promotional material, 324
- proportionate universalism
 - approach, 300, 305
- protection, 83
- protective factors, 320
- psychometric assessment tools, 371
- puberty, 319
- public health, 13, 15
- public health nurses (PHN), 12
- public participation, 36
- public policies, 9
- qualifications, 282, 301
- quality health care, 53
- questions
 - motivational interviewing (MI), 232
 - pre-visit preparation, 258
 - sexual health history, 329–32
- ransomware, 217
- readability, 29
- reciprocity, 91
- records management, 217
- recovery-orientated practice, 245, 285–6
- referrals, 231
- reflective listening, 232
- reflective practice, 131–2
- refugee health nurses
 - described, 365
 - role of, 368
- refugee programs, 288

438 Index

- refugees
 - case studies, 371–3
 - definition, 365
 - health assessments, 367–70
 - health of, 365–6
 - mental health, 370–1
 - numbers, 365
 - resettlement programs, 367
- registered nurses (RN)
 - and multidisciplinary practice, 140
 - transitioning from acute care, 147–8
- registration, 301
- rehabilitation, 381–2
- relationships
 - healthy, 336
 - nurse–client, 85, 160–3, 416
- remote areas, 256–7
- outreach services, 303–4
- remote monitoring, 213–14
- reporting of health, 102–3
- reproductive choices, 336
- resettlement programs, 367
- respect, 90
- retirement, 70–1
- risk
 - assessments, 256–8, 370
 - avoidance, 256
 - clients at, 266–7
 - and communication, 260
 - control strategies, 260
 - definition, 256
 - identification, 257
 - management, 256–8, 260
 - minimisation strategies, 264, 343, 346
- risk factors
 - chronic conditions, 224–6
 - and health promotion, 11
 - identifying, 227, 229
 - mental health, 61
 - people living with disability, 51
 - substance use, 342
 - women, 104
- role blurring, 123
- rural areas, 15–16, 323, 355
- rural health nurses
 - and advanced practice nurse (APN), 360
 - case studies, 357–8, 361, 406–7
 - context for practice, 355–6
 - described, 354
 - educational currency, 359
 - professional challenges, 358
 - role of, 356–7
 - safety, 256–7
 - self-care, 359
 - working where you live, 358–9
- rural and isolated practice
 - endorsed registered nurses (RIPERN), 360
- rural nurse specialists, 354
- rural residents, 356–7
- safe sex, 335–6
- safety, 256–7, 261–5
 - see also* occupational health and safety (OH&S)
- schistosomiasis, 369
- school health programs, 315–16, 318
- school nurses
 - addressing health care needs, 313
 - case studies, 315
 - challenges for, 318–19
 - definition, 312
 - described, 312
 - and health assessments, 313–14
 - and health education, 314–15
 - promoting safe environment, 316–17
 - role of, 312–13
 - working with young people, 320–3
- schools
 - and mental health promotion, 66
 - promoting safe environment, 316–18
- scope of practice, 123, 385, 392, 424
- secondary data, 180
- segregation, 44
- self-care, 359
- self-efficacy, 231
- self-management, 234
- service delivery, 300–1
- settings-based approach, 62–5
- sex
 - definition, 101, 334
 - and gender, 101
- sex workers, 334
- sexual behaviour, 109, 330
- sexual health
 - case studies, 332, 336
 - and cultural safety, 332–3
 - and older adults, 331
- sexual health check-ups, 333–4
- sexual health history
 - questions, 329–32
 - taking, 329–30
- sexual health nurses
 - described, 329
 - role of, 329
- sexual health promotion, 334–6
- sexual orientation, 102, 161, 330, 335
- sexuality, 102, 335
- sexually transmitted infections (STIs), 333–6
- shame, 344
- Simple Measure of Gobbledygook (SMOG), 29
- six P's approach, 330
- social capital, 35, 173
- social determinants of health, 4–6
 - early child health, 299
 - Indigenous peoples, 83–4
 - mental health, 293
- social exclusion, 5, 52
- social factors, 5, 43, 51–2, 315, 342
- social gradient, 6, 110
- social inequities, 7
- social justice, 47
 - definition, 7
 - described, 7
 - maternal, child and family health (MCFH) services, 304
- social marketing, 25, 34
- social media, 317
- social model of health, 4–7, 44, 46–7
- social networking, 317, 324
- social resources, 35
- social support, 6
- socio-economic factors, 413
- speech, 27
- spirituality, 92–3
- stakeholders, 277, 279
- stereotypes, 60, 102, 159–60
- stereotyping, 330
- stigma, 52, 60, 285, 344, 370, 412
- strengths-based approach, 85, 302
- stress, 370
- strongyloidiasis, 369
- structural evaluation, 199
- students, *see* children; young people
- substance use, 340
- substance use disorders (SUDs), 340
- supply reduction, 343
- support groups, 33
- tactical learners, 30
- Tamariki Act 1989/Children's and Young People's Well-Being Act 1989*, 302
- task groups, 32
- teach back approach, 31
- teachers, 313
- teaching, 30
- teams, 125–6
 - see also* interprofessional practice
- technology in health care
 - and consumers, 215–16
 - examples, 209–14
 - use of, 214–15, 234, 406
- Technology Informatics Guiding Education Reform (TIGER) initiative, 218
- telehealth, 128, 213–14, 406
- telemonitoring, 128
- tertiary institutions, 140, 144
- therapeutics, digital, 211
- tobacco use, 104, 225, 340, 345
- transdisciplinary teams, 354
- transgender people, 101, 335
- transition to professional practice (TPP) programs, 146–7
- transitional care, 401

transitioning from acute care, 147–8	Whitehead’s Effect Planning Model, 193	monitoring, 383
translation services, 369	Whitehead’s Evaluation Model, 200	rural health nurses, 358–9
transportation, 5	Whitehead’s Socio-Cognitive Model, 193	<i>see also</i> occupational health and safety (OH&S)
Transtheoretical Model of Behavior Change, 228	Whitehead’s Stage-Planning Model, 191	World Health Organization (WHO), 4, 8, 46, 83, 198, 207, 223, 315, 378, 411
trust, 263	wise practice framework, 91	written information, 28–9, 127–8
unconscious bias, 102	women	presentation of, 29
undertaking, 379	addressing health, 107–9	<i>Yindymarra Winhanganha</i> , 87
unemployed, 69	case studies, 109	young people
United Nations’ <i>Convention on the Rights of the Child</i> , 299	employment, 105	and access to health care, 323–4
universal child and family health services, 300–1	gender-sensitive health care, 107–9	case studies, 321–2
universities, 67	health issues, 107	definition, 312
	health of, 103–5	and families, 320
vaccinations, 367	<i>Work Health and Safety Act 2011</i> (Cth), 379	family connectedness, 320
values, 158, 162	<i>Work Health and Safety Regulations 2011</i> (Cth), 379	health of, 314, 319–20
verbal information, 27–8	workers, 378–81	living with disability, 50
VidKids, 213	workers’ compensation, 381–2	mental health, 67
violence, 5, 52, 105, 263	workforce, digital health, 218	and school nurses, 314, 316
visual aids, 29	workforce diversity, 167	and sexual health, 334
visual learners, 30	Workforce Incentive Program, 390	and social media, 317
	workload, 318	working with, 320–3
wants, 174	workplaces	youth health nurses
war, impacts, 366	definition, 378	case studies, 321–2
wearable devices, 212	health promotion in, 384	definition, 312
welfare recipients, 69	health surveillance, 382–3	role of, 319–20
<i>whānau</i> (family)-centered care, 82	and mental health promotion, 68–9	working with young people, 320–3
white space, 29		