

INDEX

- T -stage game, 636
- ε -neighborhood, 985
- σ -additivity, 250
- σ -algebra, 250, 355
 - cylinder set(s), 250, 547
- absorbing state, 635
- action, 44, 316, 528, 632
 - mixed, 282, 636
 - pure, 636
- affine
 - dependence, 963
 - independence, 963, 964
- Akerlof, G. A., 378
- algorithm
 - computing the nucleolus, 862
 - men's courtship, 935, 937
 - women's courtship, 937
- allocation, 751
- alternative, 904
 - efficient, 691
 - individually rational, 691
- Altman, E., 203
- Anscombe, F., 27, 332
- approval voting, 929
- Arrow, K., 31, 907
- Arrow–Pratt measure of risk aversion, 37
- assessment, 288
 - consistent, 288, 306, 307
 - sequentially rational, 307
- assumption
 - completeness, 27
 - rational player, 86
 - transitivity, 28
- auction
 - all-pay, 473
 - Dutch, 472
 - efficiency property, 492
 - efficient, 486
 - English, 472, 475, 478
 - first-price, 132, 422
 - with a reserve price, 494
 - open-bid, 470
 - ascending, 472, 475, 478
 - descending, 472, 476
 - sealed-bid, 422, 470, 474, 480, 486, 487
 - all-pay, 489
 - first-price, 472, 476, 480, 481, 483, 485, 488, 489, 493, 498, 499, 501, 503
 - second-price, 91, 473, 475, 477, 478, 481, 485, 497, 499, 502
 - third-price, 519
 - with a reserve price, 515
 - with entry fee, 490
 - second-price
 - with a reserve price, 515
 - with entry fee, 490
 - symmetric with independent private values, 479
 - Vickery, 473
 - with a reserve price, 473
 - with entry fee, 473
- Aumann, R. J., 27, 324, 332, 349, 377, 464, 539, 555, 564, 565, 598, 599, 615, 783, 822, 846, 891
- Avenhaus, R., 203
- axiom, 14
 - utility
 - continuity, 17
 - independence, 18, 21
 - monotonicity, 17, 21
 - replacement, 18
 - simplification, 18, 21, 22, 29
 - von Neumann–Morgenstern, 76, 144, 450, 496
- axiomatic approach, 676, 906
- backward induction, 137, 268, 269, 271
- balanced collection of coalitions, 741, 864, 867, 869
 - weakly, 741, 869
- balanced cover, 756
- balancing coefficients, 741
 - weak, 741
- Banks, J. S., 294
- barycentric coordinates, 727, 966
- Bayes, T., 333
- Bayesian approach, 333
- belief, 185, 402
 - coherent, 454
 - common, 403

- hierarchy
 - coherent, 454
 - order k , 451
- inconsistent, 377
- operator, 402
- player, 345, 397
- space, 397
 - of a player, 412
- subspace, 410
 - consistent, 425
 - minimal, 411
 - of a player, 412
- belief system
 - complete, 285
 - consistent, 409
 - partial, 284, 286
 - induced, 286
- Benoit, J. P., 539, 565
- Bernheim, B. D., 185
- Bernstein, A., 619
- best reply, 97, 186
- bid, 473
- Billingsley, P., 456, 461, 464
- Biran, D., 203
- Bird, C. G., 727, 783
- Blackwell, D., 565, 579, 582, 587, 588
- board position, 2
- Bohnenblust, H. F., 987
- Bollobás, B., 378
- Bondareva, O., 744, 749, 783
- Borda
 - method, 922, 923
 - ranking, 923
 - winner, 923
- Borda, J. C., 902
- Border, K. C., 962
- Bouton, C. L., 62
- Braess paradox, 139
- Braess, D., 127, 139
- Branch, J., 31
- Camerer, C., 294
- capacity, 772
 - cut, 776
- Cesa-Bianchi, N., 615
- chance move, 49
- child, 44
- Cho, I. K., 294
- Claus., A., 727
- coalition, 710, 908
 - decisive, 908–910
 - essential, 785
 - excess, 850
 - inessential, 785
 - losing, 713, 812, 873
 - winning, 713, 812, 873
 - minimal, 730, 873
 - worth, 710
- coalitional structure, 723
- coloring, 971
 - proper, 971
- common
 - belief, 403
 - knowledge, 87, 315, 332, 341, 479
 - among players, 344
 - prior, 345, 425
- comprehensiveness, 694, 703
- condition
 - balancing, 744
 - Bondareva–Shapley, 744
 - coherency, 453
 - efficiency, 486
 - Slater, 223
- Condorcet, 28, 928
 - component, 923
 - method, 923
 - paradox, 28
 - winner, 902
- Condorcet, M. C., 902
- consistency, 870
- consistent
 - belief subspace, 425
 - belief system, 409
 - distribution, 409, 425
 - state of the world, 409, 425
- constant
 - contraction, 654
- contraction
 - constant, 654
 - function, 654
- convex
 - combination, 963
 - hull, 212, 963
 - set, 736, 855, 963
- Conway, J. B., 451, 464
- coordinates
 - barycentric, 966
- core, 815, 834, 837, 850, 860
 - ε -core, 788, 895
 - for a coalitional structure, 780
 - least, 788
 - minimal, 895
- correspondence, 156, 659, 985
 - graph, 985
 - upper semi-continuous, 327

- counterobjection, 833
- Cournot competition, 99, 369, 445, 571
- Cournot, A. A., 99
- covariance under strategic equivalence, 739
- cover
 - balanced, 756
 - monotonic, 733, 792
 - superadditive, 733, 780
 - totally balanced, 756, 788
- Curiel, I., 727
- cut, 776
 - capacity, 776
- Darwin C., 101
- Davis, M., 783, 846, 891
- Dawkins, R., 190
- decision maker, 44, 609
- dictator, 875, 906, 911, 913
- Diekmann, A., 203
- direct market, 759
- discount factor, 551, 644
- discounted
 - equilibrium, 552
 - payoff, 551
 - repeated game, 552
- distribution
 - consistent, 409, 425
 - probability, 250
- Dresher, M., 127
- Drèze, J. H., 783
- Dubey, P., 827
- Dubins, L. E., 952
- Dunford, N., 417, 460, 462, 464, 987
- dynamic programming, 269
- edge, 41, 666
 - public, 794
- endowment, 751
- equilibrium
 - ε -equilibrium, 549
 - Bayesian, 418, 476, 477, 503
 - correlated, 311, 318, 394
 - strict, 328
 - discounted, 552
 - evolutionarily stable, 193
 - in completely mixed strategies, 278
 - in mixed strategies, 146
 - manifold, 198
 - Nash, 95–97, 109, 118, 133, 137, 246, 265, 276, 289, 364, 536, 547
 - path, 263
 - payoff, 96, 536, 547
 - perfect, 273, 277, 278, 281, 285
 - extensive-form, 279, 280, 282, 291
 - strategic-form, 278
 - refinements, 262
 - sequential, 282, 285, 288, 289, 291
 - stochastic game
 - T -stage game, 638
 - at an initial state, 638
 - discounted, 645
 - strategy
 - symmetric, 480
 - strict, 131, 195
 - subgame perfect, 263, 265, 268, 272–274, 280, 281, 554, 564, 669
 - symmetric, 133, 212, 480, 483, 485
 - differentiable, 493
 - increasing, 488, 489, 497, 498
 - monotonically increasing, 482
 - strategy, 480
 - uniform, 662
 - for discounted games, 556
 - for finite games, 559
 - uniform payoff
 - for discounted games, 556
 - for finite games, 559
- event, 336
 - occurrence, 336
 - public, 332
 - tail, 219
- excess, 835
 - coalition, 850
 - vector, 850
- extreme point, 323, 963
- Felsenthal, D. S., 822
- Ferguson, T. S., 565
- Fibich, G., 516
- Filar, J. A., 528, 565
- Fink, A. M., 659
- Fisher, I., 891
- fixed point, 982, 984, 985, 987
- Flood, M., 127
- flow, 773
 - game, 772, 773
 - magnitude, 773
 - maximal, 773
- folding, 268
- Ford, L. K., 776
- Forges, F., 254, 615
- forward induction, 120, 271
- Foster, D. P., 208, 615
- free rider, 770
- Freedman, D. A., 952

- Fudenberg, D., 555, 564, 615
 Fulkerson, D. R., 776
 function
 bilinear, 147, 579, 991
 characteristic, 710
 choice
 nonmanipulable, 930
 coalitional, 710
 concave, 25
 contraction, 654
 convex, 25
 correspondence, 156
 cumulative distribution, 472
 density, 472
 differentiable, 493
 distance, 580
 linear, 25
 measurable, 475, 502
 objective, 992
 payoff, 111, 632
 potential, 828
 production, 751
 quasi-concave, 999
 set-valued, 156, 985
 upper semi-continuous, 327
 Shapley, 656
 social choice, 912
 dictatorial, 913, 920, 921
 majority rule, 913
 manipulable, 919
 monotonic, 913, 915, 920, 921, 929
 nonmanipulable, 919, 920
 unanimity, 913
 social welfare, 905
 dictatorship, 906
 Independence of Irrelevant Alternatives, 907
 majority rule, 906
 monotonic, 925
 unanimity, 907
 transition, 632
 uniformly continuous, 982
 utility, 11, 14, 16
 linear, 14, 19, 677
 ordinal, 11

 Gaifman, H., 432
 Gale, D., 47, 932, 935, 952
 gamble, 27
 game
 0-monotonic, 733, 837, 869, 873
 0-normalization, 733, 869
 0-normalized, 869
 0-(−1) normalized, 720, 749
 0–0 normalized, 720, 748
 0–1 normalized, 720
 ε -perturbed, 275
 Absent-Minded Driver, 236, 293
 absorbing, 635
 additive, 760, 824, 829
 agent-form, 142, 364, 421
 Airport, 825
 Alternating Offers, 300, 572
 And-Or, 65
 balanced, 744
 bargaining, 676, 701, 807
 solution, 701
 symmetric, 678, 702
 Battle of the Sexes, 61, 98, 156, 312, 324
 Big Match, 662
 bimatrix, 78
 buyer–seller, 785
 carrier, 805, 817
 Cartel, 571
 Centipede, 61, 270, 271
 Chess, 1, 81, 114, 115
 Chicken, 314, 316, 394, 539
 Chomp, 47, 63
 coalitional, 710
 constant-sum, 873
 convex, 765, 815, 842, 869
 cost, 765, 828
 cooperative, 709
 coordination, 97, 116
 cost, 711, 712, 721, 736
 convex, 765, 828
 cost-sharing, 717
 Cournot, 99, 369, 445, 571
 David Gale's, 47, 63
 Davis–Maschler reduced, 816
 depth, 251
 derived from a market, 752
 dictator, 875
 dictatorship, 812
 dual, 785, 825, 829
 Electronic Mail, 390
 exact, 786
 extensive-form, 39, 41, 43, 50, 54, 82, 115,
 118, 230, 262, 268, 278, 359
 finite, 77
 flow, 772, 773
 form, 198, 475
 gloves, 738, 807, 847, 851
 guessing, 138
 Harsanyi, 358, 475
 ex ante stage, 359
 interim stage, 359

- game (cont.)
 - Hart–Mas–Colell reduced, 816
 - Hex, 64
 - homogeneous, 875
 - incomplete information
 - ex ante stage, 359
 - interim stage, 359
 - inessential, 760
 - Lemon Market, 389
 - location, 141
 - majority, 722, 812
 - simple, 738, 807
 - market, 715, 731, 744, 753, 848
 - Matching Pennies, 52, 63, 112, 113, 331, 333
 - matrix, 78
 - maximum, 826
 - minimum, 826
 - monotonic, 721, 811, 873
 - monotonic cover, 733, 792, 843
 - My Aunt and I, 894
 - Nim, 62, 63
 - normal-form, 77
 - on a graph, 666
 - on the unit square, 121, 137
 - partnership, 138
 - perfect information, 115, 117, 118
 - perfect recall, 533
 - Principal–Agent, 299
 - Prisoner’s Dilemma, 88, 97, 127
 - repeated, 270, 271, 529, 531, 533, 535, 546, 548, 549
 - profit, 711
 - projective, 730, 874
 - property
 - Davis–Maschler converse reduced, 764
 - Davis–Maschler reduced, 763
 - reduced
 - Davis–Maschler, 763, 870, 871
 - Hart–Mas–Colell, 870
 - strategic form, 80
 - repeated, 527
 - T -stage, 536
 - discounted, 552
 - infinite, 547
 - with vector payoffs, 581
 - road network, 825
 - Rock, Paper, Scissors, 73, 77, 196
 - Security Dilemma, 98
 - sequencing, 715
 - signaling, 309, 388
 - simple, 713, 811, 873
 - majority, 738, 807
 - strong, 874
 - situation, 2, 42
 - terminal, 4
 - solvable by dominance, 226
 - space, 198
 - spanning tree, 716, 728, 894
 - state, 356
 - stochastic, 632
 - discounted, 643, 645
 - perfect information, 670
 - recurrent, 671
 - symmetric, 664, 669
 - with perfect information, 669, 670
 - zero-sum, 651
 - strategic equivalence, 173
 - strategic-form, 75, 77, 82, 118, 230, 262
 - subgame, 4, 45, 55
 - superadditive, 721, 869
 - cover, 733
 - superadditive cover, 780
 - symmetric, 133, 212, 784
 - the Big Match, 577
 - Tic-Tac-Toe, 59
 - totally balanced, 755
 - transferrable utility, 710
 - tree, 4, 41, 43, 50, 54
 - Ultimatum, 295
 - unanimity, 812
 - value, 114
 - Volunteer’s Dilemma, 212
 - weighted majority, 714, 874
 - quota, 714
 - weight, 714
 - with chance moves, 49
 - with constraints, 222
 - with imperfect information, 51, 55
 - with incomplete information, 358, 416, 475, 477, 502
 - with perfect information, 44–46, 267, 268
 - with perfect recall, 242, 282, 291, 310
 - without nontrivial subgames, 265
 - without perfect information, 55
 - zero-sum, 110, 137, 162, 172
- Gavious, A., 516
- Geanakoplos, J., 377, 378
- Gibbard, A., 920
- Gilboa, I., 319
- Gillette, D., 565
- Glazer, J., 294
- Glicksberg, T. L., 987
- Gossner, O., 564
- Granot, D., 783
- graph, 41, 768, 772
 - closed component, 415

- connected component, 343
- correspondence, 985
- directed, 41, 666
- edge, 41
- undirected, 769
- vertex, 41
- Gusfield, D., 939, 952
- half-space, 319, 586, 788, 989
- Halpern, J. Y., 378
- Hannan, J., 615
- Hardy, G. H., 560
- Harris, C., 294
- Harsanyi, J., 356, 365, 377, 378, 825
- Hart, S., 208, 615, 816, 822
- Heifetz, A., 464
- Hein, P., 64
- hierarchy
 - belief
 - coherent, 454
 - order k , 451
- history, 532, 636
 - t -stage, 636
 - finite, 636, 644
 - infinite, 644
- Hofbauer, J., 197
- Holt, C., 516
- homeomorphism, 198, 461
- homogeneous
 - representation, 730
 - weights, 730
- Hosokawa, Y., 127
- Hou, T. F., 614
- Huberman, G., 783
- Hurwicz, L., 516
- hyperplane, 586, 587, 989
 - separating, 587, 989
 - strictly separating, 990
- imperfect information, 179
- imputation, 724
 - set, 852
- incentives, 516
- independence
 - affine, 964
 - linear, 964
- index
 - Arrow-Pratt risk aversion, 706
 - Shapley–Shubik power, 811
- individual, 904
- inequality
 - Cauchy–Schwarz, 580
 - Markov, 591, 616
 - triangle, 580
- information
 - perfect, 44, 45
 - set, 52, 54, 55
 - preceding, 259
- initial endowment, 731
- initial position, 42
- inner product, 579, 989
- Irving, R. W., 939, 952
- Isbell, J. R., 891
- iterated elimination of strictly dominated strategies, 87
- Kahan, J. P., 831
- Kakutani, S., 984, 985
- Kalai, E., 692, 695, 698, 783
- Kameda, H., 127
- Kaminski, M. M., 891
- Kaplan, T., 516
- Karlin, S., 987
- Kihlstrom, R. E., 703
- Kleitman, D. J., 727
- Klemperer, P., 516
- Knaster, B., 987
- knowledge
 - common, 87, 315, 332, 341
 - among players, 344
 - operator, 336, 337
- Kohlberg, E., 198, 271, 294, 615, 869, 891
- Kolmogorov's 0–1 Law, 219
- Kopelowitz, A., 891
- Korevaar, J., 565
- Krasucki, P., 377
- Kreps, D. M., 294
- Kripke, S., 337, 377
- Krishna, V., 516, 539, 565
- Kuhn, H., 118, 243, 995
- Kuratowski, K., 417, 987
- lattice, 945
- leaf, 42
- Lebrun, B., 516
- Ledoux, A., 127
- Lehrer, E., 203, 324, 564, 614, 615
- lemma
 - Farkas, 1001
 - Sperner, 972
- Lensberg, T., 703
- Levine, D., 615
- Lewis, D. K., 377
- lexicographic order, 851
- Liggett, T. M., 565

- limit
 - inverse, 459
 - projective, 459
- limited monotonicity, 700
- linear
 - independence, 964
 - program, 992
 - constraints, 992
 - dual, 992, 994
 - primal, 992, 994
 - programming, 162, 224, 749, 862, 991
 - utility function, 14
- Lippman, S. A., 565
- Littlewood, J. E., 560
- lottery, 13
 - compound, 14
 - simple, 15
- lower envelope, 152
- Luce, R. D., 29, 692
- Lugosi, G., 615

- Ma, A., 294
- Machover, M., 822
- Mailath, G. J., 565
- Mannor, S., 615, 619
- marginal contribution, 828
- market, 751
- Markov decision process, 669
- Marschak, J., 31
- Mas-Colell, A., 615, 816, 822
- Maschler, M., 202, 564, 565, 598, 599, 615, 703, 783, 831, 846, 891
- Maskin, E., 516, 555, 564
- matching, 931, 933, 945, 948, 950
 - polygamous, 950
 - problem, 933, 947
 - stable, 934, 948, 950
- matrix game, 78
- maximum, 944
- maxmin
 - mixed strategies, 175
 - strategy, 103, 113
 - value, 102, 103, 112
- Maynard Smith, J., 190, 196
- Mazurkiewicz, S., 987
- McKelvey, R. D., 377
- mechanism
 - design, 500
 - selling, 501, 504
 - direct, 503–508, 510, 512, 515
 - incentive compatible, 503, 504, 506–508, 510–512, 515
 - individually rational, 508, 510, 512
 - optimal, 509
- Megiddo, N., 564
- Mertens, J. F., 198, 271, 294, 432, 464
- Milgrom, P. R., 432, 471, 516
- Milnor, J. W., 783
- minimum, 945
- minmax
 - mixed strategies, 175, 181
 - strategy, 113
 - value, 113, 537
- mixed extension, 146
- model
 - Aumann model of incomplete information, 334
 - with beliefs, 345, 397, 398, 425, 431
 - Harsanyi model of incomplete information, 356, 359, 360, 398, 431
- Monderer, D., 377, 432
- monopoly, 516
- Morgenstern, O., xxiii, 13, 727, 891
- Mycielski, J., 46, 269
- Myerson, R. B., 208, 504, 516

- Nagel, R., 127
- Nash
 - agreement point, 681
 - equilibrium, 95–97, 109, 118, 133, 137, 246, 265, 276, 289, 364, 536, 547
 - product, 681
 - solution, 681, 686, 691
- Nash, J., 31, 64, 96, 117, 127, 149, 673, 678
- Neyman, A., 528, 565, 615, 822
- norm, 580
 - maximum, 539, 554, 654
 - sup, 982
- normative approach, 906
- nucleolus, 852, 853, 857–859
 - characterization, 863
 - computation, 862
 - for a coalitional structure, 853, 854, 857, 860, 861
 - relative to a set, 852

- O'Neill, B., 793
- objection, 832, 934, 948, 950
 - counterobjection, 833
 - justified, 834
- operator
 - belief, 402
 - knowledge, 336, 337
 - Shapley, 656

- Orshan, G., 890
- outcome, 13, 43, 50, 54
- Page, T., 377
- paradox
 - Braess, 127
 - Condorcet, 28
- Pareto optimum, 678
- Pareto, V., 678
- Parikh, R., 377
- partition, 43, 334, 723
 - meet, 344
- path, 41
 - cyclic, 41, 42
 - end points, 41
 - length, 41
- payoff, 111, 418
 - average, 581
 - discounted, 551, 644
 - equilibrium, 536, 547
 - uniform for discounted games, 556
 - uniform for finite games, 559
 - function, 111, 632
 - relevant parameter, 356
- Pearce, D. G., 185
- Pederzoli, G., 727
- Peleg, B., 203, 783, 846, 891
- perfect recall, 242, 639
- Perles, M. A., 703
- Piccione, M., 254
- play, 2, 644
- player, 43, 632, 710
 - belief, 345, 397
 - dummy, 800, 892
 - knowledge, 336
 - null, 784, 798, 859
 - pivot, 812
 - rational, 86, 185
 - risk averse, 23–25, 37, 496, 497, 499, 706
 - risk neutral, 23–25, 479, 497
 - risk seeking, 23–25, 497
 - symmetric players, 784, 797, 858
 - value, 797
 - veto, 785, 848
- point
 - accumulation, 219
 - agreement
 - Kalai–Smorodinsky, 699
 - Nash, 681
 - conflict, 676
 - disagreement, 674–676, 678, 701, 702
 - efficient, 678
 - weakly, 678
 - extreme, 150, 323, 963
 - fixed, 165, 166, 168, 982
 - individually rational, 681
 - saddle, 117
 - solution, 723
 - utopia, 694
- Polemarchakis, H. M., 377, 378
- polytope, 169, 319, 736, 788, 878
- Pratt, J., 31
- preference
 - profile, 905
 - relation, 10, 13, 14, 905, 933
 - anti-symmetric, 31
 - symmetric, 31
 - single-peaked, 921
 - strict, 905
 - two-levelled, 929
- preimputation
 - set, 852
- prenucleolus, 853, 857, 859
 - for a coalitional structure, 853, 854, 857, 860
- Price of Anarchy, 141
- Price, G. R., 190
- principle
 - approachability, 615, 621
 - consistency, 883, 884
 - efficiency, 675
 - indifference, 158
 - one-stage deviation, 298, 310
 - revelation, 504
 - stability, 95
 - sure-thing, 33
 - symmetry, 675
 - trembling hand, 90, 274, 285, 288
- prize, 13
- probability
 - subjective, 26
- probability distribution, 250
- problem
 - bankruptcy, 793, 881, 890
 - corporate, 899
 - bargaining, 85
 - decision problem, 111
 - with experts, 609
 - flow, 772
 - matching, 933, 947
 - polygamous, 950
- producer, 751
- profit, 471
- profitable deviation, 96

- property
 - additivity, 799, 802, 803
 - anonymity, 703
 - consistency, 702, 703
 - covariant under changes in the units of measurement, 679
 - covariance under multiplication by a constant, 680
 - covariance under positive affine transformations, 680, 681, 683, 684, 691, 702, 703
 - covariance under strategic equivalence, 798, 819, 857
 - covariance under translations, 679
 - Davis–Maschler converse reduced game, 764
 - Davis–Maschler reduced game, 763, 871
 - efficiency, 92, 678, 681, 683, 684, 690, 691, 695, 699, 702–704, 802, 803, 806, 809, 819
 - weak, 679
 - full monotonicity, 694, 695
 - homogeneity, 695
 - Independence of Irrelevant Alternatives, 680, 681, 683, 684, 691–693, 702, 705, 907, 909, 917, 921
 - independence of units of measurement, 695, 699, 700, 704
 - individual rationality
 - strict, 695
 - limited monotonicity, 694, 699
 - marginality, 808, 809
 - monotonicity of marginal contributions, 808
 - nondictatorship, 907
 - nonmanipulability, 503
 - null player, 798, 802, 803, 806, 809
 - strong symmetry, 784
 - symmetry, 678, 681, 683, 684, 691, 695, 699, 702–704, 798, 802, 803, 806, 809, 819
 - unanimity, 907, 909–911, 913, 917, 921
 - valuation, 827
- public event, 332
- quadratic programming, 164
- quota, 714, 874
- Raiffa, H., 29, 692
- Ramey, G., 294
- random variable, 472
- Rapoport, A., 831
- rationality, 271
- rationalizability, 185
- recommendation, 316
- recurrent
 - state, 671
- region
 - feasible, 992
- relation
 - acyclic, 839
 - anti-symmetric, 31
 - asymmetric, 933
 - binary, 10
 - complete, 10, 851, 933
 - continuous, 851
 - equivalence, 719
 - indifference, 10, 944
 - irreflexive, 933
 - lexicographic, 851
 - ordering
 - irreflexive, 944
 - partial, 944
 - transitive, 944
 - preference, 10, 905, 933
 - weak, 10
 - reflexive, 10, 719, 851
 - symmetric, 31
 - symmetry, 719
 - transitive, 10, 719, 851, 933
- Reny, P., 294, 516
- representation, 874
 - homogeneous, 875
 - normalized, 875
- Riley, J., 516
- risk
 - aversion, 23–25
 - Arrow–Pratt, 37
 - neutrality, 23–25
 - seeking, 23–25
- risk aversion, 37
- Roberts, J., 432
- Robson, A., 294
- root, 42
- Rosenthal, R., 61
- Roth, A. E., 703, 951, 952
- Rothschild, M., 31
- Rubinstein, A., 254, 294, 378, 564, 565
- Rustichini, A., 615
- Ryll-Nardzewski, C., 417
- Samet, D., 377, 432, 464
- Samuelson, L., 565
- Satterthwaite, M., 920
- Savage, L., 26, 31, 332
- Schauder, J., 987
- Schmeidler, D., 703, 783, 849
- Schuster, K., 891

- Schwartz, J. T., 417, 460, 462, 464, 987
- Sebenius, J., 377, 378
- security level, 103
- Sela, A., 516
- Selten, R., 28, 90, 127, 264, 294, 891
- sequential rationality, 284
- set
 - B*-set, 587
 - approachable, 581
 - bargaining, 861
 - closed, 415, 575
 - convex, 736, 855, 963
 - convex hull, 963
 - cylinder, 547, 644
 - σ -algebra, 644
 - decision vertices, 43
 - excludable, 582
 - feasible payoffs, 538
 - histories, 636
 - histories in stage t , 609
 - imputation, 852
 - individually rational payoffs, 538
 - information, 52, 54, 55
 - measurable, 397
 - of alternatives, 676, 701
 - open, 415
 - partially ordered, 945
 - preimputation, 852
 - relatively open, 355
 - solution, 705, 723
 - weakly approachable, 614
 - weakly excludable, 614
 - Weber, 767
- Shapley
 - operator, 656
- Shapley value, 85, 803, 860, 870, 890
- Shapley, L. S., 202, 539, 555, 564, 652, 688, 727, 744, 749, 753, 755, 765, 782, 783, 796, 802, 822, 891, 932, 935
- Shapley–Shubik power index, 812
- Shimkin, N., 619
- Shiryaev, A. N., 462
- Shubik, M., 727, 753, 755, 783
- Sigmund, K., 197
- Simon, R. S., 364, 615
- simple majority rule, 906
- simplex, 145, 965
 - boundary, 966
 - diameter, 975
 - face, 966
 - perfectly colored, 972
 - simplicial partition, 967
 - diameter, 976
 - standard, 981
 - subsimplex, 966
- sink, 772
- situation
 - Aumann
 - incomplete information, 335
 - incomplete information with beliefs, 348
- Slater condition, 223
- Smorodinsky, M., 692, 698
- Sobel, J., 294
- Sobolev, A. I., 890
- Solan, E., 203, 615
- solution, 88, 677, 689, 881
 - bargaining game, 701
 - concept, 675
 - efficient, 797
 - linear, 818
 - single-valued, 797
 - consistent, 891
 - containers, 884
 - dominant strategies, 88
 - Hart–Mas–Colell consistent, 818, 819
 - Kalai–Smorodinsky, 699, 708
 - Nash, 681, 686, 691
 - optimal, 992
 - point, 723
 - Rabbi Nathan, 884
 - reasonable, 785
 - set, 723
 - standard, 858
 - utilitarian, 691
- Solymosi, T., 846
- Sorin, S., 432, 528, 565, 615
- Sotomayer, M. A. O., 952
- source, 768, 772
- space
 - belief, 397
 - belief hierarchies, 454
 - coherent, 454
 - half-space, 319
 - Hausdorff, 462, 468
 - measurable, 250, 354, 397, 501, 644
 - metric, 654
 - topological, 415
 - type, 404
 - universal belief, 462
 - universal type, 459
- Spież, S., 615
- Spinat, X., 614
- state, 632
 - absorbing, 635

- state (cont.)
 - game, 356
 - of mind, 459
 - of nature, 333, 356, 462, 608
 - of the world, 334, 462
 - consistent, 409, 425
 - recurrent, 671
- status quo
 - line, 689
 - region, 689
- Stearns, R. E., 845
- Stiglitz, J., 31
- stochastic game
 - T*-stage, 638
 - with initial state, 638
 - absorbing state, 635
 - equilibrium
 - T*-stage game, 638
 - in an initial state, 638
- Stoltz, G., 615
- strategic equivalence, 173, 718, 720, 739
- strategy, 2, 45, 56, 316, 533, 609
 - approaching, 582
 - behavior, 230, 232, 288, 417, 533, 546, 581, 636, 644
 - completely mixed, 267
 - best reply, 97
 - Blackwell optimal, 669
 - completely mixed, 159, 267, 286, 289
 - dominated, 95
 - equalizing, 206
 - equivalent, 234
 - evolutionarily stable, 193
 - finite memory, 573
 - grim-trigger, 546, 573
 - guaranteeing, 207, 600
 - guaranteeing at least a draw, 3, 5, 46
 - Markovian, 642
 - maxmin, 103
 - measurable, 475
 - mixed, 143, 145, 362, 533, 584, 637
 - no-regret, 610, 627
 - optimal, 114, 600, 652, 669
 - punishment, 537
 - vector, 537
 - pure, 145, 230, 268, 362, 475, 502, 533, 546, 637
 - rationalizable, 187, 188
 - reduced, 60
 - stationary, 595, 646
 - strictly dominant, 86
 - strictly dominated, 86, 109, 188
 - by a mixed strategy, 188
 - symmetric equilibrium
 - monotonically increasing, 482
 - threshold, 373
 - Tit-for-Tat, 573
 - vector, 45, 533
 - mixed/behavior, 233
 - rational, 90, 286
 - sequentially rational, 286
 - weakly dominant, 90, 477
 - weakly dominated, 90, 276
 - by a mixed strategy, 205, 303
 - winning, 3, 5, 46–48
- subgame, 4, 45, 55
- subspace
 - belief, 410
- subtree, 4
- Sudhölter, P., 846, 891
- support, 212, 216, 971
- supporting line, 686, 704
- Suslin, M., 355
- system
 - spanning tree, 768, 793
- Tamir, A., 727, 783
- Tauman, Y., 203
- terminal point, 42
- theorem
 - Arrow, 907, 917, 921
 - Bondareva–Shapley, 749
 - Brouwer’s Fixed Point, 165, 981, 982, 987, 998, 999
 - duality, 224, 865, 866
 - Envelope, 492, 493
 - fixed point, 165, 962
 - Banach, 655
 - Kakutani, 661
 - folk, 539, 547, 554, 558, 559
 - Ford–Fulkerson, 776
 - Gibbard–Satterthwaite, 920
 - Hardy–Littlewood, 560
 - Kakutani’s Fixed Point, 223, 985, 987, 998
 - KKM, 987, 999
 - Kohlberg, 869, 870, 872
 - Kolmogorov extension, 462
 - Kuhn, 118, 533, 637, 639
 - minmax, 150, 747
 - Nash, 196
 - Nash equilibrium, 150
 - revenue equivalence, 482, 486, 487, 499, 505
 - Riesz representation, 450, 451
 - separating hyperplane, 990
 - Shapley, 652, 666
 - Shapley–Shubik, 753

- strong duality, 995
- Tychonoff, 460
- von Neumann, 46, 49, 58, 63, 224
- weak duality, 995
- Thompson, F. B., 83
- tight system, 864
- Tomala, T., 564
- topology
 - weak-*, 450
- Toruńczyk, H., 615
- totally balanced cover, 756
- transformation
 - affine, 22
- tree, 4, 42
 - game, 4, 41, 43, 50, 54
 - root, 42
 - subtree, 4
- trembling hand, 90
- Tucker, A., 127
- type, 404, 459, 475
 - space, 404
 - universal type space, 459
- upper envelope, 153, 492
- utility
 - function, 11, 14, 16
 - linear, 14, 19
 - ordinal, 11
 - von Neumann–Morgenstern, 14
- utility theory, 496, 578
- value, 114, 136, 652
 - Banzhaf, 828
 - common, 470
 - in behavior strategies, 249
 - in mixed strategies, 146, 150
 - information, 179
 - maxmin, 102, 103, 112, 652, 666, 670
 - mixed strategies, 175
 - minmax, 113, 537, 666, 670
 - mixed strategies, 175, 181
 - private, 91, 470, 474, 479, 507
 - Shapley, 803, 860
 - stochastic game, 652
 - uniform
 - for finite games, 575, 600
- van Damme, E., 294
- van Rijswijck, J., 64
- van Zandt, T., 432
- Vanderbei, R. J., 995
- Vassilakis, S., 377
- vector
 - coalitionally rational, 736
 - division, 881
 - efficient, 723
 - excess, 850
 - feasible, 992
 - imputation, 724
 - incidence, 864
 - individually rational, 723
 - payoff, 724
 - perturbation, 275
 - socially rational, 723
 - strategy, 45
 - rational, 90, 286
 - unit, 964
- vertex, 41, 666, 768
 - chance, 263
 - child, 4, 44
 - decision, 43
 - depth, 251
 - descendant, 4
 - initial, 768
 - leaf, 4, 42
 - root, 4, 42
 - terminal point, 42
- Vickrey, W., 477, 516
- Vieille, N., 615
- Viossat, Y., 203, 324
- Vives, X., 432
- Vohra, R. V., 615
- von Neumann, J., xxiii, 13, 46, 150, 727, 891
- von Neumann–Morgenstern
 - axioms, 14
- von Stengel, B., 203, 254
- Vrieze, K., 528, 565
- Weber, R. J., 471, 516, 783
- Weibull, J., 208
- Weigelt, K., 294
- weight, 714, 874
 - homogeneous, 730
- Wilson, R. B., 294
- Wolfstetter, E., 516
- Young, H. P., 809
- Zamir, S., 203, 377, 432, 464, 516, 601, 615
- Zeeman, E. C., 197
- Zemel, E., 319, 783