

Index

- 2-form
 - almost symplectic, 30
 - fundamental, 82, 83
 - non-degenerate, 13, 30, 36, 59, 74, 82, 107
- $E(2n)$, 157
- E_8 , 153
- H , 153, 155
- K3 manifold, 154, 157–160
- Nil^3 , 128
 - associated nilmanifolds, 130, 132, 133
 - lattices, 128
- $Nil^3 \times \mathbb{R}$, 168
 - associated infra-nilmanifolds, 168, 174
 - associated nilmanifolds, 133, 158, 168, 171
- Nil^4 , 130
 - associated nilmanifolds, 130, 133, 168, 174
- $Sol^3 \times \mathbb{R}$, 168
- T^2 -bundles over T^2 , 67, 105, 157, 159, 166–176
 - classification, 166–175
 - general construction, 166–167
 - principal, 133, 137, 166
- \mathbb{D} , *see* para-complex numbers
- \mathbb{D} -manifold, 70
- nil_3 , 128
 - cohomology, 130
- $nil_3 \oplus \mathbb{R}$
 - existence of hypersymplectic structure, 142–143
 - existence of Künneth structure, 136–137
- $nil_3 \oplus nil_3$
 - example of Anosov symplectomorphism, 146–148
- nil_4
 - cohomology, 130
 - existence of Lagrangian foliation, 139
 - non-existence of Künneth structure, 137–140
- $sol_3 \oplus \mathbb{R}$
 - existence of Künneth structure, 148–149
- $b_2^+(M)$, $b_2^-(M)$, 152
- affinely flat
 - manifold, 47, 63, 118
 - surface, 47
- almost product structure, 42, 54–56, 61, 82, 83, 108
 - eigenbundles, 55, 82
 - eigenspaces, 55, 108
 - integrable, 55, 84, 115
- annihilator, 45, 46
- Anosov
 - contact Anosov flow, 71, 72
 - diffeomorphism, 64
 - foliation, 65
 - isometry, 90
 - splitting, 64
 - subbundle, 64
 - symplectomorphism, 65–67, 71, 91, 105, 123, 145–148
- automorphism group of (almost) Künneth structure, 57, 62, 65, 90
- bi-Hamiltonian system, 107
- bi-Lagrangian structure, *see* Künneth structure
- bifoliation, 55–56, 70, 71, 84
 - chart, 58
 - equidimensional, 70
 - with Lagrangian leaves, 58, 71, 84
 - with symplectic leaves, 109
- bigrading of differential forms, 57, 71, 103, 163
- bipolarised symplectic manifold, 71

- Bockstein homomorphism, 28
- Bott connection
 - for general foliation, 42, 45–46
 - for Lagrangian foliation, 42, 46–47, 53, 56, 74, 81, 87
 - relation to Künneth connection, 74, 81, 87
- bundle metric, 26
- Calabi–Yau
 - neutral Calabi–Yau manifold, 118
 - symplectic, *see* symplectic Calabi–Yau four-manifold
- canonical bundle, 118
- characteristic element, 153
- Chern class, 154, 155, 157
 - of compatible (almost) complex structure, 28, 154, 159
 - of symplectic vector bundle, 28
- Chern–Weil formula, 165
- Chern–Weil integrand, 29
- complex structure
 - almost, 35, 54, 60, 83, 109, 154, 155
 - (almost) complex structure compatible with (almost) symplectic form, 21–25, 27, 35, 40, 60
 - (almost) complex structure tamed by (almost) symplectic form, 21
 - integrable, 83, 101, 109
 - on vector bundle, 25
 - on vector space, 21
- complexification of real vector bundle, 28
- complexified tangent bundle, 109
- conformal symplectic couple, 110
- connection (affine), 73
 - commuting with almost product structure, 55, 84
 - compatible with (almost) symplectic form, 52–54, 73, 76–77, 79, 86
 - flat, 42, 45, 47–48, 63, 87
 - integrability of Lagrangian subbundle, 52–54, 74, 78
 - integrability of subbundle, 51–54, 74, 78
 - Levi–Civita, *see* Levi–Civita connection
 - partial, 45, 46, 74
 - preserving subbundle of tangent bundle, 51–55, 73, 76, 79, 84, 104
 - symplectic, 52–54
 - torsion tensor, 47, 74, 77, 79
 - torsion-free, 42, 47–48, 51–55, 63, 73, 78, 79, 88
- connection (on a general vector bundle), 43–44
- covering manifold, 159, 161
- curvature, 44
 - intrinsic curvature of a subbundle of tangent bundle, 43
 - of Künneth connection, *see* Künneth connection curvature
 - operator, 164–165
 - tensor, 85
- Darboux chart, 37, 52
- Darboux Theorem
 - for Künneth structures, 58, 85, 89–90
 - for Lagrangian foliations, 42, 48, 52, 58, 85, 90
 - for Lagrangian subspaces in symplectic vector spaces, 19
 - for symplectic manifolds, 37
 - for symplectic vector spaces, 15, 37, 59, 136
 - symplectomorphisms, 16, 48
- Dehn twist, 69
- Dehn’s Theorem, 152, 156, 160
- derived series, 124–125
- Donaldson’s Theorem, 155–156
- double manifold, 70
- double numbers, 70
- Dynkin diagram, 153
- Ehresmann’s Fibration Theorem, 131
- Einstein
 - constant, 97, 100
 - Künneth structure, *see* Künneth–Einstein structure
 - metric, 97
- Euler
 - characteristic, 60, 98, 159–161, 165
 - class, 29, 154, 155
- exponential map
 - of nilpotent Lie group, 127, 147
 - of Riemannian metric, 37, 40
 - of solvable Lie group, 148
- fibre bundle, 32
 - flat, 44, 67
 - foliated, 44
- finitely presentable group, 152, 156, 160
- foliation, 42
 - atlas of charts, 42
 - chart, 42, 49–51
 - codimension, 42
 - complementary, 42–44, 55–57
 - horizontal, 44
 - Lagrangian, *see* Lagrangian foliation
 - leaf, 42–44, 46
 - normal bundle of leaf, 44–46

- of irrational slope on T^2 , 43
 - on surfaces, 43
 - tubular neighbourhood of leaf, 44
 - vertical, 43, 44
- Freedman's Theorem, 160
- Frobenius Theorem, 43
- fundamental class, 154
- fundamental group
 - of closed oriented almost Künneth four-manifolds, 156
 - of closed oriented smooth four-manifolds, 152
 - of nilmanifolds, 128
 - of parallelisable manifolds, 160
 - representation and flat fibre bundle, 44, 67
 - representation and flat vector bundle, 44
- Gauss–Bonnet Theorem, 47, 165
- Gauss–Bonnet–Chern Theorem, 98
- geometric quantisation, 71
- geometry, *see* Thurston geometry
- group of volume-preserving diffeomorphisms, 63
- Gysin sequence, 133
- Hasse–Minkowski classification, 153–155, 160
- Hausmann–Weinberger invariant, 160
- Hermitian structure
 - almost, 35, 83
- Hess's Theorem on flat Künneth structures, 59, 89
- Hirzebruch signature formula, 152, 154
- Hodge star operator, 163
- holomorphic symplectic form, 107, 109–111, 118
- holonomy representation
 - of flat connection on a vector bundle, 44
- Hopf–Rinow Theorem, 105
- hyperbolic diffeomorphism, 64, 90
- hyperbolic Kähler structure, 70–71
- hyperbolic numbers, 70
- hyperelliptic complex surface, 171
- hypersymplectic structure, 107, 111–114
 - S^1 -family of Künneth structures, 107, 114–118
 - canonical bundle, 118
 - classification on compact four-manifolds, 114, 158
 - compatibility with Levi–Civita connection, 113, 117
 - dimension of hypersymplectic manifolds, 114
 - examples on nilmanifolds, 114
 - Hitchin's definition, 113–114
 - holomorphic symplectic form, 111
 - integrable complex structure, 111
 - Künneth–Einstein structures, 121
 - Lagrangian foliations, 114–118
 - neutral Calabi–Yau, 118
 - neutral pseudo-Riemannian metric, 113
 - non-existence on $K3$, 158
 - on nilmanifolds, 123, 142–145
 - Ricci-flatness, 118–121
 - symplectic foliations, 114
 - symplectic pairs, 111, 114, 158
 - triple of recursion operators, 111
 - triple of symplectic forms, 111
- infra-abelian manifold, 134
- infra-nilmanifold, 67, 133, 168
 - T^2 -bundles over T^2 , 168, 174
 - closed flat Riemannian manifolds, 134
 - finite covering by nilmanifold, 134
 - holonomy group, 134
- injectively immersed manifold, 42
- intersection form, 152–154
 - definite, 155
 - even, 153
 - indefinite, 153, 155
 - of spin 4-manifolds, 153, 155
- isometry group, 62, 90, 105, 167, 168
- isotropic
 - foliation, 58
 - subbundle of tangent bundle, 59
 - submanifold, 38
 - subspace, 17
- Kähler
 - almost Kähler structure, 35, 83
 - flat Kähler manifold, 103–106
 - form, 31
 - manifold, 31, 57, 71
 - potential, 59
 - structure, 83, 101, 157
- Kähler \mathbb{D} -structure, 70
- Kähler–Künneth structure, 85, 101–106, 157
- Künneth connection, 73–84
 - Bianchi identity of curvature tensor, 88
 - Bott connection, 74, 81, 87
 - completeness, 90, 105
 - curvature, 59, 85–106
 - Darboux Theorem, 85, 89–90
 - defining properties, 76, 79
 - Einstein condition, *see* Künneth–Einstein structure

- flat, 90–91, 103–106, 157
- flatness along leaves of foliations, 87, 104, 164
- Levi–Civita connection of a Kähler metric, 102
- Levi–Civita connection of associated pseudo-Riemannian metric, 73, 79–81, 90
- mixed curvature, 87, 92
- mixed Ricci curvature, 95, 97
- mixed torsion, 74, 76–79
- on \mathbb{R}^{2n} , 88, 92
- on T^2 , 90–92
- on T^2 -bundles over T^2 , 90–91
- on T^{2n} , 92
- on product manifolds, 78
- parallel transport, 89
- Ricci curvature, 85, 93–97, 121
- Ricci-flatness along leaves of foliations, 95, 97
- scalar curvature, 85, 95–96
- sign reversal of metric g , 80, 96
- symmetries of curvature tensor, 86–88, 104
- torsion, 73, 74, 76–79, 88, 89
- uniqueness, 76–79
- Künneth structure, 57, 58, 73, 84
 - adapted orthonormal basis, 94, 96, 97, 163
 - adapted symplectic basis, 19, 23, 24, 89, 93, 95, 97, 162
 - almost, 57, 59, 73, 82–83, 154
 - almost Künneth structure on $E(2n)$, 157
 - almost Künneth structure on $K3$ surface, 156, 157
 - almost Künneth structures on closed four-manifolds, 154–156
 - associated almost para-Hermitian structure, 82–83
 - associated almost product structure, 61, 82
 - associated pseudo-Riemannian metric, 61, 73, 79–82, 97
 - automorphism, 65, 66
 - automorphism group, 57, 62, 65, 90
 - canonical connection, *see* Künneth connection
 - defined by Anosov symplectomorphism, 65
 - equivalence to para-Kähler structure, 70, 73, 81, 84
 - existence problem for $K3$ manifold, 157–158, 176
 - existence problem for almost Künneth structures, 69
 - existence problem for closed manifolds with non-zero Euler characteristic, 176
 - existence problem for nilmanifolds associated to Nil^4 , 176
 - integrable almost Künneth structure, 60, 69, 78–79
 - linear, 27
 - mapping torus of automorphism, 66, 68
 - non-integrable almost Künneth structure, 81
 - obstruction from Chern classes, 28–29, 154–155, 157, 166
 - obstruction from Euler characteristic, 60
 - obstruction from Euler class, 29
 - on \mathbb{R}^{2n} , 63, 88–90, 92
 - on T^2 , 63, 90–92, 98
 - on T^2 -bundles over T^2 , 67, 90–91, 166–175
 - on T^{2n} , 63, 92
 - on cotangent bundles, 63–64
 - on four-manifolds, 151–177
 - on hypersymplectic manifolds, 107, 114–118
 - on nilmanifolds, 123, 136–142, 176
 - on product manifolds, 63, 78
 - on surfaces, 63, 97–101
 - on universal covering of Künneth manifolds, 90
 - on vector bundles, 13, 27–29, 59
 - orientable, 28, 60, 154
 - orientation, 28, 29
 - partially integrable almost Künneth structure, 60, 81, 87
 - suspension construction, 66–68, 91, 105
- Künneth vector bundle, *see* Künneth structure on vector bundles
- Künneth–Einstein structure, 85, 96–101, 121
- de Sitter/anti-de Sitter metric on \mathbb{R}^2 , 98–101
- on $S^1 \times \mathbb{R}$, 101
- on $T^n \times \mathbb{R}^n$, 101
- on four-manifolds, 161–166
- on hypersymplectic manifolds, 121
- on open subsets of \mathbb{R}^{2n} , 101
- on surfaces, 97–101
- sign reversal of metric g , 97
- Kanai connection, 84
- Kodaira–Thurston manifold, 69
- Lagrangian distribution, *see* Lagrangian subbundle of tangent bundle of (almost) symplectic manifold
- Lagrangian fibration, 39
- Lagrangian foliation, 39, 42, 46, 52–54, 71

- associated to hypersymplectic structure, 114–118
- complementary, *see* Künneth structure
- leaf, 46–48, 118
- on T^2 -bundles over T^2 , 166, 168–175
- on cotangent bundles, 48, 64
- on surfaces, 43
- Weinstein's Theorem on leaves, 42, 48
- Lagrangian subbundle
 - compatible (almost) complex structure, 26, 27, 40, 101
 - complementary, 26–29
 - obstruction to existence, 60
 - of symplectic vector bundle, 13, 26–29
 - of tangent bundle of (almost) symplectic manifold, 46, 52, 59, 60, 65
 - orientation, 27, 29
- Lagrangian submanifold, 30, 38–41, 46, 48, 49
 - in T^{2n} , 39
 - in cotangent bundles, 39–41, 48
 - in product of symplectic manifolds, 38
 - Neighbourhood Theorem, 39
 - normal bundle, 40
 - tangent bundle, 40
 - tubular neighbourhood, 39–41
- Lagrangian subspace, 17
 - compatible complex structure, 22
 - complementary, 18–24
 - extension of basis to symplectic basis, 18, 19
- Lagrangian two-web, 71
- leaf, *see* foliation leaf
- Leibniz rule, 45, 74, 75
- Levi–Civita connection, 73, 79–81, 83–84
 - commuting with (almost) complex structure, 83, 101
 - commuting with almost product structure, 84
 - commuting with recursion operator, 113
 - compatible with (almost) symplectic form, 80–81, 83–84, 101, 113, 118
 - preserving subbundle defined by a Lagrangian foliation, 101
 - symmetries of curvature tensor, 86
- Lie algebra, 123
 - abelian, 124, 125
 - cohomology, 129
 - derived series, 124–125
 - differential of one-forms, 129
 - foliation, 134
 - hypersymplectic structure, 134
 - ideal, 123, 124
 - Künneth structure, 134
 - Lagrangian foliation, 134
 - Lie subalgebra, 123, 124, 126, 134
 - linear geometric structures, 123, 134, 148
 - lower central series, 124–125
 - nilpotent, *see* nilpotent Lie algebra
 - solvable, *see* solvable Lie algebra
 - symplectic structure, 134
- Lie group
 - abelian, 131
 - associated affine group, 133
 - associated automorphism group, 133
 - lattice in a simply connected Lie group, 167
 - left-invariant differential forms, 129
 - left-invariant geometric structures, 123, 134
 - nilpotent, *see* nilpotent Lie group
 - solvable, *see* solvable Lie group
- Linear Darboux Theorem, *see* Darboux
- Theorem for symplectic vector spaces
- Liouville one-form, 34–35
- local product structure, 58, 71
- Lorentz metric, *see* metric Lorentz
- lower central series, 124–125
- Malcev's Theorem on lattices in simply connected nilpotent Lie groups, 128, 148
- maximally isotropic subspace, 17
- metric
 - anti-de Sitter, 98–101
 - associated to (almost) Künneth structure, *see* Künneth structure associated pseudo-Riemannian metric
 - de Sitter, 98–101
 - Einstein, 97
 - Hermitian, 83
 - Lorentz, 63, 90, 97, 99
 - of neutral signature, 61, 82, 113
 - pseudo-Riemannian, 61, 82, 83
 - Riemannian, 35, 40, 101
- Minkowski plane, 90
- Moser method, 30, 35–38, 40–41, 50
- Newlander–Nirenberg Theorem, 110
- nilmanifold, 69, 123, 127
 - T^2 -bundles over T^2 , 168, 171, 174
 - Anosov symplectomorphism, 123, 145–148
 - as T^2 -bundle, 131
 - as mapping torus over S^1 , 131
 - as principal S^1 -bundle, 131
 - as tower of principal S^1 -bundles, 131–133
 - associated to two-step nilpotent Lie group, 132

- Betti numbers, 129
- de Rham cohomology, 129
- Euler characteristic, 129
- four-dimensional, 133
- fundamental group, 128
- geometric structures induced from
 - left-invariant ones, 134
- homogeneous space, 128
- hypersymplectic structure, 123, 142–145
- Künneth structure, 123, 136–142, 176
- Lagrangian foliation, 135
- parallelisable, 129
- principal T^2 -bundle over T^4 , 148
- principal T^4 -bundle over T^4 , 145
- principal T^m -bundle over T^n , 132
- symplectic, 135
- three-dimensional, 132
- tori as nilmanifolds, 123, 128, 131–134
- nilpotent Lie algebra, 123–126
 - r -step, 124
 - Anosov automorphism, 145
 - existence of Lagrangian foliations, 135
 - four-dimensional, 136–140
 - rational structure constants, 128
 - six-dimensional, 140–142
 - symplectic form, 135
 - two-dimensional, 136
 - two-step, 132
- nilpotent Lie group, 123, 126
 - r -step, 126
 - existence of lattices, 128, 148
 - exponential map, 127, 147
 - lattice, 127, 134
 - logarithm map, 127
 - simply connected, 127
 - universal covering Lie group, 127
- Nomizu's Theorem on the cohomology of
 - nilmanifolds, 129, 135, 140
- normal bundle, 36
- Palais–Stewart Theorem on two-step nilpotent
 - Lie groups, 132, 145, 148
- para-complex geometry, 70, 81
- para-complex numbers, 70
- para-Hermitian structure
 - almost, 82–84
- para-Kähler structure, 70–71, 73, 81, 84, 101
 - equivalence to Künneth structure, 70, 73, 81, 84
- Poincaré coordinates, 100
- Poincaré Lemma, 58, 59
 - for Lagrangian foliation, 48
- polarisation, 71
- Pontryagin class, 152, 154, 155, 158
- primary Kodaira surface, 158
- pseudo-Hermitian structure
 - almost, 83
- pseudo-Riemannian metric, *see* metric
 - pseudo-Riemannian
- recursion operator, 107
 - composition of recursion operators, 108
 - defining an almost complex structure, 109, 111
 - defining an almost product structure, 108, 111
 - holomorphic symplectic form, 109–110
 - hypersymplectic structure, 111–114
 - symplectic pair, 108–109
 - triple of recursion operators, 111
- Ricci tensor, 93
 - symmetry, 93
- Riemannian metric, *see* metric Riemannian
- scalar curvature, 95
- SCY, *see* symplectic Calabi–Yau
 - four-manifold
- Seiberg–Witten invariants, 151, 156, 158, 159
- self-duality, 161, 163–165
- signature, 152, 158–161, 166
- solvable Lie algebra, 123–126
 - Lagrangian foliation, 148
- solvable Lie group, 126
 - exponential map, 148
 - lattice, 148
- solvmanifold, 67, 148
 - example of Künneth structure in dimension 4, 148–149
- spin manifold, 153, 155
- split
 - complex numbers, 70
 - Kähler structure, 70–71
 - quaternions, 70
- Stiefel–Whitney class, 28, 153–155, 159, 160
- subbundle of complex vector bundle
 - totally real, 26–27, 60
- subbundle of tangent bundle
 - ∇ -parallel, *see* connection (affine)
 - preserving subbundle of tangent bundle
- complementary, 42, 54–56, 59
- defined by foliation, 43, 45
- integrability and existence of torsion-free
 - affine connection, *see* connection
 - (affine) integrability of subbundle
- integrable, 42, 43, 45, 51–52, 65, 74

- of a vector bundle (vertical and horizontal), 43
- preserved by a connection, *see* connection
- (affine) preserving subbundle of tangent bundle
- space of sections closed under commutator, 43, 45
- symmetric bilinear form, 153
- symplectic basis, 15
- symplectic Calabi–Yau four-manifold, 157, 159–161
 - Betti numbers, 159
 - classification problem, 176
 - fundamental group, 159–161
 - parallelisable, 160
 - simply connected, 159
- symplectic foliation
 - associated to hypersymplectic structure, 114
 - associated to symplectic pair, 108–109, 114
- symplectic form
 - J -invariant, 21
 - almost, 30
 - associated canonical orientation, 30, 60
 - cohomology class, 30, 36
 - cup product, 31
 - exact, 35
 - holomorphic, 107, 109–111, 118
 - of type $(1, 1)$, 57, 70
 - on cotangent bundles, 34–35, 39–41, 48, 63
 - on K hler manifolds, 31
 - on manifolds, 30
 - on orientable T^2 -bundles over T^2 , 166–175
 - on orientable T^2 -bundles over a surface, 33
 - on orientable surface bundles, 32–33
 - on orientable surface bundles over a surface, 33
 - on orientable surfaces, 31
 - on products of symplectic manifolds, 31
 - on smooth projective complex-algebraic varieties, 31
 - on spheres, 31
 - on vector space, 13–25
 - pair of symplectic forms, 107
 - standard form on \mathbb{R}^{2n} , 14, 31, 37
 - standard form on T^{2n} , 32
 - triple of symplectic forms, 111
- symplectic manifold, 30
 - Betti numbers, 31
 - canonical orientation, 30
 - symplectic submanifold, 38
 - volume form, 30, 162
- symplectic mapping torus, 67
- symplectic orientation, 16, 24, 30
- symplectic pair, 107–109, 114
 - associated to hypersymplectic structure, 111, 114, 158
 - symplectic kernel foliations, 108–109, 114
- symplectic vector bundle, 13, 25–27
 - canonical orientation, 25
- symplectic vector space, 13–25, 31
 - canonical orientation, 16
 - isotropic subspace, 17
 - Lagrangian subspace, *see* Lagrangian subspace
 - symplectic orthogonal subspace, 15, 17
 - symplectic subspace, 16
 - tautological, 19
 - volume form, 16
- symplectomorphism
 - between symplectic manifolds, 31, 38
 - between symplectic vector spaces, 16, 19
 - group, 63
- tautological 1-form, 34
- Thurston geometry, 167–168
 - on T^2 -bundles over T^2 , 168–175
 - on five-manifolds, 177
 - on four-manifolds, 167
- Thurston’s Theorem on symplectic forms on orientable surface bundles, 32
- torsion tensor, 47, 74, 77, 79
- tower of principal S^1 -bundles, 131
- vector bundle
 - complex, 25–27, 35
 - flat, 44
 - foliated, 44
 - metric, 26
 - symplectic, *see* symplectic vector bundle
- web geometry, 71
- Weinstein’s Theorem on leaves of Lagrangian foliations, 42, 48
- Weinstein’s Theorem on tubular neighbourhoods of Lagrangian submanifolds, 39
- Wu formula, 154, 155, 166