

Index

- acoustic waves, 41, 57, 71–72, 80, 81, 83, 89, 148, 233, 239–243, 318, 380, 436
 - Green's function, 148, 151
- adjoint,
 - correlation field, 417, 418
 - discrete, 438–440
 - field, 257, 260, 263, 265–266, 378, 380, 381–383, 384, 385, 387–389, 390, 412, 416–417, 419, 438, 440
 - Green's function, 260, 388
 - operator, 259, 380, 381, 416, 439
 - source, 380, 387, 389, 390, 391–397, 416, 437
 - stress tensor, 383
- techniques, 2, 10, 259, 338, 357, 385–397, 400, 403, 408, 411, 417, 430, 433
- wave equation, 260
- air waves, 65
- Airy phase, 5, 286
- AK135 model, 101, 103, 116, 175, 180, 182–183, 189, 190, 193, 207, 209, 213, 225–226, 229, 278, 281, 284, 298, 326–327, 333, 339
- ambient noise, 1, 3, 8, 9, 86, 129, 135, 142, 144, 149, 153, 155, 157–167, 169, 170, 173–175, 177–178, 191, 192, 200, 204, 230, 232, 238, 309, 312, 398, 413, 414, 422, 424
 - atmospheric, 139, 140, 157, 158, 161, 421
 - field, 129, 136, 157, 160, 161, 162, 173, 177, 178, 191, 192, 415
 - oceanic, 135, 139, 140, 157, 158, 173
 - seismic hum, 157, 159, 175, 414, 420, 421, 426, 427
 - sources, 136, 143, 160–161, 164, 416, 424, 425
 - tomography, 162, 167, 232, 309, 311, 312
 - variations, 159
- amplitude, 80, 120–121, 126, 134, 1378, 138, 155, 293, 294, 339, 391, 392, 395–397, 402, 419
- analytic signal, 124
- anelasticity, 15
- angular order, 30, 32
- anisotropy, 51, 79, 81, 124, 142, 145, 193, 221, 249, 253, 254, 272, 280, 284, 287, 313, 314, 318, 319, 321, 323, 331, 355, 411, 420, 445
 - radial, 23, 314, 318, 319, 321, 323, 332
 - transverse, 16, 23, 41
- anti-causal branch, 148–150, 152, 161, 170, 172, 201, 417, 419, 421–423
- arrival times, 222, 226, 230, 402
- asthenosphere, 205, 206, 213, 214, 306, 313, 314, 318, 320
- asymptotic approximations, 21, 33, 58, 59, 130, 166, 199
- attenuation, 6, 14, 15, 21, 30, 36, 74, 79, 98, 112, 121, 124, 142–143, 148, 170, 184, 189, 191, 208, 212, 221, 223, 235, 239, 272–275, 279, 281, 290, 298, 317, 320, 330, 334, 392, 402, 411, 420, 428
 - coda, 286, 294
 - intrinsic, 286, 291, 305
- automation, 411
- azimuth, 32, 105, 130–132, 135, 140, 160, 161, 168, 235, 278, 279, 286, 288
- azimuthal order, 16, 18, 19, 21
- basis functions, 350, 386, 430–432, 440
- Bayes' theorem, 341, 343, 430–432, 453
- Bessel function, 20, 168, 169
- body waves, 8, 9, 18, 22, 23, 26, 35, 55–57, 129, 133, 139, 157, 159, 173, 174, 178, 179, 191, 195, 222, 223, 229, 230, 255, 266, 268, 279, 308, 402, 414, 436
- teleseismic, 29, 30
- tomography, 230, 232, 319, 433
- Born approximation, 39, 48, 89, 257, 258, 272, 386, 387
 - first-order, 239, 257, 261, 263, 280, 287
- Born series, 10, 39, 48, 257, 258, 272
- bulk modulus, 148, 225
- bulk-sound speed, 225–227, 228, 229
- Cagniard–de Hoop method, 5
- causal branch, 148–150, 152, 161, 170, 172, 201, 417, 419, 421–423
- caustic, 185, 186
- coda, 2, 9, 129, 139, 159, 178, 202, 240, 243, 277, 279–281, 283, 290, 293, 294, 296, 304, 320, 325
 - attenuation, 286, 294
- coherence, 325
- coherent, 287
- correlations, 9, 179–196
- correlogram, 170
- decay, 233, 241, 286, 293
- diffuse, 287
- duration, 299
- envelope, 239
- regional, 281, 283, 288
- teleseismic, 139, 281, 286, 287, 290
 - wavefield, 172
- coherency, 169
- computational seismology, 222, 399, 401, 429
- convolution, 15, 35, 36, 38, 42, 55, 92, 114, 258, 419
- core, 1, 17, 18, 27–29, 138, 178, 184, 192, 195, 224, 289, 290

- core–mantle boundary, 16, 18, 28, 138, 175, 185, 186, 189, 192, 197–199, 224, 227, 228, 275, 287–289
- correlation, 2, 8, 35, 38, 113, 129, 160, 175, 190, 201, 216
 - anti-correlation, 287
 - asynchronous, 170
 - auto-correlation, 9, 36, 101, 105, 109, 113, 114, 116, 123, 135, 173, 174, 192, 193, 200, 202, 204, 207, 208, 213
 - coda, 9, 172, 191, 196
 - correlation of correlograms, 170, 172
 - cross-correlation, 9, 35, 97, 98, 101, 105, 106, 116, 123, 131, 132, 137, 141, 142, 159, 162, 165, 169, 170, 174, 179, 193, 196, 200, 217, 392, 413, 417, 421
 - multi-channel, 98, 101
 - inversion, 415–427
 - spatial, 233
 - stacks, 184, 195, 200
 - tensor, 113, 116, 143
 - time shift, 98, 99, 120, 392, 393, 396, 397, 419, 422
- correlation function, 143, 150, 166, 233, 234, 239, 280, 421
 - radial, 227
- correlation length, 239, 247
 - horizontal, 235, 237, 238, 291, 301, 305
 - vertical, 235, 237, 238, 291, 301, 305
- correlation phases, 138, 178, 180, 181, 184–186, 189
- correlation wavefield, 10, 129, 132, 133, 135, 136, 139–141, 179, 181, 187, 217, 413–415, 417
 - global, 178, 179, 193
 - observed, 179, 181, 186, 193, 194
 - synthetic, 181, 186, 189, 193, 194
 - tensor, 134
- crust, 17, 30, 62, 66, 81, 108, 115, 162, 174, 191, 205, 206, 210, 222, 232, 234, 263, 274, 280, 282, 287, 295, 303, 307, 312, 314, 319, 321, 332, 401, 427, 436
- crust–mantle boundary, 82, 115, 205, 206, 209, 214, 218, 295
- cycle skips, 90, 128, 392, 400–403, 405, 407
- data,
 - covariance, 340
 - importance, 348
 - misfit, 340, 342, 344, 355, 376, 417
 - resolution, 347
 - space, 338, 341, 405
- deconvolution, 84, 85, 87, 97, 104, 109, 116, 118, 123, 208, 211, 215
- defocussing, 45, 79, 124, 223, 235, 270, 274, 287, 417
- density, 14, 72, 81, 89, 180, 225, 236, 244, 251, 256, 260, 280, 291, 355, 403, 409, 410, 430, 445, 454
- derivatives, directional, 356, 378, 390, 416
- descent direction, 356, 357, 363–365, 370
- descent methods, 355, 356–359, 360–372, 379, 412
 - BFGS method, 366–367
 - conjugate gradient method, 362–365, 403, 444
- L-BFGS method, 368–370, 424, 433, 440, 445, 446
- mini-batch, 444, 446, 447
- Quasi-Newton methods, 365–371, 444, 446
- steepest-descent method, 5, 358–359, 363, 446
- stochastic gradient, 443, 444
- subspace techniques, 371–373
- difference phase, 139
- diffusion, seismic energy, 277
- displacement, 14–16, 18, 19, 20–21, 24, 28, 30, 32–33, 36, 37, 46, 39, 54, 56, 60, 61, 105, 114, 131, 150, 201, 244, 257, 264, 270, 381, 393
- displacement field, 36, 37, 39, 46, 414
- displacement–traction vector, 55, 264
- distributed acoustic sensing, 68, 147, 428
- downgoing waves, 23, 24, 28, 41, 43, 52, 70, 87, 92, 201, 261
- downward continuation, 88
- dynamic groups, 138, 139, 155, 156, 186
- earthquakes, 1–6, 8, 10, 82, 135, 139–140, 142, 145, 149, 153–155, 157, 159, 161–162, 172, 175, 176–178, 179–180, 184, 190, 191–192, 195, 201–202, 204, 206, 207, 209, 210–211, 223, 230, 267, 275, 278, 279, 285, 287, 296, 297, 304, 308, 312, 314, 322, 326, 329, 330, 331, 340, 400, 421
 - coda, 2, 9, 115, 129, 139, 159, 178, 179, 181–183, 184, 189, 190, 191, 192, 193, 195–197, 200, 202, 206, 207, 232, 278–279, 282
- deep, 10, 135, 159, 191, 211, 287, 296, 297, 299, 331, 332
- hazard, 2, 407
- sources, 1–2, 10, 155, 404
- effective media, 9, 150, 243–254
- elastic moduli, 14, 37, 39, 56, 249, 256, 260, 378, 384
- elastic modulus tensor, 37, 39, 252, 378, 383
- ensemble properties, 9, 143–146, 221, 234, 238, 239, 241, 243, 257
- epicentral distance, 101, 105, 116, 117, 121, 130–133, 136, 183, 185, 186, 190, 196, 202, 208, 209, 211, 214, 269, 279, 281, 286–288, 301, 331, 334, 340, 395–397
- equation of motion, 14, 16, 36, 39, 143, 256, 381, 438
- equipartitioning, 159
- equivalent forces, 264
- ergodic hypothesis, 238
- exploration seismology 8, 9, 63–94, 200, 216, 217
- down-hole recording, 217
- vertical seismic profiling, 68, 89
- filtering, 66, 79, 83, 106, 113, 119, 122, 127, 166, 187, 209, 249, 326, 391
- fluid–solid boundary, 14
- focussing, 45, 79, 124, 223, 235, 270, 274, 287, 417
- focussing function, 93
- forward modelling, 90, 152, 260, 341, 347, 400, 410, 413, 421, 439, 436
- wavefield adapted, 436, 440

Index

485

- Fréchet derivatives, 379, 380, 384–386, 388, 389, 390
 Fréchet kernels, 378, 384–386, 388, 389, 390, 416, 417, 419
 free oscillations, 8, 13, 14, 16, 23, 140–141, 157, 189–190, 193, 197–199, 222
 coupling, 190, 222
 core modes, 18, 189–190, 197–199
 inner-core modes, 18, 189, 198–199
 $PKIKP$ -equivalent modes, 189–190, 198–199
 ScS -equivalent modes, 18, 189, 198, 199
 spheroidal, 16, 21, 190, 197–199
 splitting, 222
 toroidal, 16, 190, 198
 free-surface amplification, 67
 frequency domain, 35, 36, 104, 106, 124, 126, 131
 frequency–slowness domain, 23, 41, 201
 frequency–slowness representation, 13, 25, 32, 130
 frequency–wavenumber filtering, 68, 79, 83
 Fresnel zone, 167, 384
- Gabor transform, 121
 generalised inverse, 346, 347
 generalised rays, 5, 137, 138, 155, 156, 184, 186
 geometrical spreading, 79, 105, 131, 133, 286, 292, 294
 gravitational potential, 13, 16
 great circle, 20, 57, 131, 132, 165, 191, 192, 230, 279, 285
 Green's function, 45, 93, 141, 150, 148, 259, 260, 272, 390, 424
 empirical, 140, 159, 161, 170, 172, 414
 adjoint, 260
 Green's tensor, 37–39, 44, 46, 48, 57, 140–143, 146, 256, 259, 387–389, 415, 416
 derivatives, 260
 effective, 146, 147
 reciprocity, 144
 ground motion, 147, 159, 174, 200, 292, 297–298, 308, 329–333, 407
 acceleration, 297
 displacement, 13, 14, 16, 18, 60, 131, 262
 peak ground velocity (PGV), 297
 group,
 slowness, 33, 34, 136, 167
 velocity, 142, 166, 168
 guided waves, 10, 69, 76, 83, 233, 272, 299, 301, 308, 331, 334
- head waves, 42, 43
 Hessian matrix, 357, 358, 360–362, 365–367, 371–372, 432, 445, 450, 455
 heterogeneity, 2, 7, 9–10, 35, 39, 48, 56, 60, 135, 160, 221, 222, 224, 228, 232, 243, 255, 256–259, 260–263, 270, 275–276, 280, 290, 294, 295, 303, 319, 403, 411, 429
 chemical, 224
 correlated, 295
 correlation, 233
 crustal, 283, 295, 302, 303–304
 deterministic, 9, 221
 inner-core, 290
 large-scale, 263, 267, 272, 277
- lithospheric, 202, 207, 275, 284, 286
 mantle, 267–269, 275, 287, 290, 303, 305, 318–321
 microscopic, 221
 multi-scale, 2, 10, 202, 286, 307, 308, 323–326, 328, 431
 near-surface, 65, 79, 81
 parametric, 233
 power-spectral density, 233, 234
 regimes, 227, 275
 scales, 232
 series, 258
 shallow, 79, 81, 191, 196
 small-scale, 221, 233, 264, 266, 269, 277, 283, 290, 323
 stochastic, 9, 221, 233, 234, 236, 238, 263, 273–274, 299, 301, 316, 323
 thermal, 224
 Huyghen's principle, 57
- imaging, 9, 64, 81, 94, 207, 211–216, 223, 429
 inner core, 1, 16, 138, 185, 192, 193, 197, 224, 290
 inner-core modes, 18, 189, 198–199
 inner-core/outer-core boundary, 18, 197, 290
 integral equation, 7, 39, 44–47, 256–257
 integral representations, 8, 14, 36–37, 134
 integration contour, 21, 135, 136
 inter-station dispersion, 97, 104–108, 166, 230
 inter-station distance, 131–133, 169, 175, 180, 185, 196
 interference, 76, 80, 98, 119, 160, 193, 202, 269, 327, 332, 334
 constructive, 18, 68, 76, 129, 133, 134, 140, 141, 160, 172, 185, 189, 192
 destructive, 135, 140, 160
 interferogram, 143, 147, 149–152, 155
 ensemble, 143–146, 149
 processed, 145, 146
 synthetic, 143–145
 tensor, 144
- inverse crime, 347, 408, 445
 inversion, 2, 8, 9, 10, 59, 89, 93, 98, 120, 124, 127, 147, 155, 166–167, 259, 272, 337, 342, 345, 355, 373, 386, 391, 429–430
 algorithm, 391
 automation, 417
 Bayesian, 10, 338–342
 iterative, 236, 359–361, 365, 367, 377, 381, 409–411, 431, 433
 nested, 10, 431
 nonlinear, 166–167, 230, 350–353, 358–360, 423
 regularisation, 345, 346, 352, 430, 456
 recovery tests, 415, 417
 resolution, 414, 417
 subspace, 230, 371–373
 waveform, 2, 8, 10, 59, 89, 120, 123, 125–126, 147, 223, 230, 244, 267, 274, 337–338, 355, 363, 374, 378, 389, 391, 392, 398–412, 413–427, 429, 440–441, 453–454
 irregular interface, 44, 45, 56
 isotropic media, 16, 23, 41, 51, 253, 385
- Jacobian, 352, 374
- kinematic groups, 138, 139, 155–156, 186

- Lamb's problem, 5
- leaking mode, 21, 23, 136
- least-squares procedure, 128, 148, 342–343, 345–347, 352, 353, 360, 373
- Legendre functions, 15, 19, 20, 131, 141
- L_g , 239, 274, 279, 286, 295, 329
- line search, 358, 365, 367, 370
- linearisation, 352, 353, 374
- lithosphere, 10, 206, 213, 230, 277, 280, 282, 307, 314, 322
 - continental, 296, 304, 307, 308, 320
 - mid-lithosphere discontinuity, 207, 321, 322, 327, 329
 - oceanic, 284, 296, 301, 303, 304, 307, 308, 312, 313, 319
- lithosphere–asthenosphere transition, 205, 213–214, 312, 319, 320, 321
- local modes, 59, 264, 265, 270
- localised force, 259
- Love waves, 1, 22, 23, 34, 58, 60–62, 105, 106, 118, 126, 142, 165, 263, 264, 271, 272, 314
- major arc, 20, 419, 423
- mantle, 28, 197, 221, 224, 228, 229, 263, 287, 306
 - discontinuities, 175, 287, 299, 315, 321
 - 410 km, 175, 267, 287, 299, 307
 - 660 km, 176, 287, 334
- lower, 227
- lowermost, 224, 289
- mid, 224
 - transition zone, 178, 227
 - upper, 227, 282, 315, 327, 408
- Marchenko equations, 93
- Mars, 278
- material discontinuities, 37, 40
- matrix probing methods, 348
- mean-field representation, 257
- metastable olivine, 299
- microbaroms, 158
- microseisms, 2, 129, 135, 140, 144, 157–159, 167, 173
 - primary, 157, 158, 159
 - secondary, 157, 158, 159, 172
- microtremor, 168, 174
- migration, 8, 80, 82, 83, 85–89, 206–207, 209, 212
 - pre-stack migration, 83, 85, 89
 - Kirchhoff, 209
- minor arc, 20, 423
- misfit functional, 341, 342, 355, 356, 358, 371, 373, 376, 378, 379, 388, 389, 391, 392, 394, 401, 402, 410, 412, 415, 417, 424, 432
 - sources, 418
 - structure, 420
- misfit measure, 338, 340, 400, 444, 449, 451
 - amplitude, 120
 - envelope, 121, 122
 - phase, 121, 122
 - seismograms, 119, 404, 406–408
 - time, 120
- modes,
 - coupled, 59, 61, 233, 238, 263, 266
 - eigenfrequencies, 14, 189, 197, 199
- eigenfunctions, 14, 15, 32, 59, 60, 62, 136, 141, 263–265
- evolution equation, 59, 264, 265
- independence, 230
- modal field, 32, 58–60, 135, 140, 255
 - expansion, 266
 - orthonormality, 264
 - sum, 263
- mode-ray duality, 23, 34
- model,
 - covariance, 340
 - initial, 399, 401, 406
 - parameters, 258, 378, 381, 411, 412
 - perturbation, 371–373, 379, 387, 450
 - reference, 16–17, 102, 186–187, 199, 231, 273–276, 277, 427, 433
 - resolution, 345, 346, 349
 - space, 338, 355, 374
 - suitability, 340, 342, 355, 376
 - vector, 338
- modified ray theory, 56
 - Gaussian beams, 56
 - Maslov, 56
- Moho, 174, 200, 202, 205, 210, 215, 216, 276, 284, 314, 322, 329, 334, 401
- moment rate tensor, 15
- moment tensor, 390, 401
- Monte Carlo techniques, 341, 432
 - Hamiltonian, 452–455
- Moon, 277
- moveout, 73, 82, 109, 118, 164, 185, 197, 202–203, 209
 - correction, 76, 80, 114, 116
- multi-taper spectral estimates, 128
- multiples, 28, 84
 - long-lag, 84, 85, 87
 - removal, 87, 88
 - short-lag, 85
 - surface, 53, 202, 209, 217
 - water, 78
- Newton's method, 360
- No Free Lunch theorem, 353, 376, 410, 443
- noise asymmetry, 163
- nuclear testing, 2
- nullspace shuttle, 447
 - Hamiltonian, 448–452
 - linear, 449
 - nonlinear, 449–452
- numerical simulation, 1, 5, 8, 9, 233, 236, 239, 243, 255, 280, 291, 298, 303, 316, 325, 339, 402, 436–438
- absorbing boundary, 291
- numerical dispersion, 7
- finite-difference, 6–7, 35, 60, 235, 255, 280, 291, 316, 338, 399, 411
 - leapfrog method, 449–450
- finite-element, 6, 35, 60, 280
- pseudospectral, 6, 436
- spectral elements, 7, 8, 180, 255, 270, 337, 339, 395, 399, 400, 411, 436–438
- wavelet, 239–240
- operator representation, 35, 52, 63, 70, 85

Index 487

- optimisation algorithms, 57, 338, 350, 355, 359, 360, 364, 365, 367, 369, 370, 372
- nonlinear, 390, 399, 401, 403, 411
- outer core, 18, 28, 138, 178, 184, 192, 198, 224, 281, 289, 290
- P*, 281, 334, 396
- PcP*, 175, 185, 286
- PKP*, 175, 185, 209, 277, 280, 288–290
- PKiKP*, 295, 298
- PKIKP*, 185, 187, 191, 193, 288
- PKJKP*, 193
- PKKP*, 287, 290
- PL*, 175
- PP*, 191, 281, 287, 396
- PPP*, 396
- PmP*, 174, 175, 204
- Pn*, 263, 279, 280, 283, 284, 309, 320
- PnPn*, 279
- Po*, oceanic *Pn*, 301, 303, 304, 308, 314–319
- P'P'*, 281, 287
- P_{diff}*, 280, 286, 396
- P* wavespeed, 1, 16, 23, 28, 34, 41, 51, 65, 67, 72, 77, 78, 86, 109, 111, 112, 114–116, 118, 173–175, 181, 184, 190, 191, 195–197, 199, 202–204, 211, 222, 224, 225, 279–281, 301, 325, 331, 396
- P* wavespeed, 72–78, 115, 225, 235, 288, 291, 298, 313, 328, 329, 338, 355, 386, 396, 404, 410, 433, 451, 454
- P* coda, 235, 237, 280, 286, 291
- path-averaged approximation, 58, 59, 337
- perfect elasticity, 25, 31, 36–38, 40, 93, 113, 141, 160, 200, 389
- permanent stations, 2–5
- perturbation,
 - expansion, 39, 222, 257
 - level, 235, 236, 240, 241, 290, 291, 299, 306
 - model, 371–373, 379, 387, 450
 - techniques, 255, 256–257, 258
- phase, 42, 93, 104, 108, 113, 121, 124, 150, 272, 392, 402, 406, 422
- delay, 1, 24, 30, 70, 97, 109, 123, 131, 133, 155, 190, 198–199
- horizontal, 20, 34, 264
- slowness, 34, 58, 106, 136, 167, 264, 268, 270
- tensor, 20, 21, 28, 32
- velocity, 105, 106, 107, 148, 166, 168, 169, 274
- point-spread functions, 347
- portable instruments, 2–5
- posterior model covariance, 343, 344, 345, 348, 351, 353, 374
- posterior model mean, 343, 344, 347, 353
- power-spectral density tensor, 144
- precursors, 277, 280, 281, 287–290
- PREM model, 16, 421, 425
- pressure, 68, 70, 71, 73, 141
- principal component analysis, 412
- probability distribution, 341
 - conditional, 341, 431–433
 - maximum likelihood, 342, 350, 352, 360, 431–432
 - posterior, 341, 342–344, 348, 350–352, 430, 452, 454
- prior, 340, 341, 343–345, 348, 351, 430–431, 432
- processing techniques,
 - one-bit normalisation, 153, 161
 - muting, 80, 83
 - running absolute-mean weighting, 161, 181
 - temporal normalisation, 181
- propagation
 - core, 27, 29, 192
 - invariants, 36, 40, 46, 47
 - legs, 188, 189
 - mantle, 27, 29
 - long-range, 275, 283, 291, 299
 - paths, 221, 230
 - ray paths, 211, 213
- quality factor, Q, 6, 15, 148, 235, 273, 274, 286, 291, 305, 317,
- radial correlation function, 227
- radial order, 16, 18, 199
- radiative transport, 258, 281
- random sampling, 10
- ray symbol, 138, 155
- ray theory, 43, 56, 60, 166, 222
- Rayleigh waves, 1, 21, 22, 32, 33, 34, 60, 61–62, 65, 105, 106, 108, 118, 126, 136, 142, 161–164, 176, 230, 263, 264, 268, 270–272, 274, 313, 314, 418, 421, 425
- receiver,
 - array, 63, 68, 69, 73, 79
 - broadband seismometers, 2
 - geophone, 65, 67, 71
 - ghost, 69, 71, 73, 87
 - hydrophone, 69, 71
 - ocean-bottom seismometers, 302, 315
 - response, 137
- receiver functions, 9, 32, 83, 97, 108, 109, 111, 114, 196, 207, 212, 215, 286, 308, 312, 314, 320, 322, 326
- Ps*, 109, 111, 116, 212, 215
- Sp*, 112, 116, 206, 211, 212, 321, 322, 326, 327, 328
- reciprocity, 144, 415
- record section, 66, 73, 176, 292, 301, 332
- reference structure, 59, 255–266, 270–273, 281
- reflection, 63, 76, 114, 130, 187, 198, 269, 270
 - moveout, 72, 80, 85
 - profiling, 238, 319, 328
 - response, 9, 114, 206, 208, 329, 334
 - wavefield, 64, 211, 346
- reflection coefficients, 23, 41, 42, 137, 138, 155, 202, 281
- reflection matrices, 23, 26, 28, 29, 31, 33, 35, 197
 - addition rule, 25, 51
 - free-surface, 24, 25, 33
 - symmetries, 25, 31
- reflection operators, 8, 35, 41–42, 43, 45, 47, 48, 52, 55, 64, 70, 83, 84, 201, 260, 262
 - addition rule, 50, 88
 - free-surface, 52
 - perturbation, 260

- reflections, 269, 270, 321, 326
- PSSP*, 72, 74–76, 78
- basement, 174
- core–mantle boundary, 175
- full-crustal, 81
- free-surface, 27, 197–199
- hard rock, 81
- interference, 80
- marine, 220
- modal, 272
- Moho, 174, 175, 203, 204
- post-critical, 42, 71, 74, 76
- pre-critical, 42
- salt bodies, 81
- sedimentary, 81
- wide-angle, 43, 80
- reflectivity method, 5
- refraction, 63, 65, 74, 75
- regional phases, 239, 263, 274, 277, 309, 329
- regolith, 278, 279
- representation theorem, 37, 38, 44, 46, 47, 56, 141, 143, 144, 160, 256, 387, 414
- reverberation operator, 32, 50, 51, 53, 64, 71, 85–87, 269
- reverberations, 25, 27, 28, 184, 186, 198, 302
- resolution, 10, 223, 230, 308, 319, 345–347, 348–351, 407, 410
- recovery tests, 408–410
- rotation, 109, 131, 147, 162–166
 - component, 166
 - LQT rotation, 109, 112, 208
 - VWT rotation, 111, 211
 - tensor, 166
- S*, 280, 281, 334
- SS*, 34
- SSS*, 34
- ScS*, 178, 185, 186
- ScS*-equivalent modes, 16, 193, 202, 203
- SmS*, 174
- Sn*, 238, 263, 280, 284, 309, 320
- SnSn*, 279
- So*, oceanic *Sn*, 301, 303, 304, 308, 314–319
- sP*, 334
- sPg*, 331
- sPn*, 331
- S* waves, 1, 34, 77, 78, 109, 111, 115, 118, 173, 174, 181, 184, 189, 191, 195–197, 202, 203, 210, 212, 222, 224, 225, 279–281, 301, 325, 331, 396
- SH* waves, 1, 16, 18, 23, 24, 28, 34, 41, 51, 52, 65, 67, 86, 112, 115, 186, 198, 199
- SV* waves, 16, 23, 28, 34, 41, 51, 65, 67, 72, 86, 111, 112, 115, 116, 199
- S* wavespeed, 167, 225, 227, 228, 236, 338, 355, 396, 429, 454, 455
- SH* wavespeed, 313, 404, 410
- SV* wavespeed, 313, 410, 416
- scale lengths, 224, 240
- scattering, 10, 39, 48, 56, 79, 135, 144, 160, 173, 174, 191, 195, 196, 221, 235, 239, 257, 261, 263, 277, 280, 283, 291, 293
- attenuation, 239, 243, 274
- forward, 277, 286
- lithospheric, 211, 283, 301–306
- local, 173, 196, 200, 217
- mantle, 287–290
- Monte Carlo simulations, 281
- multiple, 56, 235, 239, 240, 243, 263, 279, 285, 295, 299
- off-azimuth, 281, 288, 290
- precursory, 288, 289
- probabilistic particles, 281
- single, 39, 243, 257, 272, 277
- scattering windows, 281
- scattering zones, 10, 276, 281, 283, 287, 289
- sea bed, 64, 71, 73, 77
- seismic arrays, 2, 168, 173, 174, 195, 280, 286
 - large-N, 429
 - receiver, 63, 68, 69, 73, 79
 - spiral armed, 169, 279
 - stacking, 280
- seismic interferometry, 9, 129, 159, 201
 - generalised, 9, 142, 155, 172, 415
- seismic resonance, 158
- seismic source, 18, 414
 - airgun, 68
 - explosive, 64, 79, 144, 181, 235, 292, 296, 390
 - land, 64
 - marine, 68
 - vibrator source, 64, 65
- seismic tomography, 8, 159, 207, 209, 222–224, 232, 243, 274, 308, 309, 314, 338, 399, 411, 427, 454, 455
- ambient noise, 162, 167, 173, 308, 312
- body-wave, 120, 173, 230, 232, 319, 338, 345, 400, 453
- finite-frequency effects, 43, 223, 338
- joint, 225–226
- resolution, 224
- surface-wave, 59, 162, 232, 263, 309, 310, 312, 323
- seismic wavespeed, 26, 79, 121, 180, 221, 222, 224, 239, 263, 278, 287, 295, 299, 314, 327, 329
- seismograms
 - comparison, 97, 104, 116, 117, 119–127
 - continuous records, 161, 172, 174, 176–178, 204–207
 - envelope, 121–123, 124, 127–128, 166, 280
 - observed, 1, 8, 10, 119, 123, 125, 269, 278, 284, 298, 301, 314, 330, 332, 406
- phase, 123
- synthetic, 119, 181, 222, 402, 437
- theoretical, 1, 2, 5, 8, 292, 294
- self gravitation, 13
- sensitivity kernels, 10, 378, 393, 395, 396, 438, 440, 441
- shear modulus, 225
- shear-coupled *PL*, 180, 208, 214, 333, 335
- signal-to-noise ratio, 162
- slowness, 8, 74, 133, 135, 137, 173, 179, 185, 186, 189, 197, 199, 200, 202, 207, 210, 213, 279, 280, 286
- group, 33, 34, 136, 167
- horizontal, 109, 116, 261
- phase, 34, 106, 136, 167, 263
- spherical, 16, 20, 189
- slowness–frequency domain, 23, 41, 201
- slowness–frequency representation, 13, 25, 32, 130

Index 489

- slowness integration, 20, 21, 23, 30, 131–133, 135
 - Snell’s law, 74, 109, 133
 - solid–solid boundary, 14, 41
 - solotone effect, 199
 - sources
 - array, 63, 68, 73, 78
 - double-couple, 298, 395
 - equivalent, 39, 54, 264
 - excitation, 187
 - ghost, 27, 68, 73, 87
 - inversion, 98, 396, 408
 - parameters, 2, 389, 397, 411
 - point, 18, 20
 - power-spectral density, 144–145, 414–417, 420, 424, 425
 - radiation, 25, 26, 33, 52, 87, 133, 137
 - representation, 33, 52
 - spectrum, 130, 132, 137, 140, 141
 - uncorrelated, 145
 - wavelet, 84
 - SPAC analysis, 168–169
 - spatial averaging, 238–241
 - spatial correlation, 234, 236
 - aleotropic, 254
 - anisotropic, 234, 236, 238, 239, 277, 287, 291, 295, 296, 298, 299, 303, 305
 - isotropic, 240, 242
 - spatial correlation distance, 234, 415
 - spatially averaged coherence, 168
 - spectral division, 105
 - spectral normalisation, 181
 - spectral whitening, 161, 208
 - spherical harmonics, 15, 19, 33, 255
 - sphericity correction, 20
 - spurious phases, 160, 179, 185
 - stacking
 - adaptive, 97, 101–103, 193
 - common conversion point, 211, 212, 215
 - common reflection point, 216–218
 - double-beam forming, 213, 215
 - hyperbolic, 76
 - linear, 101, 208
 - phase-weighted, 161, 175, 209, 213
 - quadratic, 101
 - spatial, 205
 - stationary phase, 5, 133, 140, 160, 172, 173, 185, 203
 - statistical ensembles, 144, 146, 221, 234, 238, 241
 - step length, 356, 357
 - stochastic dispersion, 258
 - stochastic realisations, 238, 239–241, 298
 - stochastic representations, 2, 234, 238, 239, 280, 291, 299, 323
 - von Kármán distribution, 234, 236, 239, 291, 298
 - stochastic waveguide, 10, 238, 277, 284, 295–297, 299, 304, 305, 319, 324, 330
 - Stoneley waves, 16, 18
 - strain, 15, 147, 252
 - strain tensor, 15, 252
 - stress tensor, 13, 36, 252
 - structure,
 - radial, 1, 13, 16–17, 129–131, 134, 135, 137, 176, 181, 185, 191, 221, 226, 254, 280, 289, 338
 - stratified, 8, 13, 20, 35, 58, 135, 155, 263, 265, 267, 270, 285, 288
 - structural boundaries, 60
 - 2-D structure, 236, 290, 291, 293, 297
 - 3-D structure, 6, 10, 60, 112, 222–225, 256, 270, 281, 291, 292, 329, 337, 398, 412, 428
 - weakly varying, 58, 108
 - subduction zones, 211, 215, 221, 224, 227, 230, 286, 296, 297, 301, 308, 329–331
 - surface amplification matrix, 24, 31, 33, 111
 - surface amplification operator, 52, 83, 87
 - surface integral, 38, 45, 57, 141, 160
 - surface-wave dispersion, 97, 104, 108, 167, 169, 313
 - single-station, 106, 166
 - two-station, 97, 105, 106
 - surface waves, 7–9, 13, 18, 23, 32, 35, 57, 108, 129, 141, 157, 159, 160, 162, 168, 169, 173, 181, 189, 222, 223, 229, 230, 255, 263, 295, 308, 329, 400, 402, 436
 - fundamental mode, 18, 21, 22, 65, 97, 105, 106, 108, 118, 135, 136, 139, 141–142, 157, 159, 160, 162, 163, 169, 173, 218, 230, 268, 269, 270, 271, 272, 274, 313, 414, 419
 - ground roll, 65, 68, 218
 - higher modes, 22, 23, 34, 135, 141, 160, 169, 267, 296, 414
 - multi-mode, 33, 59, 60, 105
 - suppression, 218
 - tomography, 59, 162, 232, 262, 309, 310, 312, 323
- T* phase, 317
- teleseismic arrivals, 8, 29, 30, 97, 98, 101, 103, 109, 113, 116, 159, 179, 195, 196, 200–203, 207, 211, 214, 230, 312, 322, 326
 - temporary networks, 2–5, 166, 167
 - time domain, 35, 38, 104, 106, 126
 - time–frequency space, 106, 121, 123
 - time-lapse monitoring, 159
 - traction, 14, 16, 32, 37, 38, 44, 60, 61, 141, 160, 264, 270
 - horizontal, 61, 262
 - transfer function, 97, 104, 109, 113, 116–119, 123–126, 128, 150, 161, 211
 - transfer operator, 104, 119, 127
 - transfer tensor, 145, 146
 - transmission, 6, 33, 60, 79, 109, 113, 187, 198, 212, 262, 263
 - modal, 61, 266, 268, 276
 - transmission coefficients, 23, 137, 138, 281
 - transmission matrices, 23, 26, 28, 31, 33, 35, 198
 - addition rule, 25, 51
 - symmetries, 25, 31
 - transmission operators, 8, 35, 41, 43, 45, 47, 48, 52, 55, 64, 70, 83, 88, 93, 201, 260, 275
 - addition rule, 50
 - travel times, 120, 138, 166, 183, 185, 197, 221, 222, 223, 225, 230, 277, 281, 286, 288, 328, 337, 393, 395–397, 399, 402, 419, 422, 433

490

Index

- travelling waves, 19, 21, 130, 131, 140, 166,
308
tsunamis, 329, 407
- upgoing waves, 23–25, 33, 41, 43, 51, 52, 54,
67, 69, 70, 92, 201, 261, 331, 332, 334
- variance reduction, 423
- virtual receivers, 129, 134, 139, 140, 160, 166,
174, 200, 218, 433
- virtual seismic sounding, 210–211
- virtual sources, 9, 90, 129, 134, 138–140, 160,
166, 170, 172, 174, 185, 200, 204, 210,
212, 213, 217, 421, 423
- viscoelasticity, 380, 381
- Watson transformation, 19
- wave equation, 244–245, 247–248, 251, 259,
380, 381, 383, 384, 387, 400, 416, 436,
439
- wave types, 23, 30, 34, 48, 51, 78, 87, 119, 155,
162, 185, 226, 286
- conversion, 28, 31, 51, 72, 80, 97, 112, 114,
184, 200, 211, 215, 281, 332
- wavefield, 13, 23, 35, 63, 97, 136, 255, 281
- ambient, 157–159
- adjoint, 383, 387, 390, 411, 416, 438, 440
- coda, 170, 191, 278
- correlation, 10, 129, 132, 133, 135, 136,
139–141, 159, 168, 179, 181, 186, 189,
193, 217, 414–416, 418
- high frequency, 277, 331
- evolution, 60, 97, 116, 188, 263, 273
- interferometric, 144–148, 149
- perturbations, 238, 255, 274, 291
- reflection, 64, 207, 338
- waveform inversion, 2, 8, 10, 89, 123, 125, 229,
235, 345, 362, 381, 405, 406, 408, 413,
414, 416–418, 420
- adaptive, 124, 443
- wavefront healing, 224, 227
- waveguide, 295, 303, 317, 330, 331
- anti-waveguide effect, 295, 296
- lithospheric, 301–306
- stochastic, 10, 238, 254, 273, 277, 285,
295–297, 299, 304, 305, 319, 324, 330
- wavelength, 43, 60, 108, 223, 243, 277, 280,
291, 295, 307, 324, 401, 436
- wavenumber domain, 245–249, 258, 262
- wavenumbers, 5, 6, 19, 20, 41, 48, 168, 236,
246, 260–261, 324
- coupled, 48, 55–56, 261–262
- spectrum, 234–235, 239, 324
- wavespeed upscaling, 23, 51, 87, 244–254
- wavevector transformation, 111–112
- whispering gallery, 284, 324