

INDEX

Page numbers in *italic* refer to figures; **bold** to tables; underlines to glossary definitions

- abortion study, confirmation bias, 500
 absence seizures, 489
 abstract thinking, 334–338, 337; *see also*
 higher-order thinking
 ACC *see* anterior cingulate cortex
 acceleration–deceleration injury, 468–469, 521
 acetylcholine (ACh), 19, 23, 480, 521
 acetylcholinesterase, 23, 521
 acoustic features of speech, 222–224
 action monitoring, anterior cingulate cortex,
 422–423
 action potentials, 15, 16–17, 521
 action tremor, 99, 521
 adaptation method, 171, 172
 addiction *see* substance use disorders/
 addiction
 ADHD *see* attention-deficit/hyperactivity
 disorder
 adolescence
 behavior problems, 69
 brain development, 438–439
 legal culpability, 497, 505–506
 psychopathology onset, 408, 408–409, 439
 risk-taking behavior, 438–439, 505–506
 aducanumab, 480
 aerobic exercise *see* exercise
 affect, 349, **403**; *see also* emotional
 processing
 affective prosody, 367, 521
 age at time of injury, brain damage, 458–459
 aging process, 460, 465
 brain size/volume, 461–463, 462
 cognitive changes, 460–461
 effects of head injury, 471
 fluid and crystallized intelligence, 461
 key questions, 464
 last in, first out model, 462
 neural changes, 461–463
 slowing effects of, 463–464
 agnosia, 33, 164, 178, 185, 188, 521; *see also*
 visual agnosia
 agonist muscles, 99, 99
 agrammatic aphasia *see* Broca's aphasia
 agraphia, 31, 233, 521
 airline pilots, performance, 508, 509, 510
 akinesia, 103, 521
 akinetopsia, 197
 alcohol use, and head injury, 468
 alcoholism, 401; *see also* substance use/
 addiction
 alerting, attentional system, 302
 alertness, 284, 521
 alexia, 31, 233, 234, 521, 531
 Ali, Muhammad, 95
 allocentric reference frames, 195, 196, 209,
 521
 Alzheimer's disease, 467–468, 475–477, 494,
 521
 amyloid plaques, 477–478, 479
 cholinergic system, 19
 genetic factors, 479, **480**
 gray matter loss, 479
 herbal medicines, 22
 interventions/prevention, 480–481
 key questions, 487
 lifestyle factors, 479–480, 481
 neurofibrillary tangles, 477–478, 479
 neurophysiological characteristics, 477–479,
 478
 neuropsychological profile, 477
 rating scales, 476
 retrograde amnesia, 251
 risk factors for, 479–480
*American Heritage Dictionary of the American
 Language*, 348
 American Sign Language (ASL), 227
 basic structure, 228
 brain activation patterns, 230
 neural organization, 228–230
 place of articulation, 228
 spatial frames of reference, 229
 syntax, 228
 verb inflections denoted by hand
 movements, 229
 amino acids, 17, 18, 521
 amnesia, 247, 280, 521; *see also* retrograde
 amnesia
 anterograde, 249–252, 250, 521
 brain regions, 247–248, 249, 250
 case example, 246–248, 264
 dissociation between memory systems, 253,
 254
 electroconvulsive therapy patients, 251
 global nature of deficit, 248–249
 Korsakoff's disease, 251
 as memory function, 248
 memory systems spared, 252–254, 253
 temporal phases/timeline, 249–252, 250
 amphetamines, 426–427, 427
 amputees, plasticity, 453, 455
 amusia, 238
 amygdala
 anatomy, 351
 anxiety disorders, 420–421
 autonomic arousal, 353
 depression, 412–413
 facial expressions, 365
 fear and emotional learning, 351–352
 key questions, 356–357
 memory processing, 248, 259, 262–264
 negative and positive stimuli, 352–353
 neural pathways, 353–354, 355
 psychopathology, 428–429
 reward-based learning, 353
 stereotyping, prejudice, and discrimination,
 393
 amyloid plaques, 477–478, 478, 479, 521
 analogical reasoning, 334–335, 335; *see also*
 higher-order thinking
 anatomical connectivity *see* brain connectivity
 (structural)
 anatomical imaging *see* structural imaging
 anatomical terminology *see* neuroanatomical
 terminology
 angiogenesis, 456
 angular gyrus, 290
 anhedonia, 413, 521
 animal studies; *see also* primates; rodents;
 single-cell recording
 depression, 413
 empathy, 387
 ethical guidelines, 43–44
 historical perspectives, 43–44
 novel situations, 339
 Parkinson's disease, 105
 schizophrenia, 410
 working memory, 276–277
 antagonist muscles, 99, 99
 anterior aphasia *see* Broca's aphasia
 anterior brain regions, 5, 228, 264–265, 521
 anterior cingulate cortex (ACC), 521
 anxiety disorders, 422–423
 conditions of uncertainty, 114–118
 depression, 411–412
 emotion, 359
 goal-directed behaviors, 323
 legal contexts, 508
 motor control, 108, **124**
 multilevel/multimodal research, 87
 organization, 118
 selective attention, 293–294
 self-monitoring and evaluation, 333
 anterior intraparietal sulcus, 119
 anterograde amnesia, 249–252, 250, 521
 anterograde disorientation, 207, 521
 anticonvulsant medication, 491
 antidepressant drugs, brain impacts, 414–415
 anti-saccade task, spatial cognition, 202–203,
 204
 anxiety disorders, 419, 429–430, 527; *see also*
 obsessive-compulsive disorder
 amygdala, 420–421
 anterior cingulate cortex, 422–423
 attentional bias, 420, 421
 basal ganglia, 424–425
 emotion regulation, 422
 hippocampus, 422
 key questions, 425

- medial prefrontal cortex, 422
 surgical interventions, 423
 symptoms/features, 419–420
- anxious apprehension, 420, 423, 424, [521](#)
 anxious arousal, 420, 423, 424, [521](#)
 aphasia, 215, 220, 221, 222; *see also* Broca's
 aphasia; global aphasia; Wernicke's
 aphasia
- apolipoprotein E (ApoE), 478, 479, **480**
 apperceptive agnosia, 164–167, 188, [521](#)
 brain regions, 165
 deficits/abilities affected, 166
- approach-withdrawal model, 369, 423, [521](#)
 apraxia, 31, 120–121, 122, 127, [522](#)
 behavioral manifestations, 122
 classification/types, 122–123
 neural underpinnings, 123
- aprosodia, 367, [522](#)
 arcuate fasciculus, 33, 219
- arousal levels/hyperarousal; *see also* anxious
 arousal
 attentional system, 284, [521](#)
 brain regions, 285–286, 353
 emotional intensity, 369–370
 neurotransmitters, 286
 noradrenergic system, 20–21
 psychopathology, 428
- ascending reticular activating system (ARAS),
 285, 286
- Asch, Solomon, 375, 375
- ASD *see* autism-spectrum disorders
- ASL *see* American Sign Language
- Asperger syndrome, 389, [522](#)
- association areas, cerebral cortex, 29–30, [522](#)
 associative agnosia, 164–167, 165, 166, 188,
[522](#)
- associative learning, 255
- astrocytes, 4, 455
- attention/attentional system, 284, [522](#); *see*
also hemineglect; selective attention
 alerting, orienting, and executive attention,
 302
 arousal, 284, 285–286
 bottom-up vs. top-down attentional
 selection, 302–303
 brain regions, 285–287, 286, 314
 case example, 284
 closed head injury, 470
 and consciousness, 312, 313–314, 313
 default network, 303, 303–304
 depression, 414
 divided attention, 285, 298–299
 dorsal and ventral system, 302–303
 driving example, 299–300
 emotion regulation, 362
 executive attention, 302
 hemispheric specialization, 311–312
 key questions, 285, 287, 300, 304
 and memory retrieval, 271–272
 methylphenidate, 451
 nature of attention, 284–285, 314
 neurotransmitters, 19, 20–21, 286, 287
 noradrenergic system, 20–21
- research methodology, 64
 socioeconomic status/poverty, 502
 supervisory, 318; *see also* executive function
 task-setting and maintenance, 321
 thought questions, 314
 vigilance/sustained attention, 284
- attentional bias, 420, 421, 422, 461
 attentional control
 hemispheric specialization, 311
 network models, 300–304, 301, 315
 attentional set, 321, [522](#)
 attention-deficit/hyperactivity disorder
 (ADHD), 80, 450–452, 451, 464–465, [522](#)
 attitudinal prosody, 367
- auditory agnosia, 185, [522](#)
 auditory cortex, 28–29, 153–155
 anatomy, 154
 auditory-visual interactions, 155–156
 tonotonic maps, 153–154
 tuning curve of auditory cortex cells, 154,
 155
- auditory hallucinations, 405–406
 auditory perception/processing, 129, 148, 156–
 157, 159; *see also* language processing
 auditory agnosia, 185
 computational problems for the brain, 148
 key questions, 156
 neural pathways, 151
 object recognition, 185, 186, 188
 organization, 148–150
 organization of auditory cortex, 153–155,
 154
 role in spatial cognition, 196
 shared features with visual perception,
 149–150
 spatial location, 151, 152, 153
 thought questions, 157
 tonotonic maps, 149, 153–154, 154
 tuning curves, 154, 155
 visual system interactions, 155–156
- auditory-verbal working memory, 276, [522](#)
 autism-spectrum disorders (ASD), 464–465,
[522](#)
 brain size/volume, 449
 developmental disabilities, 448–450
 gaze direction, 389, 390
 social cognition, 373, 388–390, 396
- automatic orienting, selective attention,
 288–289
- automatic processing, two-component system,
 318
- autonomic nervous system, 349–351, 350, 357
- autosomal dominant gene, Huntington's
 disease, 106
- Awakenings* movie, 104
- axial view, 6, 6, [527](#)
- axons, 4, 23, [522](#)
 axon hillock, 15, 16, [522](#)
- ballistic movements, 100
- barbiturates, 18, [522](#)
 basal ganglia, 12, [522](#)
 connectivity/neural networks, 101–102, 103
- memory processing, 260–262
 motor control, 101–102, **124**
 obsessive-compulsive disorder, 424–425
 in relation to other brain structures, 101
- BDNF (brain-derived neurotrophic factor), 106
 behavior assessment, 65–69, 90
 behavior associated with closed head injury,
 471
 behavior-brain relationships, hemineglect,
 310
 behavior changes during childhood, 437–438;
see also brain development
 behavior problems in adolescents, structural
 MRI, 69
 behavior, socially inappropriate, 378
 behavioral interventions, 106, 451
 behavioral-variant frontotemporal dementia,
 481–482
 belonging, conformity to group norms, 376
 belt, auditory cortex, 153, 154, 155, [531](#)
 Benson, D. F., 318
 Berger, Hans, 45
 bias, attentional, 420, 421, 422, 461; *see also*
 selective attention
 biased-competition model, selective attention,
 297–298
- bilateral brain regions, 6
 bilateral processing, 56, [522](#)
 bilingualism, 230–232
 binocular disparity, 194, [522](#)
 binocular integration, striate cortex,
 138–140
 binocular rivalry, 142, [522](#)
 biofeedback, performance optimization, 509
- bipolar disorder, 411
 birds, pair-bonding, 373
 blind spot, 141, [522](#)
 blindness, 454, 459–460
 blindsight, 129, 135, 144–145, 158, [522](#)
 blood-brain barrier, 4, [522](#)
 blood flow to brain, effects of aging, 463–464
 blood oxygen level dependent (BOLD) signal,
 75, 90–91
 blooming and pruning, 433, 433–435; *see also*
 synaptogenesis
- BMs *see* brain-machine interfaces
- bodies, object recognition, 181–184
 bodily cues, emotion, 349, 357–358
 body-movement compensation, 199–200; *see*
also motion perception
- Bogen, Joseph, 49
- BOLD *see* blood oxygen level dependent
 signal
 bottom-up attentional selection, 290, 291,
 297, 302–303, [522](#)
- boxing, effects on brain, 95, 472
- Brady, James, 348
 bradykinesia, 103, [522](#)
 bradyphrenia, 482, [522](#)
 Braille reading, 454
 brain activity modulation, 85, 91, 230; *see also*
 transcranial stimulation (*various types*)
 brain anatomy/structure, 69–72

- brain branding, training programs, 511
brain–computer interfaces *see* brain–machine interfaces
- brain connectivity, structural; *see also* functional connectivity; white matter tracts
amygdala, 353, 353–354, 355
auditory perception, 151
basal ganglia, 101–102, 103
blindsight, 144–145
brain imaging, 71–72, 73
conduction velocity delays, 125
consciousness, 313, 315
dorsal visual processing stream, 191–192, 192
hippocampal complex, 249
insight, 338
interhemispheric communication, 55–56
language processing, 226–227, 227
motor tracts, 96, 97, 126
to muscles, 96
network analysis, 80
retina, 133–135, 134, 158
visual perception, 133–135, 158
written language, 236
- brain damage, 455; *see also* closed head injury; lesion method
behavior assessment, 65–69
cerebral achromatopsia, 143
disconnection syndromes, 47–48
estimate of premorbid functioning, 67–68
factors influencing recovery, 458
historical perspectives, 39
Kennard principle, 458–459
key questions, 459
left vs. right hemispheres, 459
neurophysiological responses to, 456
plasticity, 455–459
play/drama analogy, 42
reading, 233–234
regional effects, primary motor cortex, 457
scotomas, 142
sign languages, 232–233
single-, group-, and multiple-case studies, 41, 42
spatial cognition, 196–197, 197
types of damage, 455
- brain decoding, multi-voxel pattern analysis, 77
- brain-derived neurotrophic factor (BDNF), 106
- brain development, 432–433, 464; *see also* developmental disabilities
adolescence, 438–439
case example, 432
childhood, 433–438, 435, 436, 437
and cognitive/behavioral repertoire of child, 437–438
dendrites, 433, 435
educational perspectives, 500
environmental factors, 435, 439–444, 441, 442, 443
fetal, 433
- functional connectivity, 435–437
infancy, 435, 436, 437
key questions, 444
legal contexts, 505–506
migration of nerve cells, 434
myelination, 435–436
neurogenesis, 433, 434
reading competence, 438, 438
sensitive periods, 442–444, 442, 443
synaptogenesis, 433–435
time frame of, 433, 434–435
training programs, 440
brain enhancement, 86
- brain hemispheres *see* cerebral hemispheres
- brain imaging, general; *see also* functional imaging; structural imaging
advantages/disadvantages of techniques, 70–71
anatomical connectivity, 71–72, 73
combining with computational modeling, 88–89
face specificity, 177, 178–180, 179
historical perspectives, 56–58
key questions, 72, 80, 84, 85
legal contexts, 505
lie detection, 506–508
neurochemical approaches, 73, 90–91
optical recording methods, 85, 91
public perceptions of, 498, 499, 500
research methodology, 90–91
brain injury *see* brain damage; closed head injury
brain–machine interfaces (BMIs), 115–117, 116, 509, 522
- brain myths, 499, 500
- brain size/volume
aging process, 461–463, 462
autism, 449
and group size, 374
- brain stimulation methods *see* deep brain stimulation; noninvasive brain stimulation
- brain training *see* training programs
- brainstem, 150–153, 152; *see also* medulla; midbrain; pons
- Broca, Paul, 39, 40
- Broca's aphasia, 42, 218–219, 401, 522; *see also* global aphasia
basic characteristics, 220, 222
brain regions, 216–217, 218
language processing, 215, 216–217, 218–219
nomenclature, 219
syntax, 221
- Broca's area, 24
disconnection syndromes, 47
motor control, 114
music, 239–240
role in language processing, 226
- Brodman area, 114
- Brodman map, 24, 522
- broken mirror theory of autism, 389
- buccofacial apraxia, 122, 531
- Bucharest Early Interventions Project, 441–442, 442
- caffeine, 508
- callosal apraxia, 123, 522
- cannabidiol (CBD), 491
- cannabinoid receptors, 409
- cannabis use, 408
- CAT *see* computerized axial tomography
- category specificity, 522
distributed processing theory, 184
fMRI studies, 182, 183
fusiform face area, 182, 183
object recognition, 176, 177, 181–184, 188
visual word form area, 182
- Caucasian snowdrop, herbal medicines, 22
- caudal brain region, 5, 522
- caudate nucleus, 101, 102, 103, 107, 522
- cause-and-effect relationships/causality
Alzheimer's disease, 478
brain development, 438
dyslexia, 501
lesion method/brain-damaged patients, 40, 41
socioeconomic status/poverty, 504
substance use and OFC function, 426
- cell body, neuronal, 4, 522
- cell phone use while driving, 299
- cellular mechanisms of recovery, brain damage, 456
- center-surround receptive fields, 132–133, 523
- central executive, working memory, 279–280, 523
- central fissure, 13, 523
- central nervous system (CNS), xvii, 523; *see also* cerebral cortex; glia; neurons; neurotransmitters
basic building blocks, 4, 36
geography of, 4–6, 7, 36
key questions, 7, 14, 34
major subcortical systems, 7, 12
major subdivisions, 7–12, 36
neuroanatomical terminology, 36
signaling, 14–15, 36–37
thought questions, 34
ventricular system, 7
white matter tracts, 33
- cerebellar ataxia, 99, 99, 523
- cerebellum/cerebellar disorders, 10, 523
motor control, 96, 98–101, 100
structure, 98
- cerebral achromatopsia, 143, 523
- cerebral cortex, 12–14, 24, 37; *see also* frontal lobes
association areas, 29–30
cytoarchitectonic divisions, 24
primary sensory and motor cortices, 25–29
cerebral hemispheres, 12, 33, 48–49, 50–51, 55–56, 523; *see also* corpus callosum; hemispheric specialization; left hemisphere; right hemisphere

- cerebral metabolic rate of oxygen
 consumption (CMRO₂), 74
 cerebocerebellum, 98, 99
 cerebrospinal fluid (CSF), 7, [523](#)
 cervical spinal cord, 8
 childhood, brain development, 433–438, [435](#),
[436](#), [437](#)
 children's perceptions of neuroscience, 501
 chimeric stimuli, split-brain studies, [51](#), [53](#)
 choline, 408
 cholinergic system, [18–19](#), [18](#), [19](#), [287](#)
 chorea, [106](#), [523](#)
 chronic traumatic encephalopathy (CTE),
[473–474](#)
 cigarette smoking *see* smoking
 cilia, cochlea, 149
 cingulate cortex, [358–359](#), [359](#), [411–412](#), [423](#),
[428–429](#); *see also* anterior cingulate
 cortex
 cingulo-opercular network *see* salience
 network
 cingulotomy, [423](#), [523](#)
 cingulum, white matter tracts, [33](#)
 circadian rhythms, ganglion cells, [132](#)
 classical approach, cognitive neuroscience, [3](#),
[216–220](#)
 classifiers, pattern analysis, [78](#)
 clinical neuropsychology, [3](#)
 clinical populations, research methodology,
[64–65](#)
 closed head injury, [468](#), [494](#), [523](#); *see also*
 brain damage
 alterations to brain aging process, [471](#)
 attentional system/executive function, [470](#)
 behaviors associated, [471](#)
 coup and contrecoup injury, [469](#)
 etiology, [468–469](#)
 Glasgow Coma Scale, [469](#), [470](#)
 interventions, [471–472](#)
 key questions, [472](#)
 memory processing, [469–470](#)
 neuropsychological consequences, [469–471](#)
 risk factors for, [471](#)
 sports-related, [471](#), [472–474](#), [473](#)
 white matter tracts, [468](#)
 CNS *see* central nervous system
 coarticulation, [110](#), [523](#)
 cochlea, [148–149](#), [149](#), [150](#), [151](#), [523](#)
 cochlear implants, [454–455](#)
 cochlear nucleus, [149](#), [523](#)
 cognitive control, [318](#), [523](#); *see also* executive
 function
 adolescence, [438–439](#)
 aging process, [463](#)
 depression, [411](#), [414](#)
 Huntington's disease, [485](#)
 socioeconomic status/poverty, [502](#), [504](#)
 stereotyping/prejudice/discrimination, [393](#)
 cognitive development *see* brain development
 cognitive disorders, generalized, [467–468](#);
see also closed head injury; conscious
 awareness disorders; dementia; epilepsy/
 seizures; multiple sclerosis
 cognitive domains
 aging process, [460–461](#)
 and emotion, [349](#)
 neuropsychological assessment, [67](#)
 NIH Toolbox, [68](#)
 cognitive neuroscience, general, xvii, [3–4](#), [36](#),
[523](#)
 cognitive perspective-taking, empathy, [385](#)
 cognitive reappraisal, [362–363](#), [363](#)
 cognitive reserve, [480](#), [523](#)
 cognitive training *see* training programs
 cogwheel rigidity, [103](#), [523](#)
 coincidence detector cells, [152–153](#), [523](#)
 color coding, visual perception, [143–144](#)
 color constancy, [143](#), [523](#)
 color sensitivity, ventral visual processing
 stream, [164](#)
 coma states, [285](#), [491](#), [492](#), [523](#)
 commissurotomy *see* split-brain procedure
 compensation, brain, [458](#), [463](#)
 compensatory rehabilitation, [458](#), [523](#)
 complex cells, striate cortex, [137](#), [138](#), [523](#)
 compliance with social norms, [377–380](#)
 components, ERP, [46](#), [48](#), [82–83](#), [523](#)
 conscious vs. unconscious stimuli, [312](#)
 language processing, [222](#), [223](#), [224–225](#)
 memory processing, [270](#)
 novel situations, [338](#)
 prosopagnosia, [167–168](#)
 schizophrenia, [406](#), [410](#)
 selective attention, [287](#), [288](#)
 sign languages, [229–230](#)
 Compound Remote Associate task, [338](#)
 comprehension, [39](#); *see also* language
 processing; semantics
 disconnection syndromes, [47](#)
 double dissociation, [42](#), [222](#)
 global aphasia, [219](#)
 localization of function, [40](#), [217](#)
 role of right hemisphere, [242](#)
 speech production overlaps, [225–226](#)
 Wernicke's aphasia, [217](#), [219](#)
 computational modeling, [523](#)
 combining with neuroimaging, [88–89](#), [92](#)
 memory processing, [274–275](#)
 motor control, [123](#)
 object recognition, [170](#)
 selective attention, [297–298](#)
 computerized axial tomography (CAT/CT), [57](#),
[58](#), [70–71](#), [523](#)
 conceptual apraxia, [122](#), [528](#)
 conceptual thinking, [334–338](#), [337](#); *see also*
 higher-order thinking
 concussion, [470](#), [471](#); *see also* closed head
 injury
 Concussion motion picture, [472](#)
 conditioning, fear *see* fear conditioning
 conduction aphasia, [47](#), [219](#), [219](#), [220](#), [523](#)
 cones, photoreceptor cells, [130–131](#), [131](#)
 configural processing, [174–175](#), [175](#), [176](#)
 confirmation bias, [500](#), [523](#)
 conflict, self-monitoring and evaluation,
[333](#)
 conformity, [375–377](#), [375](#), [376](#), [523](#)
 conjunctions, Broca's aphasia, [216](#)
 conjunctive encoding, [175–176](#)
 connectivity *see* brain connectivity
 (structural); functional connectivity
 conscious awareness disorders, [491–493](#), [495](#)
 functional brain imaging, [493](#)
 key questions, [493](#)
 thought questions, [494](#)
 types, [492](#)
 consciousness
 and attentional system, [312](#), [313–314](#), [313](#)
 brain regions, [312](#), [313](#)
 connectivity/integrated networks, [313](#), [315](#)
 as emergent phenomenon, [313](#)
 key questions, [314](#)
 and memory processing, [256–259](#)
 constructional apraxia, [123](#), [523](#)
 constructional praxis, [200–201](#), [523](#)
 consumer decision making *see* marketing
 contention scheduling, [318](#), [523](#)
 context-induced relapses, substance use/
 addiction, [427](#)
 contextual fear conditioning, [262](#), [263](#), [523](#)
 contextual modulation, visual, [140](#), [140–141](#),
[158](#)
 contralateral brain region, [6](#), [523](#)
 contrecoup injury, [469](#), [524](#); *see also* closed
 head injury
 control populations, research, [52–53](#), [65](#),
[277–280](#)
 controlled processing, two-component system,
[318](#)
 cooperative living *see* social cognition
 coprolalia, [107](#)
 corollary discharge, motion perception, [199](#),
[523](#)
 coronal plane, [6](#), [6](#), [524](#)
 corpus callosum, [23](#), [33](#), [55–56](#), [524](#)
 brain development, [440](#)
 split-brain studies, [48–49](#)
 cortical blindness, [144](#), [524](#); *see also* blindsight
 cortical dementias, [474](#), [475](#), [487](#), [494](#),
[524](#); *see also* Alzheimer's disease;
 frontotemporal dementia
 cortical magnification factor, [137](#), [524](#)
 cortical motor disorders *see* apraxia
 cortical ribbon, gray matter, [47](#), [48](#)
 cortical thickness, [69](#), [435](#); *see also* gray matter
 volume
 autism, [449–450](#)
 environmental factors, [440–442](#), [502](#), [503](#)
 cosmetic neurology, [510](#), [524](#)
 contrecoup injury *see* contrecoup injury
 coup injury, [469](#), [524](#); *see also* closed head
 injury
 cranial nerves, [8](#), [524](#)
 cross-modal plasticity, [454](#), [524](#)
 crowding hypothesis, [459](#), [524](#)
 crystallized intelligence, [461](#)
 CT *see* computerized axial tomography
 CTE (chronic traumatic encephalopathy),
[473–474](#)

- cueing paradigm, 308
 culpability, legal, 505–506
 cytoarchitectonics, 24
- Darwin, Charles, 357
- deafness, plasticity, 454–455, 459–460
- deception, lie detection, 506–508
- decision making, 339–340
 and emotion, 360–361
 morality, 513
 orbitofrontal cortex, 360, 360–361
 substance use/addiction, 426–428
- declarative memory system, 255, 259, 260–261, [524](#)
- decline-related approach, aging process, 460
- decoding 1092.70, 1094.230, [531](#)
- decomposition of movement, 99, [524](#)
- dedifferentiation theory, 463, [524](#)
- deep brain stimulation (DBS), 105–106, 416–417, 484, [524](#)
- deep dyslexia, [524](#); *see also* alexia
- default network
 attentional system, 303–304
 depression, 414
 fMRI, 79
 neuroscience of morality, 513–514
 structural MRI, 72
- delay aversion, in ADHD, 450
- delay discounting paradigm, 340
- delay line model, 152, 153, [524](#)
- delayed nonmatch-to-sample task, 252, [524](#)
- delayed-response paradigm, 276
- delusions, 402, 477
- dementia, 467–468, 474–475, 494, [524](#); *see also* Alzheimer's disease; frontotemporal dementia; vascular dementia
 case example, 467
 executive function, 323
 key questions, 487
 sports-related, 472
- dementia pugilistica, 472
- dendrites, 433, 435
- dendritic spines, 426–427, 427, 445
- dendritic tree, neuronal, 4, [524](#)
- depolarization, neuronal, 15
- depression, 401, 410, 429
 adolescent onset, 439
 emotion regulation, 411, 412
 executive function, 411
 frontal lobe, 411–412, 413, 428–429
 functional connectivity, 414
 genetics, 418–419
 hemispheric specialization, 411–412
 herbal medicines, 23
 Huntington's disease, 485
 integrated models, 415
 key questions, 418
 multiple sclerosis, 488
 Parkinson's disease, 482
 serotonergic system, 19
 subcortical brain regions, 412–414
 symptoms/features, 410–411
 therapeutic interventions, 414–418, 417
 transcranial magnetic stimulation, 85
- deprivation, and brain development, 440–442, 441
- depth perception, 194, 212
- developmental disabilities, 432, 444, 464–465
 attention-deficit/hyperactivity disorder, 450–452
 autism-spectrum disorders, 448–450, 449
 case example, 432
 dyslexia, 446–448
 effects in adulthood, 451–452
 intellectual disability, 445, 445–446
 key questions, 452
 neurodiversity, 452–453
- developmental milestones, 437, [524](#)
- developmental plasticity *see* brain development
- developmental windows, 442–444, 443, [533](#)
- dichotic presentation, 52, 52, [524](#)
- diencephalon, 11, 12, [524](#); *see also* hypothalamus; thalamus
- dietary factors, Alzheimer's disease, 479–480
- diffusion tensor imaging (DTI), 71–72, [524](#)
- diffusion tractography, 71–72, 73
- digit span task, 252, [524](#)
- dilated pupils, closed head injury
- dimensional card sort task, 329–331, 462, 482, [536](#)
- dipole, event-related potentials, 45, [524](#)
- dipole modeling, 83, 84, 87
- direct route to reading, 233–234, 235, 235, [525](#)
- disconnection syndromes, 47–48, 219, [525](#)
- discrimination, 392–393, 394, 503, [525](#)
- disgust, 357, 364, 513
- disinhibition, 318, 348, 360
- distal brain regions, 6
- distributed processing theory, 184
- disturbances of posture, 103, [525](#)
- divided attention, 285, 298–299, 300, [525](#)
- divided visual field technique, 49, [525](#)
- The Diving Bell and the Butterfly* movie, 492
- DLPFC *see* dorsolateral prefrontal cortex
- dominance hierarchies, 374
- donepezil, 480
- dopamine overdose hypothesis, 484
- dopaminergic system, 18–19, 18, 21–22, [525](#)
 ADHD, 451
 conformity to group norms, 376–377
 memory processing, 261–262
 Parkinson's disease, 95, 105
 pleasure of music, 356
 positron emission tomography (PET), 74
 reward, 369
 schizophrenia, 64, 409
 substance use/addiction, 425–426
 subsystems of,
- dorsal attention system, 302–303
- dorsal brain region, 5, [525](#)
- dorsal premotor area (PMd), 114
- dorsal stream, language processing, 226–227
- dorsal visual processing stream, 146–147, 147, 148, 191
 anatomy, 191–192
 key questions, 192
 neural pathways, 191–192
 neuronal properties, 192
 spatial cognition, 191, 208, 211, 212
- dorsolateral prefrontal cortex (DLPFC)
 anxiety disorders, 424
 depression, 411–412, 416
 effortful control, 507
 multilevel/multimodal research, 87
 response inhibition, 325
 sequencing and planning, 327
 Stroop task, 343, 344
 task-setting and maintenance, 322
 task-switching, 330
 working memory, 276–277
- dorsomedial nucleus, thalamus *see* medial dorsal nucleus
- dot probe task, 421, [525](#)
- double dissociation, 41–42, 221–222, 231, 238, [525](#)
- double simultaneous stimulation, 305, [525](#)
- Down syndrome, 445, 445, 446, [525](#)
- drama analogy, brain-damaged patients, 42
- drinking apraxia, 123, [525](#)
- driving example, attentional system, 299–300
- DTI (diffusion tensor imaging), 71–72, [524](#)
- dual-pathways model, 353, 353–354
- dual-process model, 270
- dual-systems model, 438–439
- dual-task performance, 298, 322; *see also* divided attention
- dual-use dilemma, ethics, 510, [525](#)
- duress, legal contexts, 505–506
- dysarthria, 99, [525](#)
- dyskinesia, 484
- dyslexia, 432, 446–448, 464–465, 501, [525](#)
- dysmetria, 99
- dysprosodic, 241, [525](#)
- dysthymia, 411, [525](#)
- dystonia, 106, [525](#)
- ear, 148–149, 149
- early-onset Alzheimer's, 476; *see also* Alzheimer's disease
- early-selection viewpoint, 287, [525](#)
- EBA *see* extrastriate body area
- echolalia, 107, [525](#)
- ecstasy, 19
- edema, brain, 456, [525](#)
- educational perspectives, 500–502, 515
 children's perceptions of neuroscience, 501
 key questions, 502
 reading skills, 500–501
 socioeconomic status/poverty, 502
- EEG *see* electroencephalography
- effortful control, lie detection, 507
- egocentric disorientation, 207, 209, [525](#)
- egocentric reference frames, 195, 196, [525](#)
- elderly people *see* aging process
- electrical potential, EEG, 45, [525](#)

- electricity use, multi-voxel pattern analysis, 76–77
- electrochemical signaling, neuronal, 14–15, 36–37
- electroconvulsive therapy (ECT), 251, 416
- electrode implants, for epilepsy, 44, 45
- electroencephalography (EEG), 80–81, [525](#)
 advantages/disadvantages, 70–71
 brain–computer interfaces, 116
 epilepsy/seizures, 489, 490
 historical perspectives, 45, 46, 47, 47
 performance optimization, 509
 phase coupling, 81, 81
 time–frequency analysis, 80, 81
- electromagnetic recording, 80, 91; *see also*
 electroencephalography; event-related potentials; magnetoencephalography
- electrophysiological methods, 45–47, 47, 48, 270
- emotional contagion, and empathy, 385
- emotional learning, 263, 351–352
- emotional processing/emotions, 348–349;
see also amygdala
 and action, 358–359
 autonomic nervous system, 349–351, 350
 bodily cues/interoception, 349, 357–358
 case example, 348
 cingulate cortex, 358–359
 and cognition, 349
 communication of emotion, 364–368
 and decision making, 360–361
 definitions of emotion, 348–349
 emotion regulation, 361–363, 362, 363
 experience of emotion, 368–370
 facial expressions, 364, 364–367, 366, 366
 fear, 351–352
 fear conditioning, 352
 fight-or-flight response, 349–351
 hippocampus, 354
 Huntington's disease, 485
 hypothalamic–pituitary–adrenal axis, 351
 hypothalamus, 351
 insula, 357–358
 key questions, 356–357, 370
 and memory processing, 262–264
 negative and positive stimuli, 352–353, 369–370
 orbitofrontal cortex, 360–361
 other brain regions, 349, 357, 370–371
 pleasure, 354–355
 pleasure of music, 356
 prosody, 367–368, 368
 regret, 361, 362
 reward, 354–356, 369
 superior temporal sulcus, 365–366
 thought questions, 370
- emotional prosody, 367
- emotional regulation, 361–363, [525](#)
 adolescence, 439
 aging process, 461
 anxiety disorders, 422
 cognitive reappraisal, 362–363, 363
 depression, 411, 412
 and executive function, 363
 processes involved, 362
 socioeconomic status/poverty, 502
- emotional salience, 354, 359
- emotional Stroop task, [525](#)
- empathy, 384–387, 386, 396, [525](#)
 autism, 389–390
 in-group/out-group effects, 392, 512–513
 morality, 512–513
- encoding of memories, 265–267, 266, 281
- entorhinal cortex, 210, 256, 266
- environmental dependency syndrome, 318, 319, [525](#)
- environmental factors
 brain development, 435, 439–444, 441, 442, 443
 enriched vs. impoverished environments, 440–442, 441, 457
 Parkinson's disease, 484
 recovery from brain damage, 457
 schizophrenia, 408
- enzymatic deactivation, 36–37, [525](#)
- epilepsy/seizures, 489–491, 490, 495, [525–526](#)
 anticonvulsant medication, 491
 comorbidities, 490–491
 EEG, 489, 490
 electrode implants, 44, 45
 electroencephalography, 45, 47
 historical perspectives, 40–41
 key questions, 491
 mapping of body onto brain, 44–45
 surgery, 49, 246–247, 248, 491
- episodic memory, 250–251, [526](#)
- Epstein–Barr virus, role in multiple sclerosis, 487
- equality/inequality *see* socioeconomic status
- ERPs *see* event-related potentials
- error positivity ERP component, 333, [526](#)
- error-related negativity (ERN)
 anxiety disorders, 422–423, [526](#)
 schizophrenia, 405
 self-monitoring and evaluation, 331–332
 stereotyping/prejudice/discrimination, 393, 394
- estimate of premorbid functioning, 67–68, [526](#)
- ethics
 key questions, 510
 legal contexts, 508
 nonhuman animal studies, 43–44
 performance optimization, 509–510
 research, 402
- event-related potentials (ERPs), [526](#); *see also*
 components
 advantages/disadvantages, 70–71, 83
 conformity to group norms, 377
 conscious vs. unconscious stimuli, 312
 dipole modeling, 83, 84
 historical perspectives, 45–47
 in-group/out-group effects, 391
 interhemispheric communication, 56
 late positive potential, 83, 83
 mismatch negativity, 82
 N400 component, 83
 P300 component, 82–83
 selective attention, 287–288
 self-monitoring and evaluation, 331–333, 332
 socioeconomic status/poverty, 503
- Everlyn, John, quotation, 22
- evolutionary perspectives, 55, 206, 232, 387
- excitatory postsynaptic potentials (EPSP), 16, [526](#)
- excitotoxicity, neuronal, 18, [526](#)
- executive attention, 302, 303
- executive control *see* cognitive control
- executive function, 317–318, 341, 345, [526](#);
see also higher-order thinking
 anterior cingulate cortex, 323
 case example, 317
 closed head injury, 470
 conformity to group norms, 376
 controlled vs. automatic processing, 318
 depression, 411
 emotion regulation, 363
 environmental dependency syndrome, 318, 319
 event-related potentials, 331–333, 332
 frontal lobe deficits, 317, 318, 330
 goal-centered processing, 319–320
 goal-directed behaviors, 320–321, 345
 initiation of actions to meet goals, 323–324
 key questions, 320, 334, 342, 344
 memory inhibition, 325–327
 multifactor models, 320
 neural organization, 342–344, 344, 346
 Parkinson's disease, 482
 prefrontal cortex, 327
 response inhibition, 324–325
 self-monitoring and evaluation, 331–334, 332
 sequencing and planning, 327–329, 328
 socioeconomic status/poverty, 502
 subcomponents of, 320, 323
 task-setting and maintenance, 321–323, 322
 task-switching, 329–331
 theoretical perspectives, 318
 thought questions, 344
 Tower of London task, 328–329
 working memory, 341, 345
- exercise benefits, 106, 463–464, 479–480
- experience-dependent systems, 440, [526](#)
- experience-expectant systems, 440, [526](#)
- experimental neuropsychology, 3; *see also*
 research methodology
 explicit memory system, 255, 260–261, [526](#)
 express saccades, eye movements, 288–289
 extended digit span task, 252, [526](#)
 extinction learning, 421, 422, [526](#)
- extrapersonal space, spatial cognition, 197
- extrastriate body area (EBA), 176, 177, 182, [526](#)
- extrastriate visual cortex, 142–143, 143, 158
- eye-blink conditioning, 99
- eye-centered coding, 195
- eye contact, 381–382, 389

- eye movements; *see also* gaze direction
 compensation, 198–199, 199
 and external motion perception, 198–199, 199
 monitoring, 258–259
 role of anterior cingulate cortex, 118
- eyes, neural pathways,
- face recognition, 64; *see also* fusiform face area
 configural processing, 175, 175
 and facial expressions, 364–365
 inversion effect, 175
 prosopagnosia, 167–168
- face specificity, 180–181
 brain imaging, 177, 178–180, 179
 brain regions, 176, 177, 179–181
 “greeble study,” 180, 181
 nonhuman primates, 177–178
 prosopagnosia, 178
 facial asymmetry, 366, 367
- facial attractiveness norms, 376, 376
- facial expressions, 364–367
 amygdala, 365
 autism, 389
 and face recognition, 364–365
 parkinsonian mask, 103–104, 366, 482
 superior temporal sulcus, 365–366
 universal, 364
- facial movements, 118, 366
- facial features
 fetal alcohol spectrum disorders, 447
 genetic disorders, 446
- fairness
 morality, 512, 513
 ultimatum game, 378–379
- false belief test, 382, 383, 383
- far space, spatial cognition, 197
- FASD *see* fetal alcohol spectrum disorders
- FBA (fusiform body area), 182, 183, 526
- fear, 351–352; *see also* anxiety disorders
- fear conditioning, 262–263, 526
 amygdala, 352
 contextual, 262, 263
 Pavlovian, 262
- feature-based object recognition, 174–175
- feedback, social, 376, 376, 377
- feedback processing, perception, 136, 141, 157
- feed-forward models, perception 342.90, 157
- FEFs (frontal eye fields), 108, 114, 124, 526
- fetal alcohol spectrum disorders (FASD), 446, 447, 526
- fetal cell implants, Parkinson’s disease, 105, 106
- FFA *see* fusiform face area
- fiber tracts, axons, 23, 526
- fight-or-flight response, 349–351, 420–421
- figure–ground segregation, 140
- fissure of Sylvius, 13, 25, 153, 534
- fissures, 12–14, 526
- 5-hydroxytryptamine (5-HT) *see* serotonergic system
- fixed and dilated pupils, closed head injury, 469
- flexibility, cognitive, 338
 fluent aphasia *see* Wernicke’s aphasia
- fluid intelligence, aging process, 461
- fMRI *see* functional magnetic resonance imaging
- FMRP (fragile X mental retardation protein), 445
- fNIRS *see* functional near-infrared optical spectroscopy
- focal-onset epileptic seizures, 489, 490
- folic acid, 408
- food transport analogy, disconnection syndromes, 47
- football, effects on brain, 472–474, 473
- form–cue invariance, 171–172, 172
- forward model of cerebellar function, 100, 526
- fovea, retinal, 130, 131, 526
- fragile X syndrome, 445, 446, 526
- frames of reference, spatial cognition *see* reference frames
- free recall memory test, 526
- Freud, Sigmund, 164, 325
- Frisbee example, optic ataxia, 202
- frontal eye fields (FEFs), 108, 114, 124, 526
- frontal hypoactivation, schizophrenia, 404, 527
- frontal lobe of cerebral cortex, 14, 30–31, 317, 318, 526; *see also* prefrontal cortex
 aging process, 462
 anxious apprehension/worry, 423
 asymmetry, 423
 case example, 348
 depression, 411–412, 413, 428–429
 divisions, 30
 environmental dependency syndrome, 318, 319
 goal-centered processing, 319–320
 neural organization, 342–344, 346
 rules and inference, 335–338
 schizophrenia, 403–405, 428–429
 socially inappropriate behavior, 378
 task-switching, 330
 thought questions, 344
- frontopolar cortex, 322, 339, 340
- frontotemporal dementia (FTD), 379–380, 430, 438–439, 478–479, 481–482, 494, 526
 brain regions, 482
 risk factors for, 481–482
 socially inappropriate behavior, 378
- functional connectivity, 80, 90–91, 526; *see also* brain connectivity (structural)
 aging process, 463
 Alzheimer’s disease, 478–479
 brain development, 435–437
 closed head injury, 470
 depression, 414
 dyslexia, 448
 effects of brain damage, 457
 Huntington’s disease, 485
- multiple sclerosis, 489
 resting state networks, 77
 schizophrenia, 406–407
- functional imaging, 70–71, 72, 90–91, 492–493, 493; *see also* magnetic resonance spectroscopy; positron emission tomography; *and see below*
- functional magnetic resonance imaging (fMRI), 75, 90–91, 526
 adaptation method, 172
 advantages/disadvantages, 70–71
 auditory perception, 153
 BOLD signal, 75
 category specificity studies, 182
 empathy, 387
 face specificity studies, 177
 historical perspectives, 59, 60
 lie detection, 507–508
 major brain networks active during rest, 77
 maps of brain activation, 76
 multilevel/multimodal approaches, 87
 multi-voxel pattern analysis, 76–77
 object recognition, 171, 172, 172
 participant perspectives, 78–79, 79
 performance optimization, 509
 resting state approaches, 77, 78–80
 social groups, 391–392
 task-based fMRI, 75–78
 time course of signal, 75
 typical set-up, 76
 visual imagery/mind’s eye, 187
- functional near-infrared optical spectroscopy (fNIRS), 70–71, 84–85, 91
- fundamental attribution error, 526
- fusiform body area (FBA), 182, 183, 526
- fusiform face area (FFA), 526
 category/face specificity, 179–181, 182, 183
 object recognition, 176, 177, 186
- fusiform gyrus, memory processing, 259
- galantamine, 480
- Galen (Roman physician), 39
- gamma-aminobutyric acid/GABAergic system, 18, 74–75, 526
- gambling task
 decision making, 360
 substance use/addiction, 426, 427
- ganglion cells, 130–132, 157, 526; *see also* M (magnocellular) cells; P (parvocellular) cells
 receptive fields, 132–133, 157
- gaze direction, autism, 389, 390
- GCS *see* Glasgow Coma Scale
- gene–environment interactions, 419, 527
- generalized anxiety disorder *see* anxiety disorders
- generalized (nonspecific) disorders, 468, 527; *see also* cognitive disorders (generalized)
- generalized-onset seizures, 489, 490
- genetic disorders; *see also* Down syndrome;
 fragile X syndrome
 ADHD, 451
 depression, 418–419

- intellectual disability, 445, 445
 left-handedness, 55
 physical features associated with, 446
 schizophrenia, 407–408
- genetic factors
 Alzheimer's disease, 479, 480
 Huntington's disease, 485–486
 multiple sclerosis, 488
- geniculostriate pathway, 134–135, 527
- genome-wide association studies, depression, 419
- geographical association, multiple sclerosis, 487
- geographical relationships, spatial cognition, 42
- geography of CNS, 4–6, 7, 36
- German measles, and intellectual disability, 445–446
- Geschwind, Norman, 47
- Ginkgo biloba*, and cognitive functioning, 22–23
- Glasgow Coma Scale (GCS), 469, 469, 470, 527
- glia, 4, 455, 527
 brain development, 433
 key questions, 7
 myelination function, 435–436
 necrosis, 455
 relationship with neurons,
 scaffolding function, 434, 435
- global amnesia, 248–249
 global aphasia, 219, 220, 527
- Global Deterioration Scale, 476
- global information processing, 54
- globus pallidus, 101, 102, 103, 105, 527
 glutamate, 18, 74–75, 409, 527
- glutamate excitotoxicity, closed head injury, 468
- goal-centered processing, executive function, 319–320
- goal-directed behaviors 786.140, 345
 anterior cingulate cortex, 323
 attentional system, 302–303
 initiation of actions to meet goals, 323–324
 task-setting and maintenance, 321–323, 322
 task-switching, 329–331
 working memory, 341
- Go/No-Go task, 324, 527
- Graham v. Florida* legal case, 497
- grammar, 65; *see also* syntax
 deficits, 221
 developmental windows, 443, 443–444
 hemispheric specialization, 51
- Grandin, Temple, 373, 389, 390
- grandmother cell theory, 169, 170, 527
- graph theory, brain connectivity, 80
- grapheme-to-phoneme correspondence rules, 527
- gray matter loss
 Alzheimer's disease, 479
 genetic disorders, 445
- multiple sclerosis, 487
 schizophrenia, 405, 406, 409, 409
 substance use/addiction, 426, 428
 synaptic pruning, 436
- gray matter volume, 69, 72, 502; *see also*
 cortical thickness
 “greeble study,” face specificity, 180, 181
- grid cells, entorhinal cortex, 256, 527
- group size, and brain size/volume, 374
- group studies, brain-damaged patients, 41, 527
- groups, social, 390–391, 397; *see also* social cognition
 empathy, 392
 error-related negativity, 393, 394
 in-group/out-group effects, 391, 391–392
 key questions, 395
 stereotype threat, 393–395
 stereotyping/prejudice/discrimination, 392–393
- guilty knowledge test (GKT), 506–507, 527
- gustatory cortex, 29
- gyrus/gyri, 12, 507
- habit learning, 527
- hair cells, cochlea, 25, 527
- hallucinations, 405–406
 functional connectivity reductions, 407
 L-dopa, 484
 schizophrenia, 402
- Halstead-Reitan test battery, 66, 66
- hand control, role of anterior cingulate cortex, 118
- hand movements, sign languages, 229
 handedness, 54–55, 216; *see also*
 hemispheric specialization
- head-centered coding, 195, 195
- head-centered receptive field, 195, 195
- head-direction cells, hippocampal complex, 210
- head injury *see* brain damage; closed head injury
- head position, hemineglect, 306
- Head Start program, 504
- heading disorientation, 207, 527
- heading/direction, motion perception, 199–200
- Heider-Simmel illusion, 383, 383
- Heller, Wendy, 401
- Helmholtz, Hermann von, 199
- hemianopia, 144
- hemi-extinction, 305, 527
- hemineglect/hemi-inattention, 284, 527
 brain regions, 31, 306
 brain-behavior relationships, 310, 315
 case example, 284
 clinical features/symptoms, 304–305, 315
 conscious vs. unconscious stimuli, 312, 313
 hemispheric competition, 308–309
 hemispheric differences, 311, 311–312
 influence of head position, 306
 interventions, 309–310
 item cancellation deficits, 311
- key questions, 310, 312
- landmark maps, 308
- lesion locations, 305
- line bisection task, 305
- modulation by attentional cues, 307
- nature of deficits, 307–309
- object-based vs. space-based neglect, 310, 311
 and sensory processing, 305–306
 spatial attention task, 309
 spatial cognition, 196–197
- hemiparkinsonism, 103
- hemiplegia, 26, 527
- hemispheric competition, hemineglect, 308–309
- hemispheric specialization, 50–51, 167, 527;
see also left hemisphere; right hemisphere;
 split-brain studies
 attentional control, 311, 311–312
 chimeric stimuli, 51, 53
 depression, 411–412
 dichotic presentation, 52, 52
 historical perspectives, 50–51, 51
 information processing modes, 53, 54
 interhemispheric communication, 55–56
 left-handedness, 54–55
 lesion research, 51–52
 object recognition, 174
 research in neurologically intact people, 52–53
- herbal medicines, 22–23
- Heschl's gyrus, 29, 527
- high blood pressure, vascular dementia, 486
- high-functioning autism, 373, 389
- higher-order thinking, 334, 345, 527; *see also*
 executive function
 abstract/conceptual thinking, 334–335
 insight, 337–338
 judgment and decision making, 339–340
 key questions, 340–341
 novel situations, 338–339
 relationships between information, 336–337
 rules and inference, 335–338, 337
- hippocampus/hippocampal system, 527
 Alzheimer's disease, 478–479
 amnesia, 247–248, 248, 252
 anatomy, 249, 256
 anxiety disorders, 422
 depression, 413–414
 emotion, 354
 marijuana use, 69, 72
 memory consolidation and storage, 267–269
 memory encoding, 266
 memory inhibition, 326–327
 memory processing, 41, 255–256, 257, 259–260, 265, 266, 269–271, 281
 neural pathways, 249
 pattern completion, 269–271
 spatial cognition, 210–211
 working memory, 276

- historical perspectives, xvii, 39; *see also*
twentieth century; twenty-first century
ancient times until 1800s, 39–40, 60
homunculus, 44–45
key questions, 40, 56, 58, 60
pre-1800s, 39
- H.M. case example
amnesia, 246–247, 248
memory systems spared, 252
semantic memory, 264
skill learning, 252, 253
- homeostasis, role of hypothalamus, 11–12
homonymous hemianopsia, 28, [527](#)
- homunculus
historical perspectives, 44–45
primary sensory/motor cortices, 25, 109
somatosensory map, 26–27
- horizontal section, 6, 6, [527](#)
- hormonal system, role of hypothalamus, 12
- HPA *see* hypothalamic–pituitary–adrenal axis
- Hubel, David, 137
- Hughlings Jackson, John, 50
- human leukocyte antigen (*HLA*) gene, 488
- human neuropsychology, 3, 36, [527](#)
- Huntington's disease, 484–486, 494, [527](#)
amnesia, 252
caudate nucleus degeneration, 107
genetic factors, 485–486
key questions, 487
memory processing, 260, 261
motor control, 96, 102, 106–107
neurological degeneration, 484
time course of symptom development, 485
- hyperarousal *see* arousal levels/hyperarousal
- hypercolumn cells, striate cortex, 137, 139, [527](#)
- hyper-complex cells, striate cortex, 137, [527](#)
- hyperpolarization, neuronal, 15
- hypertension, vascular dementia, 486
- hypofrontality, schizophrenia, 404, [527](#)
- hypothalamic–pituitary–adrenal (HPA) axis, 351, [527](#)–[528](#)
- hypothalamus, 11, 11–12, 351, 357, [528](#)
- ice cube tray model, striate cortex, 137
- ideational apraxia, 122, [528](#)
- ideomotor apraxia, 122, [528](#)
- idiopathic epilepsy, 489
- IFG (inferior frontal gyrus), 424, 507
- imitation, 380–382, 385, 396, [534](#)
- implicit memory system, 255, 256, 258, 260–261, [528](#)
- impulse control, *Graham v. Florida* legal case, 497; *see also* inhibitory control
- incentive salience, 354–355, 425
- inequality *see* socioeconomic status
- infancy, brain development, 435, 436, 437
- infections in pregnancy, intellectual disability, 445–446
- inference, 242, 335–338, 337, [528](#); *see also*
higher-order thinking
- inferior brain region, 5, [528](#)
- inferior colliculus, 11, 149, 152–153, [528](#)
- inferior frontal gyrus (IFG), 424, 507
- inferior frontal junction, task-switching, 330, 331
- inferior longitudinal fasciculus, 33
- inferior parietal lobe (IPL), 120–121, 120, 124, 191, 290, 291, 507
- inferotemporal cortex, 162; *see also* ventral visual processing stream
face specificity, 177–178
memory processing, 259
object recognition, 175, 176
population coding theory, 170
receptive field, 163
specificity of neuronal response, 163
- influence, social, 375, 395–396, [534](#)
- information activation, working memory, 278–280
- information processing
brain as information processing system, 3
hemispheric specialization, 53, 54
- information transfer; *see also* brain connectivity
between neurons, 15
within a neuron, 14–15
- informational conformity, 375, [528](#)
- in-groups, 391, 391–392, 512–513
- inhibition of response *see* response inhibition
- inhibitory control; *see also* emotional regulation
ADHD, 450
Graham v. Florida legal case, 497
Parkinson's disease, 484
- inhibitory postsynaptic potentials (IPSP), 16, [528](#)
- insight, higher-order thinking, 337–338
- insula, 29
emotion, 357–358
self-monitoring and evaluation, 333
substance use/addiction, 428
- integrated models; *see also* brain connectivity
depression, 415, 415
interhemispheric interaction, 55–56
memory processing, 274–275, 281–282
motor control, 118–121, 120, 123–124, 127
- intellectual disability, 445, 464–465, [528](#)
genetic disorders, 445, 445, 446
infections and toxins, 445–446, 447
- intelligence
and effects of brain damage, 457–458
research measures, 67
- intention tremor (action tremor), 99, [521](#)
- interaural intensity difference, 150, 152, [528](#)
- interaural time difference, 150, 152, [528](#)
- interdisciplinarity, cognitive neuroscience field, 64
- interference resolution, 324, [528](#)
- interferons, 489
interhemispheric interaction, 55–56
- interneurons, 4
- interoception, [528](#)
emotion, 349, 357–358
self-monitoring and evaluation, 333
- interoceptive judgment task, 358
- intertemporal choice task, 340
- intralaminar nucleus, thalamus, 285, 286
- intraparietal sulcus (IPS)
numerical/mathematical tasks, 205
selective attention, 290, 291–293, 292
spatial cognition, 191, 200
- intrinsic connectivity *see* resting state networks
- invariance in recognition problem, 171–174
adaptation method, 171, 172, 172
form–cue invariance, 171–172
position invariance, 172
viewpoint invariance, 173–174
- inversion effect, 174, 175, [528](#)
- ion channels, neuronal, 14
- ipsilateral brain region, 6, [528](#)
- ipsilateral muscles, 99
- IPL *see* inferior parietal lobe
- IPS *see* intraparietal sulcus
- IPSP *see* inhibitory postsynaptic potentials
- irregular words, 233, [528](#)
- item cancellation deficits, hemineglect, 311
- Jacksonian seizures, 44
- James, William, 357
- Japanese language systems, 237–238, 244
- Jasper, Henri, 44
- judgment, higher-order thinking, 339–340
- juggling example, plasticity, 453
- juveniles *see* adolescence
- kana, Japanese language systems, 237–238
- Kandel, Eric, 246
- kanji, Japanese language systems, 237–238
- Kennard principle, 458–459, [528](#)
- K.F. case example, working memory, 276
- kindling, epileptic seizures, 491
- kinesthetic information, motor control, 98–99
- King, Rodney, legal case, 504–505
- Kliver–Bucy syndrome, 352
- koniocellular layers, lateral geniculate nucleus, 135
- Korsakoff's disease, 251
- landmark agnosia, 207, [528](#)
- landmarks of navigation, 208, 209
- language processing, auditory, xviii, 181–184, 215, 235; *see also* aphasia; comprehension; music; phonological processing; sign languages; written language
acoustic features of speech, 222–224
Alzheimer's disease, 477
bilingualism, 230–232
brain development, 440
case example, 215
comprehension–speech production overlaps, 225–226
deficits, 215, 216–220
developmental windows, 443–444
disconnection syndromes, 47
double dissociation, 221–222, 231, 238
dyslexia, 448

- ERP components, 222, 223
 hemispheric specialization, 50, 50–51, 54–55
 historical perspectives, 39
 integrated models, 222, 226–227
 Japanese language systems, 237–238, 244
 key questions, 227, 240, 242
 left hemisphere, 167
 lesion method/brain-damaged patients, 42
 neural pathways, 226–227
 neurologically oriented approaches, 216–220
 and numerical/mathematical tasks, 205–206
 other brain regions, 215–217, 219, 220, 226–227, 243
 phonology, 220
 psycholinguistic perspectives, 216, 220, 222
 right hemisphere, 222, 224, 240–242, 244
 semantics, 221
 socioeconomic status/poverty, 502, 503
 syntax, 221
 syntax–semantic overlaps, 224–225
 theoretical perspectives, 65
 thought questions, 242
 three-part model, 219–220
 Wada technique, 215–216, 216
- Lashley, Karl, 39
- last in, first out model, aging process, 462
- late positive potentials, 83
- late-onset Alzheimer's, 476; *see also* Alzheimer's disease
- lateral brain region, 5, 528
- lateral corticospinal tract, 96, 528
- lateral fissure, 13, 25, 153, 534
- lateral geniculate nucleus (LGN), 134, 135, 158, 528
 blindsight, 145
 feedback connections from cortex, 136
 layers, 135
 retinotopic map, 135–136
 selective attention gating, 289
- lateral intraparietal region (LIP), 203
- lateral occipital complex (LOC), 172, 173, 185–186
- lateral prefrontal cortex (LPFC), 74–75, 379; *see also* dorsolateral prefrontal cortex; ventrolateral prefrontal cortex
- lateral section/zone, 6, 528
- lateralization of function *see* hemispheric specialization
- late-selection viewpoint, selective attention, 287, 528
- Lauterbur, Paul, 59
- L-dopa, 484, 528
- League of Denial* (Fainaru-Wada and Fainaru), 472
 learning *see* fear conditioning; memory processing; plasticity; skill learning
- learning disabilities, 446, 528; *see also* dyslexia; intellectual disability
- learning signals, memory processing, 261–262, 262
- left-handedness, 54–55, 216
- left hemisphere; *see also* hemispheric specialization
 brain damage, 459
 comprehension–speech production overlaps, 225
 historical perspectives, 50–51
 language processing, 167, 215–217, 222
 learning myths, 500
 sign languages, 228–230
 written language, 234
- left visual field (LVF), 28, 528
- left–right spatial coding, 192–193, 212
- legal contexts, role of neuroscience, 497, 504–506, 505, 508, 515–516
 key questions, 508
 lie detection, 506–508
- lesions/lesion method, 60–61, 528
 emotion, 352
 hemineglect, 305
 historical perspectives, 39–42
 inferences which can be drawn from, 41–42
 lateralized lesion research, 51–52
 limitations, 42
 reversible, 85, 202
 sequencing and planning, 327
 single-case and multiple-case studies, 41, 42
 thought questions, 60
- lesion mapping, anatomical approaches, 58
- Lewy bodies, 483
- lexical agraphia, 234, 528
- lexical route to reading, 233–234, 235, 525
- Lezak, Muriel, 66
- LGN *see* lateral geniculate nucleus
- lie detection, role of neuroscience, 506–508
- lifestyle factors, Alzheimer's disease, 479–480, 481
- liking, 354–355, 425; *see also* reward systems
- limb apraxia, 122, 528
- limbic system, 12, 349, 358–359, 438–439, 528; *see also* amygdala; cingulate cortex; hippocampus; mammillary body; hippocampus; hypothalamus
- line bisection task, hemineglect, 305
- LIP (lateral intraparietal region), 203
- literacy, influence on brain, 236–237
- lobes, cerebral cortex *see* frontal lobes
- LOC *see* lateral occipital complex
- local information processing, hemispheric specialization, 54
- localization of function, 39, 40, 529
- location invariance, object recognition, 172
- locked-in syndrome, 492, 529
- London taxi drivers, navigational skills, 210, 453
- longitudinal fissure, 13, 529
- long-term memory, 255–256, 281; *see also* amnesia
- long-term potentiation (LTP), 256, 529
- Luke Skywalker, *Star Wars* movies, 171
- lumbar spinal cord, 8
- Luria, Alexander, 66
- Luria–Nebraska neuropsychological test battery, 66
- LVF (left visual field), 28, 528
- M (magnocellular) cells, 131–132, 135, 529
- machine learning, 78, 88
- MacLean, Paul, 349
- magnetic resonance imaging *see* functional magnetic resonance imaging; structural magnetic resonance imaging
- magnetic resonance spectroscopy (MRS), 70–71, 74–75, 90–91, 529
- magnetoencephalography (MEG), 83–84, 84, 529
 advantages/disadvantages, 70–71
 music, 239, 240
 written language, 236
- major depressive disorder *see* depression
- mammillary bodies of the hypothalamus, 248, 529
- Mansfield, Paul, 59
- map-based strategies, navigational skills, 206
- mapping of body onto brain, 44–45, 65, 453; *see also* homunculus; retinotopic mapping
- maps of brain activation, 76; *see also* functional magnetic resonance imaging
- marijuana use, 69, 72
- marketing, 510–511, 516–517
 key questions, 511
 pricing, 511
- mass action viewpoint, 39, 40, 529
- matchstick problem, 338
- material-specific memory disorders 606.70, 529
- mathematical tasks *see* numerical/mathematical tasks
- maturational lag hypothesis, 451, 529
- maze task, 206, 207
- MCI *see* mild cognitive impairment
- meaning of linguistic material *see* semantics
- measles–mumps–rubella (MMR) vaccine, 449
- medial brain region, 5, 529
- medial dorsal nucleus, 248, 285, 286, 529
- medial geniculate nucleus, 149, 529
- medial pathway, motor tracts, 96–97, 529
- medial prefrontal cortex (mPFC), 376, 422
- medial section, 6, 529
- medial superior frontal gyrus (mSFG), 507
- medial superior temporal (MST) brain area, 191, 197–198, 199–200
- medial temporal lobe (MTL)
 memory encoding, 265–267, 266
 spatial cognition, 210–211
 surgery to control epilepsy/seizures, 246–247, 248
- medicalization, individual differences, 501
- medulla, 8–9, 529
 auditory perception, 149
 cranial nerves, 8
 spatial location, 150–153, 152
- MEG *see* magnetoencephalography
- memantine, 480

- memory consolidation, 265, 267–269, 268, 281, [529](#)
- memory enhancement effect, 354
- memory inhibition, Think/No-Think task, 325–327, [326](#)
- memory processing, xviii, 246–247; *see also* amnesia; H.M. case example; working memory
- aging process, 461, 462–463
- Alzheimer's disease, 477
- amodal storage, 264–265, 265
- amygdala, 248, 259, 262–264
- basal ganglia, 260–262
- cholinergic system, 19
- closed head injury, 469–470
- computational modeling, 274–275
- and consciousness, 256–259
- consolidation/storage, 265, 267–269, 268, 281
- depression, 411
- domain-specific brain regions, 259–260
- electrophysiological methods, 270
- and emotion, 262–264
- encoding stage, 265–267, 266, 281
- episodic memory, 250–251
- eye-movement monitoring, 258, 258–259
- fear conditioning, 262–263
- functional connectivity, 80
- hippocampus, 41, 255–256, 257, 259–260, 265, 266, 269–271, 281
- Huntington's disease, 485
- interaction of different systems, 274–275, 281–282
- key questions, 259, 265, 274, 275, 280
- learning signals, 261–262, 262
- long-term memory systems, 255–256, 281
- nature of memory, 247, 280
- nonhippocampal brain regions, 259
- other brain regions, 279–280
- parietal cortex, 271–272
- Parkinson's disease, 482
- prefrontal cortex, 271
- probabilistic learning task, 261, 275
- research methodology, 64
- retrieval stage, 265, 269–272, 281
- semantic memory, 250–251, 264–265, 265
- serotonergic system, 19
- skill learning, 252–254, 253, 255, 260–262
- and sleep, 272–274
- structural brain changes, 260
- targeted reactivation paradigm, 273, 274
- mental illness *see* psychopathology
- mental imagery, 187
- mental retardation *see* intellectual disability
- mentalizing *see* theory of mind
- mesocortical dopaminergic subsystem, 22, [529](#)
- mesolimbic dopaminergic subsystem, 21–22, [529](#)
- meta-analysis, research methodology, 89
- metabolic activity, imaging *see* functional brain imaging
- metacognition, 318, [529](#)
- metacognitive strategy instruction, head injury, 472
- metaphor, role of right hemisphere, 242
- method of converging operations, 64, [529](#)
- methodology *see* research methods
- methylphenidate, 451, 451, 508
- mice *see* rodents
- microglia, 4, 455
- mid cingulo-insular network *see* salience network
- midazolam, 275
- midbrain, 11, [529](#)
- middle frontal gyrus (MFG), 507
- midline diencephalic region, 248, 250, [529](#)
- midsagittal section, 6, [529](#)
- migration of nerve cells, brain development, 434
- mild cognitive impairment (MCI), 476–477, 480–481, [529](#)
- mild traumatic brain injury, 470, 471; *see also* closed head injury
- military applications, role of neuroscience, 510
- Milner, Brenda, 40, 246
- mimicry, 380–382, 385, 396, [534](#)
- Mind-in-the-Eyes task, 383, 384
- “mind's eye,” 187
- Mini Mental State Exam (MMSE), 474
- minimally conscious state, 492, [529](#)
- mirror neurons, 114, 115, 381, 382, 389, [529](#)
- mirroring, and empathy, 385–386
- mirror-reading task, 253, 254, [529](#)
- mirror-tracing/drawing task, 252, 253, [529](#)
- mismatch negativity, 82
- mixed auditory agnosia, 185, [529](#)
- mixed-variety dementias, 475, 486–487, 494, [529](#); *see also* vascular dementia
- MMR (measles–mumps–rubella) vaccine, 449
- modafinil, 508
- modal specificity, 164, 264–265, 265, [529](#)
- modulation, brain activity, 85, 91; *see also* transcranial magnetic stimulation
- monkeys *see* primates
- monoamine neurotransmitter systems, 414, [529](#)
- moral behavior, 360
- moral reasoning, 513, 514
- morality, neuroscience of, 512–514, 513, 517
- brain regions, 514
- disgust, 513
- fairness, 512, 513
- moral reasoning, 513, 514
- trolley dilemma, 513
- Morris water maze task, 254, 255, [530](#)
- Moser, Edvard, and May-Britt, 256
- motion-detection thresholds, deaf people, 459
- motion parallax, 194
- motion perception, 197, 212; *see also* movement
- body-movement compensation, 199–200
- brain regions, 197–198, 199–200
- corollary discharge, 199
- eye-movement compensation, 198–199, 199
- heading/direction of bodily forward motion, 199–200
- key questions, 200
- optic flow, 198, 199–200
- self-motion compensation, 198
- motivational drive, 354–355, 425
- motor control, 96, 124; *see also below*
- basal ganglia, 101, 101–102, 103
- cerebellum, 98–101, 100
- changes during childhood, 437
- conditions of uncertainty, 114–118, 118
- control of prosthetic limbs, 115–117, 116
- disorders, 98, 98–101, 100, 102, 126; *see also* apraxia; Huntington's disease; Parkinson's disease; Tourette's syndrome
- execution of movement, 108–109, 110, 126
- inhibition of response, 118, 119
- integrated models, 118–121, 120, 123–124, 127
- key questions, 98, 102, 108, 121, 123, 124–125
- mirror neurons, 114, 115
- Muhammad Ali/boxing example, 95
- neuromuscular junction, 96, 97
- noncortical regions, 98–102, 126
- other brain regions, 108, 109, 111, 126
- peripheral control, 96–97, 126
- tennis serves example, 96, 102, 121
- motor cortex, 25–29, 30, 108, [532](#)
- conduction velocity delays, 125
- effects of brain damage, 456–457
- execution of movement, 108–109, 110, 126
- function of major brain regions, 124
- homunculus, 25
- mapping of body onto brain, 44–45
- organization, 111
- populations of neurons, 109, 110
- motor neurons, 4
- motor plans, 109–118, 113, 124, 125, [530](#)
- motor programs, 110, 114, 118–121, 120, [530](#)
- motor tracts, 96, 97, 126
- movement; *see also* motion perception; motor control
- execution, 108–109, 110, 126
- mental models of, 121
- peripheral control, 96–97, 126
- planning, 109–118, 112, 113, 125
- medial prefrontal cortex (mPFC), 376, 422
- MRI (magnetic resonance imaging) *see*
- functional magnetic resonance imaging; structural magnetic resonance imaging
- MRS *see* magnetic resonance spectroscopy
- MST *see* medial superior temporal area
- MT brain area, 191, 197–198, [522](#)
- MTL *see* medial temporal lobe
- multi-infarct dementia, 475, 486–487, 494, [535](#)
- multilevel/multimodal research, 87–88, 91–92
- multiple-case-study approach, 41, 42, [530](#)
- multiple demand system, 319

- multiple-resource theory, 285, [530](#)
- multiple sclerosis (MS), 487–489, 495, [530](#)
etiology, 487
genetic factors, 488
key questions, 489
risk factors, 487
time course of, 488, 488
- multiple trace theory (transformation hypothesis), 268, 269
- multisensory processing, auditory–visual, 155–156
- multitasking, 298, 322; *see also* divided attention
- multivariate pattern analysis, 370, 392, 436–437
- multi-voxel pattern analysis (MVPA), 76–77, [530](#)
brain decoding, 77
electricity use example, 76–77
memory encoding, 266
memory processing, 259
music, 239–240
object recognition, 184
task-setting and maintenance, 321–323
working memory, 277, 278
- music, 238–240
brain development, 440
key questions, 240
magnetoencephalography, 239, 240
pleasure of music, 356
right hemisphere, 64
spatial and rhythmic aspects of musical notation, 239
visual word form area, 239
- myelination/myelin, 23, 37, [530](#); *see also* multiple sclerosis
aging process, 463
autism, 449–450
brain development, 435–436
- N2pc ERP component, 288
- N100 ERP component, 368
- N170 ERP component, 178, 179, 312
- N400 ERP component, 83, 222, 223, 224–225, 229–230, 270
- N-acetylaspartate (NAA), 75
- narrative, 242, [530](#)
- National Adult Reading Test, 67
- navigational skills, 206–207, 213; *see also* spatial cognition
assessment tasks, 206, 207
key questions, 211
landmarks, 208, 209
- neck-proprioceptive stimulation, hemineglect, 309
- necrosis, 455, [530](#)
- negative stimuli
amygdala, 352–353
emotion, 369–370
- negative symptoms, schizophrenia, 402, [530](#)
- neologisms, 217, 220, [530](#)
- nested-hierarchy model, 342
- network analysis, 80; *see also* brain connectivity
connectivity
- network models of attentional control, 300–304, 301
- neural pathways *see* brain connectivity (structural)
- neuroanatomical-level research methodology, 64
- neuroanatomical terminology, 4–6, 6
central nervous system, 36
key questions, 7
neurodiversity, 452–453
working memory, 279
- neurochemical imaging *see* functional brain imaging
- neurochemical-level research methodology, 64
- neurodevelopmental hypothesis, schizophrenia, 408–409, [530](#); *see also* developmental disabilities
- neurodivergence/neurodiversity, 452–453
- neurofibrillary tangles, 477–478, 478, [530](#)
- neurogenesis, [530](#)
in adults, 453
aerobic exercise, 463–464
brain development, 433, 434
- neuroimaging *see* brain imaging
- neurologically intact people *see* control populations
- neurologically oriented approach, 3, 216–220
- neuro-marketing, 510, [530](#)
- neuromuscular junction, 96, 97, [530](#)
- neuronal pathways *see* brain connectivity (structural)
- neurons, 4, 14, [530](#); *see also* action potentials;
brain development; neurotransmitters
basic structure,
electrochemical signaling, 14
information transfer between, 15
information transfer within, 14–15
key questions, 7, 24
myelination, 23, 37
necrosis, 455
neurogenesis, 433, 434
postsynaptic potentials, 16–17
rate of firing, 16–17
relationship with glia,
neurophysiological characteristics, Alzheimer’s disease, 477–479, 478
- neurophysiological-level research methodology, 64
- neuroplasticity *see* plasticity
- neuropsychological assessment, 66, 67, [530](#)
- neuropsychological test batteries, 66, 66–67, [530](#)
- neuro-realism, 499
- neurotransmitters, 15, 17, 37, [530](#); *see also* dopaminergic system; noradrenergic system; serotonergic system
amino acids as, 17, 18
attentional, 19, 20–21, 286, 287
cholinergic, 18–19, 18, 19, 287
herbal medicines which affect, 23
- neurotypicality, 452
- neurulation, 433, [530](#)
- nicotine, 408, 410
- nigrostriatal dopaminergic subsystem, 21, [530](#)
- NIH Toolbox, NIH, 68, 69
- Nobel Prize in Medicine or Physiology (2014), 256
- nodes of Ranvier, 23, [530](#)
- nonfluent aphasia *see* Broca’s aphasia
- nonhuman primates *see* primates
- noninvasive brain stimulation (NIBS), 85; *see also* transcranial direct current stimulation; transcranial magnetic stimulation
depression, 415–418, 417
following brain damage, 458
hemineglect, 309
social norm compliance, 379
- nonlexical route to reading, 233–234, [532](#)
- nonlocal binding, object recognition, 175
- non-match-to-sample paradigm, 147, [530](#)
- nonretinal vision, 141–142
- nonverbal auditory agnosia, 185, [530](#)
noradrenaline/norepinephrine, 23, [530](#)
- noradrenergic system, 18–19, 18, 20–21
ADHD, 450
arousal, 286
attentional system, 20–21, 287
herbal medicines which affect, 23
- normality, legal contexts, 506
- normative conformity, 376; *see also* social norms
- novel situations, higher-order thinking, 338–339
- nuclei, neuronal, 6, [530](#)
- nucleus accumbens, 101, 355, [530](#)
adolescence, 439
imitation/mimicry, 382
pleasure of music, 356
reward, 354, 355–356
shell, 355–356
substance use/addiction, 425, 426
- numerical/mathematical tasks
brain regions, 205
and language processing, 205–206
number lines, 204, 205
and spatial cognition, 204–206, 213
- object-based neglect, 310, 311, [530](#)
- object-based viewpoint of attention, [530](#)
- object-centered neglect, 196, [530](#)
- object identification *see* “what” functions
- object orientation *see* “where” functions
- object recognition, xviii, 161–162, 164;
see also face recognition; face specificity;
visual agnosia; visual perception/
processing
adaptation method, 171, 172, 172
category specificity, 176, 177, 181–184, 188
color sensitivity, 164
conjunctive encoding, 175–176

- object recognition (*cont.*)
 distributed processing theory, 184, 184
 feature vs. configural coding, 174–175, 176
 form–cue invariance, 171–172
 grandmother cell theory, 169, 170
 hemispheric specialization, 174
 invariance in recognition problem, 171–174
 inversion effect, 175
 key questions, 164, 168, 176, 184–185, 186
 lateral occipital complex, 172, 173
 multi-voxel pattern analysis, 184
 nonlocal binding, 175
 position invariance, 172
 receptive fields, 163–164
 sparse vs. population coding, 168–171, 169, 170
 specificity of neuronal response, 163, 163
 tactile and auditory modalities, 185–186, 188
 theoretical perspectives, 168, 188
 thought questions, 187
 ventral visual stream, 162, 162–164, 188
 viewpoint invariance, 173–174, 173
 visual imagery/mind's eye, 187
 what vs. where functions, 186
- obsessive-compulsive disorder (OCD), 420, 423–425, 530; *see also* anxiety disorders
- occipital face area (OFA), 179–180
- occipital lobe, 14, 530
- occipitofrontal fasciculus, 33
- occipitotemporal cortex, 177, 182
- ocular dominance columns, striate cortex, 137, 530
- oddball paradigm, 82
- OFC *see* orbitofrontal cortex
- Ogden, Jenni, 378
- O'Keefe, John, 256
- old age *see* aging process
- olfactory bulb, 29, 530
- olfactory cortex, 29
- oligodendrocytes, 23, 487, 530
- optic ataxia, 201–202, 531
- optic chiasm, 49, 135, 531
- optic flow, motion perception, 198, 199–200, 531
- optic nerve, 131–132, 531
- optic tract, 133–135, 134
- optical illusions, 141, 141–142
- optical imaging, 85, 91, 531; *see also*
 functional near-infrared optical spectroscopy
- optimal feedback control, 123, 531
- optimization of cognition *see* performance optimization
- oral apraxia, 122, 531
- orbitofrontal cortex (OFC), 205–206, 215–216, 531
 dendritic spines, 426–427, 427
 integration of emotion and decision making, 360–361
 location, 360
 marketing, 511
- neuroscience of morality, 514
 novel situations, 339
 retina, 130–131
 substance use/addiction, 426–428
- orientation columns, striate cortex, 137, 531
- orienting attentional system, 302
- orthography, 234
- oscillations, brain *see* transcranial alternating current stimulation
- other, perception of, 387–388
- out-groups, 391–392, 512–513
- owls, computation of spatial location, 151–153
- P (parvocellular) ganglion cells, 131–132, 135, 529
- P300 ERP component, 82–83
 novel situations, 338
 prosopagnosia, 167–168
 schizophrenia, 406, 406, 410
 selective attention, 288
- P3a ERP component, 338
- P50 ERP component, 287, 406
- P600 ERP component, 222, 223, 224–225
 memory processing, 270, 270
 sign languages, 229–230
- pain states, research methodology, 88–89
- pair-bonding, birds, 373
- pallidotomy, 105
- pallidum, 101, 102, 103, 105, 527
- panic/panic disorder, 420, 423, 424, 521, 531; *see also* anxiety disorders
- Papez, James W., 349
- parabelt, auditory cortex, 153, 154, 155, 531
- parahippocampal cortex, spatial cognition, 210–211
- parahippocampal place area (PPA), 531
 memory encoding, 266
 object recognition, 176, 177, 182, 183
 spatial cognition, 208
- parallel processing, 129, 130, 131
- paraphasias, 217, 531
- parietal cortex
 memory processing, 271–272
 numerical/mathematical tasks, 205
- parietal lobe, 14, 31, 531
 attentional system, 64
 conduction velocity delays, 125
 integration of sensory/movement, 118–121, 120
 motor control, 96, 120
 optic ataxia, 201–202
 selective attention, 290, 290–293, 292
 spatial cognition, 200
- parietal reach region (PRR), 202, 203, 204
- parkinsonian mask, 103–104, 366, 482, 531
- Parkinson's disease, 482–484, 494, 531
 etiology/interventions, 105–106, 106
 key questions, 487
 Lewy bodies, 483
 memory processing, 260, 261
 motor control, 95, 96, 102, 103
- presentation/symptoms, 103–105, 104
 writing problems, 104
- pattern completion, memory retrieval, 269–271, 531
- Pavlovian fear conditioning, 262
- peer pressure, 497, 505–506
- Penfield, Wilder, 44
- perception, 531
 schizophrenia symptoms, 403
 self vs. other, 387–388
 visual imagery/mind's eye, 187
- perceptual asymmetries, 53, 531
- perceptual constancy, 171
- perceptual filling-in, blind spot, 141
- performance optimization, 508–510, 516
 biofeedback, 509
 brain–machine interfaces, 509
 ethics, 509–510
 key questions, 510
 pharmacological, 508, 510
- peripersonal space, spatial cognition, 197
- peripheral nervous system, 7, 531
- peripheral vision, 133–134, 460
- perirhinal cortex, memory encoding, 266
- perseveration, 318, 531
- personal space, spatial cognition, 197, 197
- personality changes, frontal lobe, 30
- perspective-taking, empathy, 385, 513
- pesticide exposure, and Parkinson's disease, 484
- PET *see* position emission tomography
- phagocytosis, 455
- phantom perception, 27, 141, 141–142, 453–454
- pharmacology, cognitive optimization, 508, 510
- phase coupling, EEG, 81
- phobias, 420, 531; *see also* anxiety disorders
- phonemes, language processing, 220
- phonemic paraphasia, 217, 531
- phonemics, characteristics of different aphasias, 222
- phonetics, 220, 222
- phonological agraphia, 234, 531
- phonological awareness, 447–448, 531
- phonological dyslexia, 234, 531
- phonological route to reading, 233–234, 532
- phonological store, 276, 522
- phonology/phonological processing, 65, 220, 532; *see also* language processing
 comprehension–speech overlaps, 225–226
 hemispheric specialization, 51
 written language, 233, 235
- photoreceptors, 130–131, 132, 157, 532
- physical features *see* facial features
- pilots, performance, 508, 509, 510
- place of articulation, 220, 228, 532
- place cells, 256
- place fields, 256, 532
- places, object recognition, 181–184
- planes/views, terminology, 6, 6, 7
- planning
 executive function, 327–329

- movement, 109–118, [112](#), [113](#), [124](#), [125](#), [530](#)
 Tower of London task, 328–329
 planum temporale, 155, [532](#)
 plasticity, [532](#)
 plasticity (in adulthood), 453, 465; *see also*
 aging process; brain development
 amputees, 453, 455
 deafness/blindness, 454–455, 459–460
 following brain damage, 455–459, 456, 457, 458, 459, 465
 following changing circumstances, 453–455
 key questions, 459
 play analogy, brain-damaged patients, 42
 pleasure, 354–355, 356; *see also* reward
 pons, 11, [532](#)
 population coding, 168–171, 169, [532](#)
 position invariance, object recognition, 172
 positive stimuli
 amygdala, 352–353
 emotion, 369–370
 positive symptoms, schizophrenia, 402, [532](#);
 see also delusions; hallucinations
 positron emission tomography (PET), 73–74, 90–91, [532](#)
 advantages/disadvantages, 70–71, 74
 Alzheimer's disease, 479
 historical perspectives, 57–58, 59
 posterior aphasia *see* Wernicke's aphasia
 posterior brain region, 5, 228, [532](#)
 posterior parietal cortex (PPC), 191, 196
 postmortem examinations, historical
 perspectives, 40
 postsynaptic potentials, 16–17
 posttraumatic amnesia, [532](#)
 posttraumatic stress disorder (PTSD), 420, 422, 428, 470, [532](#); *see also* anxiety disorders
 posture
 disturbances of, 103, [525](#)
 object recognition, 181–184
 poverty, 504; *see also* socioeconomic status
 PPA *see* parahippocampal place area
 PPC *see* posterior parietal cortex
 praxis, 122, [532](#)
 precuneus, 119
 prefrontal cortex; *see also* executive function
 aging process, 463
 anatomy, 321
 conformity to group norms, 376
 divided attention, 298
 higher-order thinking, 318
 memory processing, 271
 novel situations, 338, 339
 psychopathology, 428–429
 rules and inference, 335–338
 selective attention, 294, 295
 sequencing and planning, 327
 task-setting and maintenance, 321–323
 working memory, 276–277
 prefrontal brain region, 30, 267
 prejudice, 392–393, 394, 503, [532](#)
 premotor area, 114–117, [124](#), [532](#)
 premotor cortex, 108, [532](#)
 premotor region, 30, 114–117, [124](#), [532](#)
 prepositions, Broca's aphasia, 216
 preserved learning, brain-damaged patients, 252
 pricing, wine example, 510–511
 primary auditory cortex *see* auditory cortex
 primary motor cortex *see* motor cortex
 primary progressive aphasia, 481; *see also*
 frontotemporal dementia
 primary sensory cortex *see* sensory cortex
 primary somatosensory cortex *see*
 somatosensory cortex
 primary visual cortex *see* striate cortex
 primates, nonhuman, 43–44
 anti-saccade task, 202–203
 brain damage, primary motor cortex, 457
 brain size/volume, 373–375
 category specificity in object recognition, 182
 face specificity, 177, 177–178
 fairness, 512
 hippocampal damage, 252
 lesion studies, 352
 object recognition, 162, 163, 163, 175, 177, 177–178, 182
 posterior parietal cortex, 196
 split-brain studies, 49
 striate cortex, 143
 ventral visual processing stream, 162, 163
 visual perception, 129, 142–143, 143, 146–147, 147
 printed word *see* reading; written language
 priority mapping, 291–293, 292
 prism adaptation, 310
 probabilistic learning task, 261, 261, 275
 procedural memory system, 255, 260–261, [532](#)
 prodromal stage of disease, 484, [532](#)
 propositional prosody, 367, [532](#)
 proprioception, 26, [532](#); *see also*
 somatosensory cortex
 pro-social behavior, empathy, 385, 386–387
 prosody, 241, 367–368, [532](#)
 prosopagnosia
 brain regions, 167, [532](#)
 face recognition, 167–168, 175
 and face specificity, 178
 P300 ERP response, 167–168, 168
 picture used for testing, 178
 prosthetic limbs, control of, 115–117, 116
 proximal brain regions, 6, [532](#)
 PRR (parietal reach region), 202, 203, 204
 pruning, synapse, 433, 433–435
 psychic blindness, 352, [532](#)
 psycholinguistic perspectives, 216, 220, 222
 psychological inertia, 323, [532](#)
 psychologically oriented approach, 3
 language processing, 216, 220, 222
 working memory, 279
 psychomotor behavior, schizophrenia
 symptoms, 403
 psychopathology, 401–402, 428–429; *see also*
 anxiety disorders; depression;
 schizophrenia; substance use/addiction
 adolescent onset, 408–409, 439
 case example, 401
 comorbidities, 428
 thought questions, 429
 psychopathy, 360
 psychosis, comorbidities, 490–491; *see also*
 schizophrenia
 PTSD *see* posttraumatic stress disorder
 public perceptions of neuroscience, 498–500, 515
 children's perceptions, 501
 confirmation bias, 500
 educational perspectives, 500–502, 501, 515
 influence of brain imaging, 498, 499, 500
 key questions, 500, 502
 pulse sequences, TMS, 85, [532](#)
 pulvinar, 286, 289–290, [532](#)
 punch-drunk syndrome, 472
 pure-word deafness (verbal auditory agnosia), 185, [532](#)
 putamen, 101, 102, 103, [532](#)
 pyramidal cells, 23, [532](#)
 quadranopsia, 28, [532](#)
 racial bias, 392–393
 radial glia, 4
 rapid eye movement (REM) sleep, 286
 RAS *see* reticular activating system
 rat studies *see* rodents
 reaching tasks, sensorimotor translation, 203–204
 reading, 233–234; *see also* written language
 influence of literacy on brain, 236–237
 role of neuroscience, 500–501
 white matter, 438
 reasoning skills, 334–335, 335; *see also* higher-order thinking
 receptive fields, [532](#)
 auditory perception, 154
 spatial cognition, 195, 195
 ventral visual processing stream, 163–164
 visual perception, 132–133, 137, 138, 157
 receptors, synaptic, 15, [533](#)
 recognition memory, 267, 271, 327, 475, 485, [533](#)
 reference frames, spatial cognition, 194–197, 209, 212, [526](#)
 brain-damaged patients, 196–197, 197
 key questions, 197
 neural coding, 195, 195–196
 sign languages, 229
 reference populations *see* control populations
 regeneration, neurons and glia, 489, [533](#)
 regional cerebral blood flow (rCBF), 74
 regret, decision making, 361, 362
 regular saccade eye movements, 288–289
 regulation of emotion *see* emotional regulation
 relational learning, 255, [533](#)
 relay center, thalamus, 12, [533](#)
 reorganization, brain, 4, 27, 40, 64, 260, 454, [533](#); *see also* plasticity

- repetition priming, 260, [533](#)
 repetitive head injury, sports-related, 471, 472–474, [473](#)
 repetitive transcranial magnetic stimulation (rTMS), 415–416, [417](#), [533](#)
 repolarization, neuronal, 15
 research ethics *see* ethics
 research methods, xvii, 64, 90; *see also* brain imaging
 behavior assessment, 65–69, 90
 brain activity modulation, 85, 91
 clinical studies, 64–65
 cognitive domains of assessment, 67
 computational modeling techniques, 88–89, 92
 control populations, 52–53, 65
 intelligence measures, 67
 key questions, 65, 69, 87, 88, 89
 meta-analysis, 89
 multilevel/multimodal, 87–88, 91–92
 neuropsychological test batteries, 66, 66–67
 NIH Toolbox, 68, 69
 pain states, 88–89
 participant populations, 64–65, 90
 theoretical perspectives, 65
 thought questions, 90
 response inhibition, 118, [119](#), [124](#), 324–325
 response modulation, emotion regulation, 362
 response-related selective attention, 293–294
 resting potential, neuronal, 14, [533](#)
 resting state networks, 77, 78–80, [533](#)
 reticular activating system (RAS), 9, 285, 286, [533](#)
 reticular nucleus, thalamus, 285, 286, [533](#)
 retina, 130, 157, [533](#)
 ganglion cells, 130–132, 157
 key questions, 133, 135
 neural pathways, 133–135, 134, 158
 photoreceptor cells, 130–131, 157
 receptive fields, 132–133
 structure, 130
 retinal-image movement, 198–199, [199](#)
 retinotopic mapping, 142–143, [533](#)
 lateral geniculate nucleus, 135–136
 perceptual filling-in of blind spot, 142
 and spatial cognition, 190, 195
 striate cortex, 136–137
 retrieval, memory, 265, 269–272, 281
 retrograde amnesia, 249–252, 268, [533](#)
 electroconvulsive therapy patients, 251
 Korsakoff's disease, 251
 memory consolidation and storage, 267–269
 temporal gradient, 251, [534](#)
 temporal phases/timeline, 250, 251
 retrosplenial cortex (RSC), 209–210, 266
 reuptake inhibitors, 414–415
 reversal learning, 361, [533](#)
 reversible lesions, 85, 202; *see also* transcranial magnetic stimulation
 reward systems; *see also* dopaminergic system
 adolescence, 438–439
 conformity to group norms, 376–377
 depression, 413
 emotion, 354–356, 369
 imitation/mimicry, 382
 orbitofrontal cortex, 361
 psychopathology, 428–429
 substance use/addiction, 425–426
 reward-based learning, amygdala, 353
 Rey–Osterrieth Complex Figure test, 200, [201](#)
 rhodopsin, 130
 rhythm, music, [239](#)
 Ribot's Law, 251, [533](#)
 right hemisphere; *see also* hemispheric specialization
 brain damage, 459
 face recognition, 64, 167
 facial expressions, 366–367
 hemineglect, 311, 311–312
 historical perspectives, 50–51
 inhibition of response, 118, [119](#)
 insight, 338
 language processing, 222, 224, 240–242, 244
 learning myths, 500
 motor control, 96
 musical judgment task, 64
 prosody, 241, 367–368, 368
 sign languages, 230
 written language, 234
 right visual field (RVF), 28, [533](#)
 right-handedness, and speech output, 216
 risk-taking behavior, adolescence, 438–439, 505–506
 rivastigmine, 480
 robotics, performance optimization, 509
 rodents, 385
 empathy, 385, 387
 enriched vs. impoverished environments, 441
 hippocampal cells, 257
 memory encoding, 266
 Morris water maze task, 254, 255
 spatial cognition, 209, 210–211
 rods, photoreceptor cells, 130–131
 Rolandic fissure, 13, [523](#)
 Romans, historical perspectives, 39
Roper v. Simmons legal case, 497
 rostral brain region, 5, [533](#)
 rostrolateral prefrontal cortex, 329, 335
 rotary pursuit task, 260, 261, [533](#)
 route-based strategies, navigational skills, 206
 RSC (retrosplenial cortex), 209–210, 266
 rTMS *see* repetitive transcranial magnetic stimulation
 rubella, and intellectual disability, 445–446
 rule-governed behavior, 335–338, 337; *see also* higher-order thinking
 rumination, 411, 414, 423
 RVF (right visual field), 28, [533](#)
 S-allele, 418–419; *see also* serotonin transporter gene
 saccade eye movements, 288–289, [533](#)
 Sacks, Oliver, 373
 sacral spinal cord, 8
 sagittal plane, 6, 6, [533](#)
 St. John's wort, 22, 23
 salience mapping, 291–293, [292](#)
 salience network
 attentional system, 302–303
 emotion, 354, 359
 in-group/out-group effects, 392
 task-setting and maintenance, 322
 scaffolding function, glia, 434, 435
 schizophrenia, 402, 429
 adolescent onset, 408–409, 439
 diagnosis/diagnostic criteria, 402
 dopaminergic system, 64
 etiology, 407–409
 ERPs, 406, 406, 410
 frontal lobe, 403–405, 428–429
 functional connectivity reductions, 406–407
 genetics, 407–408
 gray matter loss, 405, 406, 409
 hypofrontality, 404
 key questions, 410
 neurodevelopmental hypothesis, 408–409
 other brain regions, 403, 404
 risk factors for, 407, 408
 self-monitoring, 405
 semantic processing, 406
 sensory gating response, 405–406, 406
 smooth-pursuit eye-movement task, 403, 405
 symptom categories, 403
 symptoms/features, 402–403
 temporal lobe, 405–406
 therapeutic interventions, 409–410
 working memory, 404–405, 410
 sclerosis, of myelin, 487; *see also* multiple sclerosis
 scotomas, 28, 142, [533](#)
 second impact syndrome, repetitive head injury, 474
 seizures *see* epilepsy/seizures
 selective attention, 285, 287, [533](#); *see also*
 attentional bias
 anterior cingulate cortex, 293–294
 bottom-up vs. top-down attentional selection, 290
 event-related potential studies, 287–288
 key questions, 298, 300
 neural correlates, 296–298, [297](#)
 parietal lobe, 290–293, [292](#)
 pre-attentive vs. guided visual searches, [291](#)
 prefrontal cortex, [294](#), [295](#)
 sites of attention control, 295, 295–296
 superior colliculus, 288–289
 supplementary motor complex, 293–294
 thalamus, 289–290
 time course of, 287–288
 visual cortex, 295
 self-monitoring
 executive function, 331–334, [332](#)
 schizophrenia, 405
 self-motion compensation, 198
 self-ordered pointing task, 327, 328, 462, [533](#)

- self-perception, self vs. other judgments, 387–388
- self-reflection, 318
- self-regulation, and poverty, 504; *see also* cognitive control; emotional regulation
- semantic aphasia, 481; *see also* frontotemporal dementia
- semantic dementia, 264, [533](#)
- semantic memory, 250–251, 264–265, 265, [533](#)
- semantic paraphasia, 217, [533](#)
- semantic processing, schizophrenia, 406
- semantics, 65, 221, [533](#); *see also* comprehension
characteristics of different aphasias, 222
phonological vs. lexical route, 233–234, 235
role of right hemisphere, 240–242
syntax–semantic overlaps, 224–225
- sensation, 129, [533](#)
- sensitive periods, brain development, 442–444, 442, 443, [533](#)
- sensorimotor learning, cerebellum, 99, 100
- sensorimotor translation, 202–204, 203
- sensory cortex, 25–29, [532](#); *see also* auditory cortex; striate (visual) cortex
homunculus, 25
olfactory and gustatory, 29
somatosensory, 26–27, 45, 453, 455
- sensory gating, schizophrenia, 405–406, 406, [533](#)
- sensory neurons, 4
- sensory overload, 373
- sensory processing
and hemineglect, 305–306
research methodology, 64
- sequencing, [533](#)
executive function, 327–329
self-ordered pointing task, 327, 328
Tower of London task, 328–329
- serial reaction time (SRT) task, 261
- serotonin-selective reuptake inhibitors (SSRIs), 414–415
- serotonin transporter gene, 418, [533](#)
- serotonergic system, 18–19, 18, 19, 23, 286, [533](#)
- SES *see* socioeconomic status
- Shallice, T., 318
- short-term working memory *see* working memory
- shrinking retrograde amnesia, 267, 268
- Sign Language of Quebec (SLQ), 230
- sign languages, 228, 243; *see also* American Sign Language
brain-damaged patients, 232–233
key questions, 237
neural machinery, 228–230, 232, 243
verbal inflections, 229
- simple cells, striate cortex, 137, 138, [533](#)
- simulations, mental, 380–382, 385, 396, [534](#)
- single photon emission computed tomography (SPECT), 73, [534](#)
- single-case studies, 41, [534](#)
single-cell recording, 43
auditory perception, 153
- category specificity in object recognition, 182
- execution of movement, 110
- motion perception, 198
- planning of movement, 113
- retinotopic mapping, 142
- selective attention, 296
- sequencing and planning, 327
- spatial cognition, 192, 210
- situation modification, emotion regulation, 361
- situation selection, emotion regulation, 361
- skill learning, 252–254, 253, 255, 260–262, [534](#)
- sleep
and memory processing, 272–274
noradrenergic system, 20–21
serotonergic system, 19
- SMA *see* supplementary motor area
- small bistratified ganglion cells, 132
- SMC *see* supplementary motor complex
- smell, olfactory cortex, 29
- smoking, 355–356, 487
- smooth-pursuit eye-movement task, 403, 405
- sMRI *see* structural magnetic resonance imaging
- social alliances, 374
- social brain hypothesis, 373, 374, 395, [534](#)
- social cognition, 373–375, 395; *see also* groups
adolescence, 439
autism, 373, 388–390, 390, 396
case example, 373
conformity, 375–377, 376
empathy, 384–387, 386
fairness norms, 378–379
group size, 374, 374
imitation/mimicry, 380–382, 381, 385, 396
key questions, 375, 380, 388, 395
self vs. other judgments, 387–388, 388
sensitive periods/developmental windows, 443
social feedback, 376, 376, 377
social influence, 375, 395–396
social norm compliance, 377–380
theory of mind, 380, 382, 382–384, 383
thought questions, 395
ultimatum game, 378, 378–379
understanding other minds, 380, 396, 439
- social inequality *see* socioeconomic status
- social influence, 375, 395–396, [534](#)
- social norm compliance, 377–380, [534](#)
- socially inappropriate behavior, 378
- societal perspectives, 498, 510
confirmation bias, 500
educational, 500–502, 501, 515
Graham v. Florida legal case example, 497
influence of brain imaging, 498, 499, 500
key questions, 500, 502, 504, 508, 510, 511
legal contexts, 497, 504–506, 505, 508, 515–516
lie detection, 506–508
marketing, 510–511, 516–517
morality, 512–514, 513, 517
- performance optimization, 508–510, 509, 516
- public perceptions of neuroscience, 498–500, 515
- social inequality, 502–504, 515
- thought questions, 514–515
- socioeconomic status (SES), 502–504, 515
brain development, 440–441
cognitive and educational outcomes, 502
ERP studies, 503
key questions, 504
- somatosensory agnosia, 185, [534](#)
- somatosensory cortex, 26–27, 45, 453, 455
somatosensory processing, motor control, 98–99
- source memory, 463, [534](#)
- sounds, processing *see* auditory perception/processing
- space-based neglect, 310, 311
- space-based viewpoint of attention, 295, [534](#)
- sparse coding theory, 168–171, 169, [534](#)
- spatial attention task, 309
- spatial cognition, xviii, 190–191; *see also* motion perception; navigational skills
action patterns based on, 200, 212
anti-saccade task, 202–203
brainstem, 150–153, 152
case example, 190
constructional praxis, 200–201
depth perception, 194, 212
dorsal visual processing stream, 191–192, 212
dorsal vs. ventral stream dichotomy, 208, 211
hemispheric specialization, 51
integrated models, 196, 202–204
key questions, 192, 194, 197, 204, 211
left–right spatial coding, 192–193, 212
medial temporal lobe, 210, 210–211
music, 239
neural coding, 192, 195–196
and numerical, 204–206, 205, 213
optic ataxia, 201–202
other brain regions, 200, 203, 208, 209
parahippocampal place area, 208
retrosplenial cortex, 209–210
Rey–Osterrieth Complex Figure test, 200, 201
sensorimotor translation, 202–204, 203
sign languages, 228–230
thought questions, 211
spatial frames of reference *see* reference frames
- specific reading disability *see* dyslexia
- SPECT *see* single photon emission computed tomography
- speech output, 24, 39; *see also* language processing
anxious apprehension/worry, 420
Broca's aphasia, 216–217, 219
comprehension–production overlaps, 225–226
disconnection syndromes, 47

- speech output (*cont.*)
 double dissociation, 42, 222
 global aphasia, 219
 hemispheric specialization, 50–51, 54–55
 localization of function, 40
 motor plans, 111
 Wada technique, 215–216, 216
 Sperry, Roger, 48, 50
 spinal column, 7
 spinal cord, 7–8, 8, 534
 spinocerebellum, 98
 SpinTronics study, 499–500
 SPL *see* superior parietal lobe
 split-brain procedure, 50–51, 534
 chimeric stimuli, 51, 53
 historical perspectives, 48–49, 49
 sports-related head injury, 471, 472–474, 473
 SPS (syntactic positive shift) *see* P600 ERP component
 SRT (serial reaction time) task, 261
 SSRIs (selective-serotonin reuptake inhibitors), 414–415
 St. John's wort, 22, 23
Star Wars movie, 271
 static magnetic field, 78–79, 534
 stereotype threat, 393–395, 534
 stereotyping, 392–393, 394, 503, 534
 stop-signal paradigm, 118, 324
 stopping actions *see* inhibition of response
 stress
 and emotion regulation, 363
 socioeconomic status/poverty, 502, 503–504
 striate (visual) cortex, 27–28, 134, 136–137, 158, 534
 binocular integration, 138–140
 binocular rivalry, 142
 contextual modulation, 140, 140–141, 158
 hypercolumns, 137, 139
 monkeys, 143
 neuronal pathways from eye, organization, 137–138, 164
 receptive fields, 137, 138, 163
 retinotopic mapping, 136–137
 selective attention, 295
 visual field disorders,
 striatum, basal ganglia, 101, 354
 stroke, 455; *see also* vascular dementia
 Stroop task, 321, 343, 344, 462, 525
 structural imaging, 57, 58, 69–72, 73, 90; *see also below*
 structural magnetic resonance imaging (sMRI), 69, 529
 advantages/disadvantages, 70–71
 historical perspectives, 57, 58, 59, 60
 basic principles and contraindications, 69
 regional brain structure, 69
 socioeconomic status/poverty, 502
 STS *see* superior temporal sulcus
 Stuss, D. T., 318
 stylus maze task, 206, 207
 subcortical dementias, 475, 475, 482, 487, 494, 534; *see also* Huntington's disease; Parkinson's disease
 subjective value, decision making, 361
 subsequent memory effect, 266, 534
 substance use disorders (SUD)/addiction, 355–356, 425, 430
 brain imaging, 69
 comorbidities, 428
 gambling task, 426, 427
 key questions, 428
 nucleus accumbens, 425, 426
 orbitofrontal cortex, 426–428, 427
 other brain regions, 428
 reward system, 425–426
 vicious cycles, 427
 substantia nigra, 101, 534
 subthalamic nucleus, 101, 534
 suicide, 401
 sulcus, 12, 534
 superior parietal lobe, parietal cortex, 191
 superior brain region, 5, 534
 superior colliculus, 11, 534
 blindsight, 145
 neural pathways from retina, 133
 selective attention, 288–289
 superior longitudinal fasciculus, 33
 superior olivary nucleus, 149, 152–153, 534
 superior parietal cortex, 124
 superior parietal lobe (SPL), 118–121, 120, 290–291
 superior temporal gyrus, sign languages, 230
 superior temporal sulcus (STS)
 face specificity, 179, 180
 facial expressions, 365–366
 supervisory attentional system, 318, 534
 supplementary motor area (SMA), 112, 112–113, 534
 supplementary motor complex (SMC), 534
 brain regions forming, 112
 motor control, 96, 108, 112–113
 motor plans, 111, 124
 research methodology, 91
 selective attention, 293–294
 supramarginal gyrus (SMG), selective attention, 290
 surface dyslexia/surface alexia, 234, 534
 sustained attention, 284, 287, 535
 switch cost, task-switching, 330, 534
 syllabically based language systems, 237–238
 Sylvian fissure, 13, 25, 153, 534
 sympathetic nervous system, 349–351, 350
 symptomatic epilepsy/seizures, 489
 synapses, 15, 534
 synaptic blooming and pruning, 433–435, 435
 synaptic vesicles, 15, 534
 synaptogenesis, 433–435, 534
 syntactic positive shift (SPS) *see* P600 ERP component
 syntax, 65, 534; *see also* grammar
 characteristics of different aphasias, 222
 comprehension–speech production overlaps, 225–226
 language processing, 221
 musical, 239
 sign languages, 228
 syntax–semantic overlaps, 224–225
 tACS (transcranial alternating current stimulation), 70–71
 tactile (touch) stimulation, 26; *see also*
 somatosensory cortex
 object recognition, 185–186, 188
 role in spatial cognition, 196
 somatosensory/tactile agnosia, 185
 tactile (somatosensory) agnosia, 185, 534
 Tan (Broca's patient), 39
 targeted reactivation paradigm, 273, 274
 task-based studies, 75–78
 task-setting/maintenance behaviors, 321–323, 322
 task-switching, 329–331
 taste, gustatory cortex, 29
 tau protein, 478
 taxi drivers, navigational skills, 210, 453
 TBI *see* traumatic brain injury
 tDCS *see* transcranial direct current stimulation
 tectopulvinar pathway, 133–134, 145, 534
 telegraphic speech, 216, 534
 temporal gradients, amnesia, 251, 534
 temporal lobe, 14, 31–33, 535
 epilepsy/seizures, 41, 491
 face recognition, 64
 schizophrenia, 403, 405–406
 temporal parietal junction (TPJ), 290
 temporal phases, amnesia, 249–252, 250
 temporally limited retrograde amnesia, 251, 535
 temporoparietal junction (TPJ), 384, 384
 tennis example, motor control, 96, 102, 121
 terminology *see* neuroanatomical terminology
 texture, role in depth perception, 194
 thalamus, 6, 11, 12, 535
 arousal, 285, 286
 auditory perception, 149
 selective attention gating, 289–290
 thalotomy, Parkinson's disease, 105
 Thatcher illusion, 175
The Diving Bell and the Butterfly movie, 492
 theory of mind, 380, 396, 535
 autism, 389–390
 brain regions, 382–384, 384
 false-belief test, 382, 383, 383
 Heider–Simmel illusion, 383
 in-group/out-group effects, 392
 Mind-in-the-Eyes task, 383, 384
 Think/No-Think task, 325–327, 326
 thoracic spinal cord, 8
 three-dimensional (3D) representations, 161, 173, 192, 535
 three-part model, language processing, 219–220
 tics, Tourette's syndrome, 107–108, 535
 time cells, hippocampus, 256
 time–frequency analysis, EEG, 80, 81
 TMS *see* transcranial magnetic stimulation

- tobacco smoking *see* smoking
- Token Test, 221
- tonic-clonic epileptic seizures, 489
- tonotonic maps, 149, 153–154, [535](#)
- tonotopic organization, 29, [535](#)
- tool for the job analogy, research methodology, 64
- Tools of the Mind training programs, 504
- top-down attentional selection, 290, 291, 297, [522](#), [535](#)
- touch processing *see* somatosensory cortex; tactile stimulation
- Tourette's syndrome, 96, 107–108, [535](#)
- Tower of London task, 328–329, [535](#)
- toxic exposures
 Parkinson's disease, 484
 in pregnancy, intellectual disability, 446, 447
- TPJ (temporal parietal junction), 290
- tractography, 71–72, 73, [535](#)
- training programs
 brain development, 440
 following brain damage, 458
 Head Start program, 504
 marketing/consumer decision making, 511
 schizophrenia, 409–410
 slowing effects of aging, 464
 Tools of the Mind, 504
- transcranial alternating current stimulation (tACS), 70–71
- transcranial direct current stimulation (tDCS), 85–87
 advantages/disadvantages, 70–71
 epilepsy/seizures, 491
 following brain damage, 458
 performance optimization, 508–509
 set-up, 86
- transcranial magnetic stimulation (TMS), 45–47, 45, 85, 86, 87, [535](#)
 advantages/disadvantages, 70–71
 conformity to group norms, 376
 following brain damage, 458
 multilevel/multimodal research, 88
 performance optimization, 508–509
 pulse sequence, 85
 repetitive, 415–416, 417, [533](#)
 schizophrenia, 410
- transformation hypothesis, 268, 269
- transneuronal degeneration, 455, [535](#)
- transverse view, 6, 6, [527](#)
- traumatic brain injury (TBI), 468, 471, [535](#);
see also closed head injury
- tremors, 103, 105, [535](#)
- trolley dilemma, morality, 513
- true recovery from brain damage, 458
- tryptophan, 19
- tuning curves, 154, 155, [535](#)
- twentieth-century developments, 40–41; *see also* hemispheric specialization; lesion method
 animal studies, 43, 43–44
 disconnection syndromes, 47–48
 early twentieth century, 40–42, 60–61, 199
- electrophysiology, 45–47, 46, 47, 48
- epilepsy/seizure surgery, 40–41
- key questions, 56
- mapping of body onto brain, 44–45
- motion perception, 199
- 1960s to 1980s, 43–56, 61
- 1980s and 1990s, 56–58
- split-brain studies, 48–49, 49
- World Wars I and II, 40
- X-ray technology, 40, 41
- twenty-first century developments, 59, 62
- two-component system, processing, 318
- two-generation interventions, poverty, 504
- ultimatum game, 378–379, 379
- uncertainty, role of ACC in, 114–118
- uncinate fasciculus, 33
- unconscious stimuli, brain regions, 312, 313
- unilateral brain regions, 6, [535](#)
- unity and diversity model, executive function, 320
- unknown onset epileptic seizures, 489
- unresponsive wakefulness syndrome (UWS), 492–493, [535](#)
- Urbach-Wiethe syndrome, 263
- “use it or lose it” phenomenon, 453
- vaccines, lack of role in autism, 449
- vagus nerve stimulation (VNS), 417–418, [535](#)
- vascular dementia, 475, 486–487, 494, [535](#)
- vector cells, spatial cognition, 210
- vegetative state *see* unresponsive wakefulness syndrome
- ventral attention system, 302–303, 338
- ventral brain region, 5, [535](#)
- ventral language processing stream, 226–227
- ventral premotor area (PMv), 114
- ventral striatum, role in reward, 354, 355–356
- ventral visual processing stream, 146–147, 147, 148, [535](#)
 category specificity in object recognition, 182–184
 color sensitivity, 164
 dyslexia, 448
 facial expressions, 366
 memory processing, 259
 music, 238–239
 object recognition, 162–164, 188
 receptive fields, 163, 163–164
 and spatial cognition, 208, 211
 written language, 234
- ventricles, 7, 403, 404, [535](#)
- ventrolateral prefrontal cortex (VLPFC), 118
 auditory–visual interactions, 156
 effortful control, 507
 inhibition of response, 118, 119
 motor control, 96
- ventromedial prefrontal cortex (vmPFC), 339
- verbal inflections, sign languages, 229
- verbal auditory agnosia, 185, [532](#), [535](#)
- verbal memory, blind people, 460
- verbalization, anxious apprehension/worry, 420
- vertical occipital fasciculus, 33
- vestibulocerebellum, 98
- viewpoint invariance, 173, 173–174
- vigilance, 284, 287, [535](#)
- virtual lesions, 85
- virtual reality, hemineglect interventions, 310
- visual agnosia, 188, [535](#)
 apperceptive/associative types, 164–167, 165, 166
 case example, 161–162
 as distinct from optic ataxia, 202
 key questions, 168
 modal specificity, 164
 prosopagnosia, 167–168, 168, 175
- visual cortex *see* striate cortex
- visual languages *see* sign languages
- visual perception/processing, 129, 156–157;
see also lateral geniculate nucleus; retina;
 retinotopic mapping; striate cortex;
 ventral visual processing stream
- auditory system interactions, 155–156, 156
- binocular disparity, 139
- blindsight, 129, 135, 144–145, 158
- changes during childhood, 437
- color coding, 143–144
- complexities of visual cortex, 146–147
- contextual modulation, 140, 140–141
- dorsal/ventral streams, 146–147, 147, 148
- dyslexia, 448
- extrastriate regions, 142–143, 158
- figure–ground segregation, 140
- key questions, 133, 135, 136, 141, 147
- neural pathways, 133–135, 158
- nonretinal vision, 141, 141–142
- parallel processing, 129, 131
- perception–imagery overlap, 187
- sensitive periods/developmental windows, 443
- shared features with auditory perception, 149–150
- visual imagery/mind's eye, 187
- visual word form area (VWFA), [535](#)
 category specificity in object recognition, 182
 dyslexia, 448
 music, 239
 object recognition, 176, 177
 written language, 234, 235
- visuospatial drawing test, 200, 201
- visuospatial scratch pad, [535](#)
- vitamin D, 408, 487
- VNS *see* vagus nerve stimulation
- Vogel, Philip, 49
- voicing, phonology, 220, [535](#)
- von Economo neurons, 358
- voxels *see* multi-voxel pattern analysis
- Wada technique, 50, 50, 54, 215–216, [535](#)
- walking, 98–99, 104
- wanting, 354–355, 425; *see also* reward systems
- wayfinding *see* navigational skills
- WCST *see* Wisconsin Card Sorting Test

- weather prediction task, 261, 261, 275
 Wechsler intelligence tests, 67, 432
 Wernicke, Karl, 217–218
 Wernicke's aphasia, 39, 42, 217–218, 405, [535](#);
 see also global aphasia
 basic characteristics, 220, 222
 brain regions, 218
 Broca's aphasia, 218–219
 nomenclature, 219
 phonological deficits, 220
 semantics, 221
 Wernicke's area, 47
 "what" functions, 146–147, 148, 155, 186, 188
 "where" functions, 146–147, 148, 155, 186
 white matter/white matter tracts, 33; *see also*
 corpus callosum
 aging process, 463
 autism, 449–450
 closed head injury, 468, 469
 diffusion tractography, 71–72, 73
 disconnection syndromes, 47–48
 language processing, 226–227
 multiple sclerosis, 487
 myelination, 436
 and reading competence, 438, 438
- schizophrenia, 406–407
 written language, 236
 Wiesel, Torsten, 137
 willingness to pay, consumer decision making, 511
 wine-tasting example, marketing, 510–511
 Wisconsin Card Sorting Test (WCST), 329–331, 462, 482, [536](#)
 wisdom, 461
 word-stem completion task, 253, [536](#)
 words, perceptual processing *see* language processing
 working memory, 252, 275–276, 282
 animal studies, 276–277
 deficits, 276
 delayed-response paradigm, 276
 dorsolateral prefrontal cortex, 276–277
 executive function, 341, 345
 information activation, 278–280
 key questions, 342
 multi-voxel pattern analysis, 277, 278
 neurologically intact people/control populations, 277–280
 other brain regions, 279–280
 schizophrenia, 404–405, 410
 terminology, 279
- World Wars I and II, historical perspectives, 40
 worry, 420, 423, 424, [521](#); *see also* anxiety disorders
 writing problems, Parkinson's disease, 104
 written language, 233–234; *see also* music; reading
 brain-damaged patients, 233–234
 influence of literacy on brain, 236–237, 237
 Japanese language systems, 237–238
 key questions, 237, 240
 language network, 236
 magnetoencephalography, 236
 neural machinery, 232
 orthography, 234
 phonological vs. lexical route to meaning, 233–234, 235
 reading, 233–234
 research studies, 234–237
 visual word form area, 234, 235
 white matter tracts, 236
- X-ray technology, historical perspectives, 40, 41
- zebra example, behavior assessment, 65–66