
Index

- acyclicity condition, 313
 - left induced, 313
- Adams, J. Frank, 1
 - letter to, 19–24
- Adams–Novikov spectral sequence, 3
 - θ_j in, 817
- adding a whisker, 242
 - as left deformation, 304
- adjoint
 - functors, 77–88
 - left, 77
 - products of, 78
 - right, 77
 - uniqueness of, 78
- adjunction
 - arrow, 84
 - change of group, 81
 - G -spectra, 622
 - composition and precomposition as counits
 - of, 81
 - coproduct diagonal, 273
 - counit of, 79
 - cylinder path space, 83
 - diagonal product, 273
 - disjoint base point, 274
 - Eilenberg–Moore, 89
 - enlarging, 319
 - enriched, 196–198
 - first change of group, 525
 - fixed point, 83
 - G -spectra, 571
 - fixed point for spectra as Quillen pair, 642
 - free forgetful, 83
 - Hirschhorn, 326
 - inclusion projection, 274
 - isomorphism, 77
 - McClure’s, 549
 - object set, 84
 - orbit, 83
 - overcategory, 274
 - Quillen, 272
 - related to groupoids, 84
 - second change of group, 82, 526
 - smash Hom, 342
 - spectral, 472
 - suspension loop in pointed topological model
 - category, 354
 - equivariant, 552
 - tensor cotensor, 342
 - transfer, 315
 - transfer, composite of, 318
 - transfer, product of, 315
 - two-variable, and cofibrant generating sets, 338
 - undercategory, 274
 - unit of, 79
 - Yoneda, *see* Yoneda adjunction
- Araki, Shōrō, 5
- Arf invariant, 11
- Arf, Cahit, 11
- arrow
 - Cartesian, 161
 - coCartesian, 161
 - opCartesian, 161
- associator, 134
- Atiyah duality, 498
- Atiyah, Sir Micheal, 2
- Barratt, Michael, 2
- barycentric subdivision, 233
- base change, 92
- bicategory, 159
- bisimplicial set, 230
- Borel construction, 374, 522
- boundary, 110
- Bousfield localization
 - and Quillen rings, 403
 - left
 - as a left Quillen functor, 398
 - as left localization, 397
 - definition, 397

- Bousfield localization (cont.)
 - monoidal, 403
 - of a model category, 395–403
 - of a space with respect to homology, 393
 - of a spectrum, 394
 - of Quillen equivalences, 405
 - relation with confinement and enlargement, 402–403
 - via an idempotent functor, 400–402
 - when possible?, 403–408
 - with respect to a collection of morphisms, 395–400
- Bousfield, Aldridge, 17
- Bredon cofibrant G -spectra, 590
- Bredon homology and cohomology, 536
 - in terms of Eilenberg–Mac Lane spaces, 536
- Bredon, Glen, 41
- Browder, William, 2, 13
- Burnside mark, 505
- Burnside ring, 504–510
 - definition, 504
 - for quaternion group, 508
 - S_3 , 506
- Burnside’s table of marks, 506
- Burnside, William, 505

- canonical homotopy presentation, 493–494
- cardinal, 290
- Cartesian diagrams, 108–111
- Cartesian product, 58
- category
 - 2-, 156–161
 - 2-, examples of, 158
 - accessible, 291
 - Adams, 608
 - arrow, 71
 - arrow in a monoidal category, 153–154
 - bicomplete, 98
 - bitensored arrow, 216
 - braided monoidal, 136
 - Burnside, 513
 - closed monoidal, 146–150
 - cocomplete, 98
 - cofiltered, 113
 - comma, 70
 - complete, 98
 - concrete, 55
 - connected, 71
 - coslice, 71
 - cosubdivision, 124
 - covering, 161–164
 - definition of, 54
 - direct, 72
 - discrete, 55
 - endomorphism, 86
 - endomorphism \mathcal{V} -, 209
 - enriched, 20
 - enriched arrow, 192, 215
 - enriched equivalence of, 196
 - enriched functor, 215–219
 - enriched monoidal, 203–204
 - enriched over \mathcal{V} , 191
 - enriched related to group action, 206
 - equalizer, 55
 - filtered, 113
 - free \mathcal{V} -, 197
 - functor, to model category, 321–335
 - generalized direct, 72
 - Hirschhorn, 404
 - homotopical, 299–308
 - definition, 300
 - homotopy, 21
 - homotopy, classical, 267
 - homotopy, of homotopical category, 302
 - homotopy, Quillen, 268
 - indexing, 412
 - internal to another category, 105
 - interval, 55
 - inverse, 72
 - Lindner, 513
 - localization of, *see* localization
 - locally presentable, 291
 - \mathcal{M} -, generalized direct or inverse, 360
 - \mathcal{M} -, generalized direct or inverse, examples, 360
 - Mandell–May, *see* Mandell–May category
 - model, *see* model category
 - module over a monoidal category, 144
 - monoidal, 134–156
 - monoidal, monoids, modules and algebras in, 155–156
 - morphisms in, 54
 - n th slice layer, 718
 - objects in, 54
 - of categories, 57
 - of finite ordered sets, 228–232
 - of sets, 57
 - of simplices, 234
 - opposite, 54
 - orbit, 544–547
 - definition, 544
 - over, 70
 - product and coproduct of, 55
 - sequential colimit, 113
 - sequential limit, 113
 - sifted, 116
 - simplicial, 231
 - slice, 71
 - small, 54
 - Stiefel, 558
 - subdivision, 124
 - symmetric monoidal, 20, 134–156
 - definition, 134
 - topological, 208, 231
 - topological G -, 208
 - under, 70

\mathcal{Y} -, 191
 walking arrow, 55, 327
 change of group, 524–528
 for orthogonal G -spectra, 573–575
 isomorphism, 502
 class of morphisms, 96
 classifying space, 232
 classifying space BG , 520
 examples, 521
 cleavage, 161
 cobase change, 92
 coefficient system, 544
 coend, 119–129
 definition, 121
 enriched, 212–214
 functoriality of, 123
 reduction for small monoidal category, 138
 coequalizer, 99
 reflexive, 111–113
 section of, 111
 cofiber
 homotopy, 375
 cofibrancy
 parametrized, 276
 cofibrant
 algebraically
 definition, 688
 cofibrant, approximation, 252
 cofibrant, diagram, 322
 example, 323
 cofibrant, generation in functor categories, 324–329
 cofibrant, object, 252
 object in \mathcal{M}^J , 322
 cofibrant, object, parametrized, 276
 cofibrant, replacement, 252
 cofibrant, replacement, functorial, 254
 cofibration, 95, 246
 anodyne, 262
 as h -cofibration, 353
 colimit of, 250
 Grothendieck, 161
 h -, 258
 in \mathcal{M}^J , 322
 injectivity of, 261
 of topological spaces, 256
 projective, 322
 pushout of, 249
 q -, 258
 coinduction, 82, 526
 colimit, 97–119
 filtered, 113–117
 h -cofibrations preserved by sequential, 237
 homotopy, *see* homotopy colimit
 sequential, 113
 sifted, 113–117
 weighted, 209–212
 comonad, 88

composition
 enriched, 195
 cone, 97
 over, 92
 reduced, 255
 under, 92
 coreduction
 enriched Yoneda, 216
 coreflector, 90
 corner map, 94, 110
 as h -cofibration, 699
 condition for equifibrant flatness, 701
 indexed, 174
 and arrow category, 670–671
 and distributive law, 184
 symmetric, definition, 676
 indexed, of cofibration diagram, 667
 indexed, of diagram trivial cofibrations, 671
 n -fold pushout, 140
 pullback, 94, 139
 pushout, 94, 139
 of cofibrations, 336
 right lifting property, 204
 corner map theorem
 for Hovey spectra, 465
 for orthogonal G -spectra, 588
 for smashable spectra, 489
 correspondence
 examples, 280
 of left and right homotopies, 280
 cosimplicial space, 229
 costructure map
 for enriched functor category, 217
 for spectrum, 411
 cotensor, 198–203
 commutativity, 199
 cotriple, 88
 covering
 groupoid, 163
 Crans–Kan Transfer Theorem, 316
 CW complex
 relative, 310
 cylinder, 83
 reduced, 264
 cylinder and path objects, 265
 properties of, 266
 Day convolution, 19, 221–228
 and Quillen ring, 362
 definition, 222
 notation for product in, 227
 reflexivity of, 226
 with tensored Yoneda functor, 226
 deformation
 left and right, 303
 left, adding a whisker as, 304
 left, retract, 303

- deformation retract, 237
- delooping functor, 367
- desuspension and delooping functors, 478
 - for Hovey spectra, 472
- desuspension functor, 367
 - and Yoneda functor for Hovey spectra, 471
- Detection Theorem, 5, 817–829
 - proof, 821–827
 - proof of Lemma 13.4.7, 827–829
- distributive law, 168–174
 - and indexed corner map, 184
 - in arrow category, 183
 - indexed, 169
 - indexed, example for G -orbit categories, 170–174
 - original, 168
- Doomsday Hypothesis, 2, 16
- Dr. Seuss lemma
 - first, 284
 - second, 356
- duality in a closed symmetric monoidal category, 151–153
- Dwyer–Hirschhorn–Kan Recognition Theorem, 314
- \mathcal{E} -fibrant, 396
 - means \mathcal{E} -local, 399
- \mathcal{E} -local
 - equivalence, 396
 - fibration, 396
 - object, 396
- \mathcal{E} -trivial cofibration, 396
- \mathcal{E} -local equivalence
 - and Quillen pairs, 399
- \mathcal{E} -local object
 - and Quillen pairs, 399
- EHP sequence, 14–16
- Eilenberg–Mac Lane
 - 1-slices, 740
- Eilenberg–Mac Lane spectrum
 - for a Mackey functor, 583
- Eilenberg, Samuel, 20
- Eilenberg–Mac Lane space, 234
 - for a Mackey functor, 550
- equivalence, 549
- Elmendorf’s theorem, 549–551
- embedding
 - enriched Yoneda, 208
- end, 119–129
 - coend duality, 124
 - definition, 121
 - enriched, 212–214
 - functoriality of, 123
- enriched category, 20
- epimorphism, 55
- equalizer, 99
 - coreflexive, 111–113
- equifibrancy, 543
 - why we need, 584
- equifibrant enlargement, 415
- equifibrantly flat
 - cofibrant commutative ring diagrams, 696
 - condition for pushout, 702
 - definition, 696
 - morphism, condition for, 699
 - wedges, smash products and filtered colimits, 697
- equifibrantly flat diagrams, 696–703
- equivalence
 - hG -, 540
 - homotopical, 300
 - Quillen, *see* Quillen equivalence
 - stable, *see* stable equivalence
 - stable hG -, 650
- equivariant commutative ring
 - telescope of, 812
- equivariant map, 62
- evaluation map, 58
- exact sequence
 - Adams, 369–371
 - for original spectra, 467–471
 - Puppe and Adams for smashable spectra, 491–493
 - Puppe, extending, 368
 - Puppe, in exactly stable model category, 368
- exact stability
 - definition, 367
 - for Hovey spectra, 471–474
 - for smashable spectra, 493
 - of original category of spectra, 468
- exhausting sequence, 565
- factorization
 - in a model category, 247
 - Quillen’s, 259–262
- factorization system
 - weak, 96
- families of subgroups of G , 540–544
 - definition, 540
 - examples, 541
- Fenway, 2
- fiber
 - homotopy, 375
- fiber and cofiber sequences, 284–288
 - definition, 286
 - exact sequences for, 288
 - extending, 287
 - long, 287
- fibrancy
 - parametrized, 276
- fibrant, approximation, 252
- fibrant, object, 252
- fibrant, object, parametrized, 276
- fibrant, replacement, 252, 393–395
- fibrant, replacement, functorial, 254
- fibration, 95, 246
 - as injective morphism, 249
 - defined by right Quillen functor, 274

- Grothendieck, 161–164
- h -, 258
- Hurewicz, 257
- inner, 263
- Kan, 262
- left, 263
- limit of, 250
- projective, 322
- pullback of, 249
- q -, 258
- right, 263
- Serre, 256, 310
- strict, 322
- surjectivity of, 261
- filtration
 - Postnikov, 714
 - pushout ring, 182
 - slice, *see* slice filtration
 - symmetric product, 181
 - target exponent, 176
 - as a series of pushouts, 178
 - target exponent, independence of, 179
- fixed point and homotopy fixed point space, 522
- fixed point set, 207
 - as limit, 101
 - homotopy
 - as homotopy limit, 373
- fixed point spectrum, 639–642
 - geometric, *see* geometric fixed points
- flat object
 - smashing with weak equivalence of, 307
- Formal \mathcal{O} -modules, 819–821
 - definition, 819
- framed cobordism, 7
- framed manifold, 6
- Fubini theorem for coends, 124
- functor
 - 2-, 159
 - addition, 136
 - augmented, 75
 - closed \mathcal{V} -, 150
 - coaugmented, 75
 - coevaluation, 86
 - cofinal, 118
 - composite, 56
 - contravariant, 56
 - corestriction, 86
 - covariant, 56
 - definition of, 56
 - delooping, *see* delooping functor
 - derived, 269–272
 - definition, 270
 - derived, existence, 271
 - derived, in homological algebra, 271
 - derived, point set, 272
 - derived, total, 271
 - desuspension, *see* desuspension functor
 - duality, 151
 - enriched, 195
 - enriched addition, 203
 - enriched tensored Yoneda, 208
 - enriched Yoneda, 208
 - evaluation for Hovey spectra, 427
 - faithful, 56
 - fibered, 161
 - final, 118
 - fixed point Φ , 545
 - flat, 305
 - fully faithful, 56
 - global evaluation, 87
 - homotopical, 300
 - homotopy, 300, 303
 - homotopy idempotent, 400
 - identity, 56
 - induction, 81
 - internal Hom, 147
 - internal Hom in functor category, 224
 - iterated monoidal product, 164
 - lax, 161
 - lax (symmetric) monoidal, 142
 - left deformable, 303
 - left derived, existence of, 304
 - Mackey, *see* Mackey functor
 - monoidal, 143
 - nonhomotopical, 269–272
 - norm, *see* norm functor
 - opfibered, 161
 - oplax, 161
 - oplax (symmetric) monoidal, 142
 - Quillen, *see* Quillen functor
 - restriction, *see* restriction functor
 - singular, 230
 - strict, 161
 - strictly monoidal, 143
 - strong monoidal, 143
 - suspension and loop, 278–284
 - definition, 282
 - on cofibrant and fibrant objects, 285
 - total derived, 284
 - tensored Yoneda, 77
 - tensored Yoneda for Hovey spectra, 427
 - weak, 161
 - weak 2-, 160
 - weakly (symmetric) monoidal, 653
 - Yoneda, 76
- functorial factorization, 76
- G -cells
 - types of, 529
- G -CW complexes, 528–531
 - definition, 529
 - equivariant homotopy equivalences of, 531
 - flatness of connective, 602
 - homology of, 531–537

- G -CW spectra, 579
- G -equivariant
 - Eilenberg–Mac Lane spectra, 583
 - algebra
 - definition, 618
 - unoriented cobordism spectrum, 580
- G -equivariant Thom spectra, 579–582
- G -set
 - and indexed products, 164–167
 - definition of, 62
 - finite, 504–510
 - fixed point set of, 63
 - invariant subset of, 63
 - isotropy groups of, 63
 - orbit set of, 63
- G -space
 - contractible free, 520
 - formal properties, 519–528
 - free pointed, 520
 - induction and coinduction functor for, 525
- G -spectra
 - R -modules in, 690–693
 - R -modules in, cofibrancy of, 693
 - R -modules in, cofibrancy smash products over R , 693
 - R -modules in, model structure for, 690–692
 - R -modules in, tensor product of, 691
 - commutative algebras in, 687–690
 - commutative algebras in, model structure for, 688
 - commutative algebras in, norm functor on, 689
 - commutative algebras in, norm functor on restriction of, 689
 - equivariant diagrams of, 665–666
 - equivariant diagrams of, precomposition and change of group, 666
 - indexed smash products and cofibrations of, 666–669
 - symmetric monoidality of arrow category, 670
- \tilde{G} -spectrum
 - Λ -free, 678
- Γ -Theorem, 5, 799–800
 - for pure bound spectra, 800
 - for regular representation sphere, 799
 - for slice spheres, 800
 - proof, 800
- generating sets, 308–312
- geometric connectivity, 645
- geometric fixed points, 643–662
 - and equivariant homotopy type, 646
 - and the norm, 658–662
 - definition, 645
 - effect of the map $MU^{((G))} \rightarrow H\mathbb{Z}_{(2)}$ on, 786
 - effect of the map $R_G(\infty) \rightarrow H\mathbb{Z}_{(2)}$ on, 786–792
 - for Bredon cofibrant spectra with trivial G -action, 648
 - for generalized suspension spectra, 649
 - monoidal, 652–653
 - and smash products, 656–657
 - basic properties, 652
 - definition, 654
 - definition and categorical properties, 654–656
 - homotopy properties, 656
 - lax monoidality of, 657
 - left derived functor of, 653
 - of an indexed wedge, 655
 - preservation of cofibrations, 656
 - relation with geometric fixed points, 657–658
 - unaltered by attaching moving cells, 655
 - of $H\mathbb{Z}$ for a finite cyclic 2-group, 650
 - of $H\mathbb{Z}_{(2)}$, 785
 - properties, 645
 - unaltered by attaching moving cells, 649
- geometric realization, 229
- Goerss–Hopkins–Miller theorem, 4
- Grothendieck construction, 163
- group
 - Quillen’s fundamental, 282
- group action
 - continuous, 206–208
- groupoid, 59–68
 - connected, 60
 - covering of, 61
 - definition of, 59
 - fundamental, 60
- h -cofibration, 234–241
 - as closed inclusion, 239
 - cofiber and quotient of, 353
 - definition, 235, 352
 - examples, 238
 - preserved
 - by indexed monoidal products, 241
 - by left adjoint, 239
 - by monoidal powers, 240
 - by smashing, 239
 - property, 237
- hare and tortoise, 19
- Hawaiian earring, 243
- Hirschhorn reference warning, 356, 431, 456
- homotopical approximation to the category of
 - G -spectra, 608–615
- homotopical structure
 - defined by functor, 300
 - for spectra, 416
 - for equivalent categories, 301
 - minimal, 300
 - strict, 300
- homotopy
 - as an equivalence relation, 267
 - bijection of left and right sets, 282
 - composite left and right, 282
 - corresponding left and right, 280
 - equivalence, 265
 - higher left and right, 279

- left and right for topological spaces, 263
- left and right in a model category, 265
- left and right, properties of, 266
- two ways to define, 263
- homotopy Cartesian square, 386
 - and lifting diagram, 389
 - and telescopes, 383
 - composing, 388
 - equivalence with homotopy fiber square, 387
 - preserved by right Quillen functors, 388
- homotopy coCartesian square, 386
- homotopy colimit, 371–390
 - and two-sided bar construction, 378
- homotopy extension property, 234–243
- homotopy fiber, 387
 - of a fibration, 387
- homotopy fiber square, 387
 - equivalence with homotopy Cartesian square, 387
- homotopy fixed point theorem, 816–817
- homotopy fixed points, 650–652
 - definition of as spectrum, 570
- homotopy group
 - equivariant, 568–570
 - equivariant, of an orthogonal G -spectrum
 - definition, 569
 - indexed by representations of G , 551
 - of a spectrum, 443
 - $RO(G)$ -graded of $H\mathbb{Z}$, 624–639
 - $RO(G)$ -graded of $H\mathbb{Z}$, three elements in, 628–634
- homotopy groups
 - of n -slices, 735
 - of $P^n X$, 734
- homotopy invariant, 352
 - complete set of, 352
 - of spectrum, 459
- homotopy limit, 371–390
 - and homotopy pullbacks, 386
 - Bousfield–Kan’s toy counterexample, 373
- homotopy limit and colimit
 - Bousfield–Kan definition, 371–377
 - change of indexing category, 379
 - definition, 372
 - examples, 373–377
 - homotopy invariance of, 378
- homotopy pullback
 - and homotopy limits, 386
 - flexibility of, 386
 - homotopy invariance of, 385
 - in a right proper model category, 385
- Hopf algebra, 60
- Hopf map
 - as a map of C_2 -spaces, 534
- Hopf–Whitehead J -homomorphism, 9
- horns, 406–407
 - and fibrant objects, 406
 - and local equivalences, 406
 - augmented set of, 406
 - definition, 406
 - full set of, 406
 - set of on f , 141
- Hovey spectra
 - desuspension and delooping functors for, 472
 - Five Lemma for, 457
 - stabilization and model structures for, 453–474
 - stable h -cofibrations and precofibrations, 458
 - stably fibrant, 456
- Hovey spectrum, 412, 422–432
 - definition, 422
 - evaluation functor for, 427
 - suspension, 427
 - tensoring Yoneda for, 427
- Ω_T -, 423
- Hovey twist, 426
- \mathcal{I} -cell complex
 - CW complex as, 293
 - relative, 293
- \mathcal{I} -small, 293
- ideal
 - in symmetric monoidal category, 138
 - monomial, 186–189
- idempotent, 72
- indexed wedges, 615–616
- induction
 - norm, 166
- injective, 95
- interchange law, 157
- isomorphism, 55
 - Kelly, 216
- isotropy group, 63
 - of product of two orbits, 508
- isotropy separation and induced G -cells, 647
- isotropy separation sequence, 643–645, 739
 - definition, 644
- isotropy separation space, 644
- J -homomorphism, 9
- $\mathcal{J}_K^{\mathbf{N}}$, 434
 - monoidal structure of, 437
- $\mathcal{J}^{\mathbf{O}}$, stable homotopy condition, 441
- $\mathcal{J}_K^{\mathbf{O}}$ and $\mathcal{J}_K^{\mathbf{U}}$
 - connectivity of morphism objects, 438
- $\mathcal{J}_K^{\mathbf{O}}$, 435
- \mathcal{J}_K^{Σ} , 434
- \mathcal{J}_K^{Σ} , $\mathcal{J}_K^{\mathbf{O}}$ and $\mathcal{J}_K^{\mathbf{U}}$
 - symmetric monoidal structure of, 437
- K -theory
 - real, 4
- Kan complex, 263
- Kan extension, 129–134
 - along fully faithful functor, 133
 - as adjoint to precomposition, 130

- Kan extension (cont.)
 - definition, 129–130
 - enriched, 219–220
 - examples, 131
 - left, 23, 24
 - limit and colimit as, 133
 - pointwise, 130
 - pointwise as limit or colimit, 130
 - toy example of nonexistence of, 132
- Kan fibration, 262
- Kan, Daniel, 17
- Kelly, Gregory Maxwell, 20
- Ken Brown's lemma, 302
- Kervaire invariant, 12
 - odd primary, 3
- Kervaire, Michel, 12

- λ -sequence, 290
- Lewis diagrams, 518–519
- Lewis, Gaunce, 369
- lifting, 94–97
 - Cartesian, 161
 - diagram, 94
 - enriched, 192
 - in enriched category, 204–206
 - pair, 95
 - property, left, 94
 - property, right, 94
 - test map, 95
- limit, 97–119
 - filtered, 113–117
 - homotopy, *see* homotopy limit
 - ordinary weighted, 211
 - sequential, 113
 - sifted, 113–117
 - weighted, 209–212
- localization
 - left and right, 276
 - of category, 268
- localizing subcategory, 407–408
 - definition, 407
 - generated by a set of objects, 408
- loop, *see also* suspension and loop
- loop space
 - twisted, 552

- Mac Lane, Saunders, 51
- Mackey functor, 510–519
 - box product, 519
 - Burnside, 514
 - constant, 514
 - examples, 514–517
 - first definition, 512
 - fixed point, 515
 - fixed quotient, 515
 - free, 514
 - induction, restriction and precomposition, 515
 - Lewis diagrams for, 518–519
 - permutation, 516
 - restriction map, 512
 - second definition, 513
 - transfer map, 512
 - two definitions of, 512–514
- Mackey functor homology
 - and the cohomology of the orbit space, 532
 - and the homology of the fixed point set, 532
 - of a G -CW complex, 531
- Mahowald, Mark, 2
- Mandell–May category, 443, 558–565
 - as spectral \mathcal{O} -algebra, 562
 - for a finite group
 - definition, 560
 - morphism spaces, 559
 - examples, 560
 - fixed point set, 561
 - positive, 560
 - real and complex, 752
 - topological, 560
- map
 - Cartesian product for a closed monoidal category, 152
 - cocomposition, 200
 - coevaluation, 151, 199
 - composition, 200
 - constant multiplication, 58
 - costructure, 200, *see also* costructure map
 - degeneracy, 228
 - double dual, 151
 - evaluation, 58, 151, 199
 - face, 228
 - flat, 304
 - internal Hom product, 152
 - of spectra, 411
 - pinch, 283
 - Pontryagin–Thom, 498
 - self-duality, 152
 - Spanier, 498
 - stabilizing, *see* stabilizing maps
 - structure, 200, 322, *see also* structure map
- mapping cylinder, 234
 - and pullback, 238
 - as homotopy colimit, 374
- mapping path space, 258
 - as homotopy limit, 374
- model category, *see also* model structure
 - axioms, 246
 - cellular, 404
 - cofiber, 255
 - cofibrant object, *see also* cofibrant object
 - cofibrantly generated, 308–320
 - almost finitely generated, 310
 - definition, 308

- finitely generated, 310
 - product of, 309
 - cokernel, 255
 - combinatorial, 291, 405
 - compactly generated, 308–320
 - definition, 309
 - definition, 246
 - dual of, 251
 - enlarged, monoidal structure for, 361
 - enriched, 350–366
 - functors into, 357–360, 360
 - monoidal structure in, 360–366
 - exactly stable, *see also* exact stability, 366–371
 - definition, 367
 - factorization in, *see* factorization
 - fiber, 255
 - fibrant object, *see also* fibrant object
 - homotopy cofiber, 255
 - homotopy fiber, 255
 - homotopy in, 263–269
 - kernel, 255
 - left proper, 304
 - monoidal, 335–350
 - commutative monoid axiom, 344
 - indexed products in, 346–350
 - monoid axiom, 343–344
 - pushout product axiom, 339, 340
 - unit axiom, 339
 - morphism classes, 247
 - original axioms, 248
 - overcategories and undercategories of, 250
 - pointed, 254
 - pointed topological, 341
 - proper, 304, 320–321
 - right proper, 304
 - right proper, homotopy limits in, 384–390
 - right proper, homotopy pullbacks in, 385
 - stabilizable, 433
 - stabilizable, homotopy groups for, 433
 - stable, 366–371
 - definition, 366
 - telescopically closed, 384
 - three classical examples, 256–263
 - topological and simplicial, 354
 - toy examples, 251–252
- model structure
- cofibrantly generated, example, 310, 311
 - comparing confined and projective, 331
 - G -spectra, 567–568
 - confined, 329–332
 - confined and enlarged, for functor categories, 334
 - confined and enlarged, relation between, 332–335
 - confined as a monoidal category, 364
 - confined, cofibrant approximations in, 331
 - eight for orthogonal G -spectra, 416, 589
 - enlarging, 319
 - enriched projective, Quillen adjunctions between, 359
 - for commutative ring spectra, 688
 - for family of subgroups, 541
 - G -spaces, 538–547
 - for modules over a commutative ring spectrum, 690–692
 - for naive and genuine G -spectra, 597–599
 - for orthogonal G -spectra, 584–590
 - for real spectra, 758
 - four monoidal on a functor category, 365
 - h -, 258
 - injective, 321–324
 - left induced, 314
 - maximal and minimal, 252
 - on Set , 251
 - on chain complexes, 262
 - on simplicial sets, Kan, 263
 - on simplicial sets, Quillen, 263
 - on simplicial sets, 262–263
 - on topological spaces, 256–262
 - positive for smashable spectra, 474
 - positive stable, cofibrant generation for, 485–491
 - projective, 270, 321–324
 - examples of, 326–328
 - Quillen adjunction between, 329
 - q -, 258
 - right and left induced, 312
 - seesaw effect, 248
 - stable for smashable spectra, 475–478
 - definition, 475
 - stable, Hovey spectra, 455
 - Strøm, 258, 312
 - transfer of, 312–320
 - transferred, 316
 - underlying and Bredon, 538
- module
- closed over a closed monoidal category, 148
- monads, 88–91
- monoidal geometric fixed points
- of modules over a commutative ring, 692
 - of R -modules, 692
 - of smash product over R with sphere spectrum, 693
 - relative, 692–693
- monomorphism, 55
- Morava stabilizer group, 3
- morphism
- 2-, 157
 - addition, 136
 - \mathcal{C} -injective, 249
 - enriched addition, 203
 - epi, 55
 - monic, 55
 - parametrized, 276
 - reduced composition, 193
 - regular class of, 291

- morphism (cont.)
 - saturated class of, 291
 - saturated class of in a model category, 292
 - split epi, 55
 - split monic, 55
- morphism class
 - relation with homotopy idempotent functor, 401
- MU , the complex cobordism spectrum, 750
- $MU^{(G)}$, 763
 - algebra generators
 - criterion for, 772–775
 - recognizing, 774
 - specific, 775–777
 - specific, definition, 775
 - specific, image of Φ^G on norms of, 776
 - algebra generators for π_*^u , 772–777
 - auxiliary spectra for, 783–784
 - purity of over index two subgroup, 784
 - purity of, 777
 - restriction to a subgroup, 767
 - slice structure of, 777–792
 - the elements f_i in P_*^G of, 777
- \mathcal{MUR}
 - definition, 761
- MUR , the real bordism spectrum
 - definition, 762
 - homotopy of smash powers of, 765
 - periodicities, 798
 - properties, 762
 - real oriented homology of, 766
- natural equivalence, 72
- natural transformation, 72–75
 - composition and precomposition as, 74
 - enriched, 195
 - identity, 72
 - set of as an end, 126
- nerve of a small category, 232–234
- nondegenerate base point, 242–243
- nonequivariant, 206
- norm functor, 617–622
 - definition, 618
 - of commutative ring, 696
 - on Yoneda spectrum, 620
 - properties, 619
- object
 - \mathcal{C} -injective, 249
 - compact in a topological model category, 309
 - \mathcal{I} , 310
 - finite, 113, 290
 - finite in a closed symmetric monoidal category, 153
 - finitely presented, 113
 - in a \mathcal{V} -category, 211
 - in topological model category, 310
 - flat, *see* flat object
 - initial, 101
 - precofibrant, *see* precofibrant object
 - small, 290
 - small, colimit of, 291
 - solid cylinder, 279
 - surface, 279
 - terminal, 101
- \mathcal{O}_G -CW-complex, 545
- \mathcal{O}_G -space, 545
- opfibration
 - Grothendieck, 161–164
- orbit space
 - as colimit, 101
 - homotopy
 - as homotopy colimit, 373
- orbit space and homotopy orbit space, 522
- Orbit spaces and fixed point sets, 520–524
- ordinal, 289
 - filtered by a cardinal, 290
- orthogonal G -spectra
 - categorical properties, 568–583
 - change of group, 573–575
 - change of group and smash product, 622–624
 - eight model structures for, 589
 - equivalence of finite indexed products and coproducts, 603
 - exact sequences for, 599–600
 - fixed point adjunction for, 571
 - fixed points and smash products, 577
 - function spectra and morphism spaces, 578
 - homotopical properties, 599–607
 - homotopy groups of
 - $RQ(G)$ -graded, 605
 - as Mackey functors, 604
 - homotopy groups, module structure for, 606
 - model structure conditions for, 567–568
 - model structures for, 584–590
 - morphism objects, 572–573
 - naive and genuine, 590–599
 - model structures for, 597–599
 - categorical equivalence of, 594
 - homotopical structures for, 592–596
 - homotopical equivalence of, 596
 - products and coproducts, 600
 - smash product of, 575
 - suspension isomorphism for, 569
 - tautological presentation, smash products and function spectra, 575–579
- orthogonal G -spectrum
 - Bredon cofibrant decomposition of, 732
 - cofree, 651
 - cofreeness conditions, 651
 - decomposition of, 732
 - definition, 566
 - equivariant homotopy groups, 568–570
 - definition, 569
 - fixed point and orbit spectra of, 570–572

- fixed point and orbit spectrum of
 - definition, 570
- fixed point spectra of, 639–642
- fixed point spectra of, failure of homotopy invariance, 639
- homotopy fixed point and homotopy orbit spectrum of
 - definition, 570
- homotopy fixed point spectrum, *see* homotopy fixed points
- indexed wedges and smash products of, 615–617
- localizing subcategories of, 721
- localizing subcategories of, geometric connectivity, 722
- positive, 566
- pure, *see* pure spectrum
- restriction of, 574
- smash product with Yoneda spectrum, 577
- underlying spectrum, 567
- orthogonal group, 435
- orthogonal morphism object
 - connectivity of, 438
- orthogonal representations of G and related structures, 551–565
- orthogonal spectrum, 20
- orthogonal G -spectra
 - homotopy groups of, 602–615
- $\pi_0 X$, 351
 - colimit of, 353
- pair
 - transfer, 315
- path space, 83
 - mapping, *see* mapping path space
 - reduced, 255
- Periodicity Theorem, 5, 801–817
 - for cyclic 2-groups, 811–816
 - for homotopy fixed point spectra, 815
 - for ordinary fixed point spectra, 817
- $\pi^{\text{st}} \mathcal{S}p^G$, 608–615
 - as homotopical category, 613
 - definition, 609
 - long exact sequences in, 613
 - maps in, 611, 612
 - suspension and desuspension in, 612
- Pontryagin, Lev, 6
- positivization, 414
- Postnikov section
 - as localization, 400
- Postnikov, Mikhail, 25
- precofibrations
 - and pushouts, 306
- precofibrant
 - object, 304
 - objects, enough, 304
- precofibration, 304–308
 - definition, 304
 - in category of G -spectra, 307
 - in factorizations, 307
 - properties, 306
 - trivial, 304
- presymmetric spectra
 - as functors on $\mathcal{J}_K^{\mathbb{N}}$, 444
- presymmetric spectrum
 - definition, 425
 - enriched
 - definition, 425
- Princeton convention, 53
- product
 - G -sets and indexed, 164–167
 - index smash, of commutative rings, 694–703
 - indexed monoidal, 164–189
 - along a finite covering, 165
 - and commutative algebras, 186
 - indexed smash
 - and trivial cofibrations, 671–673
 - behavior in arrow category, 670
 - behavior in diagram category, 671
 - left derived functor of, 673
 - of trivial cofibration, 673
 - of weak equivalence between cofibrant objects, 673
 - of cofibrations, 668
- projective, 95
- pseudofunctor, 160
- pullback, 92
 - composition of, 93
 - homotopy, 375
 - in the category of small categories, 103
 - n -fold, 109
- Puppe, Dieter, 288
- pure spectrum
 - associative
 - slice tower for, 781
 - definition, 743
 - $MU^{((G))}$ as, 777
 - smash product with bound slice sphere, 783
- pushout, 91
 - composition of, 93
 - homotopy, 375
 - n -fold, 109
- Quillen adjunction, *see also* Quillen pair
 - between projective model structures, 329
 - \mathcal{M} -model, 341
 - monoidal, 340
 - two variable, 337
- Quillen algebra
 - \mathcal{M} -, 341
- Quillen bifunctor, 336–339
 - and cofibrant generating sets, 337
 - and lifting test maps, 337

- Quillen equivalence, 272–278
 - and Bousfield localization, 405
 - and categorical equivalence, 277
 - and homotopy categories, 277
 - composition, 278
 - definition, 276
 - determined by a single functor, 278
 - units and counits of, 277
- Quillen functor, 272–278
 - compact, 382
 - left, 272
 - limit, colimit as, 329
 - \mathcal{M} -model, 341
 - right, 272
- Quillen module, 341
 - \mathcal{M} -, 341
- Quillen pair, 272
 - \mathcal{E} -local objects and equivalences, 399
 - change of rings, 690
 - examples, 273
 - invertible, 273
 - properties, 276
- Quillen ring, 339–342
 - and Bousfield localization, 403
 - and Day convolution, 362
 - arrow category, 344–346
 - change of, 354
 - examples, 340
 - Set as, 340
- Quillen's diagram, 261
 - for algebraic slice tower, 748
 - for slice tower, 726
- Quillen, Daniel, 32
- real and C_2 -equivariant commutative rings
 - Quillen equivalence between, 761
- real bordism, real orientations and formal groups, 763–767
- real cobordism spectrum, 5
- real K-theory, 4
- real orientation
 - definition, 763
 - for MUR and its norms, 764
 - on smash products, 764
- real oriented cohomology of CP^∞ and $CP^\infty \times CP^\infty$, 764
- real space, 4
- real spectra
 - and C_2 -spectra, 755–757
 - and C_2 -spectra, Quillen equivalence between, 756
 - C_2 -flat, 758–761
 - C_2 -flatness
 - definition, 758
 - in cofiber sequences, 759
 - of cofibrant commutative algebras, 758
 - of pushouts, 759
 - of symmetric powers, 759
 - indexed corner map, 757
 - model structure for, 758
 - multiplicative properties, 757–758
- real vector bundle, 4
- reduction
 - enriched Yoneda, 216
- Reduction Theorem, 780
 - inductive approach, 782–783
 - proof, 784–792
- refinement of underlying homotopy groups, 744
 - multiplicative, 770
 - of $MU^{(G)}$, 770
 - of smash powers of MUR , 769–772
- reflector, 90
- regular class, 291
- relative finiteness, 115
- representation
 - of finite G -set, 554–558
 - definition, 554
 - degree of, 555
 - disjoint union and disjoint sum, 554
 - examples, 555
 - induced, 555
 - orthogonal embeddings of, 556
 - representation sphere of, 554
 - orthogonal
 - examples for small groups, 510
 - induction or transfer, 512
 - restriction, 512
 - positive representative of, 703
 - regular, 553
 - regular for cyclic 2-group, 625
- representation sphere
 - as a G -CW complex, 625
 - low dimensional homology of, 626
 - reduced regular, 537
 - H^0 of, 537
 - top homology of, 627
- restriction and transfer maps
 - fixed point, 513
 - group action, 605
- restriction functor, 81, 551
 - properties of, 544
- retract
 - enriched, 193
- retraction, 55
- saturated class, 291
 - in a model category, 292
 - small relative to, 293
- sequence, *see also* exact sequence
 - Puppe, 288
- set
 - empty, 57
 - one point, 57
- simplex
 - boundary, 229

- face, 229
- horn, 229
- standard n -, 229
- simplicial identities, 228
- simplicial set, 228–234
 - definition, 228
 - geometric realization of, 229
- simplicial space, 228–234
- slice
 - characterization of 0- and 1-, 740–742
 - spherical, 739–744
 - bound, 743
 - definition, 743
- slice connectivity
 - and coconnectivity, 717–721
 - and coconnectivity, definition, 717
 - and geometric connectivity, 721–725
 - and indexed symmetric powers, 747
 - and ordinary connectivity, 720, 733
 - effect of restriction and induction on, 720
 - localizing subcategory, 717
 - localizing subcategory, generator for, 718
 - of a cofibrant indexed smash product, 747
 - of $\tilde{E}\mathcal{P}$ and its suspension, 739
 - of $E\mathcal{P} \times X$, 739
 - of G -cells, 719
 - of indexed products, 745–747
 - of representation spheres and Yoneda spectra, 723
 - of smash products, 723
 - preserved by indexed smash products, 746
 - preserved by indexed wedges, 745
 - properties, 731
- and ordinary connectivity, 740
- Slice Differentials Theorem, 807
- slice filtration, 714–731
- slice n -connected cover, 725
- slice P^n functor
 - algebraic, 747
 - multiplicative structures preserved by, 731
- slice P^n -equivalence
 - definition, 730
 - fiber of, 730
 - smash product with slice connected spectrum, 730
- slice relations, 729
- slice section, 725
 - and change of group, 729
 - recognition of the n th, 727
- slice spectral sequence, 6, 731–739
 - E_1 -term, 734
 - E_2 -term near the vanishing line, 807
 - external pairing, 734
 - for MUR , 794–799
 - E_2 -term, 795
 - differentials, 795
 - inversion and periodicity, 797
 - permanent cycles in, 809, 814
- $RO(G)$ -graded, 738–739
 - vanishing regions, 739
- $RO(G)$ -graded for MUG , 801–811
 - vanishing regions, 735
- slice sphere, 715–717
 - bottom slice for, 742
 - cellular structure of, 732
 - definition, 715
 - dimension, 717
 - norm, 717
 - restriction, 717
- slice theorem, 777–780
 - converse to, 780–782
- slice tower, 725–730, 744–749
 - cofibrant, 745
 - cofibrant for a commutative ring, 747–753
 - definition, 728
 - multiplicative for a commutative ring, 748
 - multiplicative properties, 730–731
 - recognition, 737
- small
 - relative to \mathcal{I} , 293
- small object argument, 288–293
 - morphism class permitting, 289
- smash product, 70
 - left and right half, 70
- smashable spectra
 - costructure maps for, 446
 - Day convolution for, 450
 - definition, 444
 - difference between presymmetric and, 413
 - exact sequences for, 491–493
 - four model structures for, 484
 - morphism objects and related notions, 447–451
 - morphism objects as enriched ends, 447
 - Ω -, 446
 - cotensors of, 448
 - recognition criterion for, 447
 - positive model structure for, 474
 - positive stable fibrant, 488
 - restricted and reduced structure maps for, 445
 - restricted costructure map for, 482
 - stabilization and model structures for, 474–494
 - stabilizing maps for, 475
 - stable model structure for, 475–478
 - definition, 475
 - stably fibrant are Ω -spectra, 483
 - tautological presentation, 450
 - tensors and cotensors of, 448
 - trivial positive stable fibrations for, 486
 - Yoneda adjunction for, 449
- Snaith, Victor, 2
- S^{np}
 - homology for $G = C_2$, 634–639
- Spanier–Whitehead duality
 - equivariant, 499–501
 - ordinary, 496–499

- spectra, 18
 - as functors, 444–447
 - homotopical structures, 416
 - Hovey, *see* Hovey spectra
 - Hovey, projective model structure for, 431–432
 - Hovey, Yoneda adjunction for, 428
 - indexing categories for, 433–443
 - model structures for, 414–417
 - orthogonal, *see* orthogonal spectra
 - presymmetric, *see* presymmetric spectra
 - presymmetric, symmetric, orthogonal, unitary and extraorthogonal, 444
 - projective or strict model structure for, 414
 - real and complex, 752–761
 - definition, 753
 - Homotopy theory of, 754–755
 - smash products, 754
 - smashable, *see* smashable spectra
 - stable model structure for, 417–419
 - symmetric, *see* symmetric spectra
 - Yoneda, *see* Yoneda spectra
- spectral $\mathcal{J}^{\mathbf{O}}$ -algebra
 - definition, 439–440
 - ideal in, 440
 - indexing group of, 442
- spectrum
 - costructure map for, 411
 - fibrant fixed point, 640
 - fibrant fixed point, homotopy groups of, 641
 - function
 - as end, 451
 - definition, 450
 - Hovey, *see* Hovey spectrum
 - map, 411
 - new ways to define, 413
 - Ω -, 411
 - orbit
 - as left Kan extension, 675
 - original definition, 411–412
 - orthogonal, *see* orthogonal spectrum
 - presymmetric, *see* presymmetric spectrum, 412
 - real bordism, 761–772
 - real oriented, definition, 763
 - Schwede fixed point, 640
 - Schwede fixed point, homotopy groups of, 641
 - Schwede fixed point, properties, 640
 - smashable, *see* smashable spectrum
 - stable equivalence, 411
 - definition, 417
 - strict equivalence, 411
 - definition, 416
 - structure map for, 411
 - symmetric, 413
 - Yoneda, *see* Yoneda spectrum
- Sp^G , *see* orthogonal G -spectra
- splitting, 161
- stabilization, 414
 - via homotopy idempotent functor, 460–463
- stabilizing maps, 418
 - for Hovey spectra, 454, 458–460
 - as projective cofibrations, 454
 - for smashable spectra, 475, 482
 - for smashable spectra as stable homotopy equivalences, 476
 - presymmetric, 460
- stable equivalence
 - and Θ^∞ for Hovey spectra, 461
 - and stable homotopy groups of Hovey spectra, 462
 - of Hovey spectra, 455
 - original definition, 456
- stable equivalences
 - and positive ideals, 484
- stable homotopy group, 417
 - of a spectrum, 458
 - of Hovey spectrum, 458–460
- stable homotopy equivalence
 - definition, 459
- stable model structure
 - cofibrant generating sets for Hovey spectra, 463–467
 - trivial fibrations and projective weak equivalences, 464
 - trivial fibrations in, 463
- Stasheff pentagon, 135
- Stiefel manifold, 435
- structure map
 - for enriched functor category, 217
 - for spectrum, 411
- structured spheres and loops, 443
- subcategory
 - full and lfluf, 54
 - reflective, coreflective and bireflective, 90
 - replete, 90
 - wide, 54
- Sullivan conjecture, 524
- suspension
 - twisted, 552
- suspension and loop isomorphisms
 - for original spectra, 468
 - smashable spectra, 491
- symmetric group, 434
- symmetric power
 - badly behaved map of, 674
 - definition, 674
 - indexed, 674–684
 - and slice connectivity, 747
 - definition, 675
 - nice properties of indexed smash products of, 685
 - of a cofibration of cofibrant diagrams, 677
 - iterated indexed, 684–687
 - nice properties of, 686
- symmetric spectra
 - the prickly case of, 419–421

870

T -algebra, 88
 \mathcal{T}^G , 501
 tautological presentation, 218
 telescope
 and homotopy Cartesian squares, 383
 as ordinary sequential colimit, 377
 as sequential colimit, 382
 as sequential homotopy colimit, 376
 of weak equivalences and of isomorphisms, 381
 tensor, 198–203
 Θ and Θ^∞ , 367
 for Hovey spectra, 460
 for smashable spectra, 478–482
 Thetajay, 2
 Thom diagonal, 499
 Thom space, 435
 Toda, Hirosi, 3
 Top^G , 501
 topological spaces, 68–70
 tower
 as sequential homotopy limit, 376
 of weak equivalences and of isomorphisms, 381
 transfinite composition, 290
 triple, 88
 turnstile, 78
 twisted monoid ring, 703–710
 ideal in, 706
 method, 706
 noncommutativity of, 704
 on one generator
 definition, 704
 quotient module, 708–710
 definition, 708
 twisted monoid subring, 806
 bigger, 806
 two out of six property, 300
 two-variable adjunction, 144–146

 Υ -cofibration, 400
 Υ -equivalence, 400
 Υ -fibration, 400
 Υ -local, 400
 unitor, 134
 universal space
 for a family \mathcal{F} of subgroups, definition, 541
 for a family \mathcal{F} of subgroups, examples, 542

Index

universal spaces, 547–549
 G -equivariant Λ -, 547
 unoriented cobordism ring, 767–769

 vector field problem, 15

 weak equivalence, 246
 detecting with morphism objects,
 355, 356
 not preserved by suspension, 243
 of topological spaces, 256
 products and coproducts of, 275
 projective, 322
 pushouts and pullbacks of, 275
 strict, 322
 Wirthmüller isomorphism, 502
 working fiberwise, 165
 World Without End Hypothesis, 16

 Ξ , 5–6
 definition, 816
 key properties of, 5, 793

 Yoneda adjunction, 83, 87
 enriched, 209
 as Quillen pair, 359
 Yoneda coreduction, 133
 generalized, 128
 Yoneda embedding, 77
 covariant, 77
 Yoneda functor
 and desuspension functor for Hovey
 spectra, 471
 Yoneda lemma, 76
 enriched, 198, 209
 Yoneda reduction, 127, 133
 generalized, 127
 Yoneda spectra
 more, 449
 properties of, 451
 rigidity of, 452
 Yoneda spectrum, 417
 as representor of V th object functor, 451
 definition, 430
 norm of, 667
 Yoneda, Nobuo, 51