

Index

- L_1 regularization, 176
 - L_2 regularization, 176
 - σ -algebra, 35
 - Q**-conjugacy, 138, 148, 151
 - Q**-conjugacy condition, 148, 151
 - a posteriori estimation, 76
 - a priori estimation, 76
 - 3D-FGAT, 200
 - 3DVAR, *see* three-dimensional variational data assimilation, 7
 - 3DVAR cost function, 178, 191
 - 3DVAR system, 182, 191
 - 4D-PSAS, 195
 - 4DDA, *see* four-dimensional data assimilation, 5
 - 4DVAR, *see* four-dimensional variational data assimilation, 7
 - ensemble of, 185
 - incremental, 199, 200
 - standard, 192, 195
 - strong-constraint, 199
 - weak-constraint, 191, 198, 199
 - 4DVAR analysis, 196
 - 4DVAR minimization, 191

 - a posteriori error covariance, 64
 - a priori estimate, 9
 - AC, *see* ant colony, 128
 - active variable, *see* intermediate variable, 113
 - activity analysis, 113
 - AD, *see* automatic differentiation
 - forward mode of, 117
 - reverse mode of, 119
 - AD engine, 124
 - AD facility, 122
 - AD package, 122
 - AD technique, 112
 - AD tool, 111, 112, 122–124, 355
 - adaptive observation, 265, 267, 271, 280–289, 295, 296
 - adjoint-based method, 281, 282, 285–287
 - adjoint SA, 281
 - adjoint-derived sensitivity steering vector, 281
 - singular vector, 281
 - adjoint-free method, 287
 - bred vector method, 282
 - CNOP method, 282
 - ensemble-based method, 281
 - ensemble Kalman filter, 281
 - ensemble SA, 282
 - ensemble transform Kalman filter, 281
 - ensemble transformation, 281
 - process of, 281
 - purpose of, 284
 - quasi-inverse TLM method, 282
 - strategies, 295, 296
- Adept, 122
- ADIFOR, *see* Automatic Differentiation of FORtran, 122
- ADJM, *see* adjoint model, 83
 - accuracy of, 90
 - backward integration of, 284
 - backward run, 94
 - backward run of, 270–272
 - continuous, 99, 105
 - correctness check of, 94
 - correctness of, 94
 - discrete, 103, 105
 - formulation of, 90
 - gradient check of, 94
 - uncertainty of, 95
 - validity of, 95, 98
- ADJM code, 108
- ADJM equation, 107
- ADJM solution, 275, 278
- adjoint code, 124, 355
- adjoint equation, 7, 172
- adjoint identity, 94
- adjoint model, 83, 90–95, 97–99, 102–108, 111, 224, 266, 267, 270–272, 275, 282, 284, 310
- adjoint Newton algorithm, 129
- adjoint operator, 90
- adjoint operator method, 99

- adjoint SA, 267, 270, 271, 275, 276, 278, 281, 282, 295, 296
- adjoint sensitivity coefficient, 269–272, 274–276, 278, 279, 282, 289
- adjoint solution, 104
- adjoint-derived sensitivity steering vector, 281
- admissible control, 170
- ADOL-C, *see* Automatic Differentiation by Overloading in C++, 122
- AEC, *see* analysis error covariance, 284
- aerosol optical depth, 305
- AI, *see* artificial intelligence, 317
- algorithmic differentiation, *see* automatic differentiation
- all-sky forecast error covariance, 311
- all-sky observation operator
 nondifferentiability of, 320, 321
- all-sky radiance, 306, 308, 312, 317, 319, 322, 323
- all-sky radiance assimilation, 305–309, 319, 322, 323
- all-sky radiance data assimilation, 308
- all-sky radiance observation operator, 306, 307, 317, 320
- all-sky radiance operator, 319
 nondifferentiability of, 319
 nonlinearity of, 319
- all-sky radiances, 319
- all-sky radiative transfer operator, 320
- all-sky satellite data assimilation, 308
- all-sky satellite radiance, 306
- all-sky satellite radiance assimilation, 308, 314, 318, 319, 323
- all-sky satellite radiances, 306
- AMV, *see* atmospheric motion vector, 305
- AMV wind retrieval, 307
- analysis, 54
- analysis distribution, 76
- analysis equation, 14, 24, 25, 27, 28, 56, 61, 324
 EnKF, 218
 MLEF, 324
- analysis error, 58, 61, 67
- analysis error covariance, 58, 61, 66, 218, 226, 227, 284
- analysis error cross-covariance, 68
- analysis increment, 9, 15, 28–30, 179, 193, 212, 243, 311, 312
- analysis of innovation method, 181
- analysis PDF, 42
- analysis response, 311, 313
- analysis state, 63
- analysis step, 58, 76, 77
- analysis time, 54, 56–58, 67, 76, 282
- analysis uncertainty, 220, 257, 323
- analysis-forecast error cross-covariance, 68
- ant colony, 128
- AOD, *see* aerosol optical depth, 305
- ARPEGE 4DVAR system, 182
- artificial intelligence, 317
- ASC, *see* adjoint sensitivity coefficient, 270
- assimilation
 all-sky radiance, 305, 306, 308, 309, 319, 322, 323
 all-sky satellite radiance, 306, 308, 314, 318, 319, 323
 clear-sky radiance, 322
 clear-sky satellite radiance, 306
 hydrometeor retrieval, 308
 integrated water content, 308
 lightning, 307
 satellite product, 305
 satellite radiance, 305
 soil moisture retrieval, 307
- assimilation period, 191, 195
- assimilation time, 96
- assimilation window, 54, 67, 191, 195, 196, 198–200
- asymptotic error covariance, 64
- atmospheric motion vector, 305
- attractor, 255
- augmented control variable, 321, 322
- augmented control vector, 324
- augmented cost function, 324
- augmented filter equation, 73
- augmented KF, 72
- augmented KF equation, 71
- augmented KF system, 73
- augmented state equation, 69
- augmented system, 72
- augmented VAR method, 225
- augmented VAR system, 225
- autoconversion, 97
- autoconversion rate, 97
- automatic differentiation, 111, 112, 114, 116, 120
- Automatic Differentiation by Overloading in C++, 122
- Automatic Differentiation of FORtran, 122
- background error, 56
- background error covariance, 28–30, 56, 176, 177, 179–181, 186
- background error variance, 182
- backward filter, 54
- backward integration, 54
- backward smoothing, 77
- balance constraint, 6, 310
 geostrophic, 310
 hydrostatic, 310
- basic state, 100
- basis, 335
- basis function, 64
- basis vector, 111
- batch process, 54
- Bayes' formula, 255
- Bayes' theorem, 41
- Bayesian, 35
- Bayesian approach, 5
- Bayesian assumption, 6
- Bayesian filter, 76
- Bayesian framework, 9, 57
- Bayesian inference, 7, 74, 76, 77, 216, 225, 258

- Bayesian perspective, 74
- Bayesian principle, 6
- Bayesian smoothing, 76
- Bayesian viewpoint, 76
- best linear unbiased estimate, 21–23, 25, 27, 57, 191
- BFGS, *see* Broyden–Fletcher–Goldfarb–Shannon, 154
- BFGS update, 154, 155
- bias correction, 322, 324
 - radiance, 324
 - satellite radiance, 321
 - variational, 321
 - variational satellite, 324
- bias correction coefficient, 324
- biased estimate, 21
- bifurcation point, 96
- block covariance matrix, 309
- BLUE, *see* best linear unbiased estimate, 21
 - covariance, 22
 - two measurements, 24
 - variance, 24
 - with a background, 25
- BLUE with background, 57
- boundary condition, 83, 172
- bred vector, 282
- brightness temperature, 305
- Broyden–Fletcher–Goldfarb–Shannon, 154
- brute-force approach, 83
- Burgers' equation
 - nonlinear, 99
 - viscous, 99
- calculus of variations, 163, 164, 166–168, 172
 - fundamental lemma of, 165
- chain rule, 112–114, 116, 117, 119
 - forward mode, 113
 - reverse mode, 113
- change of variable, 318, 322
- chaotic nonlinear dynamics, 5
- chaotic system, 95, 96
- Cholesky factorization, 64, 65
- Cholesky square root, 65
- clear-sky data assimilation, 306
- clear-sky radiance, 317
- clear-sky radiance assimilation, 322
- clear-sky radiance observation operator, 306
- clear-sky satellite radiance, 306
- clear-sky satellite radiances, 306
- cloud clearing, 306
- cloud microphysical process, 308, 309
- cloud microphysical processes, 317
- cloud model, 96, 97
- cloud scattering process, 308
- cloud variable, 309, 312
- cloud water liquid content, 97
- cloud-resolving model, 99
- cloudy radiance, 306
- cloudy radiances, 313
- CNOP, *see* conditional nonlinear optimal perturbation, 286
- CNOP-based forecast, 288
- CNOP-based perturbation, 286
- codebase model, 111
- computational graph, 113, 115, 116
 - linear, 117, 119, 120
 - linearized, 113
- computational mode, 104
- condition number, 137, 144
- conditional density, 251
- conditional entropy, 43, 235
- conditional nonlinear optimal perturbation, 282, 286–288
- conditional PDF, 41, 42, 46, 47
- conditional probability, 40
- conditional probability density, 74
- conditional probability distribution, 74
- conjugacy, 138
- conjugate, 137, 138
- conjugate direction, 148, 151, 152
- conjugate direction algorithm, 148, 149
- conjugate gradient, 147
- conjugate gradient algorithm, 148, 151, 317
- conjugate gradient method, 147–152, 157
 - Fletcher–Reeves formula, 153
 - Hestenes–Stiefel formula, 152
 - Polak–Ribière formula, 152
- conjugate set, 147
- conjugate vector, 137, 147, 148
- consistency diagnostics, 186
- constrained optimization problem, 138
- constraint
 - balance, 6
 - dynamical, 8, 28
 - dynamical balance, 7
 - geostrophic, 6
- constraint minimization, 170
- continuous ADJM, 99
- control, 170
- control space, 170
- control theory, 4, 5, 166
- control variable, 237, 243, 312, 342
 - augmented, 321, 322
- control vector, 342
- convergence criteria, 138
- convergence order, 145, 153
- convergence rate, 128, 134, 137, 142–144, 149
- convergence ratio, 143, 144
- conversion, 11
- correlated observation, 314
- correlated observation error, 308
- correlation, 213, 340
- correlation coefficient, 315, 316
- correlation function, 310, 313, 316
- correlation ratio-based methods, 267
- correlation scale, 228

- cost function, 48, 96, 176, 192–196, 220, 241, 260, 317–319, 321
 - balanced reduction of, 318
 - first variation of, 324
 - for FGAT, 200
 - Gaussian-like, 226
 - gradient of, 196
 - incremental, 189, 193, 199, 200
 - minimization of, 196
 - minimum of, 194
 - nonlinear augmented, 324
 - observation term, 197
 - strong-constraint, 196
 - weak-constraint, 198, 199
- coupled data assimilation, 232, 234, 238
- coupled forecast, 234
- coupled modeling system, 232
- covariance, 4, 340
- covariance localization, 247
- covariance modeling, 64
- cross-variable correlation, 310, 311, 319
- cross-variable interaction, 310
- cross-variable structure, 319
- CS, *see* cuckoo search, 128
- cuckoo search, 128
- cumulative distribution function, 36

- DAG, *see* directed acyclic graph
- data assimilation, 3–9, 12, 14–17, 54, 55, 63, 74, 112, 308, 314, 316, 321, 323
 - ADJM-based, 99
 - all-inclusive, 323
 - all-sky radiance, 308
 - all-sky satellite, 308
 - clear-sky, 306
 - components of, 75
 - coupled, 232, 234, 238
 - dynamic, 55
 - ensemble, 210, 216, 222, 224–226, 239, 305, 309, 324
 - ensemble recursive, 255
 - four-dimensional, 5
 - four-dimensional variational, 7, 164, 167, 170, 184, 188, 190–192, 195, 196, 198, 308, 310, 321
 - Gaussian, 322
 - hybrid, 210, 223–226
 - hybrid ensemble-variational, 255, 305
 - inverse three-dimensional variational, 129
 - non-Gaussian, 322
 - of cloud, 308
 - of precipitation, 308
 - operational, 20, 63, 97, 305
 - probabilistic, 6
 - quality of, 309
 - real-time, 55
 - recursive, 255, 257
 - recursive Bayesian, 56
 - satellite, 305
 - satellite radiance, 313
 - single-observation, 311
 - static, 55, 57
 - strongly coupled, 234
 - three-dimensional variational, 7, 184, 192, 193, 195, 200, 202, 310
 - uncoupled, 233
 - variational, 6, 7, 90, 111, 163, 164, 210, 216, 218, 221, 224–226, 239, 255, 284, 305, 306, 310
 - weakly coupled, 234
- data assimilation cycle, 7, 15, 361
- data assimilation framework, 55
- data assimilation initiation, 362
- data assimilation interval, 361
- data assimilation system, 311
- data assimilation system, 63
- data assimilation window, 361
- data fitting, 5
- data targeting, 296
- Davidon–Fletcher–Powell update, 154
- degree of freedom, 224
- degrees of freedom, 215, 221, 311
- dependent, *see* dependent variable
- dependent variable, 112, 113
- derivative, 111–114
 - exact, 111
 - first-order, 111
 - ordinary derivative, 113
 - partial derivative, 113, 114
- derivative accumulation, 113
 - direction of, 118, 121
 - reverse, 119
- derivative code, 111, 112, 118, 121
- Desroziers diagnostic, 187
- Desroziers diagnostics, 185
- determinant of a matrix, 236
- diabatic process, 95
- diagnostic equation, 63
- diagnostic function, 95
- diagnostic variable, 111
- diagonal matrix, 316, 337
- differential calculus, 112
- differential evolution, 128
- differential tree diagram, 112
- differentiation, 111
- digital filter, 259
- direct transform, 216
- directed acyclic graph, 113
- directional derivative, 129–131, 134, 140–142
 - second-order, 135
- discontinuity, 95, 97–99, 319, 320
- discontinuous function, 98
- discontinuous process, 95
- discrete EKF, 62
- discrete extended Kalman filter, 62
- discrete KF, 58, 68
 - forecast step, 58
- distance between vectors, 335

- distance-based interpolation weights, 5
- diverging trajectory, 96
- dynamic data assimilation, 55
- dynamical balance, 259
- dynamical balance constraint, 7
- dynamical constraint, 8, 28
- dynamical model, 54, 55, 64, 78
- dynamical prediction system, 55
- dynamical process, 97, 309
- dynamical system, 5, 8, 9
- dynamical variable, 310, 312

- ECMWF 4DVAR system, 179
- eigenvalue, 65, 283, 339
- eigenvalue decomposition, 282, 283, 316, 339
- eigenvalue threshold, 317
- eigenvector, 65, 282, 283, 339
- eigenvector space, 316
- EKF, *see* extended Kalman filter, 59
 - analysis equation, 61
 - discrete, 62
 - forecast equation, 60
 - Kalman gain, 61
- EKF formulation, 60
- EMP, *see* empirical model parameter, 3
- empirical model parameter, 3, 4
- empirical orthogonal function, 64
- empirical parameters, 3
- EnKF, *see* ensemble Kalman filter, 7
 - full-rank, 8
 - iterative, 7
 - square-root, 8
- EnKF algorithm, 227–229
- EnKF analysis equation, 218
- EnKF direct linear solution, 227
- EnKF equation, 218
- EnKF method, 219
- ENS, *see* ensemble data assimilation, 210
- ENS algorithm, 224
- ENS analysis, 225
- ENS covariance, 224
- ENS posterior error covariance, 225
- ensemble adjustment filter, 219
- ensemble covariance
 - flow-dependent, 8
- ensemble data assimilation, 210, 216, 222, 224–226, 239, 305, 309, 324
- ensemble error covariance, 241, 310, 311
 - flow-dependent, 224
 - low-rank approximation of, 310
 - structure of, 311
- ensemble forecast error covariance, 8, 217, 224, 311, 312
 - structure of, 312
- ensemble forecast perturbation, 286
- ensemble forecasting, 310
- ensemble iterative Kalman filter, 317
- ensemble Kalman filter, 7, 8, 216–219, 225, 281, 317, 324
 - square-root, 219
- ensemble member, 7
- ensemble method, 224, 306, 313
- ensemble prediction system, 99
- ensemble SA, 282
- ensemble square-root filter, 219
- ensemble transform Kalman filter, 219, 281, 286, 295, 296
- ensemble transformation, 281
- ensemble-variational, 223, 224
- entropy, 234, 314, 315
- EnVar, *see* ensemble-variational, 224
- equation
 - Fokker–Planck, 252
 - Kolmogorov, 252
 - logistic, 124
 - tangent linear, 93
- error
 - analysis, 58, 61, 67
 - background, 56
 - correlated observation, 308
 - covariance, 9
 - forecast, 58, 60, 67
 - Gaussian, 321, 322
 - growing mode, 5
 - initial, 252
 - initial state, 252
 - instrument, 4
 - local, 4
 - measurement, 9
 - model, 3, 4, 8
 - neutral mode, 5
 - non-Gaussian, 6, 308, 322, 323
 - normally distributed, 5
 - observation, 4, 9, 24, 56, 314, 316, 322
 - prediction, 252
 - random, 9
 - representativeness, 4
 - roundoff, 63, 64
 - transmission, 4
 - unbiased, 57
 - uncorrelated, 57
 - variance, 9
 - white, 57
- error covariance, 8, 57, 58, 63, 64, 67, 69, 241, 257, 324
 - a posteriori, 64
 - analysis, 25, 58, 61, 66, 226, 227, 255, 284
 - asymptotic, 64
 - background, 15, 28–30, 56, 176, 177, 179–181, 186
 - ensemble, 310, 311
 - ensemble forecast, 8, 311, 312
 - estimation, 64
 - forecast, 6–8, 58, 60, 64, 179, 180, 224, 225, 229, 251, 255, 260, 308–311, 313, 319, 323
 - full-rank, 8, 309

- hybrid, 224, 225
- ill-conditioned, 64
- low-rank, 8
- model, 6, 58
- modeled, 7, 8
- modeling, 7
- observation, 11, 15, 20, 29, 58, 176, 177, 179, 181, 183, 186, 187, 314–316
- posterior, 6, 225
- reduced-rank, 309
- smoother, 71
- static, 225, 319
- stationary, 7, 8
- structure of, 311
- total, 28
- unbalanced, 260
- error covariance diagnostics, 186, 187
- error covariance localization, 225, 309–311
- error covariance matrix, 176
- error cross-covariance, 68
 - analysis, 68
 - analysis-forecast, 68
- error evolution, 83
- error growth, 83, 252–257
 - neutral, 253
 - unbalanced, 258
 - unstable, 253
- error space, 64
 - reduced-order, 65
- error space order, 64
- error subspace, 65, 66
- error variance
 - background, 182
 - observation, 182
- estimate, 4, 6, 9, 21, 54
 - a priori, 9
 - best linear unbiased, 21–23, 25, 27
 - bias of, 21
 - biased, 21
 - filter, 68
 - least squares, 18
 - linear, 25
 - linear unbiased, 21, 22
 - minimum variance, 57
 - observation, 11
 - optimal, 9, 17, 27, 54, 67
 - smoothed, 77
 - smoother, 67, 68, 77
 - state, 16
 - unbiased, 21
 - unbiased linear, 21
 - weighted least squares, 20, 23
- estimated measurement, 16
- estimation error covariance, 64
- ETKF, *see* ensemble transform Kalman filter, 286
- ETKF summary map, 286
- Euclidian space, 335
- Euler equation, 165
- Euler–Lagrange equation, 165, 166, 172
- evaluation trace, 112, 117–121
 - reverse, 120
- EVD, *see* eigenvalue decomposition, 282
- exact derivative, 111
- exponential forcing, 95
- extended FAST, 267
- extended Kalman filter, 59–61, 63, 66
- external forcing, 96
- FAST, *see* Fourier amplitude sensitivity test, 267
- FDE, *see* finite difference equation, 347
- FGAT, *see* first guess at appropriate time, 200
- filter, 54, 56, 64, 68
 - backward, 54
 - discrete extended Kalman, 62
 - divergence, 64
 - estimate, 64
 - extended Kalman, 59–61, 63, 66
 - Kalman, 57, 58, 63, 64, 68, 71
 - reduced-order, 64
 - SEEK, 66
 - square root, 64
 - steady-state, 64
- filter analysis, 71, 77
- filter divergence, 64
- filter equation, 72
- filter estimate, 64, 68
- filter forecast, 71, 77
- filter gain, 71
- filtering, 54, 57, 70, 74, 76
 - forward, 77
 - minimum variance, 70
 - square root, 64
 - standard, 68
- filtering process, 54
- final SV, 283
- finite differencing, 111
- first guess at appropriate time, 200
- first PDF moment, 255
- first SV, 286–288
- first-order convergence, 144
- first-order derivative, 88, 95, 98, 111
- fixed-interval joint smoother, 76
- fixed-interval smoother, 68, 73, 74, 77
- fixed-interval smoother estimate, 73
- fixed-interval smoothing, 73
- fixed-lag joint smoother, 77
- fixed-lag smoother, 68, 72, 73
- fixed-lag smoother estimate, 72
- fixed-lag smoothing, 77
- fixed-point smoother, 68, 71, 72
- fixed-point smoother equation, 72
- fixed-point smoother estimate, 69, 70
- fixed-point smoothing, 77
- flow-dependent ensemble, 8
- flow-dependent ensemble covariance, 8
- flow-dependent error covariance, 210, 214, 216

- Fokker–Planck equation, 252
 forecast equation, 60, 61
 forecast error, 58, 60, 67, 219
 forecast error covariance, 6–8, 58, 60, 179, 180, 210, 224, 225, 229, 238, 284, 308–311, 313, 319, 323
 all-sky, 311
 block matrix form of, 309
 constant, 64
 cross-correlations in, 309
 ensemble, 217, 224, 311
 ensemble-based, 310
 localized, 227
 nonuniqueness of, 313
 structure of, 309, 311
 variational, 224
 forecast model, 308
 forecast PDF, 42
 forecast sensitivity, 267
 forecast step, 58
 forecast time, 54
 forecast uncertainty, 219
 forward difference, 111
 forward filtering, 77
 forward mode, *see* chain rule
 forward SA, 267–269, 279
 forward sensitivity coefficient, 267–269, 272, 273, 275
 forward-backward recursive algorithm, 77
 forward-backward smoother, 73, 78
 four-dimensional variational data assimilation, 7, 164, 167, 170, 184, 188, 190–192, 195, 196, 198, 308, 310, 321
 Fourier amplitude sensitivity test, 267
 frequentist, 35
 FSC, *see* forward sensitivity coefficient, 268
 FSV, *see* first SV, 286
 FSV-based perturbation, 287
 full Jacobian, 272
 full-rank covariance, 225
 full-rank EnKF, 8
 full-rank error covariance, 8, 309
 full-rank KF covariance, 217
 function
 basis, 64
 composite function, 113
 correlation, 316
 differentiable function, 113, 114
 discontinuous, 98
 empirical orthogonal, 64
 Heaviside step, 97
 linear, 325
 multivariate function, 113, 114
 nonlinear, 9
 on–off switching, 97, 98
 quadratic, 150
 Rosenbrock’s, 157
 smoothing, 321
 threshold, 97
 top-hat, 316
 function fitting, 5
 function surface, 129
 functional analysis, 5, 334
 GA, *see* genetic algorithm, 128
 gain, 15, 25
 gain matrix, 64
 Gauss–Markov theorem, 22
 Gaussian assumption, 322
 Gaussian conditional PDF, 47
 Gaussian data assimilation, 322
 Gaussian distribution, 78
 Gaussian error, 321, 322
 Gaussian framework, 73, 314, 322
 Gaussian function, 222
 Gaussian multivariate PDF, 39
 Gaussian PDF, 6, 7, 47
 Gaussian prior PDF, 47
 Gaussian system, 57
 Gaussian univariate PDF, 39
 Gaussian-like variable, 322
 genetic algorithm, 128
 geostrophic balance constraint, 310
 geostrophic constraint, 6
 global data assimilation system, 14
 global minimum, 96
 Global Positioning System, 305
 Global Positioning System radio occultation, 305, 307
 global prediction, 55
 global SA, 266
 global sensitivity, 267
 GPS, *see* Global Positioning System, 305
 GPS measurement, 307
 GPS RO, *see* Global Positioning System radio occultation, 305
 GPS signal, 307
 gradient, 83, 93, 111, 112
 continuous adjoint, 103
 discrete adjoint, 103
 gradient descent method, 139
 gradient method, 83
 gradient vector, 129
 gradient-based algorithm, 111
 grid point, 11, 12, 311, 347
 grid point system, 348
 guess conditional PDF, 42

 Hadamard product, 221, 228
 Hamiltonian function, 170, 171
 Heaviside step function, 97
 Hessian, 220, 284, 317, 324
 condition number of, 318
 conditioning of, 317
 positive definite, 150
 Hessian preconditioning, 226, 317–319, 323
 Hessian singular vector, 284, 285
 Hilbert space, 335
 HSV, *see* Hessian singular vector, 284

- humidity, 12
 HYB, *see* hybrid data assimilation, 210
 HYB method, 210
 hybrid data assimilation, 210, 223–226
 hybrid ensemble-variational data assimilation, 255, 305
 hybrid ensemble-variational method, 8, 319
 hybrid EnVar, 224
 hybrid EnVar method, 225
 hybrid EnVar system, 224
 hybrid error covariance, 224, 225
 hybrid variational-ensemble method, 306, 317, 322, 323
 hydrostatic balance constraint, 310

 IC, *see* initial condition, 3
 identity matrix, 6, 337
 ill-conditioned error covariance, 64
 impact analysis, 294
 importance sampling, 266
 increment, 179, 188, 200
 incremental 4DVAR, 164, 199, 200
 incremental approach, 324
 incremental cost function, 189, 193, 199, 200
 independent, *see* independent variable
 independent random variables, 37
 independent variable, 112–114
 information content, 316
 information entropy, 43
 information gain, 42
 information theory, 5
 initial condition, 3–5, 14, 54, 55, 68, 83, 96
 optimized, 67
 initial error, 252
 initial perturbation, 83, 88, 96
 initial state, 252, 253
 initial state error, 252
 initial SV, 283
 inner product, 334
 innovation, 15, 179, 181, 197
 innovation covariance, 181, 182, 185
 innovation covariance matrix, 194
 input parameter, 266
 input state, 266
 input variable, 111, 112
 intermediate variable, 112, 113
 interpolation, 5, 11
 inverse AEC, 284
 inverse BFGS update, 156
 inverse Hessian, 226
 inverse three-dimensional variational data
 assimilation, 129
 inversion problem, 7
 iterative sequence, 211

 Jacobian, 93, 271, 272
 Jacobian matrix, 271
 joint entropy, 43, 235

 joint probability, 40
 joint smoothing, 76

 Kalman filter, 6, 7, 57, 58, 63, 64, 68, 71, 78, 219, 220, 225, 320
 ensemble, 218, 219, 225, 317, 324
 ensemble iterative, 317
 ensemble transform, 219, 286, 295, 296
 singular evolutive extended, 66
 singular evolutive interpolated, 66
 Kalman filter analysis equation, 211, 227
 Kalman gain, 25, 58, 193, 227
 Kalman smoother, 68, 78
 KF, *see* Kalman filter, 6
 approximate, 64
 augmented, 72
 computational demand of, 64
 discrete, 58, 68
 linear analysis equation, 7, 8
 nonlinear extension of, 59
 standard, 59, 61
 suboptimal, 64
 KF analysis, 225
 KF analysis equation, 220
 KF innovation, 68
 knowledge of the system, 3
 Kolmogorov equation, 252
 kurtosis, 38

 L-BFGS, *see* limited memory BFGS, 154
 lagged time interval, 68
 Lagrange function, 168–170, 173
 Lagrange multiplier, 163, 168, 169
 Lagrange multiplier method, 163, 169
 Lagrangian, *see* Lagrange function, 170
 Latin hypercube sampling, 266
 leading SV, 282, 284
 leaf vertex, 113
 least squares estimate, 18
 Leibniz notation, 113
 lightning, 307
 lightning assimilation, 307
 lightning flash rate, 307
 lightning mapper, 307
 lightning strike, 307
 limited memory BFGS, 154
 linear algebra, 5, 333
 linear approximation, 83, 95, 96
 linear channel, 317
 linear computational graph, 117, 119, 120
 linear dynamics, 83
 linear estimate, 25
 linear Gaussian framework, 73
 linear operator, 57, 90
 linear perturbation, 93, 98
 linear propagator, 88
 linear regression, 321
 linear regression model, 16

- linear smoother, 68
- linear unbiased estimate, 21, 22
- linearized computational graph, 113
- linearized model, 97
- linearized operator, 14, 61
- linearized physical process, 95, 97
- LM, *see* Lokal Modell, 99
- local CNOP, 287
- local minimum, 96
- local OI method, 8
- local SA, 266
- local sensitivity coefficient, 273
- localization function, 313
- localization path length, 248
- localization refractive index, 248
- localized approximation, 64
- localizing covariance, 221
- localizing matrix, 228
- log-likelihood function, 43
- logistic equation, 124, 353, 354
- lognormal multivariate PDF, 40
- lognormal univariate PDF, 39
- Lokal Modell, 99
- low-rank error covariance, 8
- LSC, *see* local sensitivity coefficient, 273
- Lyapunov exponent, 252, 254–256

- machine accuracy, 94
- machine learning library, 122
- machine learning technique, 122
- marginal distribution, 74, 76
- marginal smoother, 77
- marginal smoothing, 76
- Markov process, 74, 251
- mathematical expectation, 37
- matrix, 65
 - background error covariance, 181
 - diagonal, 11, 316
 - error covariance, 176
 - innovation covariance, 194
 - Jacobian, 271
 - nondiagonal, 11
 - observation error covariance, 181
 - positive definite, 65, 316
 - regularization, 176
 - symmetric, 65, 316
 - symmetric positive definite, 316
 - Tikhonov regularization, 174
- maximum a posteriori, 47
- maximum likelihood ensemble filter, 224, 226, 227, 312, 324
- ME, *see* model error, 3
- mean, 4
- measurement
 - estimated, 16
 - true, 16
- measurement model, 78
- microphysical process, 97

- microwave all-sky satellite radiance, 311
- minimization, 128, 129, 317, 318, 321
 - conditioning of, 317
 - gradient-based, 320
 - iterative, 139, 227, 317
 - iterative nonlinear, 226
 - line-search, 139
 - Newton's method, 146
 - nonlinear, 323
 - nonlinear iterative, 216, 225
 - preconditioned, 318
 - steepest descent, 141, 143, 144
 - variational-like, 8
- minimization algorithm, 129, 132, 133, 139, 157, 317, 318, 321
 - adjoint Newton algorithm, 129
 - conjugate-gradient, 317
 - gradient-based, 111, 321
 - line-search, 320
 - Newton, 137
 - nondifferentiable, 129, 320
 - quasi-Newton, 317
- minimization method, 128
 - gradient-based, 128
 - conjugate gradient, 128
 - Gauss–Newton, 128
 - gradient descent, 128
 - quasi-Newton, 128
 - gradient-free, 128
 - hybrid, 128
 - metaheuristic, 128
 - ant colony, 128
 - cuckoo search, 128
 - differential evolution, 128
 - genetic algorithm, 128
 - particle swarm optimization, 128
 - simulated annealing, 128
 - population-based, 128
 - quadratic, 147
- minimization path, 143, 151, 157
- minimization problem, 129, 132, 138, 143, 147
 - large scale, 153
- minimization process, 128, 132, 133, 137, 139, 149, 151
- minimization tolerance, 139
- minimum error variance, 27
- minimum variance, 6, 21–24, 47
- minimum variance condition, 21, 25
- minimum variance estimate, 57
- minimum variance estimator, 6
- minimum variance filtering, 70
- mixing ratio
 - cloud, 12
 - water vapor, 12
- MLEF, *see* maximum likelihood ensemble filter, 224
 - forecast step of, 226
- MLEF algorithm, 226, 227, 324

- MLEF analysis, 324
 MLEF analysis equation, 324
 MMS 3DVAR system, 182
 model equation, 3, 4, 55, 266
 model error, 3, 4, 8
 model error covariance, 58
 model operator, 57, 59, 63
 tangent linear, 63
 model prediction, 4, 15
 model solution, 95, 99
 model solution sensitivity, 83
 model space, 15
 model state, 5, 9, 11, 12, 14, 15, 29, 54, 55, 58, 64, 95
 model state variable, 11
 model trajectory, 88
 model variable, 4, 6, 11, 12
 modeled error covariance, 8
 moist process, 95
 moist SV, 296
 Monte Carlo, 216
 Monte Carlo approach, 64, 83
 Monte Carlo method
 sequential, 219
 multivariate covariance, 47
 mutual information, 45, 235, 236, 314
- Newton direction, 147
 Newton's algorithm, 145
 Newton's method, 129, 145–147, 153, 157
 NLM, *see* nonlinear model, 83
 continuous, 103, 104
 discrete, 103, 105
 forward, 105
 forward run of, 269–272
 linearizing, 105
 NLM solution, 95, 97
 NLP, *see* nonlinear perturbation, 89
 non-Gaussian data assimilation, 322
 non-Gaussian error, 308, 322, 323
 non-Gaussian errors, 240
 non-Gaussian framework, 322
 non-Gaussian PDF, 322
 non-Gaussianity, 323
 nondifferentiability, 95, 308, 321, 323
 nonlinear model, 55, 83, 87, 88, 92, 95, 105, 106, 108, 111
 derivative code of, 112
 differentiation of, 111
 nonlinear observation, 6, 7
 nonlinear operator, 12, 56, 61, 323
 nonlinear perturbation, 89, 95–99, 265
 nonlinear propagator, 55
 nonlinear regression, 322
 nonlinear solution, 89
 nonlinear state, 88
 nonlinear system, 83
 nonlinear trajectory, 95, 96, 100, 108
 nonlinear variation, 98
 nonlinearity, 5, 63, 95, 96, 99, 308, 317, 321, 323
 normal equation, 17, 18, 174, 175
 normal probability distribution, 5
 normalized steepest descent direction, 140
 normed vector space, 335
 numerical minimization, 128
 numerical solution, 104
 numerical weather prediction, 267, 306
 NWP, *see* numerical weather prediction, 306
- OAT experiment, *see* one-at-a-time experiment, 267
 observable, 11
 observation, 4–9, 11, 14, 15, 18, 20, 23, 25, 27–31, 54
 correlated, 314
 global, 27
 gridded, 25
 indirect, 11, 12
 model-generated, 25
 real, 24, 25
 remotely sensed, 11
 uncorrelated, 314
 observation density, 316
 observation equation, 9, 56, 70, 313
 observation error, 56, 314, 316, 322
 correlated, 314, 317, 323
 non-Gaussian all-sky radiance, 323
 nondiagonal, 317
 uncorrelated, 314, 323
 observation error correlation, 313, 316
 observation error covariance, 11, 15, 20, 29, 58, 176, 177, 179, 181, 183, 186, 187, 314–316
 observation error statistic, 322
 observation error statistics, 322
 observation error variance, 182
 observation estimate, 11
 observation impact, 271, 289–295
 total, 292
 observation increment, 15, 311
 uncorrelated, 314
 observation information matrix, 255
 observation level, 29
 observation model, 9, 16, 21, 24, 25
 observation nonlinearity, 317
 observation operator, 6, 7, 9, 12–15, 25, 28, 30, 46, 56, 57, 59, 63, 228, 229, 305, 307, 308, 319, 321
 all-sky radiance, 306, 307, 317, 320
 clear-sky radiance, 306
 complex, 29
 diagonal, 228
 discontinuity of, 320
 linear, 6, 16, 23, 58, 324
 linearized, 29, 63
 nondifferentiability of, 319
 nonlinear, 324
 radiance, 306, 308
 radiative transfer, 317
 satellite radiance, 305, 306

- tangent linear, 63
- observation point, 29
- observation quantity, 12
- observation sensitivity, 289, 290, 295
 - adjoint, 289
 - adjoint-based, 294
- observation sensitivity analysis, 294
- observation site, 11, 12
- observation space, 9, 11, 15, 28, 29, 228
- observation space localization, 222, 228, 229
- observation system simulation experiment, 4
- observation thinning, 316
- observation variable, 11
- observation vector, 9
- observation-space error covariance localization, 228
- observation-space localization, 228
- observation-space localizing matrix, 228
- observation-space targeting, 288, 294
- Odysée, 122
- OI, *see* optimal interpolation, 6
 - analysis, 28
 - analysis field, 30
 - local method, 8
 - method, 30
 - scheme, 27, 30
 - solution, 27
- on–off process, 95
- on–off switch, 95, 108, 321
- on–off switching process, 95
- on–off switching time, 95
- on/off switching function, 97, 98
- one-at-a-time experiment, 267
- operand, 121
- operational data assimilation, 63, 97, 305
- operator overloading, 120, 122, 123
- optical transmittance, 306
- optimality condition, 172
- optimal control, 167, 170, 172
- optimal control problem, 167, 168, 172
- optimal control solution, 172
- optimal control theory, 163, 166–168, 170, 171
- optimal estimate, 9, 17, 27, 54, 67, 192
- optimal interpolation, 6, 7, 27–30, 191, 306
- optimal perturbation, 282
- optimal state, 54
- optimal zone for observing, 284
- optimality system, 172
- optimization, 112, 128, 147
- optimization problem, 138
- optimization time interval, 281
- order of convergence, 144, 149
- orthogonal basis, 335
- orthogonal matrix, 337
- orthogonality, 335
- orthonormal matrix, 337
- OSSE, *see* observation system simulation experiment, 4
- OTI, *see* optimization time interval, 281
- output variable, 112
- OZO, *see* optimal zone for observing, 285
- OZO target, 285
- parameter
 - empirical model, 3, 4
 - model parameter, 3, 4
 - tuning of, 294
- parameter space, 265
- parameterization
 - cloud-process, 97
 - evaporation, 96
 - formulation of, 95, 97
 - Kessler-type, 97
 - lateral eddy mixing, 97
 - subgrid-scale, 97
 - Sundqvist-type, 97
 - terminal velocity, 96, 97
- parameterization scheme, 95, 321
 - linearized, 97
 - physical, 97
- partial differential equations, 3
- particle filter, 219, 317, 323
- particle swarm optimization, 128
- passive variable, 113
- PDE, *see* partial differential equations, 3
- PDF, *see* probability density function, 4
 - conditional, 41, 42, 46, 47
 - Gaussian, 6, 7, 47
 - Gaussian conditional, 47
 - Gaussian multivariate, 39
 - Gaussian prior, 47
 - Gaussian univariate, 39
 - guess conditional, 42
 - lognormal multivariate, 40
 - lognormal univariate, 39
 - non-Gaussian, 322
 - posterior, 35, 47, 225
 - prior, 46, 47
- PDF moment, 5
 - first, 4, 6–8, 225
 - higher-order, 4
 - second, 4, 7, 225
- penalty term, 260
- perturbation, 83, 87, 88, 95–97, 99, 105
 - initial, 83, 88, 96
 - linear, 93, 98
 - linear evolution of, 87
 - nonlinear, 89, 95–99
 - nonlinear effect of, 96
 - nonlinear evolution of, 83
 - projected, 88
 - random, 94
 - realistic, 98, 99
 - subset of, 83
 - tangent linear, 89, 96–98
- perturbation insertion time, 99
- perturbation magnitude, 99
- perturbation scaling factor, 89

- perturbation size, 95, 97
 perturbed observation, 7
 perturbed observations, 217
 PF, *see* particle filter, 219
 PF method, 219
 physical parameterization, 83
 cumulus convection, 95
 subgrid-scale, 95
 turbulent flow, 95
 physical process, 3, 96–98
 physical space, 318
 Physical-space Statistical Analysis Scheme,
 194, 195
 plateau, 132, 133
 PMP, *see* Pontryagin's maximum (minimum)
 principle, 8
 point observation, 4
 Pontryagin's maximum (minimum) principle, 8, 167,
 168, 170, 172
 positive definite, 64, 65, 316
 positive definite matrix, 65, 316
 positive semidefinite matrix, 338
 posterior error covariance, 6
 posterior PDF, 35, 47, 225
 posterior predictive distribution, 76
 preaccumulation, 113
 precipitation-affected radiance, 306
 precipitation-affected radiances, 313
 preconditioned space, 318
 preconditioning, 318, 319
 precursor, 321
 predictability, 255, 256
 predictability limit, 83
 prediction, 54, 76
 prediction distribution, 76
 prediction error, 252
 prediction model, 3–7, 14, 308
 prediction step, 76, 77
 prediction system, 306
 predictor, 321, 322, 325
 preprocessor approach, 122
 primal code, 118, 121
 prior PDF, 46, 47
 probabilistic data assimilation, 35
 probability, 5, 36
 probability density function, 4, 6, 9, 21
 probability distribution, 76, 78
 probability interpretations, 49
 probability theory, 5
 prognostic variable, 111
 program code, 120
 projected perturbation, 88
 propagator
 linear, 88
 tangent linear, 88
 PSAS, *see* Physical-space Statistical Analysis
 Scheme, 194
 incremental formalism of, 195
 PSO, *see* particle swarm optimization, 128
 quadratic convergence, 147
 quadratic function, 150
 quasi-inverse TLM, 282, 295
 quasi-Newton algorithm, 317
 quasi-Newton condition, 153, 155
 quasi-Newton method, 153–155, 157
 limited memory, 156
 quasi-Newton update, 154
 radar reflectivity, 12
 radiance, 11, 305, 321
 all-sky, 306, 308, 312, 317, 319, 322, 323
 clear-sky, 306, 317
 cloudy, 306
 precipitation-affected, 306
 satellite, 321, 323
 radiance bias, 321, 322, 324, 325
 radiance bias correction, 324
 nonlinear variational, 324
 radiance observation operator, 306, 308
 complexity of, 306
 nonlinearity of, 306
 radiance transfer model, 12
 radiances
 all-sky, 319
 cloudy, 313
 precipitation-affected, 313
 radiative transfer model, 11, 306, 308, 309, 321
 radiative transfer observation operator, 317
 radiative transfer operator, 317, 319
 all-sky, 320
 radio occultation, 305
 random perturbation, 94
 random sampling, 266
 Rauch–Tung–Striebel smoother, 73, 78
 real-time data assimilation, 55
 recursive Bayesian data assimilation, 56
 recursive data assimilation, 255, 257
 recursive dynamic system, 56
 recursive ensemble data assimilation, 255
 recursive evolution, 55
 recursive system, 55
 reduced-dimension subspace, 64
 reduced-order filter, 64
 reduced-order model, 64
 reduced-rank ensemble covariance, 225
 reduced-rank error covariance, 309
 regime shift, 96
 regime shift boundary, 96
 regression analysis, 5
 regression coefficient, 321
 regularization, 97, 173, 176, 192
 regularization matrix, 176
 regularization parameter, 174
 regularization term, 177
 relative error, 89
 relative sensitivity coefficient, 272–275, 279, 280
 reliability, 266

- retrieval
 - hydrometeor profile, 307
 - soil moisture, 307
 - water content profile, 307
- retrieved satellite product, 308
- reverse mode, *see* chain rule
- RO, *see* radio occultation, 305
- root vertex, 113
- Rosenbrock's function, 157
- RSC, *see* relative sensitivity coefficient, 272
 - cumulative, 276, 277
 - forward, 279
 - forward SA, 279
- RTS smoother, *see* Rauch–Tung–Striebel smoother, 73
- SA, *see* sensitivity analysis, 265
 - adjoint, 267, 270, 271, 275, 276, 278, 281, 282, 295, 296
 - derivative-based, 267
 - ensemble, 282
 - ensemble-based, 267
 - forward, 267–269, 279
- sampling approach, 217
- satellite bias, *see* radiance bias, 321
- satellite data assimilation, 305
- satellite geometry, 321
- satellite observation, 305
 - nonradiance, 305, 307
- satellite product assimilation, 305
- satellite radiance, 6, 7, 12, 305, 321, 323
 - all-sky, 306
 - clear-sky, 306
 - microwave all-sky, 311
- satellite radiance assimilation, 305
- satellite radiance data assimilation, 313
- satellite radiance observation, 306
- satellite radiance observation operator, 305, 306
- satellite radiances, 3
 - all-sky, 306
 - clear-sky, 306
- scattering effect, 319
- scattering process, 317
- Schur product, 221, 222
- search direction, 141, 143, 145, 147, 148, 155, 157
- secant condition, 153
- second-order convergence, 144
- seed, 117
- SEEK, *see* singular evolute extended Kalman filter, 66
- SEEK filter, 66
- SEIK, *see* singular evolute interpolated Kalman filter, 66
- self-localization, 257
- sensitive region, 282, 284, 285
- sensitivity, 265, 266
- sensitivity analysis, 112, 265, 266
 - ADJM-based, 99
 - adjoint, 90
 - deterministic approach, 266, 267
 - adjoint SA method, 266
 - brute-force method, 266
 - decoupled direct method, 266
 - forward SA method, 266
 - Green's function method, 266
 - tangent linear SA method, 266
- observation, 294
 - statistical approach, 266
 - reliability method, 267
 - sampling-based method, 266
 - screening design method, 267
 - variance-based method, 267
- TLM-based, 99
- sensitivity coefficient, 271
 - adjoint, 269–272, 274–276, 278, 279, 282, 289
 - forward, 267–269, 272, 273, 275
 - local, 273
 - relative, 272–275, 279, 280
- sensitivity equation, 266
 - differential, 266
- sensitivity measure, 267
- sequential approach, 54
- sequential Monte Carlo method, 219
- sequential smoother, 68–70
- Shannon information theory, 4, 234, 314
- signal processing, 6
- simulated annealing (SA), 128
- simulation model, 3
- single-observation data assimilation, 311
- single-observation framework, 212
- singular evolute extended Kalman filter, 66
- singular evolute interpolated Kalman filter, 66
- singular value, 211, 338
- singular value decomposition, 211, 282, 283, 338
- singular vector, 64, 211, 281–284, 338
 - Hessian, 284, 285
 - total energy, 284, 285
- skewness, 38
- smoothed estimate, 77
- smoother, 54, 67–69, 72, 73, 76, 77, 225
 - classification of, 69
 - fixed-interval, 68, 73, 74, 77
 - fixed-interval joint, 76
 - fixed-lag, 68, 72, 73
 - fixed-lag joint, 77
 - fixed-point, 68, 71, 72
 - forward-backward, 73
 - Kalman, 68
 - linear, 68
 - marginal, 77
 - Rauch–Tung–Striebel, 73
 - sequential, 68–70
- smoother analysis, 70, 71, 77
- smoother analysis step, 68, 72, 73
- smoother error covariance, 71
- smoother estimate, 67, 68, 77
 - fixed-interval, 73

- fixed-lag, 72
- fixed-point, 69, 70
- smoother gain, 70, 71
- smoother state, 71
- smoothing, 54, 70, 74, 76, 97, 320
 - backward, 77
 - fixed-interval, 73
 - fixed-lag, 77
 - fixed-point, 77
 - joint, 76
 - marginal, 76
- smoothing distribution, 77
- smoothing function, 321
- smoothing period, 54, 67
- smoothing procedure, 54
- smother, 308
- Sobol's method, 267
- solution trajectory, 87
- source code, 122
- source transformation, 120, 122, 123
- source vertex, 113
- spatiotemporal scales, 240
- square root ensemble Kalman filter, 218
- square root filter, 64, 212
- square root filtering, 64
- square root matrix, 338
- square-root EnKF, 8
- square-root ensemble Kalman filter, 219
- SR-EnKF, *see* square root ensemble Kalman filter, 218
- SR-EnKF method, 219
- standard 4DVAR, 192, 195
- standard deviation, 315
- standard filtering, 68
- standard KF, 59, 61
- state augmentation, 69
- state equation, 171, 172
- state estimate, 16
- state estimate vector, 11
- state space, 9, 64, 225, 228, 266
- state space localization, 221, 226
- state space order, 64
- state variable, 11
- state vector, 9, 11, 239, 311, 324, 342
- state-space localization, 228
- state-space localizing matrix, 228
- static data assimilation, 55, 57
- static error covariance, 225, 319
- stationary error covariance, 8
- stationary variational, 8
- statistical interpolation, 6
- steady-state filter, 64
- steepest descent, 140
- steepest descent algorithm, 140, 142–145, 147
- steepest descent convergence, 144
- steepest descent direction, 140, 148–150, 152
- steepest descent method, 139, 150, 151, 157
- steepest descent minimization, 141, 143, 144
- step length, 138, 140–143, 145, 150
- approximate, 142
 - optimum, 141, 144, 145, 157
 - stable, 140
- strong minimum, 132, 133, 137, 145
- strong-constraint 4DVAR, 199
- strong-constraint cost function, 196
- strongly coupled data assimilation, 234
- structure of forecast error covariance, 212, 243
- sublinear convergence, 144
- suboptimal KF, 64
- superlinear, 144
- superlinear convergence, 157
- SV
 - final, 283
 - first, 286–288
 - initial, 283
 - leading, 282, 284
 - moist, 296
 - targeted, 284
- SVD, *see* singular value decomposition, 282
- switching process, 95
- switching time, 95
- symbolic differentiation, 111
- symbolic manipulation, 111
- symmetric matrix, 316, 337
- system state, 76, 77
- TAF, *see* Transformation of Algorithms in Fortran, 122
- TAMC, *see* Tangent linear and Adjoint Model Compiler, 122
- Tangent linear and Adjoint Model Compiler, 122
- tangent linear approximation, 83
- tangent linear code, 124
- tangent linear equation, 93
- tangent linear model, 66, 83, 87–90, 92–97, 99, 105–107, 111, 224, 266–269, 272, 278, 282, 284, 310
- tangent linear perturbation, 89, 96–98
- tangent linear propagator, 88
- tangent linear variation, 98
- tangent-line, 98
- Tapenade, 122, 124, 355, 358
- target area, 286
- target location, 286
- target region, 281, 284, 285, 287
- targeted AEC optimal, 284
- targeted data point, 288
- targeted dropsonde, 288
- targeted observation, 280, 281, 286, 287, 289
- targeted observing, 295
- targeted SV, 284
- targeting field program, 294, 295
- targeting guidance, 281, 295
- targeting method, 288
 - HSV-based, 284
- targeting strategies, 295
- Taylor series approximation, 140
- Taylor series expansion, 111, 129, 133, 145, 266, 347

- TE, *see* total energy, 284
 temperature, 12
 TESV, *see* total-energy singular vector, 284
 three-dimensional variational data assimilation, 7,
 164, 184, 192, 193, 195, 200, 202, 310
 threshold function, 97
 Kessler-type, 98
 Sundqvist-type, 98
 Tikhonov functional, 174–176
 Tikhonov regularization, 173, 174, 177
 Tikhonov regularization matrix, 174
 time step, 347
 time-dependent sensitivity, 266
 TLM, *see* tangent linear model, 83
 correctness check of, 89
 correctness of, 89
 formulation of, 87
 forward integration of, 284
 forward run, 94
 forward run of, 268, 269, 272
 transpose of, 93
 uncertainty of, 95
 validity of, 95, 98
 TLM approximation, 96
 TLM code, 107, 108
 TLM correctness, 89
 TLM correctness test, 90
 TLM forecast, 276
 TLM formulation, 282
 TLM solution, 89, 90, 95, 97, 98, 268
 TLM validity, 90, 99
 TLP, *see* tangent linear perturbation, 89
 top-hat function, 316
 total energy, 284
 total error, 258
 total-energy singular vector, 284–286, 295
 Transformation of Algorithms in Fortran, 122
 transition density, 251
 transition model, 75
 transition probability density, 77
 transpose of a matrix, 337
 tree diagram, 112, 114
 true measurement, 16
 true state, 9
 truncation error, 111
 unbiased estimate, 21
 unbiased linear estimate, 21
 uncertainty, 3, 4, 8, 342, 369
 unconstrained optimization problem, 138
 uncoupled data assimilation, 233
 uniform distribution, 38
 VAR, *see* variational data assimilation, 210
 VAR algorithm, 224
 VAR analysis, 225
 VAR covariance, 224
 variance, 38
 variational analysis, 27, 163, 225
 variational bias correction, 321
 variational correction scheme, 324
 variational data assimilation, 6, 7, 111, 163, 164, 210,
 216, 218, 221, 224–226, 239, 255, 284, 305, 306,
 310
 variational formalism, 6
 variational method, 7, 8, 30, 224, 306, 312, 313, 317,
 319, 320
 variational methodology, 7
 variational principle, 6, 7
 variational satellite bias correction, 324
 VBC, *see* variational bias correction, 321
 vector norm, 334
 vector space, 333
 verification time, 282
 weak minimum, 132, 133, 137
 weak-constraint 4DVAR, 191, 198, 199
 weak-constraint cost function, 198, 199
 weakly coupled data assimilation, 234
 Weather Research and Forecasting model, 311
 weight, 15
 weighted least squares estimate, 20, 23
 wind, 12
 WLSE, *see* weighted least squares estimate, 23
 WRF model, *see* Weather Research and Forecasting
 model, 311