

Index

- 2-core, 169
- adjacency matrix, **120**
- Ajtai, Miklós, 42, 107
- almost all graphs, **126**, 127–130, 136, 144
 with n vertices and $m(n)$ edges, **136**, 136–139,
 147–148, 151, 157–170, 187–190
- Alon, Noga, 80, 110, 111
- Alweiss, Ryan, 53
- antichain, **59**, 59–62
- Appel, Kenneth Ira, 125
- Arany, Dániel, 32
- Archbishop of Canterbury, 37
- Artin, Emil, 82–87
- Babai, László, 34
- Bachmann, Paul Gustav Heinrich, 217
- Baer, Reinhold, 116
- Baker, Roger, 13
- Barak, Boaz, 42
- Bárány, Imre, 34, 140, 141
- Basterfield, J. G., 31
- Baudet, Pierre Joseph Henry, 82
- Bauer, Douglas, 183
- Beck, József, 34, 77
- Bellmann, Louis, 76
- Benson, Clark, 110
- Berlekamp, Elwyn, 93
- Bernstein, Felix, 77
- Bernstein, Sergei Natanovich, 202
- Bertrand's postulate, **3**, 13
- Bertrand, Joseph Louis François, 3
- binomial coefficient, **3**, 3–5, 193, 196–198
- binomial distribution, **198**, 198–205
- binomial formula, 5
- Blankenship, Thomas, 93
- Blanqui, Louis-Auguste, 112
- Bloom, Thomas Frederick, 15, 92
- Bohman, Tom, 42
- Bollobás, Béla, 33, 102, 128, 139, 162, 168, 214
 his set pairs inequality, 62
- Bondy, John Adrian, 110, 179
- Bonferroni inequalities, 155
- Bonferroni, Carlo Emilio, 155
- Borsuk, Karol, 140
- Bose, Raj Chandra, 118
- Broersma, Hajo, 183
- Brooks, Rowland Leonard, 133
- Brown, William G., 69, 107
- Bruck, Richard Hubert, 73
- Bruck–Ryser Theorem, 73
- Buck, Robert Creighton, 23
- Buhrman, Jan M., 200
- Bukowski, Charles, 49
- Bunyakovsky, Viktor Yakovlevich, 193
- Bussey, William Henry, 72
- Cassady, Neal, 149
- Catlin, Paul Allen, 129
- Cauchy, Augustin-Louis, 193
- Cauchy–Bunyakovsky–Schwarz inequality, 163,
 172, 192–193
- chain, 61
- Chao Ko, *see* Ke, Zhao
- Chebyshev's inequality, **172**, 202
- Chebyshev, Pafnuty Lvovich, 3, 11, 12
- Cherkashin, Danila D., 77
- Chernoff bound, 203
- Chernoff, Herman, 203
- chromatic number χ
 of a graph, **105**, 105–106, 125–149
 of a hypergraph, 77–80
- Chung, Graham Fan, 20
- Clatworthy, Willard H., 121
- clique, **40**
- clique number ω , **40**, 97, 128, 175–177, 181–182
- closure of a graph, **180**
- Cohen, Gil, 42
- colouring number, **142**, 142–144
- combinatorial line, **94**
- complement of a graph, **47**, 101, 181, 186
- complex component, 169
- concave function, 194
- concave sequence, 19–22

- connectivity κ , **183**, 183–190
 Connor, W. S., 121
 convex function, 193
 convex polygon, 18–22, 44
 convex sequence, 19–22
 Conway, John Horton, 31, 73
 counting pairs in two different ways, 149
 Coxeter, Harold Scott MacDonalD, 222
 critical phase, 168
 critical window, 168–170
 Crookes, Sir William, 111
 Csicsery, George Paul, 1
 Zala Films, 220
 Cummings, Jay, 93
 cycle, 110–112, 122, 129, 136–142, 144–145,
 149, 163, 170, 184, 185
 Hamilton, **177**, 177
- Darwin, Charles, 50
 De Bruijn–Erdős theorem, 24
 De Bruijn, Nicolaas Govert, 24
 De Moivre’s formula, 194
 De Morgan, Augustus, 125
 degree of a vertex, 98
 Δ -system, 51, 59
 strong, 54
 weak, 54
 Descartes, Blanche, 133
 Deza’s theorem, 55
 Deza, Michel Marie, 55
 Dirac, Gabriel Andrew, 129
 direct sum of two graphs, **99**, 118, 178
 Dodos, Pandelis, 95
 double jump, 167
 downward closed set, 212
- easily verifiable certificate, 175, 177
 Eckstein Gower, Mari, 112
 Edmonds, Jack, 99
 eigenvalue, **120**
 Erdős–Gallai conjecture, 140
 Erdős, Anna, 173
 Erdős, Pál, 3–190
 his conjectures, 15, 46, 77
 offers of money for solutions of problems, 14,
 15, 21, 41, 42, 46, 53, 55, 70, 106, 109
 Erdős–Hanani conjecture, 71
 Erdős–Ko–Rado theorem, **63**, 76
 Erdős–Lovász conjecture, 55
 Erdős–Sós conjecture, 107
 Erdős–Simonovits conjecture, 106
 Erdős–Stone theorem, 102
 Erdős–Stone–Simonovits formula, **105**, 126
 Euclid of Alexandria, 6
 Euler, Leonhard, 15
 event, 171
- Exoo, Geoffrey Allen, 40, 49
- Fáy, István, 125
 factorial, **4**, 194–196
 Fajtlowicz, Siemion, 129, 130
 Fano plane, 27, 76, 77
 Faudree, Ralph, 112
 Fejes Tóth, László, 222
 Fine, Nathan, 3
 finite projective plane, **27**, 55, 72–73, 73, 116
 polarity of, 116
 First Hardy–Littlewood conjecture, 15
 first moment method, **173**
 Fitzgerald, Ella, 50
 Fiz Pontiveros, Gonzalo, 43
 Fon-Der-Flaass, Dmitrii Germanovich, 69
 forcibly hamiltonian, **177**
 Ford, Kevin, 14
 Four Colour Conjecture, 125
 Frankl, Péter, 41, 42, 76, 77
 Friendship Theorem, 114
 Frieze, Alan M., 148
 Frobenius, Ferdinand Georg, 29
 Fundamental Theorem of Arithmetic, 6
 Füredi, Zoltán, 76, 77, 107
 Furstenberg, Hillel (Harry), 94, 95
- Gale, David, 140
 Gallai (born Grünwald), Tibor, 23, 76, 107, 140
 Gandhi, Mahātmā, 50
 Gauss, Johann Carl Friedrich, 6
 giant component, 167–169
 Gilbert, Edgar Nelson, 210
 Gleason, Andrew Mattei, 38–39
 Godsil, Chris, 65
 Goldbach conjecture, 13
 Gowers, Sir William Timothy, 92, 94
 Graham, Ronald Lewis, 14, 20, 87, 92, 95, 174
 Graham–Rothschild theorem on n -parameter sets,
 95
- graph
 balanced, **163**, 163–167
 bipartite, 106–111
 complete, 36–41, 162
 complete k -partite, 97–105
 complete bipartite, 107–108
 connected, 152–162, 168
 hamiltonian, **177**, 177–191
 Kneser, 122, **135**
 Moore of diameter two, **122**, 121–123
 Petersen, **122**
 planar, **125**, 170
 random, 151–170, 187–191
 self-complementary, **47**, 47–49
 sparse, 136
 strongly regular, **118**, 118–123

- subdivision of, **126**, 128–129
 t -tough, 183
 tough, 182–183
 greedy, 99
 Green, Ben, 14, 15
 Green–Tao theorem, 15
 Greenwood, Robert E., 38–39
 Greenwood–Gleason graph, 47
 Griffiths, Simon, 43
 Grünwald, Tibor, *see* Gallai (born Grünwald), Tibor
 Guy (née Thirian), Nancy Louise, 184
 Guy, Richard Kenneth, 184
- Hadwiger’s conjecture, 131–132
 Hadwiger, Hugo, 129, 131
 Hajós’s conjecture, 128–132
 Hajós, György, 32, 128
 Hajnal, András, 77, 78, 134, 142
 Haken, Wolfgang, 125
 Hales, Alfred Washington, 95
 Hales–Jewett theorem, 95
 Hamilton, Sir William Rowan, 125
 Hanani, Haim (born Chaim Chojnacki), 27, 29, 70, 74
 Happy Ending Theorem, **18**, 44, 45
 Hardy, Godfrey Harold, 3, 15, 217
 Harman, Glyn, 13
 Hedrlín, Zdeněk, 47, 57
 Hoeffding, Wassily, 207
 Hoffman, Alan Jerome, 121, 122
 Hoffman–Singleton graph, 122
 Hoheisel, Guido Karl Heinrich, 13
 Hoory, Shlomo, 111
 Hopcroft, John Edward, 126
 hypergraph, 69, 92
- Ille, Hildegard (1899–1942), 93
 inclusion-exclusion principle, 153–155
 independence number α , **40**
 independent set, **40**
 induced subgraph, **127**
 intersecting family, **63**, 63–69
 Isbell, John Rolfe, 44
 isolated vertex, **155**
 isomorphic graphs, 47, 105–109, 162–164
 Iverson, Kenneth Eugene, 217
- Jaeger, François, 62
 Janson, Svante, 169
 Jensen’s inequality, 193–194
 Jensen, Johan Ludwig William Valdemar, 193
 Jewett, Robert Israel, 95
 Jogdeo, Shishirkumar Shreedhar, 200
 Johnson, Scott, 45
 join of two graphs, **99**, 118, 178
- Jordán, Károly (Charles), 155
- k -uniform hypergraph, **69**, 75
 Kaas, Rob, 200
 Kahn, Jeffrey Ned, 29
 Kakutani, Shizuo, 101
 Kalmár, László, 3, 5
 Kanellopoulos, Vassilis, 95
 Karoński, Michał, 50
 Katona, Gyula O. H., 33, 62, 65, 69
 Katznelson, Yitzhak, 95
 Ke, Zhao, 63
 Keevash, Peter, 42, 74, 76
 Kelly, John Beckwith, 133, 136
 Kelly, Leroy Milton, 23, 31, 136
 Kéry, Gerzson, 33
 Kierstead, Henry A., 142
 Kim, Jeong Han, 42
 Kirkman, Thomas Penyngton, 74
 Klein, Esther, 18, 21, 32, 111
 Kleitman, Daniel J., 43
 Kneser’s conjecture, 135
 Kneser, Martin, 135
 Knuth, Donald Ervin, 92, 169, 200, 216, 217
 Ko, Chao, *see* Ke, Zhao
 Koch, John Allen, 125
 Kolchin, Valentin Fedorovich, 169
 Kollár, János, 34, 108
 Kolmogorov, Andrey Nikolaevich, 170
 KöMaL, 32
 Komlós, János, 33, 42, 107, 190
 Konyagin, Sergei, 14
 Korshunov, Aleksei Dmitrievich, 190
 Kostochka, Alexandr V., 69, 132
 Kővári, Tamás, 107
 Kővári–Sós–Turán theorem, 107
 Kozik, Jakub, 77, 93
 Krivelevich, Michael, 110
 Kuratowski’s theorem, 126, 128
 Kuratowski, Kazimierz, 126
- l’Hôpital’s rule, 197
 Lagrange, Joseph-Louis, 15
 Lam, Clement W. H., 73
 Landau’s problems, 13
 Landau, Edmund Georg Hermann, 12, 217
 Lazebnik, Felix, 111
 Legendre’s conjecture, 13
 Legendre’s formula, 7
 Legendre, Adrien-Marie, 7
 linearity of expectation, 171, 199
 linearly independent vectors, 31
 Linial, Nathan, 111
 Littlewood, John Edensor, 15, 217
 Longyear, Judith Querida, 116
 Lovász, László, 34, 55, 77, 135, 136, 140

- Local Lemma, 2
 Lovett, Shachar, 53
 Lubell, David, 60
 Łuczak, Tomasz, 168–170, 214
 LYM inequality, 60–62
- Makai, Endre János, 18, 21, 33
 Mantel, W., 97
 Markov's inequality, 172
 mathematics
 reactionary, 114, 116, 119
 revolutionary, 114, 116
 Maynard, James, 14
 McDiarmid, Colin J. H., 48
 McKay, Brendan Damien, 40, 44
 Melchior, Eberhard, 23
 Meshalkin, Lev Dmitrievich, 60
 Miller, E. W., 77
 Mises, Richard von, 170
 Moivre, Abraham de, 194
 monotone property, 176
 monster, 40
 Morris, Robert, 43
 Moser, Leo, 93
 Moser, William Oscar Jules, 24
 Motzkin's Lemma, 29
 Motzkin, Theodore Samuel, 27, 29
 Murphy, Owen J, 181
 Mycielski, Jan, 133
- Nagle, Brendan, 94
 Nash-Williams, Crispin St. John Alvah, 177, 179
 near-pencil, **26**
 Nemetz, Tibor, 69
 Nešetřil, Jaroslav, 136
 Neumann, Peter Christian, 200
- Okamoto, Masashi, 204
 Ore, Øystein, 179
 Östergård, Patric R.J., 77
- Pach, János, 34, 112
 Parsons, Torrence D., 116
 Paterson, Michael Stewart, 217
 path, 107, 129, 144, 170, 184–185, 187
 Payan, Charles, 62
 Peters, Lindsay, 21
 PGOM, **47**, 112, 123, 184
 phase transition, 167
 pigeon-hole principle, 43, 51
 Pikhurko, Oleg, 110
 Pintz, János, 13, 34
 Pittel, Boris, 169, 170
 Pless, Vera, 73
 Polymath, 14, 95
 Pósa, Lajos, 33, 112, 190
- prime, **6**, 3–16, 72, 117–118
 arithmetic progressions of primes, 15
 gaps between consecutive primes, 13–14
 Principal Axis Theorem, **120**
 probability, 151
 distribution, 170, **171**
 hypergeometric, **206**
 uniform, 171
 space, **171**
 theory, 170
 proofs
 constructive, 21, 41–42
 non-constructive, 16, 93, 179
 proper colouring, 133
 Property B, **77**
 Proudhon, Pierre-Joseph, 112
 Putnam Competition, 36
- quadratic residue, **39**, 47
- Radhakrishnan, Jaikumar, 77
 Rado, Richard, 51, 52, 63, 92
 Radziszowski, Stanisław P., 40, 44, 46
 Ramanujan, Srinivasa, 3, 12, 13
 Ramsey numbers, 40–44, 46, 80, 93
 off-diagonal, 42
 Ramsey theory, 95
 Ramsey's theorem, 37, 43, 46, 53, 94, 134
 Ramsey, Frank Plumpton, 37
 random variable, 171
 its probability distribution, **172**
 its mean, 171
 its variance, 171
 Rankin, Robert Alexander, 14
 Rao, Anup, 42, 53
 Reichenbach, Hans, 170
 Reiher, Christian, 76
 Rényi, Alfréd, 107, 114, 136, 144, 151, 152, 162,
 167, 170, 190, 210
 Ringel, Gerhard, 70
 Rivest, Ronald Linn, 217
 Robbins, Herbert Ellis, 196
 Robertson, George Neil, 125, 131
 Rödl, Vojtěch, 48, 71, 94, 136
 his nibble, 71
 Röntgen, Wilhelm Conrad, 111
 Rónyai, Lajos, 108
 Roth, Klaus Friedrich, 94
 Rothschild, Bruce Lee, 87, 95
 Royle, Gordon F., 65
 Ryser, Herbert John, 30, 73, 114
- sample space, 171
 sampling
 with replacement, 201
 without replacement, 205

- Samuels, Stephen Mitchell, 200
 Sanders, Daniel P., 125
 Sárközy, András, 33
 Schacht, Mathias, 94
 Schreier, Otto, 82–87
 Schrijver, Alexander (Lex), 141–142
 Schur, Issai (1875–1941), 93
 Schwarz, Hermann Amandus, 193
 second moment method, **173**
 set-system, 78
 Seymour, Paul, 29, 77, 125, 131
 SF, **50**
 Shabanov, Dmitry, 93
 Shaltiel, Ronen, 42
 Shannigrahi, Saswata, 77
 Shearer, James B., 42
 Simonovits, Miklós, 33, 69, 76, 105–107, 109, 110
 Simonyi, Gábor, 34
 Šiňajová, Edita, 48
 Singleton, R. R., 121, 122
 Sisask, Olof, 15, 92
 Skokan, Jozef, 94
 Smith, Cedric Austen Bardell, 133
 Sós, Vera Turán, 76, 106, 107, 114
 Spencer, Joel H., 41, 108, 112
 Sperner's theorem, 59
 Sperner, Emanuel, 59
 Srinivasan, Aravind, 77
 stability number α , **40**, 101, 147, 148, 183–190
 stable set, **40**, 101, 147, 184–185
 star, 66–69, 107
 Steenrod, Norman Earl, 23
 Steger, Angelika, 48
 Steinberg, Robert, 23
 Steiner system, **72**, 72–74
 Stirling's formula (= Stirling's approximation),
 11, 12, **195**
 Robbins' strengthening of, 196
 Stirling, James, 195
 Stone, Arthur Harold, 101, 133
 Straus, Ernst Gabor, 95, 123
 Sudakov, Benny, 76, 110
 Suk, Andrew H., 20
 sunflower, 51
 Surányi, János, 16, 33
 Swiercz, Stanley, 73
 Sylvester, James Joseph, 23
 Sylvester–Gallai Theorem, 23
 Szabó, Tibor, 35, 108
 Szekeres, George, 18, 20, 32, 37, 38, 44, 143
 Szemerédi twins, Kati & Zsuzsi, 81
 Szemerédi, Anna Kepes, 81
 Szemerédi, Endre, 15, 42, 81, 94–96, 107, 142,
 190
 Regular Partition Lemma, 2
 tail of
 the binomial distribution, 201–205
 the hypergeometric distribution, 205–209
 Tao, Terence Chi-Shen, 14, 15, 94
 Taranchuk, Vladislav, 93
 Tardos, Gábor, 34
 Tarjan, Robert Endre, 126
 Tarsi, Michael, 45
 Taylor's theorem, 197
 The Four Colour Theorem, 128
 Thiel, Larry H., 73
 Thomas, Robin, 125, 131
 Thomason, Andrew Gordon, 132, 162
 threshold function, 151
 Toft, Bjarne, 77
 tops, 176
 tree, 163
 Trotter, William Thomas, 142
 Turán functions $ex(F, n)$, **75**, 75–77, 97–112
 Turán numbers $T(n, \ell, k)$, **69**, 69–75, 79, 101
 Turán's theorem, 97, 130, 136, 175, 186
 Turán, Paul, 15, 32, 69, 93–94, 97, 107, 111
 Tutte, William Thomas, 133, 141
 Tuza, Zsolt, 63
 Twin prime conjecture, 13, 14
 Tyros, Konstantinos, 95
 Ungar, Peter, 133
 Unique Factorization Theorem, 6
 upward closed set, 176, 212
 Ustimenko, Vasiliy, 111
 van der Waerden numbers, **83**, 91–93
 van der Waerden, Bartel Leendert, 82–87
 Veblen, Oswald, 72
 Veldman, Hendrik Jan, 183
 Venn, John, 170
 vertex cut, **184**
 Wagner, Klaus, 131
 walk in a graph, **116**
 Waring, Edward, 15
 Wierman, John Charles, 169, 170
 Wigderson, Avi, 42
 Wilf, Herbert Saul, 119, 121, 143
 Wilson, Richard Michael, 42
 Woldar, Andrew, 111
 Woodall, Herbert J., 23
 Wright, Edward Maitland, 3
 Wu, Kewen, 53
 Yamamoto, Koichi, 60
 Zarins, Ivars, 49
 Zhang, Jiapeng, 53
 Zhang, Yitang, 14
 Zykov, Alexander Alexandrovich, 132, 133