

Index

- absolute value, 326
 - archimedean, 326
 - discrete, 327
 - non-archimedean, 326
 - normalised, 327
- adele ring, 331
 - strong approximation, 332
- adelic height, 282
 - standard, 282
- adelic norm, 281
 - associated adelic height, 282
- affine k -group scheme, 302
 - algebra of distributions, 307
 - Lie algebra of, 307
- affine n -space, 301
- affine scheme, 300
 - of finite type, 301
- algebra, 18
 - central, 30
 - crossed-product, 34
 - cyclic, 35
 - simple, 29
- algebraic k -group, 302
 - arithmetic group, 175
 - derived group, 323
 - diagonalisable, 319
 - geometric radical, 322
 - geometric unipotent
 - radical, 322
 - inner form of, 325
 - k -rank, 323
 - Levi subgroup, 322
 - multiplicative, 320
 - outer form of, 325
 - reductive, 322
 - S -arithmetic group, 175
 - semi-simple, 322
 - semi-simple k -rank, 323
 - smooth, 307
 - split, 323
 - unipotent, 317
- algebraic k -torus, 321
 - ℓ -anisotropic, 212, 321
 - ℓ -isotropic, 212, 321
 - ℓ -split, 212, 321
 - dimension, 321
 - induced, 214
- algebraic group, 302
 - anisotropic, 323
 - isotropic, 323
- algebraic number field
 - class number, 94
 - decomposed place, 234
 - non-decomposed place, 234
- annihilator, 15
- arithmetic group, 175
- arithmetic O_k -lattice, 159
 - degree, 164
 - homomorphism, 160
 - isomorphism, 160
 - rank, 159
 - semi-stable, 165
 - shift O_k -lattice, 163
 - slope, 165
 - stable, 165
 - trivial, 164
 - unstable, 165
- Artinian module, 5
- Artinian ring, 5
- automorphism
 - of Cartan type, 267
- base change, 301
- Bianchi group, 124
 - fundamental domain, 131
 - geometric cycles, 254
 - minimal incidence set, 135
 - point at infinity, 125
 - reduction theory, 126
- binary quadratic form
 - discriminant, 72
 - negative definite, 71

binary quadratic form (cont.)
 positive definite, 71
 proper equivalence, 72
 reduced, 73
 Brauer group, 32
 relative, 32

character
 of algebraic k -group, 305
 character group, 305
 characteristic polynomial, 38
 reduced, 40
 Chevalley basis, 179
 Chevalley group, 181
 Chevalley group scheme, 182
 type A_{n-1} , 183
 type C_n , 184
 Chinese remainder theorem, 23
 cocharacter
 of algebraic k -group, 306
 coefficient of a lattice vector, 28
 cohomological dimension, 205
 composition series, 6
 continuous map
 proper, 342

Dedekind domain, 21
 degree (of algebra), 32
 (δ, η) -Hermitian space, 196
 adjoint involution, 197
 anisotropic subspace, 196
 group of isometries, 196
 isometry, 196
 isotropic subspace, 196
 isotropic vector, 196
 non-degenerate, 196
 discrete valuation ring, 20
 divisor class group, 95

elementary divisor theorem, 17
 elementary matrix, 47
 Euclidean \mathbb{Z} -lattice, 153
 determinant of, 153
 direct sum, 157
 discriminant of, 153
 dual lattice, 157
 Gram matrix of, 153
 isomorphism, 154
 pure \mathbb{Z} -sublattice, 154
 short exact sequence, 155
 slope, 158
 successive minima, 154
 tensor product, 157
 excess bundle, 247
 Euler number, 247

fibre product, 300
 field
 global, 328

local, 327
 valued, 326
 function field, 94
 degree of divisor, 95
 divisor, 95
 divisor class group, 96
 field of constants, 94
 group of S -divisors, 96
 rational, 95
 S -divisor class group, 96

G -module, 309
 centraliser, 310
 fixed point functor, 310
 induced module, 311
 locally finite, 310
 restriction functor, 311
 stabiliser, 311

G -submodule, 310

general linear group, 47
 Iwasawa decomposition, 109
 k -group scheme, 303
 k -parabolic subgroup, 145
 principal S -congruence subgroup, 102
 S -arithmetic subgroup, 102
 S -congruence subgroup, 103
 stable, 48
 standard Levi subgroup, 146
 standard parabolic subgroup, 145

geometric cycle, 239
 special cycle, 249
 global field, 328
 idele norm, 217, 276
 Godement's compactness criterion, 219
 Gram matrix, 18
 group cohomology, 208
 group functor, 301

hereditary ring, 8
 Hermitian form, 196
 Hey's theorem, 83
 Hopf algebra, 304
 cocommutative, 304
 commutative, 304
 Hopf ideal, 306

ideal
 absolute norm, 24
 contraction of, 10
 extension of, 10
 fractional, 14
 integral, 14
 invertible, 14
 ideal class group, 23
 idele group, 333
 idele norm, 333
 index of $[R]$, 32
 index of a central simple algebra, 32

Index

359

- integral at a prime ideal, 91
- integral closure, 19
- integral element, 19
- integral ring extension, 19
- intersection
 - perfect, 246
 - transversal, 247
- intersection number, 246
- involution, 191
 - exchange involution, 192
 - of the first kind, 192
 - of the second kind, 192
- k -algebra
 - simple of unitary type, 193
- k -group scheme
 - diagonalisable, 319
 - fibre product, 306
 - fixed point functor, 308
 - flat, 302
 - G -module, 309
 - G -submodule, 310
 - general linear group, 303
 - intersection, 307
 - product, 307
 - representation, 309
 - semi-direct product, 309
 - special linear group, 303
 - trivial, 306
- Kleinian group, 123
- lattice, 16
 - complete, 16
 - Euclidean, 153
 - primitive system, 75
 - primitive vector, 75
 - rank, 16
- lattice in Euclidean space, 79
 - fundamental parallelepiped, 80
 - volume, 81
- length of a module, 6
- local field, 327
- localisation, 12
- Mahler's compactness criterion, 150, 287
- Mennicke symbol, 65
- minimum polynomial, 39
- modular group, 87
- module
 - Artinian, 5
 - finitely generated, 5
 - finitely presented, 5
 - free, 4
 - Noetherian, 5
 - projective, 7
 - torsion-free, 15
- neat, 119
- norm, 38
 - reduced, 40
- order, 37
- parabolic group
 - Levi decomposition, 323
- positive definite quadratic form
 - reduced basis, 76
 - reduced in the sense of Minkowski, 76
 - successive minima, 76
- primitive system, 75
- principal congruence subgroup, 47
- q -elementary matrix, 47
- quaternion algebra, 37, 135
 - ramification set, 136
- reductive algebraic k -group, 322
- restricted topologocal product, 331
- restriction of scalars, 314
- ring
 - of adeles, 331
 - Artinian, 5
 - dimension of, 21
 - of fractions, 10
 - of integers, 20
 - integrally closed, 19
 - local, 9, 61
 - Noetherian, 5
 - of principal adeles, 331
 - of \mathcal{S} -integers, 92
 - semi-local, 61
- \mathcal{S} -adele ring, 334
- \mathcal{S} -arithmetic group, 175
- \mathcal{S} -integers, 334
- \mathcal{S} -units, 334
- saturation, 11
- Schur index, 32
- semi-direct product, 309
- semi-local, 59
- Siegel set, 147
- similar algebras, 31
- Skolem–Noether Theorem, 30
- special cycle, 249
- special linear group
 - k -group scheme, 303
 - splitting field, 32
 - stable range, 54
 - strong approximation, 115
 - sublattice
 - pure, 16
 - submodule
 - primitive, 17
 - saturated, 11
 - Symplectic groups, 184
 - geometric cycles, 255

360

Index

- topological group, 335
 - locally compact, 338
 - proper action, 343
- topological space
 - compact, 338
 - locally compact, 338
- topological transformation group
 - free action, 340
 - left-action, right-action, 339
 - orbit space, 339
 - proper action, 343
 - transitive action, 340
- torsion element, 15
- torsion submodule, 15
- trace, 38
 - reduced, 40
- unimodular element, 53
 - reducible, 53
- valuation, 326
 - archimedean, 326
 - discrete, 327
 - exponential, 329
 - non-archimedean, 326
- Wedderburn structure theorem, 30
- Weil restriction, 314