

Index

addition - cardinal, 330, 334 - natural number, 281 - ordinal, 320, 322	first-order, 189	embedding, 159–160, 214, 217
algebraic, 491	propositional, 77	extension, 155, 217–218, 350
closure, 491	computable - function, 420, 454, 469, 471 - language, 438 - presentation, 438–439 - relation, 420, 423, 428, 455, 472	substructure, 155, 157, 241, 349
algebraically closed, 244–246, 353, 491	computably enumerable, <i>see</i> c.e.	embedding, 138–139, 142, 214, 217
arity, 14, 15	configuration, 411	Entscheidungsproblem, 126, 420, 474
automorphism, 143–144	consequences, 194	existential formula, <i>see</i> formula, existential
Axiom of Choice, 258, 259, 334–335, 337–338	consistent - first-order, 176–177, 189 - maximal, 73 - propositional, 68, 70, 77	expansion, 105
axiomatizable, 446–447, 459, 469	Continuum Hypothesis, 344	exponentiation - cardinal, 343–344 - ordinal, 347
finitely, 200, 203	countable, 286, 484	field, 489
back-and-forth, 153, 208	countably infinite, 286, 484	of fractions, 489
boolean function, 58	course-of-values, 386, 451	ordered, <i>see</i> ordered field
c.e., 426–429, 445–446, 455, 459	decidable, 447	pseudo-finite, 200, 211, 359
Cantor–Schröder–Bernstein Theorem, 289	deduction - first-order, 173, 183, 444 - propositional, 66	filter, 354
cardinal, 327–329	definable, 107, 143–144, 147, 240, 454–455, 462, 464	principal, 355
cardinality	with parameters, 146–147, 240, 246	ultra, <i>see</i> ultrafilter
finite set, 278	dense linear ordering, 152–153, 201, 239	finite set, 277
general set, 342	diagram - atomic, 216 - elementary, 216	finitely axiomatizable, <i>see</i> axiomatizable, finitely
well-orderable set, 329	Diophantine, 458–459	Fixed-Point Lemma
characteristic, 193, 488	discrete linear ordering, 203	in $\mathcal{N}$, 462
characteristic function, 374	disjunctive normal form - first-order, 125 - propositional, 55, 59	in $\mathbb{Q}$, 474
choice function, 335	elementarily equivalent, 104, 141, 158	formula
class, 295	elementary - class, 131, 159, 191–193, 200 - diagram, <i>see</i> diagram, elementary	Δ_0 , 456
elementary, <i>see</i> elementary class		Π_1 , 457–458
proper, 297, 317		Σ_1 , 457–458
closed set, 291, 325–326		atomic, 92, 240
Compactness Theorem		existential, 142–143, 458
first-order, 189, 362–363		first-order, 93
propositional, 78		prenex, 125
complete		propositional, 42, 43
set of first-order formulas, 179, 187		quantifier-free, 109, 125, 139, 141, 237, 240, 242
set of propositional formulas, 72, 76		universal, 142–143, 232–234
theory, 197, 202, 242, 351, 447, 475		free generating system, <i>see</i> generating system, free
Completeness Theorem		functionally representable, 470–471

- Gödel number, 439
- generating system, 14–15, 20, 21
 - free, 25, 26
- group, 488
 - ordered abelian, *see* ordered abelian group
- homomorphism, 138
- inconsistent
 - first-order, 176
 - propositional, 68
- induction
 - on natural numbers, 11, 12, 274, 276
 - on generating systems, 22
 - on ordinals, 319
 - on well-orderings, 304
- inductive set
 - generating system, 16
 - set theory, 273
- infinite set, 277
- initial segment
 - finite sequence, 10
 - well-ordering, 306
- integral domain, 489
- isomorphic, 138, 141, 153, 202, 208, 351
- isomorphism, 138, 139
- language, 91
 - of equivalence relations, 95
 - of graphs, 95
 - of groups, 95
 - of monoids, 95
 - of ordered rings, 95
 - of ordered semirings, 95
 - of orderings, 95
 - of rings, 95
 - of semirings, 95
 - of vector spaces, 134
- linear ordering, 485
 - dense, *see* dense linear ordering
 - discrete, *see* discrete linear ordering
- literal
 - first-order, 125
 - propositional, 53
- logically equivalent, *see* semantically equivalent
- Łoś-Vaught Test, 202, 351
- Löwenheim-Skolem Theorem, 157, 349, 350
- machine
 - universal, *see* universal machine
 - unlimited register, *see* unlimited register machine
- metatheory, 2, 263–265, 294–295
- model
 - set of formulas, 130
 - set of sentences, 131
 - of ZFC, 260–261, 294–295, 345, 479
- monoid, 487
- multiplication
 - cardinal, 330, 334
 - natural number, 282
 - ordinal, 320, 322
- negation normal form
 - first-order, 125
 - propositional, 53
- nonstandard model
 - of arithmetic, 220
 - of analysis, 225
- order-type, 318
- ordered
 - abelian group, 80–82, 493
 - commutative ring, 494
 - field, 226, 495
- ordering
 - linear, *see* linear ordering
 - partial, *see* partial ordering
 - well-, *see* well-ordering
- ordinal, 257, 312, 318, 324, 329, 337
 - limit, 315, 328
 - successor, 315
- partial
 - computable function, 420
 - function, 394
 - ordering, 485
 - recursive function, 395, 406, 415
- Peano arithmetic, 450, 478–480
- perfect set, 291–293, 324–326
- primitive recursive
 - function, 369, 395, 414
 - relation, 374, 396, 412, 414, 457
- proper class, *see* class, proper
- quantifier, 92
 - bounded, 377, 456–457, 470
 - elimination, 237, 239–242, 246, 448–449
- recursion
 - on natural numbers, 12, 13, 280, 281, 283, 299
 - on free generating systems, 26
 - on ordinals, 320
 - on well-orderings, 308, 309
- recursive
 - partial function, *see* partial recursive function
 - relation, 396
 - total function, *see* total recursive function
- regular function, 418, 430, 451
- representable
 - relation, 468–469, 471
 - functionally, *see* functionally representable
- ring, 488
- Robinson arithmetic (Q), 465, 471, 475
- satisfiable
 - first-order formula, 126
 - propositional formula, 56, 57
 - set of first-order formulas, 170, 177, 189, 363
 - set of propositional formulas, 62, 70, 77, 78
- semantic implication
 - first-order, 166, 177, 189, 445
 - propositional, 60, 70, 77, 78
- semantically equivalent
 - first-order, 121, 125
 - propositional, 50, 56
- semidecidable, 447, 464
- semiring, 489
- sentence, 97
 - Gödel, 476
 - Rosser, 477
- Soundness Theorem
 - first-order, 177
 - propositional, 70, 88
- spectrum, 150, 163
- structure, 97
- Substitution Theorem, 115

Multiple, 119	total	universe, 97
substructure, 135, 137, 141, 232–233, 241, 242, 464	computable function, 420, 451, 457	unlimited register machine (URM), 401
elementary, <i>see</i> elementary	function, 394	URM-computable, 404, 406, 415, 420
substructure	recursive function, 395	
syntactic implication	transitive set, 312	variable, 90
first-order, 176, 177, 189, 445	truth assignment, 48	assignment, 99
propositional, 65, 68, 70, 77	truth table, 50	bound, 96
		captured, 113, 115, 118, 119
Tarski-Vaught Test, 155	ultra	free, 96
tautology	filter, 356, 361	occurring, 95
first-order, 126	product, 359, 361	vector space, 341, 490
propositional, 56	power, 359	
term, 92	uncountable, 286, 484	
closed, 119	undecidable, 447, 459, 464, 473–475	well-ordering, 276, 303, 307, 318, 337, 487
theory, 194	universal	witnesses, 180, 187
torsion, 134	closure, 168	
torsion-free, 81–82	formula, <i>see</i> formula, universal	Zorn’s Lemma, 338
	machine, 415, 423, 426	