

Index

- absolute value function
 - complex-step method, 236
 - smoothing, 145
- accuracy, 49
- activation functions, 410
 - rectified linear unit (ReLU), 410
 - sigmoid, 410
- active constraints, 165, 190
- active-set method, 190
- acyclic graph, 486
- adjoint method, 39, 40, 255
 - AD partial derivatives, 260
 - constraint aggregation, 211, 260
 - coupled, 504
 - equations, 256
 - structural problem, 259
 - variables, 243, 256
 - vector, 256
 - verification, 262
- aerodynamic shape optimization, 20, 40, 283, 444
- aerostructural
 - analysis, 477
 - model, 481
- affine function, 424, 435
- aggregation functions
 - p -norm, 213
 - induced exponential, 213
 - induced power, 214
 - Kreisselmeier–Steinhauser (KS), 212
- aircraft fuel tank problem, 218
- airfoil optimization, 444
- Aitken acceleration, 490, 491, 498
- algorithmic differentiation (AD), 41, 225, 237, 497
 - adjoint variables, 243
 - checkpointing, 247
 - computational cost, 246
 - computational graph, 242
 - connection to complex-step method, 249
 - coupled systems, 502
 - directional derivative, 242
 - forward mode, 238, 239, 502
 - forward vs. reverse, 246
 - matrix operations, 251
 - operator overloading, 247, 248, 250
 - partial derivatives, 260
 - reverse mode, 43, 239, 243, 412, 502
 - scaling, 246
 - seed, 243, 246
 - shortcuts, 251
 - software, 250
 - source code transformation, 247, 250
 - taping, 249
 - verification, 262
- analysis, 3, 6, 70
- analytic
 - function, 232
 - methods, *see* implicit analytic methods

- analytical target cascading (ATC),
524
- anchor points, 360
- approximate Hessian, 124, 572
- approximate minimum degree
(AMD) ordering, 486
- Armijo condition, *see* sufficient
decrease condition
- artificial intelligence (AI), 39, 43
- artificial minimum, 282
- asymmetric subspace optimiza-
tion (ASO), 529
- asymptotic error constant, 63
- augmented Lagrangian method,
176, 181, 198, 315
- automatic differentiation, *see* al-
gorithmic differentia-
tion (AD)
- back substitution, 245, 561
- backpropagation, 43, *see also* al-
gorithmic differentia-
tion (AD)
- backtracking, 99, 100, 185
- backward difference, 228
- banana function, *see* Rosenbrock
function
- Barnes problem, 447, 586
- barrier methods, *see* interior penalty
methods
- basis functions, 384, 385, 398,
462
 - Gaussian, 399
 - radial, *see* radial basis func-
tion (RBF)
- bean function, 98, 113, 119, 122,
130, 133, 291, 314, 319,
580
- Bellman
 - equation, 38, 342
 - principle of optimality, 342
- benchmarking, 320
- gradient-based algorithms,
133, 135
- gradient-free algorithms, 284
- MDO architectures, 533
- stochastic algorithms, 286
- BFGS method, 38, 126, 129, 550,
572, 574, 576
- damped, 200
- derivation, 126
- Hessian reset, 129
- limited memory, *see* L-BFGS
method
- SQP, 199
- update, 128
- bilevel integrated system syn-
thesis (BLISS), 527
- binary
 - decoding, 308
 - encoding, 308
 - representation, 308
 - variables, 327, 331
- binding-direction method, 191
- biological reproduction, 307
- bisection, 108, 110
- black-box model, 18, 227, 232,
281, 484, 501, 519
 - derivatives, 225
 - solver, 507
- blocking constraint, 194
- Boltzmann distribution, 347
- bound constraints, 7, 154, 155,
319
 - artificial, 156
- brachistochrone problem, 35, 152,
583
- bracketing, 103
- branch-and-bound method, 285,
330, 333
 - integer variables, 336
 - relaxation, 331
- breadth-first tree search, 333
- Broyden's method, 69, 496, 571

- bugs, 58
- calculus of variations, 34–36
- callback functions, 15
- Cauchy–Riemann equations, 233
- ceiling, 320
- central difference, 228, 230
- central limit theorem, 389
- chain rule, 237, 238, 541
 - forward, 239
 - multivariable, 542
 - reverse, 243
- characteristic equation, 554
- checkerboard pattern, 320
- checkpointing, 247
- Cholesky factorization, 61, 561
- chromosome, 307, 311
 - encoding, 308
- classification
 - convex problems, 425
 - gradient-free algorithms, 284
 - MDO architectures, 534
 - optimization algorithms, 21
 - optimization problems, 17
 - problem, 432
 - stationary points, 92
- Clenshaw–Curtis quadrature, 457
- collaborative optimization (CO), 521
- collocation points, 466
- column space, 547
- combinatorial optimization, 36, 37, *see also* discrete optimization
- complementary slackness condition, 168, 190
- complex-step method, 42, 225, 232, 233, 502
 - absolute value function, 236
 - accuracy, 234
 - connection to AD, 249
 - implementation, 235
 - step size, 234
 - testing, 237
 - trigonometric functions, 237
- component, 269, 475, 478, 480, 487, 488
 - explicit, 480, 503, 509
 - group, 483, 487
 - implicit, 480, 503
 - multiple, 225
- composite function, 541
- computational cost, 50, 63, 374
 - AD, 237, 247
 - adjoint method, 257
 - analysis, 60
 - budget, 93, 315
 - complex step, 232, 233
 - derivatives, 223
 - direct method, 256
 - direct vs. adjoint, 257
 - finite difference, 228
 - forward AD, 240
 - linear solvers, 62
 - optimization, 22, 48, 283
 - reverse AD, 244
 - solvers, 12, 61, 253
- computational differentiation, *see* algorithmic differentiation (AD)
- computational fluid dynamics (CFD), 40, 283, 444, 531
- computational graph, 242, 246
- computer code, *see* source code
- conceptual design, 3
- concurrent subspace optimization (CSSO), 532
- condition number, 560, 570
- cone programming, 425
- confidence interval, 404
- conjugacy, 116, 117, 565
- conjugate gradient method, 115, 117, 565
 - Fletcher–Reeves formula, 117

- linear, 115, 565, 568
 - nonlinear, 117, 119
 - Polak–Ribière formula, 118
 - reset, 118, 119
- consistency constraints, 515, 521, 525
- constrained optimization, 36, 153
 - graphical solution, 154
 - problem statement, 154
- constraint qualification, 169, 523
- constraints, 12, 314
 - active, 13, 165, 190
 - aggregation, 204, 211, 260
 - blocking, 194
 - bound, 7, 154
 - consistency, 515, 521, 525
 - equality, 12, 154
 - equality versus inequality, 154, 194
 - functions, 12
 - handling, 153
 - inactive, 13, 165, 190
 - inequality, 12, 154
 - infeasible, 13
 - Jacobian, 188
 - reformulation, 197
 - scaling, 181
 - working set, 190
- continuity, 18
- continuous parameterization, 330
- contour
 - perpendicular, 81
 - tangent, 157
- control law, 429
- convergence, 315
 - criterion, 237
 - failure, 48, 96, 138, 274
 - order of, 64, 66
 - plot, 66
 - quadratic, 121
 - rate, 63, *see* rate of convergence, 287
 - residuals, 66
 - tolerance, 96, 138, 225
- convex
 - function, 20, 424
 - hull, 302, 303
 - optimization, 20, 41, 423
 - problem, 389
- convexity, 20, 27
- coordinate
 - descent, 476
 - search, 39, 115, 116
 - search algorithm, 292
- correlation, 400, 558
 - matrix, 406
- coupled
 - adjoint, 506
 - Broyden method, 499
 - derivatives, 509
 - model, 478
 - Newton’s method, 499
 - solver, 500
 - system, 484, 488
- coupling variables, 478, 482, 484, 486, 487, 489, 492, 506, 515
- covariance, 401, 449, 450, 558
 - matrix, 450
- cross validation, 395, 397, 412
 - k*-fold, 397
 - leave-one-out, 397
 - simple, 396
- crossover, 307, 311, 313
 - linear, 313
 - point, 311
 - single-point, 311
- crowded tournament selection, 368
- crowding distance, 366
- cubature, 457
- cubic interpolation, 109, 145
- cuboid, 366

- cumulative distribution function
 (CDF), 379, 441, 556
- curse of dimensionality, 374, 376, 458
- curvature, 22, 85, 112, 119
 - approximation, 123
 - condition, 126, 573
 - directional, 86, 124
 - maximum, 87
 - principal directions, 86, 116
- curve fit, 373
- Cuthill–McKee ordering, 486
- CVX, 432
- damped BFGS update, 200
- data
 - dependencies, 486
 - fitting, 385
 - model, 384
 - transfer, 343, 486, 487
- debugging, 59
- decaying sinusoid, 404
- decision variables, *see* design variables, 327
- decomposition, *see* factorization
- deep neural networks, 43, 409
- dense matrix, 559
- dependence
 - implicit, 253
- dependency structure matrix, *see* design structure matrix (DSM)
- depth-first tree search, 332
- derivative-free optimization (DFO), 24, 285
- derivatives, 223
 - accuracy, 138, 275
 - backward propagation, 245
 - black box, 225
 - computational cost, 275
 - coupled, 41, 501, 503, 509
 - definition, 228
 - directional, 82, 98, 229, 242
 - ease of implementation, 275
 - eigenvalues, 252
 - eigenvectors, 252
 - explicit, 266
 - first-order, 223
 - implicit, 266
 - implicit analytic methods, 252
 - matrix, 552
 - matrix operations, 251, 252
 - methods, 225, 275
 - mixed partial, 85
 - partial, 80, 239, 254, 260, 266, 504, 542
 - physical interpretation, 82
 - post-optimality, 530, 532
 - propagation, 238, 239, 242, 243, 253
 - relative, 82
 - scalability, 275
 - scaling, 274
 - second-order, 85
 - singular value decomposition, 252
 - sparse, 262, 264
 - total, 239, 254, 542
 - verification, 242, 274
 - weighted function, 246
- descent direction, 98, 165
- design
 - constraints, 12
 - cycle, 3
 - optimal vs. conventional, 4, 5
 - optimization, 3
 - phases, 2
 - process, 2
 - sensitivities, *see* derivatives
 - space visualization, 10, 12, 14
 - specifications, 3

- design structure matrix (DSM),
485, 504
- design variables, 6, 253, 479
 - binary, 327, 331
 - bounds, 154, 155, 319
 - continuous, 7, 17
 - converting integer to binary,
331
 - discrete, 8, 17, 27, 283, 312,
327
 - integer, 312, 327, 336
 - mixed, 17
 - parameterization, 9, 330
 - scalability, 22, 283
 - scaling, 114, 137
 - shared, 476
 - units, 114
- detailed design, 3
- determinant, 551
- deterministic function, 20
- DFP method, 38, 126, 573, 576
 - update, 573
- diagonal matrix, 550
- Dido's problem, 33
- differential, 174, 254, 266, 543
- differentiation, *see also* derivatives
 - algorithmic, *see* algorithmic differentiation (AD)
 - chain rule, *see* chain rule
 - numerical, 227
 - symbolic, *see* symbolic differentiation
- DIRECT algorithm, 42, 285, 298
 - n -dimensional, 304, 305
 - one-dimensional, 301
- direct linear solver, 560
- direct method, 255
 - coupled, 503
 - structural problem, 259
 - verification, 262
- direct quadrature, 448, 452
- directed graph, 486
 - weighted, 338
- directional
 - curvature, 86, 124
 - derivative, 82, 98, 229, 242
- disciplinary subproblem, 519, 521
- discipline, 475, 480
- disciplined convex optimization,
424, 430
 - software, 432
- discontinuity, 7, 19, 231, 282,
320, 321
 - smoothing, 145
- discrete optimization, 26, 36,
327
 - dynamic programming, 339
 - dynamic rounding, 329
 - genetic algorithm, 351
 - greedy algorithms, 337
 - rounding, 329
 - simulated annealing, 347
- discrete variables, 27, 283, 312,
327
 - avoiding, 328
- discretization, 48, 50, 63
 - error, 49, 57
 - methods, 52
- divergence, 64
- diversity, 43, 310, 312
- dominance, 198, 357
 - depth, 365
- dominated point, 358
- dot product, 545
 - 2-norm, 549
 - test, 262
- double-precision
 - floating-point format, 54
 - number, 55
- dual number, 248
- dynamic
 - polling, 294

- programming, 26, 38, 339, 344
 - rounding, 329
 - system, 429
- efficient global optimization (EGO), 286, 415, 416
- eigenvalues, 86, 90, 252, 552, 553
- eigenvectors, 86, 116, 252, 553, 566
- elitism, 316, 368
- engineering design, 2, 45, 475, 476
- enhanced collaborative optimization (ECO), 532
- equality constraints, 12
- equality of mixed partials, 85
- error, 58, 225
 - absolute, 54
 - constant, *see* asymptotic error constant
 - discretization, 49, 57
 - iterative solver tolerance, 57
 - modeling, 48
 - numerical, 48, 49, 53
 - programming, 58
 - propagation, 55
 - relative, 54
 - roundoff, 49, 54, 57, 58, 561
 - truncation, 57, 228
- Euclidean
 - norm, 549
 - space, 545
- Euler–Lagrange equation, 36
- evolution, 307
- evolutionary algorithms, 39, 42, 286, 363
 - GA, 306
 - PSO, 316
- exact penalty decomposition (EPD), 532
- exhaustive search, 298, 328, 329
- exit conditions, 93
- expected
 - improvement, 415
 - value, 412, 416, 441, 442
- expected value, *see* mean
- experimental data, 374
- experiments, 5
- explicit
 - component, 480, 503, 509
 - equation, 266
 - function, 50, 482
 - model, 51
- exploitation, 319, 414
- exploration, 286, 319, 415
- exponential
 - convergence, 457
 - distribution, 557
 - function, 212
- expression swell, 227
- exterior penalty, 176
- extrapolation, 313
- factorization
 - Cholesky, 561
 - LU, 560
- Farkas’ lemma, 36, 166
- Faure sequence, 384
- feasibility tolerance, 201, 208
- feasible
 - descent direction, 166
 - direction, 159
 - region, 12
 - space, 185
- feedback, 491
- Fibonacci sequence, 340
- file input and output, 225, 479, 487
- filter methods, 198, 315
- finite-difference derivatives, 225, 227, 253, 274, 281, 502, 512
 - accuracy, 230

- backward difference, 228
- central difference, 228, 230
- coupled, 502
- forward difference, 228, 230
- higher-order, 229
- implementation, 231
- optimal step size, 230
- step, 228
- step-size dilemma, 229, 230
- step-size study, 230
- finite-difference discretization, 52
- finite-element
 - discretization, 50, 52, 588
 - structural model, 531
- finite-precision arithmetic, 54, 56, 93, 229, 309
- finite-volume discretization, 52
- first-order
 - derivatives, 223
 - perturbation methods, 448, 449
- fitness, 286, 309, 310
- fixed-point iteration, 62, 226, 487, 534, 562
- Fletcher–Reeves formula, 117
- floating-point format, 54
- food shopping problem, 426
- forward difference, 228, 230
- forward propagation, 448
 - direct quadrature, 452
 - first-order perturbation, 449
 - Monte Carlo, 459
 - polynomial chaos, 462
- forward substitution, 242, 486
- four fundamental subspaces, 547
- Frobenius norm, 550
- full factorial sampling, 375
- full-space hierarchical
 - Newton’s method, 493
- full-space optimization, *see* simultaneous analysis and design (SAND)
- function
 - blending, 145
 - constraint, 12
 - explicit, 482
 - implicit, 483
 - of interest, 224, 253
 - objective, 9
 - smoothness, 282
- functional form, 484, 487, 505
 - Jacobian, 507
- Gauss–Hermite quadrature, 455–457, 468
- Gauss–Konrod quadrature, 457
- Gauss–Legendre quadrature, 455
- Gauss–Newton algorithm, 391
- Gauss–Seidel method
 - linear, 563
 - nonlinear block, 489, 491, 498, 499, 511
- Gaussian
 - basis, 399
 - distribution, *see* normal probability distribution
 - elimination, 560
 - kernel, 401
 - multivariate distribution, 401
 - process, *see* kriging, 416
 - quadrature, 453
- gene, 307
- generalization error, 397
- generalized minimum residual (GMRES) method, 569
- generalized pattern search (GPS), 285, 292, 295, 296
- genetic algorithm (GA), 39, 306, 308, 363, 376
 - binary-encoded, 307, 308, 351
 - constraints, 314
 - crossover, 311

- discrete optimization, 351
- multiobjective, 363, 367
- mutation, 311
- real-encoded, 307, 312
- selection, 309
- geometric programming (GP),
 - 41, 425, 434
 - software, 437
- Gibbs distribution, *see* Boltzmann distribution
- global
 - optimization, 42
 - optimum, 19, 20, 24, 146, 287, 299, 322, 423
 - search, 23, 146, 282, 284, 286, 322
- globalization strategy, 69, 95, 492
- governing equations, 50, 61, 70, 252, 254, 479
- GPkit, 437
- gradient, 79, 80, 121
 - normalization, 111
 - scaling, 137
- gradient-based algorithms, 22, 28, 79, 376, 412
 - comparison, 133, 135
 - constrained, 153
 - efficiency, 223
 - unconstrained, 79, 97
- gradient-descent method, *see* steepest-descent method
- gradient-enhanced kriging, 405
 - predictor, 405
- gradient-free algorithms, 22, 28, 281
- graph, 486
 - acyclic, 486
 - coloring, 262–265, 504, 508
 - cyclic, 486
 - directed, 486
 - weighted directed, 338
- graph form programming, 425
- graphical solution, 14
- greedy algorithms, 337
- grocery store shopping, 339
- H-section beam problem, 217
- Hadamard product, 167
- half-space, 157, 159, 165
 - intersection, 165
- Halton sequence, 382
 - scrambled, 383
- Hammersley sequence, 383, 407
- Hamming cliff, 312
- Hartmann function, 580
- Hermite polynomials, 456, 467
- Hessian, 85, 110, 115, 121, 144
 - approximation, 110, 123, 124, 127, 572
 - directional curvature, 86
 - eigenvalues, 86
 - eigenvectors, 86, 116
 - Gauss–Newton algorithm, 392
 - initial approximation, 124
 - interpretation, 86
 - inverse approximation, 128, 573, 574
 - inverse update, 573
 - Lagrangian, 161, 162, 191
 - positive-definite, 121, 126
 - positive-semidefinite, 90
 - symmetry, 85
 - update, 124, 572
 - vector product, 86
- heuristics, 24, 115, 287
- hierarchical solvers, 41, 499, 503
- hierarchy, 481, 483, 501
- higher-order moments, 450
- histogram, 377, 452
- history of optimization, 33
- hit-and-run algorithms, 286
- human expertise, 4

- hybrid adjoint, 260
- hypercube, 304
- hyperplane, 157
 - intersection, 159
 - tangent, 157, 159, 165
- hyperrectangle, 304
 - potentially optimal, 304
 - trisection, 304
- hypersurface, 11, 254
- identity matrix, 206, 550
 - scaled, 132
- ill-conditioning, 56, 351, 560, 589
 - aggregation function, 212
 - collaborative optimization (CO), 523
 - interpolation, 110
 - least squares, 387
 - line search, 107
 - Newton's method, 69
 - penalty function, 176, 182, 187
- imaginary step, 232
- implicit
 - component, 480, 503
 - dependence, 253
 - equation, 50, 266, 544
 - filtering, 285, 322
 - function, 50, 71, 253, 483
 - model, 51
- implicit analytic methods, 225, 252
 - adjoint, 211, 255, 260
 - coupled, 503
 - direct, 255
 - direct vs. adjoint, 257
 - forward mode, 255
 - reverse mode, 256
 - structural problem, 259
 - verification, 262
- inactive constraints, 165, 190
- indefinite matrix, 552
- individual discipline feasible (IDF), 515
- induced functions, 213
- inequality
 - constraints, 12, 154
 - quadratic penalty, 180
- inertia, 316
- inexact penalty decomposition (IPD), 532
- infeasibility, 198
- infeasible
 - directions, 165
 - region, 13
- infill, 375, 414
- initial design, 3, 8, 79
- inner product, 454, 545
 - weighted, 455
- input and output conversion, 481
- inputs, 6, 225, 374, 448, 482, 483
- integer
 - overflow, 54
 - programming, *see* discrete optimization
 - variables, 327, 336
- integer variables, 312
- interior penalty methods, 184
- interior-point methods, 39, 41, 153, 187, 204
 - line search, 206
 - with quasi-Newton approximation, 208
- interpolation, 108, 384
 - cubic, 109, 145
 - ill-conditioning, 110
 - non-smooth, 145
 - quadratic, 108, 109
- intuition, 3, 10, 12, 29
- invasive weed optimization, 286
- inverse
 - barrier, 184

- cumulative distribution, [379](#)
- inversion sampling, [379](#)
- investment portfolio selection, [343](#)
- isosurface, [11](#), [80](#), [83](#)
 - tangent, [157](#)
- iterations
 - major, [96](#)
 - minor, [96](#)
- iterative
 - linear solvers, [560](#)
 - solvers, [57](#), [62](#), [63](#), [226](#), [237](#)
- Jacobi method
 - linear, [563](#)
 - nonlinear block, [487–489](#), [499](#)
- Jacobian, [69](#), [121](#), [155](#), [224](#), [228](#), [232](#), [244](#), [246](#), [254](#), [495](#), [571](#)
 - compressed, [263](#)
 - constraints, [188](#)
 - coupled, [504](#)
 - diagonal, [263](#)
 - inverse, [572](#)
 - nullspace, [165](#)
 - size, [155](#), [257](#)
 - sparse, [261–264](#), [504](#), [508](#)
 - square, [261](#)
 - structure, [504](#), [507](#)
 - transpose, [504](#)
- Jones function, [146](#), [297](#), [306](#), [320](#), [580](#)
 - discontinuous, [320](#)
- Kepler's equation, [35](#), [76](#), [226](#)
- kernel, [400](#)
- KKT conditions, [37](#), [168](#), [187](#), [282](#), [523](#), [574](#)
- knapsack problem, [339](#), [343](#)
 - dynamic programming, [346](#)
 - tabulation, [345](#)
- Kreisselmeier–Steinhauser (KS)
 - function, [212](#)
- kriging, [37](#), [42](#), [286](#), [399](#), [400](#), [416](#)
 - gradient-enhanced, [405](#)
 - kernel, [400](#), [405](#)
 - ordinary, [400](#)
 - predictor, [403](#)
 - regression-based, [408](#)
- Krylov subspace methods, [62](#), [69](#), [499](#), [562](#), [569](#)
- kurtosis, [450](#), [556](#)
- L-BFGS method, [131](#), [132](#)
- Lagrange multipliers, [36](#), [182](#), [188](#), [198](#), [528](#)
 - adjoint interpretation, [257](#)
 - equality constraints, [160](#)
 - inequality constraints, [167](#)
 - interior-point method, [207](#)
 - meaning of, [173](#)
- Lagrangian
 - function, [161](#), [187](#), [205](#)
 - mechanics, [36](#)
- Latin hypercube sampling (LHS), [146](#), [377](#), [379](#), [380](#), [460](#)
- law of large numbers, [459](#)
- law of reflection, [34](#)
- law of refraction, [34](#)
- leading principal
 - minor, [551](#)
 - submatrix, [551](#)
- learning rate, [413](#)
- least squares, [36](#), [386](#)
 - constrained, [428](#)
 - linear, [386](#)
 - nonlinear, [391](#)
 - regularized, [388](#)
- left nullspace, [548](#)
- legacy codes, [226](#)
- Legendre polynomial, [454](#)
- Levenberg–Marquardt algorithm, [391](#)

- likelihood function, 390
 - concentrated, 402
- line search, 38, 94, 96, 116
 - algorithm, 97
 - backtracking, 99, 100
 - bracketing, 103, 104
 - comparison with trust re-
gion, 95, 144
 - exact, 98, 102, 117
 - ill-conditioning, 107
 - interior-point methods, 206
 - interpolation, 108
 - Newton's method, 121
 - overview, 95
 - pinpointing, 103, 106
 - plot, 108, 123, 136
 - quasi-Newton method, 124
 - SQP, 188, 197
 - step length, 99
 - sufficient decrease, 99
 - unit step, 136
- linear
 - conjugate gradient, 568
 - convergence, 64
 - direct solvers, 560
 - function, 424
 - independence constraint qual-
ification, *see* constraint
qualification
 - iterative solvers, 560
 - least squares, 424
 - mixed-integer programming,
330, 331
 - programming (LP), 19, 37,
331, 425
 - regression, 385
 - solvers, 559
 - system, 559
- linear-quadratic regulator (LQR),
429
- Lipschitz
 - constant, 299
 - continuity, 299
- local
 - constraints, 520
 - design variables, 520
 - optimum, 19, 287
 - search, 23, 79, 284
- log likelihood function, 390
- logarithmic
 - barrier, 185
 - scale, 66
- logical operators, 236
- lognormal distribution, 557
- loops, 138, 226, 238
 - unrolling, 238
- low-discrepancy sequence, 380,
460
- lower
 - convex hull, 302, 303
 - triangular matrix, 242, 273,
486, 560
- LU factorization, 61, 497, 560
- machine learning, 2, 5, 43
 - deep neural networks, 409
 - hidden layers, 408
 - input layer, 408
 - maximum likelihood, 389
 - minibatch, 412
 - neural networks, 408
 - output layer, 408
 - support vector machine, 433
- machine precision, 55, 312
- machine zero, *see* machine pre-
cision
- major iterations, 96
- manifold, 254
- manufacturing, 447
- Markov
 - chain, 339, 344
 - variable-order, 339
 - process, 339
- mating pool, 309

matrix

bandwidth, 486
 block diagonal, 497
 column space, 547
 condition number, 560, 570
 dense, 559
 derivatives, 552
 determinant, 551
 diagonal, 550
 factorization, 62, 560
 Hadamard product, 167
 identity, 206, 550
 ill-conditioned, 560
 indefinite, 552
 inverse, 62, 551, 559
 inverse product, 251
 Jacobian, 224
 leading principal minor, 551
 lower triangular, 242, 273, 486, 560
 multiplication, 544
 negative-definite, 552
 norm, 550
 nullspace, 156, 160, 548
 positive-definite, 90, 551
 positive-semidefinite, 90, 552
 rank, 156, 547
 reordering, 486, 491
 row space, 547
 scaled identity, 132
 size notation, 544
 sparse, 486, 559
 splitting, 562
 stiffness, 589
 symmetric, 551
 symmetric positive-definite, 561, 565
 transpose, 485, 550
 upper triangular, 246, 274, 560
 vector product, 546
 well-conditioned, 560

MAUD, *see* modular analysis
 and unified derivatives
 (MAUD)

maximization as minimization,
 10

maximum

curvature, 87
 likelihood, 389, 402
 log likelihood, 402
 point, 88, 93
 step, 100

MDO architectures, 40, 475, 533

ASO, 529
 ATC, 524
 BLISS, 527
 BLISS-2000, 532
 CO, 521
 CSSO, 532
 distributed, 519, 533
 ECO, 532
 EPD, 532
 IDF, 515
 IPD, 532
 MAUD, 533
 MDF, 511, 531
 MDOIS, 532
 monolithic, 510, 533
 QSD, 532
 SAND, 517, 519

MDO frameworks, 534

MDO of independent subspaces
 (MDOIS), 532

mean value, 554, 555

memoization, 340

merit function, 198

mesh refinement, 57

mesh-adaptive direct search (MADS),
 285

metamodel, *see* surrogate mod-
 els

method of lines, 53

minibatch, 412

- minimum, 93
 - global vs. local, 19
 - strong, 90
 - weak, 19
- minor iterations, 96
- mixed-integer programming, 327
 - linear, 331
- model, 6, 475, 487
 - data-driven, 384
 - explicit, 51
 - implicit, 51
 - inputs and outputs, 483
 - multidisciplinary, 479
 - optimization considerations, 70
 - physics-based, 384
 - statistical, 400, 401
- modeling error, 48
- modular analysis and unified
 - derivatives (MAUD), 498, 499, 501, 503, 508, 512, 533
- modularity, 479, 481
- monolithic solver, 499
- monomial, 434
- Monte Carlo simulation, 376, 448, 452, 459, 473
- multidisciplinary
 - model, 479
- multidisciplinary analysis (MDA), 486, 488, 502, 511, 534
- multidisciplinary design feasible (MDF), 511, 513, 531
- multidisciplinary design optimization (MDO), 2, 28, 40, 475
- multidisciplinary model, 39
- multifidelity models, 374
- multilevel coordinate search (MCS), 285
- multimodality, 19, 20, 23, 79, 138, 146, 282, 350
- multiobjective optimization, 10, 18, 28, 198, 283, 355, 443
 - NBI method, 360
 - epsilon constraint method, 360
 - weighted-sum method, 358
- evolutionary algorithms, 363
- GA, 363
- objectives versus constraints, 155
 - problem statement, 357
- multiphysics, 475
- multiple local minima, *see* multimodality
- multi-point optimization, 444
- multistart, 146, 282, 321, 375, 376
- multivariate Gaussian distribution, 401
- mutation, 307, 311
- N^2 matrix, *see* design structure matrix (DSM)
- natural selection, 307, 310
- negative-definite matrix, 552
- neighboring design, 348
- Nelder–Mead algorithm, 39, 285, 287, 290, 314, 351
 - convergence, 289
 - operations, 288
 - simplex, 287, 288
- neural networks, 43, 408
 - deep, *see* deep neural networks
 - depth, 409
 - feedforward, 408
 - node, 408
 - recurrent, 408
 - weights, 411

- Newton's method, 23, 35, 139, 187, 391, 559
 - computational cost, 136
 - convergence rate, 68
 - coupled, 492
 - full-space hierarchical, 493
 - globalization, 69, 492
 - ill-conditioning, 69
 - issues, 121
 - linear system, 69, 121
 - minimization, 119
 - monolithic, 492
 - preconditioning, 69
 - reduced-space hierarchical, 494, 496
 - root finding, 62
 - scale invariance, 121, 145
 - solver, 66
 - step, 69, 121
- Newton–Cotes formulas, 453
- Newton–Krylov method, 69
- Niederreiter sequence, 384
- noisy
 - data, 388
 - function, 24, 93, 231, 423
 - model, 28, 374
- NOMAD, 298
- nondominated
 - point, 358
 - set algorithm, 364
 - sorting, 365
- nonlinear
 - block methods, 488
 - least squares, 391
 - simplex algorithm, *see* Nelder–Mead algorithm
- nonsingular matrix, 559
- normal probability distribution, 314, 378, 389, 400, 450, 473, 556
 - uncorrelated, 468
- norms, 548
 - ∞ -norm, 93, 140, 549
 - p -norm, 213, 549
 - 1-norm, 176, 549
 - 2-norm, 140, 545, 549
 - Frobenius, 550
 - matrix, 550
 - visualization, 549
 - weighted, 549
 - weighted Frobenius, 574
- NP-complete, *see* polynomial-time complete
- NSGA-II, 308, 364
- nullspace, 156, 160, 548
 - Jacobian, 165
 - left, 548
- numerical
 - conditioning, *see* ill-conditioning
 - errors, 48, 49, 53, 479
 - integration, *see* quadrature
 - models, *see* model
 - noise, 28, 48, 58, 94, 138, 225, 231, 282, 321, 388
 - optimization, 45
 - stability, 56
- objective function, 9, 79
 - multiple, 283, *see* multiobjective optimization
 - scaling, 114, 137
 - selecting, 9, 11
 - separable, 357
 - units, 114
- offspring, 307
- one-shot optimization, 72
- OpenAeroStruct, 498, 508
- OpenMDAO, 498, 501, 508, 512
- operations research, 2, 19, 41, 45
- operator overloading, 237, 247, 248
- opportunistic polling, 293
- optimal control, 2, 5, 26, 40, 41, 429

- optimal-stopping problem, 34
- optimality, 4, 287
 - criteria, 22, 24
 - dynamic programming, 342
 - Farkas' lemma, 166
 - first-order equality constrained, 161
 - first-order inequality constrained, 166
 - KKT conditions, 168
 - second-order constrained, 162, 169
 - tolerance, 201, 208
 - unconstrained, 90, 91
- optimization
 - algorithm selection, 26
 - difficulties, 136, 138, 274
 - problem classification, 17
 - problem formulation, 4, 6, 17
 - problem reformulation, 5
 - problem statement, 14
 - software, 15, 41, 94, 200
 - under uncertainty (OUU), 28, 441
- optimum, *see* minimum
- order of convergence, 64, 66
- ordinary
 - differential equation (ODE), 52
 - kriging, 400
- orthogonal, 454
 - columns, 264
 - polynomials, 454, 463
 - search directions, 113
 - vectors, 547
- outer product, 545
 - self, 127, 571, 575
- outputs, 6, 18, 225, 374, 482
- overdetermined system, 387
- overfitting, 395, 396
- overflow, 55
- integer, 54
- parallel computation, 309, 488, 489, 495, 498, 499, 522
- parameterization, 9, 330
- parents, 307
- Pareto
 - anchor points, 360
 - front, 358, 368, 443
 - optimal, 358
 - optimality, 357
 - set, 358
 - utopia point, 361
- partial
 - derivatives, 80, 239, 254, 260, 266, 504, 542
 - differential equation (PDE), 52, 63
 - pivoting, 561
- particle swarm optimization (PSO), 42, 316, 318, 376
 - convergence, 319
 - initial population, 318
 - particle position update, 317
- partitioning, 479, 480
- pattern-search algorithms, *see also* generalized pattern search (GPS)
- PDE-constrained optimization, 517
- penalty function, 176, 198
 - ATC, 524
 - exterior, 176
 - interior, 184
 - methods, 38, 153, 175, 291, 314, 322
 - parameter, 176, 177, 185, 198
 - quadratic, 176, 179, 525
 - relaxation, 525
- percent-point function, 379
- physics-based model, 37, 384

- pinpointing, 103
- plane, 157
- Polak–Ribière formula, 118
- polar cone, 166
- politics, 477
- polling, 293
- polyhedral cone, 158, 165
- polynomial chaos, 448, 462
 - intrusive, 470
 - nonintrusive, 470
 - software, 466
- polynomial-time complete, 328
- polynomials, 398
 - Hermite, 456, 467
 - Legendre, 454
 - orthogonal, 454, 463
 - quadratic, 399
- population, 306, 307, 310
 - initial, 307, 309
- portfolio optimization, 38
- positive-definite matrix, 90, 127, 551
- positive-semidefinite matrix, 90, 552
- positive spanning
 - directions, 292
 - set, 292
- post-optimality
 - derivatives, 530, 532
 - sensitivity, 5, 175
 - studies, 5
- posynomial, 434
- potentially optimal rectangles, 304
- precision, 20, 48, 49, 54, 55, 57, 61, 154, 225, 237, 252, 479, 487, 501
- preconditioner, 493, 569
- preconditioning, 69, 569
- principal curvature directions, 86, 116
- principle of least time, 34
- principle of minimum energy, 1
- probability density function (PDF), 379, 401, 441, 555, 556
- probability distribution, 441, 442
 - exponential, 557
 - Gaussian, *see* normal probability distribution
 - lognormal, 557
 - uniform, 313, 377, 557
 - Weibull, 557
- programming, 59
 - bugs, 58
 - errors, 58
 - language, 15, 42, 44, 49, 54, 236, 237, 250, 387, 487, 502
 - modular, 59
 - profiling, 60
 - testing practices, 60
- propagated error, 55
- pruning, 331
- pseudo-load, 260
- QR factorization, 387
- quadratic
 - approximation, 120, 123, 124
 - convergence, 64, 121
 - form, 546, 552
 - function, 115, 139
 - interpolation, 108, 109
 - penalty, 176, 179, 180
 - programming (QP), 188, 386, 425, 427
- quadratically constrained quadratic programming (QCQP), 140, 429, 430
- quadrature, 452, 457
 - Clelland–Curtis, 457
 - direct, 452
 - Gauss–Hermite, 455–457, 468
 - Gauss–Konrod, 457
 - Gauss–Legendre, 455

- sparse grid, 458
- quantile function, 379
- quasi-Monte Carlo method, 460
- quasi-Newton methods, 38, 121, 123, 124, 572
 - BFGS, 38, 126, 572, 574, 576
 - Broyden, 571
 - condition, 126
 - curvature condition, 126
 - DFP, 38, 126, 573, 576
 - Hessian reset, 129
 - L-BFGS, 131, 132
 - SR1, 130, 575, 576
 - unification, 576
- quasi-random sequences, 381
- quasi-separable decomposition (QSD), 532
- radial basis function (RBF), 286, 399
- radical inverse function, 381
- random
 - sampling, 294, 309, 312, 377, 459
 - variable, 400, 401, 442, 554
- rank, 156, 387, 547
- rate of convergence, 63
 - linear, 64
 - plot, 65
 - quadratic, 64
 - superlinear, 65
- real-encoded GA
 - crossover, 313
 - initial population, 312
 - mutation, 313
 - selection, 312
- rectified linear unit (ReLU), 410
- recursion, 339
- recursive solver, 499
- reduced-space
 - Newton's method, 499
 - optimization, *see* multidisciplinary design feasible (MDF)
- regression, 5, 384
 - linear, 385, 388
 - nonlinear, 391
 - testing, 60
- regular point, 161, 169
- regularization, 393, 399, 433
- regularized least squares, 388
- relative
 - derivatives, 82
 - error, 54
 - step size, 231
- relaxation, 331, 489
 - factor, 490, 564
- reliability metric, 444
- reliable design, 441, 447
- reordering, 486, 491
- residual form, 50, 484
- residuals, 50, 51, 121, 225, 253, 266, 479–481, 560
 - derivatives, 223
 - norm, 66
- response surface model, *see* surrogate models
- restricted-step methods, *see* trust region
- reverse chain rule, 243
- reverse Cuthill–McKee (RCM) ordering, 486
- reward, 443
- risk, 443
- robust design, 441, 442
- Rosenbrock function, 579
 - n -dimensional, 283, 579
 - two-dimensional, 135, 137, 144, 395, 579
- roulette wheel selection, 310
- rounding, 329
- roundoff error, 49, 54, 57, 58, 230, 561

- row space, 547
- saddle point, 92, 93, 580
- safety factor, 513
- sampling, 374
 - full factorial, 375
 - inversion, 379
 - plan, 375
 - random, 294, 309, 312, 377, 459
- scalar product, 545
- scale invariance, 121, 145
- scaled identity matrix, 132
- scaling, 69, 93, 94
 - constraints, 181
 - design variables, 114, 137
 - gradient, 137
 - logarithm, 115
 - objective function, 114, 137
 - trust-region method, 145
- search direction, 110
 - conjugate, 116
 - method comparison, 133, 135
 - normalization, 118
 - steepest descent, 110
 - zigzagging, 112, 113
- secant
 - equation, 125, 574, 575
 - inverse equation, 573
 - method, 67, 123, 571
- second-order cone programming (SOCP), 41, 425, 429
- seed, *see* algorithmic differentiation (AD)
- self influence, 318
- semidefinite programming (SDP), 41, 425
- sensitivities, *see* derivatives
- separable objectives, 357
- sequence
 - Faure, 384
 - Fibonacci, 340
 - Halton, 382
 - Hammersley, 383, 407
 - low-discrepancy, 380
 - Niederreiter, 384
 - scrambled Halton, 383
 - Sobol, 384
 - van der Corput, 381
- sequential optimization, 5, 476, 514, 532, 533
- sequential quadratic programming (SQP), 38, 41, 153, 187
 - equality constrained, 187
 - active set, 190
 - inequality constrained, 190
 - line search, 188, 197
 - meaning, 189
 - quasi-Newton, 201
 - system, 188
- shape optimization, 35, 40
- shared design variables, 476, 520
- Sherman–Morrison–Woodbury formula, 128, 572, 574, 576
- shipping, 343
- Shubert’s algorithm, 299
- side constraints, *see* bound constraints
- sigmoid function, 145, 410
- signomial programming, 436
- simplex, 287
- simplex algorithm, 37
- simulated annealing, 42, 347, 349
- simulation, 3, 70
- simultaneous analysis and design (SAND), 72, 73, 517, 519
- singular matrix, 559
- skewness, 450, 556
- slack variables, 167, 205

- slanted quadratic function, 579
- slope, 80, 84, 98
- smooth functions, 153
- smoothing discontinuities, 145
- smoothness, 18, 24
- Sobol sequence, 384
- social influence, 317, 318
- software, 40, 41
 - AD, 250
 - engineering, 44
 - geometric programming, 437
 - MDO frameworks, 534
 - optimization, 15, 200
 - stochastic gradient descent, 414
 - surrogate modeling, 399
- solvers, 50
 - hierarchical, 41, 499, 501
 - iterative, 225, 226, 237
 - linear, 61, 62, 559
 - monolithic, 499
 - Newton, 62, 66
 - nonlinear, 62
 - overview, 61
 - recursive, 499
- source code, 225, 232, 236, 249
 - transformation, 247, 248, 250
- span, 156, 547
- sparse
 - Jacobian, 261–264
 - linear systems, 62, 246, 559
 - matrix, 486
- spectral
 - expansions, *see* polynomial chaos
 - projection, 465
- splines, 9
- splitting matrix, 563
- spring system problem, 133, 143, 210, 585
- SQP, *see* sequential quadratic programming (SQP)
- SR1 method, 576
 - update, 575
- stability, 56
- standard
 - deviation, *see* variance error, 404
- standard deviation, 314
- state variables, 50, 70, 225, 253, 478, 487, 492
- stationary point, 91, 93, 94, 167
- statistical model, 400, 401
- steepest-descent method, 36, 110, 111
- step length, 99, 136
- step-size dilemma, 229, 230
- stiffness matrix, 50, 253, 259, 481, 589
- stochastic
 - algorithms, 25, 286
 - collocation, 465
 - function, 20
 - gradient descent, 43, 413
- strong Wolfe conditions, 102, 106, 124
- structural
 - design problem, 71, 73, 253, 259, 588
 - model, 49, 253, 482
 - optimization, 40, 71, 447
- structurally orthogonal columns, 263
- subspace, 157, 547
- subsystem, 499
- subtractive cancellation, 56, 230
- successive over-relaxation (SOR), 62, 564
- sufficient curvature condition, 102
- sufficient decrease condition, 99, 100
- sum of squared errors, 411
- superlinear convergence, 65

- supervised learning, [433](#)
- support vector machine, [433](#)
- surrogate modeling toolbox (SMT), [399](#)
- surrogate models, [25](#), [28](#), [37](#), [285](#), [294](#), [373](#), [375](#), [532](#)
 - interpolatory, [384](#)
 - kriging, [37](#), [400](#)
 - linear regression, [385](#)
 - polynomial, [385](#)
 - regression, [384](#)
- surrogate-assisted optimization, [373](#)
- surrogate-based optimization (SBO), [28](#), [37](#), [42](#), [373](#), [414](#), [532](#)
- swarm, [316](#)
- symbolic differentiation, [81](#), [226](#), [238](#), [239](#), [247](#)
 - toolbox, [226](#)
- symmetric rank 1 (SR1) method, [130](#), [575](#)
- symmetry of second derivatives, [85](#)
- system-level
 - optimization, [532](#)
 - representation, [484](#), [505](#)
 - solver, [487](#), [500](#)
 - subproblem, [519](#)
- tabulation, [341](#), [342](#), [345](#)
- tangent
 - hyperplane, [157](#), [159](#), [165](#)
 - Jacobian, [224](#), [240](#)
- taping, [249](#)
- target variables, [515](#)
- Taylor series
 - approximation, [88](#), [95](#), [120](#), [449](#)
 - complex step, [232](#)
 - constraint, [159](#)
 - finite differences, [227](#)
 - multivariable, [540](#)
 - Newton's method, [68](#)
 - single variable, [539](#)
- Taylor series expansion, [539](#)
- ten-bar truss problem, [221](#), [588](#)
- three-bar truss problem, [219](#)
- time
 - dependence, [26](#)
 - horizon, [341](#)
 - integration, [63](#)
- topology optimization, [40](#)
- total
 - derivatives, [239](#), [254](#), [503](#), [504](#), [542](#)
 - differential, *see also* differential
 - potential energy, [133](#), [585](#)
- tournament selection, [310](#), [315](#)
 - multiobjective, [367](#)
- trade-offs
 - cost vs. performance, [10](#)
 - direct vs. adjoint, [257](#)
 - forward vs. reverse mode
 - AD, [246](#)
 - multidisciplinary, [477](#)
 - performance vs. robustness, [444](#)
 - risk vs. reward, [355](#), [443](#)
 - weight vs. drag, [356](#)
- training data, [374](#), [384](#), [396](#), [411](#)
- trajectory optimization, [1](#), [26](#), [39](#), [375](#)
- transportation problem, [36](#)
- traveling salesperson problem, [37](#), [328](#), [349](#)
- tree
 - breadth-first search, [333](#)
 - data structure, [498](#), [500](#)
 - depth-first search, [332](#)
 - pruning, [331](#)
- trisection, [304](#)
- truncation error, [57](#), [228](#), [229](#), [234](#)

- trust region, 96, 139, 528
 - comparison with line search, 95, 144
 - methods, 122, 139, 142–144, 208, 285
 - overview, 95
- type casting, 479
- uncertainty, 5, 20, 357, 389, 404, 441, 442, 447, 476
 - quantification, 443, 444, 448
- unconstrained optimization, 79
- underdetermined system, 466
- underfitting, 396
- underflow, 55, 233, 234
- unified derivatives equation (UDE), 265, 498, 507, 544
 - AD, 272
 - adjoint method, 270
 - derivation, 266
 - direct method, 270
 - forward, 267
 - reverse, 268, 509
- uniform distribution, 313, 377, 557
- unimodal function, 19, 282
- unimodality, 20, 79
- unit testing, 60
- units, 7
- unsupervised learning, 433
- upper triangular matrix, 246, 274, 560
- utopia point, 361
- validation, 5, 49
- van der Corput sequence, 381
- variable-order Markov chain, 339
- variables
 - bounds, 528
 - coupling, 478, 482, 484, 486, 487, 489, 492, 506, 515
 - design, 6, 253, 479
 - input, 374, 448, 482, 483
 - output, 374, 482
 - random, 400
 - state, 253, 478, 487, 492
 - target, 515
- variance, 400, 441, 443, 451, 554, 555
- vector, 545
 - operations, 545
 - space, 547
- verification, 49, 242, 262, 274
- visualization, 10
- warm start, 152, 562
- weak minimum, 19
- Weibull distribution, 473, 557
- weighted
 - directed graph, 338
 - Frobenius norm, 574
 - function, 246
 - inner product, 455
 - norm, 549
 - sum, 358
- wind
 - farm problem, 27, 40, 330, 358, 444, 445, 472
 - rose, 445
- wine barrel problem, 34, 150
- wing design problem, 8, 40, 82, 477, 497, 508, 513, 517, 519, 523, 531, 581
- Wolfe conditions, *see* strong Wolfe conditions
- Woodbury matrix identity, *see* Sherman–Morrison–Woodbury formula
- working set, 190
- XDSM diagram, 475, 486
 - data dependency lines, 486
 - iterator, 488
 - process lines, 488

zero-one variables, *see* binary
variables
zigzagging, [112](#), [113](#)