

Index

- Armijo rule, 115, 410
 autocovariance function, 361
 properties of, 361
 boundedness, 361, 363
 continuity, 361, 363
 loss of correlation, 361, 363
 mean-square continuity, 363
 mean-square differentiability, 363
 mean-square integrability, 363
 positive semi-definiteness, 361, 363
 symmetry, 361, 363
- basic random variables, 102, 108, 131, 135, 185, 224, 301, 328, 346, 409
 Bayes' rule, 19, 530
 Bayesian network (BN), 523
 application to seismic hazard, 535
 directivity effect, 539, 554
 ground motion prediction equation (GMPE), 536
 inter-event variability, 536
 intra-event variability, 536
 type of faulting, 536
 causal, 524, 526, 533
 chain-like topology, 544–545
 component modeling, 539–541
 conditional probability table (CPT), 525
 converging connection, 528
 directed links, 523–524
 diverging connection, 528
 divorcing, 542, 565, 568
 d-separation rules, 527–528
 dynamic (DBN), 556
 slice, 556
 enhanced (eBN), 562
 failure path sequence, 543
 inference, 523
 algorithms, 528
 backward, 530
 diagnostic, 530
 exact, 528
 forward, 530
 predictive, 530
 predictive distribution, 66, 280, 282, 306, 312, 351, 553, 561
 prior distribution, 280, 305, 309–310, 321, 346
 updating rule, 304, 312, 315, 351
 belief network. *See* Bayesian network
 Bouc–Wen hysteresis model, 466, 481, 488
 brittle failure, 234
- California high-speed rail system, 549
 central limit theorem, 62, 65, 426
 Chebyshev bounds, 122, 124, 130–131
 Cholesky decomposition, 82–83, 90, 111, 126, 128, 265, 547, 549
 component importance measures, 217, 245–249
 boundary measure, 246
 conditional probability, 247
 Fussell–Vesely measure, 247
 marginal importance, 246
 risk achievement worth, 246
 risk reduction worth, 247
 structural importance, 245
 upgrade worth, 249
 component reliability, 93, 104, 106, 109, 135, 139, 252, 290, 294, 296, 357–358, 370
 continuous-state component, 201
 discrete-state component, 201
 multi-state component, 201, 540, 542
 two-state component, 201, 215, 221, 224, 245, 539, 542
 convolution integral, 390
 copula distribution, 58, 76–79
 crack growth, 557
- data compression, 542
 phrase encoding, 542
 run-length encoding, 542
 De Morgan rules, 14–15, 54–55, 227
 decision making, 1, 306, 314, 349, 568
- junction tree algorithm, 531–532
 cliques, 532
 learning, 523
 links
 importance measure, 549
 marginalization, 530
 Markov blanket, 527, 563
 Markov envelope, 565
 memory demand, 532
 node elimination algorithm, 531–532
 nodes, 523–524
 barren, 562
 child, 524
 continuous, 524
 descendant, 524
 discrete, 524
 discretization, 528
 importance measure, 548
 interval random variable, 529, 558
 parent, 524
 root, 525
 spouses, 524
 object-oriented formulation, 526
 potential tables, 531, 542
 reduced (rBN), 562
 serial connection, 527
 survival path sequence, 542
 system modeling, 541–545
- Bayesian statistics, 19, 304
 Bayes' rule, 304
 conjugate-pair distributions, 311, 313, 330
 likelihood function, 280, 305–309, 320–327, 342, 346
 model assessment, 319–327
 normalizing factor, 305
 posterior covariance matrix, 305
 posterior distribution, 280, 305, 309, 329, 346, 351, 530, 552
 posterior marginal distribution, 306
 posterior mean vector, 305
 posterior mean-square matrix, 305

588 Index

- design point
 excitation, 453, 455
 FORM, 136, 140–141, 480, 505
 FOSM, 113
 in original space, 142
 multiple, 118, 167–172, 465
 response, 453, 455
 search algorithm, 114–118
 deterioration, 208, 403, 512, 557
 Dirac delta function, 367, 392, 452
 direct differentiation method (DDM),
 406, 413–418, 455, 491
 adjoint method, 415
 continuity of gradients, 415
 geometrically nonlinear problem,
 414
 linear static problem, 413
 nonlinear dynamic problem, 413
 nonlinear static problem, 415
 directed acyclic graph. *See* Bayesian
 network
 distribution parameters, 50, 53,
 296–297, 301, 328
 ductile failure, 234, 258, 274
 Duhamel's integral, 452, 457
- eigenvalue problem, 426, 428, 433, 436,
 547, 549
 eigenvalues, 186, 188, 426
 equivalent linearization method (ELM),
 459
 error function, 59–60, 470
 Euclidean norm, 223, 451
 events, 11
 certain, 12
 collectively exhaustive, 14
 complement, 12
 equality, 341
 impossible, 12
 inequality, 341
 mutually exclusive, 14
 null, 12
 statistically independent, 16
 evolutionary power spectral density
 (EPSD), 486
 evolutionary process, 465, 487
 existing structure, 340
 expectation, 11, 31. *See also* moments
 experimental design, 438, 441–443, 519
 2^n factorial design, 438
 fully saturated design, 438
- extreme-value distributions, 11, 42–48
 Gumbel distribution, 44
 Type I, 44, 46
 Type II, 44, 47
 Type III, 44, 47
 Weibull distribution, 48
- failure probability. *See* probability of
 failure
 fatigue, 25, 357
 finite differences, 294, 342, 406, 409,
 439, 497, 514
 finite element method, 405
 direct differentiation, 406, 413–418
 formulation, 407–409
 isoparametric element, 407
 nodal coordinates, 407
 numerical quadrature, 407
 reliability analysis, 405
 second-moment analysis, 405
 shape functions, 407
 uncertainty propagation, 405, 437
 finite element reliability analysis
 formulation, 409–413
 implicit limit-state function, 409
 parameter sensitivities, 443
 response surface methods,
 437–444
 non-intrusive nature, 443
 variable importance vectors,
 443
- first-order reliability method (FORM),
 139–142, 446, 461, 470, 501
 accuracy, 153
 asymptotic nature, 149, 177
 computational demand, 178
 design point, 136, 140–141, 480, 505
 parameter sensitivities, 158–163, 178,
 412, 443
 variable importance vectors, 153–156,
 165–166, 178, 412, 443
- first-order, second-moment (FOSM)
 method, 111–114
 Fourier transform, 361, 366, 454, 466
 fragility curve, 465, 468, 526, 539–540
 fragility surface, 540
 Frequency-response function (FRF),
 454, 463, 471, 481
 evolutionary, 486–487
 modulus, 463, 487
 phase angle, 463, 487
- Galerkin method, 427–428
 Gaussian process, 360, 369, 446, 451,
 474–475
 gradient vector, 40, 331, 406, 409,
 411–412
 Gram–Schmidt algorithm, 186
- Hasofer–Lind reliability index, 113–114
 hazard function, 24–26
 bath-tub curve, 26
 hermite polynomials, 124, 435–436, 443
 Hessian matrix, 40, 185, 187, 195, 253,
 280, 282, 406, 411
 high dimension problems, 151
 Hilbert transform, 454
 HL-RF algorithm, 114–115
 homogeneous process. *See* stationary
 process
 hysteretic oscillator, 466, 473, 476, 556
- iHL–RF algorithm, 116, 141, 410, 455
 impulse–response function (IRF), 448,
 471, 480
 influence diagram, 523
 infrastructure system, 1, 546, 549, 571
 inverse reliability problem, 172–174
 solution algorithm, 173–174
- Jacobian matrix, 35, 37, 40, 79, 82–84, 86,
 113, 116, 154, 162, 253, 407, 409
- Kanai–Tajimi filter, 477
 Kanai–Tajimi PSD, 481, 488
 kriging, 439, 518
 active learning, 441
 adaptive, 440
 best linear unbiased predictor, 440
 expected feasibility function, 441
 Gaussian interpolation process, 519
 generalized least squares, 440
 learning function, 442
 least mean-square regression, 442
 maximum likelihood estimate, 440
 Monte Carlo simulation, 442
 ordinary, 440
 sparse polynomial chaos, 443
 trend coefficient, 440
 trend function, 440
 uncertainty propagation, 443
 universal, 440
 Kronecker delta, 426, 433

- lack of invariance problem, 3, 110, 114, 124, 521
- Legendre polynomials, 427
- likelihood function, 280, 305
 formulation for distribution parameters, 306–309
 formulation for model assessment, 320–323
 in reliability updating, 342
 observation of bounds, 307, 322
 observation of equality events, 308, 342
 observation of events, 308
 observation of inequality events, 308
 observations with exact measurements, 307, 320
 observations with inexact measurements, 307, 321–322
- limit-state function, 2, 102, 104, 109, 441, 497–498
 required properties, 135
- limit-state function parameters, 301
- limit-state surface, 103, 135, 140, 186, 193, 226, 439, 441–442, 494, 541
- linear congruential generator, 263
- linear oscillator, 455–456, 556
- linear programming (LP), 216, 248
- load combination, 388–389
 Ferry Borges–Castanheta method, 389–391
 load coincidence method, 395
 nested reliability analysis, 397
 total probability rule, 396
- load path dependence, 233–238
- Markov chain, 291–292
- Markov process, 556
 homogeneous, 556
 transition probability, 556
- mathematical model, 1, 319
 reduced form, 319
 vector of models, 319
- maximum likelihood estimate (MLE), 280, 329, 441
- metamodel. *See* response surface
- model assessment
 correction of existing model, 322
 explanatory functions, 322
 homoscedasticity assumption, 320
 measurement error, 321
 model bias, 320
- multiple models, 323
- normality assumption, 320
- observation of bounds, 322
- residuals, 320
- model uncertainty, 319–320
 imperfect model form, 319
 measurement error, 320
 missing variables, 320
 statistical uncertainty, 320
- moments, 11, 31–34. *See also* expectation
 central, 31
 first-order approximation, 40, 331
 functions of random variables, 38
 linear functions, 38
 nonlinear functions, 39
 second-order approximation, 40
- Morgenstern distribution, 68–71
- most likely failure point. *See also* design point
 in original space, 142, 519
 in standard normal space, 136, 141, 439
 second-moment context, 113, 121
- most probable point (MPP). *See* design point
- multi-degree-of-freedom (MDOF) system, 477
 hysteretic, 481
 nonlinear, 460
- multilognormal distribution, 62–65
 properties, 64–65
- Multivariate distributions
 multilognormal, 62–65
 multinormal distribution, 58–62, 82
 properties, 61–62
- multivariate distributions. *See also* probability distribution
 as product of conditionals, 58, 65–67
 copula, 58, 76–79
 Morgenstern, 58, 68–71
 multilognormal, 58
 multinormal, 58–62
 Nataf, 58, 72–76
 with prescribed marginals, 68–76
- Nataf distribution, 58, 72–76, 83, 431
 transformation, 83–84
- Neumann–Morgenstern utility theory, 523
- Newmark β -method, 408
- Newton–Raphson method, 85, 115, 265, 408
- non-Gaussian process, 360, 446, 451
- numerical integration, 43, 73, 346, 450, 462
 by importance sampling, 279–281
- operation on events, 13
 associative property, 13
 commutative property, 13
 compound, 13
 distributive property, 13
 intersection, 13
 union, 13
- optimization, 1, 114, 140, 167, 217, 223, 227, 427, 493, 545, 549. *See also* reliability-based design optimization
- parabolic domain, 187
- parameter estimation. *See* Bayesian statistics
- parameter sensitivities, 158–161, 412
 by simulation, 294–297
 in finite-element reliability analysis, 412
- limit-state function parameters, 158–159, 412
- probability distribution parameters, 158, 160, 412
- Paris' law, 557
- performance function. *See* limit-state function
- planned structure, 340
- Poisson process, 360, 380–385
 assumptions, 381
 autocorrelation coefficient function, 384
 autocovariance function, 383–384
 first-order PMF, 381–382
 homogeneous, 384
 intensity function, 381
 interarrival times, 386–387
 exponential distribution, 387
 mean rate of occurrences, 383
 mean-square continuity, 384
 mean-square non-differentiability, 384
 second-order PMF, 383
 waiting time, 385
 gamma distribution, 386

590 Index

- Poisson process (cont.)
 with random selections, 385
 probability of selection, 385
- polar coordinates, 151
- polynomial chaos expansion, 442, 518
- post-earthquake risk assessment, 549
- principal axes, 186, 189–190, 195
- principal curvatures, 137, 150, 186, 188, 190, 192, 195, 277, 411
 major, 189
- principal directions of ground motion, 481
- prior distribution, 309–310
 conjugate, 312–315, 330
 diffuse, 310
 non-informative, 310–311
 previous posterior, 309
 subjective, 309
- probability
 addition rule, 15
 axioms, 14
 Bayes' rule, 18
 Bayesian notion, 14, 108, 302
 bounds, 16, 217, 244
 conditional, 16, 23
 frequentist notion, 302
 inclusion-exclusion rule, 15
 likelihood, 19
 marginal, 16
 multiplication rule, 16
 posterior, 19
 prior, 18
 total probability rule, 17, 23, 329
- probability distribution, 11, 21
 conditional, 23, 28–29
 conjugate pairs, 350
 consistency rule, 27–28
 continuous random variable, 21
 cumulative function (CDF), 22
 density function (PDF), 21
 discrete random variable, 21
 FORM approximation, 175–177
 kurtosis, 123
 marginal, 27
 mass function (PMF), 21
 mean, 31
 models, 49–52
 multivariate, 27
 of functions of random variables, 34
 posterior, 346
 predictive, 330
- prior, 346
- skewness, 123
- SORM approximation, 196
- standard deviation, 31
- updating, 348
- variance, 31
- probability of failure, 1, 93
- c.o.v. of estimator, 267
- conditional, 328–329
- confidence bounds, 332
- estimator, 266
- first-order approximation, 141
- point estimate, 329
- predictive estimate, 329
- required sample size, 267
- sample c.o.v. of estimator, 268
- second-order approximation, 150
- unbiased estimator, 267
- updating, 341
- variance of estimator, 267
- proof loading, 230, 308, 341
- pseudorandom numbers, 263
- conditional distributions, 265
- linear congruential generator, 263
- lognormal distribution, 265
- multinormal distribution, 265
- Nataf distribution, 265
- normal distribution, 264
- specified distribution, 264
- standard normal distribution, 264
- radius of curvature, 189
- random field, 357, 425, 439, 546
- autocorrelation coefficient function, 426, 440, 546
- autocovariance function, 440
- correlation length, 428, 440
- discretization, 406, 425
- expansion optimal linear estimation (EOLE) method, 428–430
- Karhunen–Loève (K–L) method, 426, 429
- mid-point method, 425
- optimal linear estimation (OLE) method, 427
- orthogonal series expansion (OSE) method, 426–427, 429
- shape-function method, 426
- spatial average method, 426
- Gaussian, 425, 440, 546
- homogeneous, 425
- lognormal, 431
- non-Gaussian, 430
- random process, 361
- autocorrelation coefficient function, 361, 451
- autocorrelation function, 367
- autocovariance function, 361, 453, 486
- band-limited white noise, 447
- discretization, 448
- cross-correlation coefficient function, 361, 453
- cross-covariance function, 361, 453
- discrete form, 447
- discretization
 frequency domain, 451
 sinc function, 462
 time domain, 447
- filtering, 448–449, 451, 455
- homogeneous. *See* stationary
- jointly stationary, 362
- marginal distribution, 361
- Markovian, 556
- mean function, 361
- mean upcrossing rate, 469
- mean-square continuity, 362
- mean-square convergence criterion, 362
- mean-square differentiability, 362
- mean-square integrability, 362
- modulating function, 449, 486
- non-Gaussian, 451
- non-stationary, 449
- periodic, 451
- specification, 361
- stationary, 292, 362–363, 366
- translation process, 451, 455, 460
 Nataf process, 451
- variance function, 361, 486
- random variable, 11, 20
- basic, 102, 109, 139, 346
- coefficient of variation, 32
- continuous, 20
- correlation coefficient, 32
- correlation matrix, 34
- covariance, 32
- covariance matrix, 34
- discrete, 20
- equicorrelated, 566
- function of, 34
- mean, 31

- mean square, 31
- median, 31
- mode, 31
- moments, 31
- standard deviation, 31
- statistically independent, 28, 30
- variance, 31
- random vibrations, 357. *See also*
 - stochastic structural dynamics
- reliability, 1, 93, 206
 - function, 24–26
 - index, 97–101, 109–110, 112–113, 122, 131, 140–141, 328
- reliability analysis methods
 - beyond second-moment information, 123
 - first order (FORM), 135, 139–142
 - first order, second moment (FOSM), 111–114
 - generalized second-moment, 121
 - knowledge of marginal distributions, 127
 - knowledge of third and fourth moments, 124
 - mean-centered, first-order, second-moment (MCFOSM), 109–111
 - nested, 330, 564
 - response surface methods, 441
 - second moment, 109
 - second order (SORM), 185–197
 - time- or space-variant problems, 389
 - lower bound solution, 379
 - mean down-crossing rate, 371–373
 - Poisson approximation, 387
 - upper bound solution, 374
 - updating, 340–345
 - using upper Chebyshev bound, 108, 130–131
- reliability index, 140
 - conditional, 328, 330–331, 565
 - confidence bounds, 332
 - distribution, 332
 - first-order, second-moment, 122
 - generalized, 188, 328, 501, 509
 - generalized second moment, 122
 - Hasofer–Lind, 112
 - lack of differentiability, 495
 - orderability, 121
 - point estimate, 329
 - predictive estimate, 329
- reliability software, 6
 - CalREL, 6, 61, 115, 166, 188, 197, 227–228, 263, 266, 269, 273–274, 286, 420, 434
 - COSSAN, 6
 - DAKOTA, 7
 - FERUM, 7, 166
 - GeNie, 7
 - Hugin, 8
 - MATLAB toolbox for Bayesian
 - network analysis, 7
 - NESSUS, 6
 - OpenSees, 7, 166, 416, 465
 - PROBAN, 6
 - Rt, 7
 - STRUREL, 6
 - tools for analysis by sampling, 7
 - tools for Bayesian analysis, 7
 - tools for metamodeling and uncertainty propagation, 7
 - tools for reliability and risk analysis, 7
 - tools for surrogate modeling, 7
- reliability-based design optimization (RBDO), 493
 - buffered failure probability, 497, 519
 - lack of invariance, 521
 - classes of problems, 493
 - convexity, 521
 - decoupling approach, 500
 - employing FORM, 494
 - nested algorithms, 495
 - objective function, 493
 - Pareto optimal solution, 494
 - performance measure approach, 496
 - quadratic programming, 516
 - reliability constraint, 493
 - reliability index approach, 494
 - semi-infinite algorithms, 497, 501, 508
 - single-loop algorithms, 495, 497
 - solution by importance sampling, 515, 519
 - solution by Monte Carlo sampling, 497, 514
 - structural constraint, 493, 498
 - use of kriging, 497
 - use of surrogate model, 497, 518
- reliability-based topology optimization, 499
- response surface method, 438
 - adaptive schemes, 439
 - experimental design, 438
 - least-squares, 438
 - moving least squares, 439
 - polynomial chaos, 442
 - quadratic form, 438
- rice formula, 375, 469
- risk assessment, 523, 549, 551, 555, 561
- Rosenblatt transformation, 84–85, 330
- rotational symmetry property, 122–123, 126, 136, 228, 283
- safety, 1
- safety factor, 98
- safety margin, 96
- sample point, 11
- sample space, 11
 - continuous, 11
 - discrete, 11
 - finite, 11
 - infinite, 11
 - uncountable, 11
- sampling density, 272–275
- sampling methods. *See* simulation
 - methods
- search direction, 115, 410, 494
- secant method, 265, 284, 286, 411–412
- second-moment reliability methods, 108
- second-order reliability method (SORM), 185, 471
 - classical formulation, 185–188, 411
 - curvature-fitting, 187
 - gradient based, 189–197, 411
 - point fitting, 193–195, 411
- serviceability, 1
- set theory, 11
- simulation methods, 262
 - conditional sampling, 283
 - directional importance sampling, 285
 - directional sampling, 283–286, 412
 - directional sampling with antithetic variates, 286
 - importance sampling, 227, 271, 346
 - using design points, 412
 - Markov chain Monte Carlo, 291, 346
 - Monte Carlo, 266, 412, 442
 - orthogonal plane sampling, 283, 288–290, 412
 - parameter sensitivities, 294–297
 - sampling in half space, 275
 - subset simulation, 290–293, 412
 - use of antithetic variates, 270
 - sync function, 449, 462, 481

592 Index

- spatially varying support motions, 481
- spectral decomposition, 426, 428
- spectral moments, 471, 474–475
- standard normal space, 58, 79, 81, 83, 135, 139, 167, 185, 225, 228, 266, 283, 410, 440, 446, 498
 - parabolic domain, 137
 - properties, 136
 - spherical domain, 138
 - transformation to, 79, 139
- stationary process, 362, 366, 464, 474
 - power spectral density (PSD), 366, 454
 - spectral moments, 454
- step size, 115, 410
- stochastic finite element methods
 - Neumann expansion, 406
 - perturbation, 405
 - response surface methods, 437–444
- spectral stochastic finite element method, 406, 435–437
 - Hermite polynomials, 436
 - K-L expansion, 435
 - polynomial chaos, 435
 - weighted integral method, 405
- stochastic load models, 388–389
 - Ferry Borges–Castanheta model, 389–391
 - filtered Poisson process, 391–393
 - response function, 391
 - snow load, 391
 - influence coefficient, 389
 - load effect, 389
 - maximum over specified duration, 389
 - mean upcrossing rate, 389
 - Poisson pulse process, 394–395
 - Poisson spike process, 391
 - Poisson square wave process, 393
- stochastic process. *See* random process
- stochastic structural dynamics, 446
 - discretization of excitation, 446
 - first-passage probability, 447
 - improved approximation, 474
 - lower bound solution, 475
 - Poisson approximation, 474
 - upper bound solution, 474
 - Gaussian response, 469
 - level crossings, 469
 - level crossings
 - limit formula, 470
 - linear system, 452
 - causal system, 452
 - design point, 453
 - design-point excitation, 453, 455
 - design-point response, 453, 455
 - frequency-response function, 454
 - impulse-response function, 452
 - non-Gaussian excitation, 455
 - non-Gaussian response, 455
 - reliability index, 453
 - mean upcrossing rate, 447, 487
 - nonlinear system, 459–460
 - classical methods, 459
 - equivalent linearization method, 459
 - Monte Carlo simulation, 460
 - stable system, 452
- structural reliability problems
 - component problem, 93
 - encroaching problem, 358
 - encroaching-outcrossing problem, 359
 - outcrossing problem, 358
 - space variant, 357
 - system problem, 104
 - time- and space-variant, 360
 - time variant, 357
- structural system reliability
 - bi-component bounds, 232
 - event tree approach, 238–240
 - FORM approximation, 225–229
 - formulation, 224
 - matrix-based approach, 221–223
 - parameter sensitivities by FORM, 253
 - parameter sensitivities by LP, 254
 - parameter sensitivities by matrix-based approach, 254
 - under parameter uncertainties, 301, 328
 - updating, 301, 341
- structural system, definition, 200
- surrogate model. *See* response surface
- system reliability, 104
 - availability, 206
 - bounds, 209–211
 - bounds by LP, 215–218
 - bounds for series system, 212–214
 - by expectation, 206
 - by inclusion-exclusion rule, 209
 - by total probability rule, 207
 - first-passage probability, 206
 - general system, 104
 - matrix-based approach, 221–223
 - mean downtime, 206
 - mean failure rate, 206
 - mean time to failure, 206
 - parallel system, 104, 470
 - parameter sensitivities, 252
 - reliability function, 206
 - series system, 104
- system representation
 - Bayesian network, 200
 - block diagram, 200
 - cut sets, 203
 - disjoint cut sets, 203
 - disjoint link sets, 203
 - event tree, 200
 - fault tree, 200
 - link sets, 203
 - minimum cut sets, 203, 542
 - minimum link sets, 203, 542
 - physical diagram, 200
 - system function, 201
- system, types of
 - coherent, 201
 - continuous state, 201
 - discrete state, 201
 - general, 202
 - k -out-of- N , 202
 - multi-state, 201
 - parallel, 202, 347
 - series, 202
 - two-state, 201
- tail sensitivity, 101
- tail-equivalent linear system (TELS), 447, 461
 - evolutionary, 487
 - existence, 465
 - frequency-response function, 463
 - impulse-response function, 462
 - properties of, 464–466
 - uniqueness, 465
- tail-equivalent linearization method (TELM), 446, 459–464
 - evolutionary TELM, 486–488
 - first-passage probability, 473–475
 - fragility analysis, 468
 - level crossings, 469–471
 - multiple excitations, 480

- non-Gaussian response, 475
- Taylor series expansion, 39, 405
- test likelihood, 533
- the *R-S* reliability problem, 93–100
- uncertainties, 1
 - aleatory, 303, 328, 340
 - epistemic, 303, 328, 340
 - human error, 303
 - inherent variability, 302
 - irreducible, 302
- measurement error, 303
- model error, 303
- randomness, 302
- reducible, 302
- sources of, 302
- statistical uncertainty, 302
- types of, 303
- variable importance measures
 - linear function, 39
 - nonlinear function, 40
- variable importance vectors, 153–156, 412
 - basic random variables, 154–156, 412
 - standard normal random variables, 153–154
 - with respect to means and standard deviations, 165–166
- Venn diagram, 12–13
- weakest link system, 202
- White noise, 447, 450–451, 465, 488
- Wiener–Khinchine relations, 367