

Index

- abstraction set, 19
- accessible functor, 113, 368, 373, 375
- Aczel–Mendler functor $(-)_2^3$, 105, 107, 553, 558, 559, 563, 568
- adjoint, 392
- algebra, 4, 12
 - carrier, 12
 - complete Elgot, 242
 - completely iterative (cia), *see* completely iterative algebra
 - completely metrizable, 235
 - continuous, 16
 - corecursive, *see* corecursive algebra
 - double, 501
 - for a monad, 503
 - Eilenberg–Moore, *see* Eilenberg–Moore algebra
 - finitely generated, 349
 - for a monad, 428
 - free, *see* free algebra
 - homomorphism, 4, 13
 - initial, *see* initial algebra
 - iterative, 343
 - iterative, 336
 - minimal, *see* minimal algebra
 - over nominal sets, 18
 - over sets in context, 17
 - projective, 352
 - quotient, 107
 - Σ -algebra, 14, 178
 - sub-, 21
- algebraically complete, 80, 172
- almost λ -disjoint, 576
- analytic functor, 78, 107, 111, 121, 122, 347, 414, 415
- arity, 14
- binding, 18
 - S -sorted, 15
- automaton
 - accepting state, 37
 - Büchi, 426
 - deterministic, *see* deterministic automaton
 - linear weighted, 256, 272
 - Mealy, 39
 - Moore, 39
 - nofa, 417
 - non-deterministic, *see* non-deterministic automaton
 - observable, 293, 309
 - parity, 426
 - reachable, 293
 - regular nominal, 419
 - terminal, 48
 - weighted, 42, 43, 353
- Büchi automaton, 425
- bag, 40
 - functor $\mathcal{B}$, 40, 78, 103, 105, 111, 233, 558, 568
- Banach Fixed Point Theorem, 152, 234, 550
- bar string, 355
- base, 514
 - case, 168
 - category, 12
- basic equation, 106
- Beck’s monadicity theorem, 376
- behavioural equivalence, 60
- binary
 - decision diagram (BDD), 317
 - decision tree, 75
 - tree, 24
- binding
 - arity, 18

- polynomial functor, 18, 19, 422, 539
- signature, 18
- bipointed
 - metric space, 524
 - set, 79, 524
- bisimulation, 58, 97, 132, 147, 295, 309, 310, 458, 558
 - functional, 60
 - graph $\sim$, 97
 - tree $\sim$, 126
 - weighted, 40
- bounded, 363
 - totally, 129
- Brzozowski derivative, 48
- canonical
 - cocone, 67
 - extension $\bar{F}$, 415
 - filtered diagram, 325
 - fixed point, 133, 144, 149, 150, 153, 161, 201, 210–212, 415, 423, 462
 - graph, 259
 - morphism, 189, 462
- Cantor's Theorem, 22, 510
- cardinal, 168, 169
 - measurable, 592
 - regular, 169
 - singular, 169
 - strong limit, *see* strong limit cardinal
- cardinality, 167, 191
- carrier, 12
- cartesian
 - closed, 135
 - subcoalgebra, 254
- category
 - base, 12
 - CMet-enriched, 151
 - cocomplete, 93
 - complete, 32
 - CPO-enriched, 135
 - Kleisli, 408, 409
 - λ -filtered, 365
 - λ -presentable, 375
 - left-strict, 148
 - locally
 - λ -presentable, *see* locally λ -presentable category
 - presentable, 367, 537
 - pointed, 134
 - presheaf, 275, 322
 - Scott complete, 150
 - strict
 - CMet-enriched, 157, 538
 - CPO-enriched, *see* strict CPO-enriched well-powered, 21
- Cauchy completion, 71, 394, 461
- chain, 169, 193
 - i -, 169
 - Ord-, 169
 - complete poset, 169, 250, 545
 - convergence ordinal, 193
 - initial-algebra, *see* initial-algebra chain
 - ω -, 66
 - terminal-coalgebra, *see* terminal-coalgebra chain
- cia, *see* completely iterative algebra
- co-well-powered, 93
- coalgebra, 2, 4, 36
 - I -pointed, 308
 - canonical graph of, 259
 - cofree, 63, 483
 - corecursive
 - parametrically, 217
 - finitely presentable, 381
 - homomorphism, 3, 4, 36
 - locally
 - finite, 327
 - finitely generated (Ifg), 357
 - finitely presentable (Ifp), 327
 - pointed, 298
 - quotient, 97, 274
 - reachable, 298
 - recursive, *see* recursive coalgebra
 - parametrically, *see* parametrically recursive
 - relatively terminal, 488–489
 - simple, 295–297
 - terminal, *see* terminal coalgebra
 - weakly terminal, *see* weakly terminal coalgebra
 - well-founded, *see* well-founded coalgebra
 - well-founded part, 270
 - well-pointed, *see* well-pointed coalgebra
- coalgebra-to-algebra morphism, 216, 244
- cocomplete, 93
- cocone, 66
- cofinal, 169, 511
- cofinality, 575
- cofree, 63
- coinduction, 3
 - principle, 60, 112
- cointersection, 294
- colimit, 67

- create, 91
- filtered, *see* filtered colimit
- comma category, 340
- commutative monad, 410, 413, 414
- compactly branching tree, 129
- compatible sequence, 124
- complete
 - algebraically, *see* algebraically complete
 - category, 32
 - Elgot algebra, 242
 - lattice, 543
 - metric space, 71, 151, 464, 550
 - partial order (cpo), 16, 541
 - ideal, 44
 - lifting, 16
- completely iterative algebra (cia), 217, 231, 232, 234
- free, 483
- initial, 238
- completely metrizable, 235
- completion
 - Cauchy, *see* Cauchy completion
 - ideal, *see* ideal completion
- congruence, 97, 295
- constant
 - functor, 101, 141, 191, 366
 - essentially, 191
 - symbol, 14
- continued fraction, 529, 533
- continuous
 - algebra, 16
 - function, 16
 - functor, 475
- contracting
 - chain, 155
 - function, 152
- Contraction Coinduction, 551
- converge, 172, 193
 - in exactly λ steps, 172, 193
- convergence ordinal, 172
- convolution product, 353
- corecursion, 3
 - primitive, 57
- corecursive
 - algebra, 218, 227, 228, 533, 535
 - free algebra, 223
 - initial algebra, 221
 - parametrically, 217
- coreflective subcategory, 274
- covariator, 63, 120, 518, 524
- cpo, *see* complete partial order
- CPO-enriched, 135, 181, 210
 - strict, 143
- create
 - colimits, 91
 - limits, 93
- cutting, 99, 123, 461
- δ -discrete, 511
- depth, 24
- deterministic automaton, 37, 159, 256, 298, 309, 315
- diagonal fill-in property, 224
- diagram, 91, 101
 - filtered, 322
 - λ -filtered, 365
 - scheme, 91
- dinatural transformation, 464
- direct image operator, 264
- directed
 - graph, 38
 - poset, 101, 546
- discrete
 - metric, 71, 464, 521
 - order, 82
- distributive law, 410, 414
- duality, 44
- edge, 38
- Eilenberg–Moore algebra, 242, 361, 428
- Elgot algebra, 361
 - complete, 242
- embedding, 136, 143
 - projection pair, 136
 - isometric, *see* isometric embedding
- enriched category
 - CMet, 151
 - CPO, 135
 - strict CMet, 157
 - strict CPO, 162, 211
- epi-pullback, 564
 - weak, 564, 571
- epi-transformation, 102, 103
- epimorphism
 - extremal, 294
 - split, 6, 102
 - strong, *see* strong epimorphism
- equation
 - basic, 106
 - morphism, 217
- equivalence
 - kernel $\sim$, 97
- equivariant map, 18
- essentially

- constant, 191
- uniquely, 321
- evaluation function, 404
- eventually periodic, 332
- extension, 394
 - left Kan, 325, 335
- extensional
 - tree, 75, 100, 126, 127
 - strongly extensional, *see* strongly extensional tree
- extensional quotient, 75
- extremal epimorphism, 294
- F -algebra, 4, 12
 - homomorphism, 4, 13
- F -coalgebra, 4, 36
 - homomorphism, 4, 36
- factorization
 - (strong epi, mono), 225
- factorizes essentially uniquely, 321
- factorizing morphism, 67
- filter, 114
 - α -based, 197
 - functor $\mathcal{F}$, 114, 197, 553, 568, 592
 - λ -small, 197
- filtered, 322
 - colimit, 195, 277, 322, 348, 380, 574
 - diagram, 322
- final functor, 340, 342, 379
- finitary
 - flat equation morphism, 336
 - presentation, 103, 104
 - signature, 14, 262, 325, 347, 362, 478
- finite
 - distribution functor $\mathcal{D}_f$, 40, 558
 - hereditarily, 23
 - permutation, 18
 - power-set functor $\mathcal{P}_f$, 23, 75, 76, 86, 102, 103, 105, 122, 125, 233, 316, 323, 332, 347, 366, 402, 433, 469, 558
- finite-to-one, 121, 122
- finitely
 - bounded functor, 101, 104, 574
 - generated, 348
 - presentable, 320
 - supported, 324
- fixed point, 8, 22, 187, 198, 272, 284, 335
 - canonical, *see* canonical fixed point
 - corecursive, 218
 - locally ffg, 359
 - locally finite, 357
 - minimal, 188, 284
 - post-, *see* post-fixed point
 - pre-, 542
 - rational, *see* rational fixed point
 - recursive, 244
 - unique, *see* unique fixed point
- flat
 - equation morphism, 230
 - finitary, 336
 - term, 216
- formal
 - language, 48, 159
 - power series, 49, 53, 353
- free
 - algebra, 30, 314, 477–483
 - finitely generated, 352
 - iterative, 340
 - cia, 239, 400
 - cia monad, 400, 403
 - completely iterative monad, 241
 - corecursive algebra, 223
 - corecursive-algebra chain, 223
 - finitely generated, 352
 - iterative algebra, 340
- fully abstract, 330
- function
 - continuous, 16
 - inflationary, 545
 - non-expanding, *see* non-expanding function
 - strict continuous, 17
- functional bisimulation, 60
- functor
 - accessible, *see* accessible functor
 - Aczel–Mendler, *see* Aczel–Mendler functor
 - analytic, *see* analytic functor
 - bag, *see* bag functor
 - binding polynomial, *see* binding polynomial functor
 - bounded, 363
 - by sets of size $\leq \lambda$, 589
 - constant, *see* constant functor
 - continuous, *see* continuous functor
 - contracting, 159
 - locally, 161
 - contravariant power-set $\text{Set}(-, 2)$, 395
 - discrete probability measure $\mathcal{D}_f$, 568
 - distribution $\mathcal{D}$, 466
 - essentially constant, 191
 - filter $\mathcal{F}$, *see* filter functor
 - final, *see* final functor
 - finitary, 101, 113, 303, 574

- set, 103, 106, 346, 577
- finite power-set $\mathcal{P}_f$, *see* finite power-set functor
- finitely bounded, *see* finitely bounded functor
- finitely-supported power-set $\mathcal{P}_{fs}$, 324
- grounded, 467, 475
- Hausdorff $\mathcal{H}$, *see* Hausdorff functor
- hom-contracting, 158
- iterable, 239, 403
- Kantorovich $\mathcal{K}$, 368
- Kripke polynomial, *see* Kripke polynomial functor
- λ -accessible, 195, 589
- λ -bounded, 194, 589
- λ -preaccessible, 385
- left strict, 538
- locally
 - contracting, *see* locally contracting functor, 538
- locally continuous, *see* locally continuous functor
- monoid-valued, 40, 568
- polynomial, *see* polynomial functor
- power-set $\mathcal{P}$, *see* power-set functor
- power-set $\mathcal{P}_\lambda$, 553, 568
- preaccessible, 385, *see* preaccessible
- precontinuous, 465, 475
- presentation of, 103
- preserves inclusions, 586
- proper, 359, 453
- quotient, 102, 206
- R , 245, 262, 307, 310, 553, 568
- stable, 210, 538
- standard, 239, 587
- strict CPO-enriched, 210
- super-finitary, 578
- Vietoris $\mathcal{V}$, *see* Vietoris functor
- General Recursion Theorem, 279
- Generalized Continuum Hypothesis (GCH), 199
- generates, 327
- generating set, 363
- global element, 298
- graph, 38, 266
 - $\sim$ bisimulation, 97
 - canonical, 259
 - directed, 38
 - pointed, 100
 - reachable, *see* reachable graph
 - well-founded, 267
- Hartogs' Lemma, 170, 545
- Hausdorff
 - functor $\mathcal{H}$, 153, 368, 521
 - metric, 153, 236
 - polynomial functor, 523, 539
- HC , 177
- height, 174
- hereditarily finite, 23, 177
- HF , 177
- homomorphism, 14
 - algebra, 4, 13
 - coalgebra, 3, 4, 36
 - Σ -algebra, 14
- hyperspace, 514
- i -chain, 169
- ideal, 44, 142, 474
 - completion, 142, 473, 475
- idempotent, 210
 - semiring, 356, 435, 436
 - split, 210
- image, 225
- inclusion map, 552
- Ind-completion, 328
- infinitary signature, 176
- infinite word, 83
- inflationary, 545
- initial
 - algebra, 4, 21, 67, 68, 108, 187, 245, 250, 282, 314, 373, 394
 - iterative, 343
 - theorem, 187
 - corecursive algebra, 221
 - iterative algebra, 343
 - object
 - simple, 227, 274
 - strict, 226
- initial-algebra chain, 66, 171, 173, 187, 247, 274, 386, 463
- intersection, 113
 - finite, 114, 554
 - nonempty, 113, 554
 - preservation of, 113, 560
- inverse
 - image, 559
 - operator, 264, 275
 - preservation of, 559
- isolated step, 168
- isometric
 - cone, 522
 - embedding, 74, 151, 179, 511
- iteration theory, 242
- iterative algebra, 336

- Iwamura's Lemma, 546
- kernel equivalence, 97
- kernel pair, 455
 - weak, 563, 571
- Kleene's Theorem, 65, 305, 542
- Kleisli
 - category, 408, 409, 414
 - extension, 241
 - triple, 241
- Knaster–Tarski Theorem, 80, 170, 228, 276, 424, 543
- Kripke
 - polynomial functor, 119, 263, 374, 402, 466
 - structure, 118
- labelled
 - transition system, 39, 302
 - tree, 25
- λ -accessible, 195
- λ -calculus, 165
- λ -presentable, 366
- λ -small filter, 197
- λ -term, 354
- Lambek's Lemma, 22
- language
 - bar, 419
 - context-free, 435
 - finitely supported, 355
 - formal, 48
 - weighted, 53, 353
- lattice, 543
 - complete, 543
- leaf, 24
- left adjoint, 32, 392
- left-monotone, 548
- lifting, 16, 147, 210, 394, 398
 - contracting, 152, 159
- limit
 - create, 93
 - ordinal, 168
 - step, 168
 - strong $\sim$ cardinal, 201
- limit-colimit coincidence, 134, 140, 156
- linear weighted automaton, 256, 272
- locally
 - continuous functor, 141, 143, 144, 162, 163, 210
 - contracting functor, 152, 153, 157, 158, 166, 234, 403
 - ffg fixed point, 359
 - finite, 327
 - finite fixed point, 357
 - finitely generated, 357
 - finitely presentable, 321, 327
 - λ -presentable category, 367, 368, 381, 492, 495
 - presentable category, 367, 537
 - lower Vietoris space, 520
- $\mathcal{M}$ -object, 178
- $\mathcal{M}$ -subfunctor, 204
- many-sorted set, 86
- map
 - equivariant, 18
 - strict continuous, 17
- Markov chain, 40
- meet, 226
- metric
 - Hausdorff, *see* Hausdorff metric
 - maximum, 73
 - space, 71
 - bipointed, 524
 - complete, *see* complete metric space
 - discrete, 73
 - totally bounded, 129
- minimal
 - algebra, 6, 29, 188, 284
 - automaton, 293, 309, 346
- monad, 31, 400, 403, 408, 410, 414, 478
 - commutative, *see* commutative monad
 - Kleisli category, 408, 414
 - locally contracting, 403
 - rational, 360
- monoid
 - positive, 132, 569
 - refinable, 132, 569
 - valued functor, 40, 568
- monomorphism
 - nonempty, 226
 - regular, 179
 - smooth, 178
 - strong, 384
 - universally smooth, 276, 277
- morphism
 - canonical, 462
 - coalgebra-to-algebra, 216, 244
 - corecursively specified, 55
 - factorizing, 67
 - flat equation, 230
 - recursively specified, 33
 - tree, 124
- multigraph, 41
- multiset, 40
- mutual recursion, 88

- natural numbers object (NNO), 24
- next-time operator, 265
- nofa, 417
- nominal set, 18
- non-deterministic automaton, 39, 132, 147, 256, 433
- non-expanding function, 71, 151
- nullary symbol, 14
- observable automaton, 293, 309
- ω -chain, 66
- ω -colimit, 66
- operation symbols, 14
- orbit, 78, 322
 - finite, 322, 348
- Ord-chain, 169
- ordered tree, 24
- ordinal, 167
 - limit, 168
 - successor, 168
- parametrically recursive, 245, 279, 281
- parity automaton, 425
- partial order
 - complete (cpo), 541
- Pataaraia
 - Induction Principle, 549
 - Theorem, 548
- permutation
 - finite, 18
- point, 298
- pointed
 - category, 134
 - coalgebra, 298
 - graph, 100
 - set, 456
 - subcoalgebra, 298
- polynomial functor, 14, 16, 84, 88, 141, 152, 176, 195, 219, 552
 - binding, *see* binding polynomial functor
 - Hausdorff, 523, 539
 - Kripke, *see* Kripke polynomial functor
 - Vietoris, 518, 539
- poset
 - chain-complete, *see* chain-complete poset
 - directed, *see* directed poset
- positive, 132, 569
- post-fixed point, 191, 192, 513, 549
- power-set
 - finite $\sim$ functor, *see* finite power-set functor
 - functor $\mathcal{P}$, 14, 102, 255, 298, 399, 553
- pre-fixed point, 22, 66, 67, 101, 170, 186–189, 191, 192, 228, 250, 251, 272, 285, 542, 577
- preaccessible, 537, 591, 592
- precontinuous, 462
- prefixed-closed, 25
- prelimit, 465
- presentation, 347
 - finitary, 103
- presheaf
 - category, 17, 198, 275, 283, 539
 - of λ -terms, 17
- previous-time operator, 301
- primitive
 - corecursion, 57
 - recursion, 34
- projection, 136, 143
- projective, 352
- proper functor, 359, 453
- pseudometric, 404
- quadratic irrationals, 333
- quotient, 206, 274
 - algebra, 107
 - coalgebra, 97
 - functor, 102
 - object, 96
 - order on, 96
 - strong, 294, 306
 - coalgebra, 274
- rational fixed point, 329, 346, 347, 357, 534
- reachable
 - automaton, 293, 309
 - coalgebra, 298, 303, 304, 306
 - graph, 298, 303
 - part, 299
- recursion, 2, 33
 - mutual, 88
 - primitive, 34
 - Theorem, 279
- recursive
 - coalgebra, 244, 246, 285, 485
 - parametrically, *see* parametrically recursive
 - terminal, 245
- recursively specified morphism, 33
- refinable, 132, 569
- regular
 - cardinal, 169, 575
 - monomorphism, 179
- relation, 38, 58
 - well-founded, 244
- retraction-embedding pair, 151

- right adjoint, 32, 392
- root, 24
- S -semimodule, 42
- S -sorted signature, 15
- saturated tree, 130
- Scott induction, 66, 250
- Scott-complete, 150
- semimodule, 42
- semiring, 42
- set
 - abstraction, 19
 - bipointed, 79, 524
 - hereditarily countable, 177
 - hereditarily finite, 23, 177
 - in context, 17
 - many-sorted, 86
 - nominal, 18
 - non-well-founded, 243
 - S -sorted, 15
- set functor
 - accessible, 538
 - finitary, 466
 - grounded, 467
 - precontinuous, 462
- Σ -algebra, 14
- Σ -term, 25
 - graph, 317
- Σ -tree, 25, 27, 176
 - rational, 331
- signature, 84, 88, 102, 103, 107, 176, 478
 - binding, 18
 - finitary, *see* finitary signature, 75
 - infinitary, 85, 176
 - many-sorted, 86, 89
 - S -sorted, 15
- simple, 227, 274
 - coalgebra, 295–297
- singular, 169
- smooth, 205
 - class, 178, 502
 - class of monomorphisms, 502
 - monomorphism, 178
 - universally, 276
- solution, 216, 218, 219
- sorted
 - set, 15
 - signature, 15
- split
 - epimorphism, 6, 102
 - idempotent, 210
- stable, 210, 538
- state transition graph, 256
- Stone space, 520
- stream, 47, 52, 55, 74, 83, 159, 243, 356, 499
 - automatic, 332
 - causal $\sim$ function, 49
 - eventually periodic, 332, 353
 - rational, 353
 - real valued, 83
- strict, 17
 - CMet-enriched, 157, 538
 - CPO-enriched, 143, 210, 538
 - initial object, 226, 277
- strong
 - epimorphism, 224, 294, 326
 - limit cardinal, 201, 482
 - monomorphism, 384
 - quotient, 274, 306
 - quotient coalgebra, 294
- strongly extensional
 - quotient, 127
 - tree, 126, 127, 132, 233, 402, 471, 521
- subalgebra, 6, 21
- subbase, 514
- subcartesian, 596
- subcoalgebra, 46, 128, 364
 - cartesian, 254–255
 - pointed, 298
- subfunctor, 204
- subobject, 21
 - classifier, 287
 - smooth, 178
- successor ordinal, 168
- super-finitary, 578
- support, 18
- systems with termination, 37
- term, 25
 - flat, 216
- terminal
 - automaton, 48
 - coalgebra, 5, 46, 103, 199, 238, 296, 312, 364, 373, 394, 461, 475
 - recursive coalgebra, 245
- terminal-coalgebra chain, 81, 193–195, 198, 376, 463
- theorem
 - Banach's Fixed Point, *see* Banach Fixed Point Theorem
 - Beck's monadicity, 376
 - Cantor's, *see* Cantor's Theorem
 - Freyd's Iterated Square, 485
 - Freyd's Special Adjoint Functor, 364

626

Index

- Initial Algebra, 187
- Kleene's, *see* Kleene's Theorem
- Knaster–Tarski, *see* Knaster–Tarski Theorem
- Makkai and Paré's Limit, 376
- Markowsky's, 547
- Pataia's, 548
- Taylor's General Recursion, 279
- Zermelo's, 170, 545
- totally bounded, 129
- transfinite induction, 168
- transition system
 - labelled, 39
 - weighted, 40
- tree
 - $\sim$ -bisimulation, 126
 - binary, 24
 - binary decision, 75
 - compactly branching, 129
 - complete n -ary, 25
 - cutting, *see* cutting
 - extensional, *see* extensional tree
 - strongly, 126
 - height, 174
 - labelled, 25
 - leaf, 24
 - morphism, 124
 - ordered, 24
 - saturated, 130
 - Σ -tree, 25, 27, 176
 - strongly extensional, 126, 127
 - quotient, 127
 - tupling, 25, 73
 - with multiplicities, 77
 - unordered, 24
 - well-founded, 174
- triangular identities, 32, 392
- Trnková hull, 261, 561, 579–581, 583, 584
- ultrafilter, 592
 - σ -complete, 592
 - principal, 592
- unique fixed point, 152, 158, 160
- unit interval $\mathbb{I}$, 525, 533
- universally smooth, 276
- unordered tree, 24
- variator, 31, 32, 174, 191, 192, 201, 377, 389, 478, 480–482, 519, 524
- variety, 313, 367, 428
 - finitary, 321, 349
 - locally finite, 321
- vertex, 38
- Vietoris
 - functor $\mathcal{V}$, 514, 517, 539
 - polynomial functor, 518, 539
 - space, 514
 - lower, 520
- weak
 - kernel pair, 563
 - pullback, 60, 97, 132, 406, 426, 455, 556, 562, 563
- weakly terminal, 95, 98, 103
- weighted
 - automaton, 43, 433
 - bisimulation, 40, 434
 - language, 53, 434
 - transition system, 40
- well-founded, 174
 - coalgebra, 255, 267, 272, 281, 282, 284, 285, 314
 - terminal, 282
 - graph, 267
 - graph vs. relation, 254
 - part, 270, 271
- well-ordered set, 167
- well-pointed
 - coalgebra, 309, 312, 314, 345
 - modification, 310
- well-powered
 - category, 21
 - $\mathcal{M}$ -, 178
- zero object, 134