

Index of Examples

2008 subprime mortgage crisis, 27	Erdős number, 164
Adolescent Health Survey, 33	<i>Escherichia coli</i> , 427
air-traffic control system, 279	Facebook social network, 66
amorphous computer network, 149	Facebook survey, 164
automobile engine manufacture, 59	financial networks, 25, 307
Bacon number, 163	food web, 3
baker's yeast (<i>Saccharomyces cerevisiae</i>), 177	four-color map problem, 387
biological networks, 3, 42, 212, 307	French political blogosphere, 370
biological networks	friendship network of lawyers, 249
gene regulatory networks, 43	fruit fly (<i>Drosophila melanogaster</i>), 177
neural networks in the brain, 46	galactic structure and star formation, 111
protein–protein interaction networks, 45	galaxies
Bitcoin	disk, 111
blockchain, 31	elliptical, 111
convertible virtual currency, 29	flocculent, 111
cryptocurrencies, 29	spiral, 111
digital signature, 30	two-armed, 111
OTC network, 58	Harvard College influenza study, 219
transaction network, 29	hubs
bullying in schools, 249	brain hubs, 69
citation networks, 23, 215	transportation hubs, 67
computer networks, 294	human brain, 363
detection of brain tumor, 283	image segmentation, 283
disease prevalence, 229	impurity doping of semiconductors, 106
document networks, 3, 362	infectious diseases and epidemics, 108
e-mail networks	information networks, 3
Enron employees, 34, 413	injection-drug users in Russia, 229
European Research Institute, 34	Internet, 16
ecological food webs, 363	jazz musicians, 229
ecological networks, 3, 49	legislative redistricting, 273
epidemics	load-balancing, 348
COVID-19 coronavirus, 110	metabolic networks, 363
Ebola virus, 108	molecular-biological network, 363
HIV/AIDS, 109	
SARS, 109	

INDEX OF EXAMPLES

network tomography, 283	Seven Bridges of Königsberg, 4
North American Power Grid, 18	Simpson’s monk data, 419
	social networks, 3, 32, 294
Oracle of Baseball, 164	
parallel computing, 274	technological networks, 16
political blogs, 354, 359	telephone call network, 65
polymerization and gelation, 136	terrorist networks, 51
protein–protein interaction networks, 294	transcriptional regulatory network, 370
	transportation networks, 3
Sampson’s monk data, 38, 298, 413	
scientific articles, 363	VLSI computer-aided design, 279
scientific collaboration networks, 36	
semiconductor	web clustering, 284
<i>n</i> -doping, 108	World Wide Web (WWW), 21, 212
<i>p</i> -doping, 107	
	Zachary’s karate club, 40

Subject Index

- actor, 57, 297, 384
- adjacency matrix, 61
- adjacent nodes, 145
- ARPANET, 17
- automorphism, 146
- average path length, 167

- basic reproduction number, 430, 436
- basic reproduction number
 - COVID-19, 431, 437
 - SARS epidemic, 431
- Bayesian approach
 - belief propagation algorithm, 307
- bijection, 146, 386
- biological networks, 42, 177
- biological networks
 - bacteria, *Escherichia coli*, 44
 - baker’s yeast, *Saccharomyces cerevisiae*, 44, 307, 370
 - fruit fly, *Drosophila melanogaster*, 43
 - gene regulatory networks, 43
 - Human Genome Project, 42
 - mouse, *Mus musculus*, 43
 - nematode worm, *Caenorhabditis elegans*, 43
 - neural networks in the brain, 46
 - protein–protein interaction networks, 45
 - sea urchin, *Echinoidea*, 43
 - transcription factors, 44
 - transcriptional regulatory network, 44
- bipartite graph, 59, 62
- block assignment function, 339
- block-membership matrix, 314
- bond, 57
- brain networks, 46
- branching process
 - extinction probabilities, 86
 - Galton–Watson, 84, 96, 140
 - probability generating function, 84

- call graph, 65
- Cayley’s formula, 83
- Chernoff bounds, 80
- citation networks
 - h*-index, 24
 - bibliographic coupling, 25
 - CiteRank index, 24
 - co-citation, 25
 - eigenfactor, 24
 - high-energy physics papers, 24
 - SARA, 24
 - U.S. Supreme Court opinions, 23
 - wake citation score, 24
- Clauset–Newman–Moore algorithm, 333
- clique
 - maximal, 61
- clustering coefficient, 165, 167, 188
- communications networks, 219
- compact metric space, 399
- computational complexity, 13, 336
- conditional independence, 255
- configuration model
 - clustering coefficient, 188
 - common neighbor, 186
 - degree distribution, 187
 - edge probability, 184
 - giant component, 194
 - giant component diameter, 197
 - multiple edges, 184
 - node-degree sequence, 183
 - phase transition, 194
 - Poisson-distributed network, 198
 - power-law distribution, 196
 - second neighbors, 192
 - self-loops, 185
 - spectral density, 326
 - spokes, stubs, half-edges, 183
 - third neighbors, 193

SUBJECT INDEX

- consistency
 - almost exact recovery, 340
 - classification problems, 338
 - consistent estimator, 338
 - exact recovery, 340
 - partial recovery, 340
 - spectral clustering, 353
 - strongly consistent criterion, 339
 - weakly consistent criterion, 339
- critical probability, 78
- cumulative sum (CUSUM), 421
- cycle, 57
- degree distribution, 434
- degree distributions
 - Erdős–Rényi random graph model, 169
 - power law, 171
 - scale-free network, 173
 - Watts–Strogatz model, 170
- degree-corrected stochastic blockmodel, 314
- dependence graph, 254
- detailed balance, 224
- diameter, 173
- dimensionality reduction, 404
- direct product of two graphs, 145
- directed acyclic graph (DAG), 58
- disease transmission models, 428
- distance
 - between two nodes, 145
 - cut, 377
 - edit, 376
 - Hamming, 376
- distance between networks
 - Hamming, 423
 - HIM, 424
 - IM, 424
 - Jaccard, 423
 - spectral, 423
- duplication model, 212
- dyad, 6, 239, 241
- dynamic biological networks, 425
- dynamic community discovery, 415
- dynamic network tomography, 412
- dynamic networks, 411
- dynamic networks
 - continuous-time, 414
 - discrete-time, 413
 - endogenous change, 421
 - exogenous change, 421
 - initiated change, 421
 - longitudinal social networks, 420
 - mixed-membership SBM, 416
 - network stability, 421
- e-mail networks
 - Enron employees, 34
 - European Research Institute, 34
- ecological networks
 - food webs, 49
- edge, 57
- edge density, 400
- edge-weighted static networks, 413
- effective reproduction number, 437
- epidemic model
 - discrete-time, 432
- epidemic modeling
 - network approach, 433
- epidemics, 428
- Erdős–Rényi random graph, 166
- Erdős–Rényi–Gilbert random graphs, 76
- ERGM: see p^* model, 257
- ergodic theorem, 223
- Ethernet, 16
- Euler’s beta function, 205
- evolutionary networks, 412
- excess-degree distribution
 - definition, 187
 - probability generating function, 190
- exchangeability
 - Aldous–Hoover theorem, 382
 - de Finetti’s theorem, 379
 - edge, 382
 - finite sequence, 378
 - hyperedge, 384
 - infinite sequence, 379
 - joint, 381
 - random array, 381
 - relational, 384
 - relative, 384
 - separate, 381
- expected-degree random graph
 - Chung–Lu model, 199
 - definition, 199
 - Erdős–Rényi model, 200
 - giant component, 201
 - self-loops, 200
 - spectral density, 327
- exponential family
 - cumulant generating function, 240
 - curved exponential family, 241
 - definition, 240
 - dimension, 240
 - full case, 240
 - full-rank case, 241
 - linear case, 241
 - log-partition function, 240
 - minimally represented, 241
 - natural parameter space, 240

SUBJECT INDEX

- natural parameter vector, 240
- normalization function, 240
- order, 240
- regular, 241
- single-parameter case, 241
- exponential random graph model (ERGM), 6, 257
- exponentially weighted moving average (EWMA), 421
- financial networks
 - 2008 mortgage crisis, 27
 - Bitcoin, 29
 - blockchain, 31
 - cryptocurrencies, 29
 - institutions, 26
- first-moment method, 79
- forest of order k , 83
- four-color map problem, 387
- French political blogosphere, 370
- Frieze–Kannan cut norm, 396, 397
- Galton–Watson process, 432
- geodesic distance, 166
- geodesic path, 166
- giant component, 76
- Girvan–Newman algorithm, 7
- graph
 - component, 64, 95
 - connected, 64
 - diameter, 65
 - geodesic distance, 65
- graph coloring problem, 387
- graph compression
 - algorithmic, 219
 - semantic, 219
- graph Laplacian
 - Fiedler eigenvector, 325, 348, 351
 - normalized, 325, 348
 - normalized random-walk algorithm, 351
 - normalized symmetric algorithm, 351
 - random-walk, 348, 349
 - regularized normalized symmetric, 356
 - regularized spectral clustering (RSC) algorithm, 356
 - spectral gap, 348
 - symmetric, 348
 - unnormalized, 347
 - unnormalized algorithm, 351
- graph partitioning
 - approximate structural equivalence, 296
 - binary cuts, 274
 - block membership function, 301
 - block membership matrix, 301
 - blockmodel, 297
 - Cheeger constant, inequality, ratio, 282
 - communities, 294
 - cut edge, 274, 290
 - cut objective function, 290
 - cut size, 274
 - cut value, 274
 - degree-corrected stochastic blockmodel, 10
 - Fiduccia–Mattheyses algorithm, 276
 - graph cuts, 10, 272
 - graph Laplacian matrix, 346
 - hyperplane clustering method, 287
 - Kernighan–Lin algorithm, 275
 - latent cluster models, 10
 - legislative redistricting, 273
 - minimum cut solution, 291
 - minimum cuts, 274
 - multiway cuts, 290
 - normalized cuts, 281, 292
 - overlapping-community models, 10
 - parallel computing, 274
 - planted partition model, 301
 - pseudo-likelihood approach, 308
 - ratio cuts, 278, 291
 - regular equivalence, 296
 - semidefinite programming, 309
 - spectral approach, 279
 - spectral clustering, 10, 346, 350
 - spectral segmentation, 284
 - stochastic blockmodel, 10, 301, 302
 - stochastic equivalence, 296
 - stochastically equivalent receivers, 297
 - stochastically equivalent senders, 297
 - structural equivalence, 295
- graph properties
 - connectivity, 93
 - emergence of cycles, 89
 - emergence of trees, 87
 - giant component, 95
- graph search algorithms
 - breadth-first search, 71
 - depth-first search, 71
- graph-splitting algorithm, 340
- graphon, 8, 395, 396
- graphon
 - Aldous–Hoover theorem, 397
 - bipartite, 402
 - definition, 397
 - empirical, 393
 - Erdős–Rényi random graph, 398
 - limit, 394
 - pixel picture, 394
 - scaled, 402
 - simple, 396

SUBJECT INDEX

- sparse, 402
- stochastic blockmodel, 398
- graphon estimation
 - cross-validation, 406
 - Erdős–Rényi graph, 404
 - network histogram, 403, 406
 - nonparametric Bayesian, 404
 - sorting-and-smoothing algorithm, 408
 - stochastic blockmodel, 403
 - stochastic blockmodel approximation (SBA), 404
- graphons
 - compact metric space, 399
 - comparing estimates, 403
 - cut distance, 399
 - cut metric, 399
 - generating random networks, 401
- homomorphism
 - density, 385
 - graph, 385
- homophily, 165
- Horvitz–Thompson estimator, 230
- image matrix, 298
- incidence matrix, 62
- infectious diseases, 411
- Internet, 16
- inverse-Wishart distribution, 253
- isomorphism, 146
- Jaccard index, 368
- Julesz conjecture, 393
- Karrer–Newman likelihood criterion, 316
- kernel function, 396
- kernels
 - Gaussian radial basis function, 287
 - isomorphism up to a nullset, 397
 - Mercer kernel, 287
 - weak isomorphism, 397
- kmeans algorithm, 351
- Kolmogorov zero–one law, 130
- Kullback–Leibler divergence, 306
- Landau notation, 12
- Laplace approximation, 418
- latent cluster random-effects model, 371
- latent space models, 265
 - distance model, 266
 - projection model, 269
- lattice
 - configuration, 112
 - configuration space, 129
 - connected sites, 113
 - external boundary of box, 117
 - finite box, 117
 - honeycomb, 121
 - nearest neighbors, 114
 - path, 113
 - regular ring, 165
 - rescaled, 155
 - ring, 167
 - translation invariance, 112
 - triangular, 121, 125
- Leiden algorithm, 336, 337
- logistic-normal distribution, 416
- Louvain algorithm, 334
- Markov chain
 - aperiodic, 264
 - ergodic, 223
 - irreducible, 264
 - stationary, 264
 - transition probabilities, 142
- Markov chain Monte Carlo (MCMC), 231
- Markov random graph, 255
- matrix
 - Frieze–Kannan cut norm, 376
- matrix-tree theorem, 424
- MCMC
 - BUGS, 262
 - Gibbs sampler, 262
 - Metropolis–Hastings, 262
- mean-field approximation, 306
- measure-preserving transformation, 396
- Metropolis–Hastings algorithm, 253
- minimum spanning tree
 - Kruskal’s algorithm, 73
 - Prim’s algorithm, 73
- mixture of distributions, 418
- modularity
 - definition, 318
 - Erdős–Rényi, 319
 - hyperelliptical solution, 323
 - hyperspherical solution, 322
 - matrix, 321
 - more than two communities, 326
 - Newman–Girvan, 319, 358
 - optimal, 321
 - spectral density, 326
 - two communities, 320
- moment generating function, 80
- movie collaboration graph, 163
- multidimensional Poisson point process, 153
- multigraph, 57, 186

SUBJECT INDEX

- nearest neighbors, 57
- network
 - ϵ -regular, 400
 - ϵ -regular partition, 400
 - adjacency matrix, 1
 - community, 67
 - convergent sequence, 396
 - dense, 374
 - directed, 2, 57
 - edge, 1
 - hub, 67
 - node or vertex, 1
 - relational data, 1
 - sparse, 374, 390
 - undirected, 2, 57
- network estimation
 - Bayesian approach, 11
 - maximum likelihood, 11
 - maximum modularity, 11
 - maximum pseudo-likelihood, 11
- network models
 - configuration, 9
 - expected-degree random graph, 9
 - graphons, 10
 - percolation, 9
 - preferential attachment, 9
 - random copying, 9
 - random graph, 8
 - small-world, 9
- network motifs
 - finding and counting, 425
 - static, 426
 - temporal, 427
- network properties, 388
- network properties
 - hereditary, 388
- network sampling
 - boundary bias, 229
 - difficult-to-access populations, 226
 - distance function, 221
 - expansion sampling, 342
 - forest-fire sampling (FFS), 237
 - incident-subgraph sampling, 225
 - induced-subgraph sampling, 221
 - link-trace sampling (LTS), 226
 - MCMC expansion sampling, 343
 - network exploration, 226
 - node-sampling by Metropolis algorithm, 223
 - objectives, 220
 - PageRank sampling (PRS), 343
 - random-edge sampling (RES), 225
 - random-edge sampling with induced subgraph (REI), 226
 - random-node sampling (RNS), 221
 - random-node sampling by degree (RND), 222
 - random-node sampling by PageRank (RNP), 222
 - random-walk sampling (RWS), 235
 - random-walk sampling with random jumps (RWJ), 236
 - respondent-driven sampling (RDS), 229
 - Salganik estimator, 235
 - snowball expansion sampling, 343
 - snowball sampling (SBS), 227
 - strategies, 341
 - topology-based, 226
 - variance estimation, 234
 - volunteer bias, 229
 - Volz–Heckathorn estimator, 234
- networks
 - biological, 307
 - cut distance, 377
 - financial, 307
 - isomorphism, 386
 - property testing, 388
- node, 57
- node
 - degree, 58
 - in-degree, 58, 62
 - out-degree, 58, 62
 - root, 59
- node degree, 434
- nonparametric Bayesian approach, 317
- overlapping communities
 - community-affiliation graph model (AGM), 371
 - link-based clustering, 367
 - stochastic blockmodels, 369
- PageRank, 222
- PageRank algorithm, 22
- parametric p_1 blockmodel
 - ML estimation, 312
 - probability distribution, 312
- parametric model
 - p^* or ERGM, 6, 9
 - p_1 , 6, 9, 242
 - p_1 blockmodel, 311
 - p_2 , 6, 9
 - latent space, 10
- parametric model p^* or ERGM
 - algorithms
 - MCMC, 262
 - logit model, 258
 - maximum pseudo-likelihood (MPL) estimator, 260
 - normalization constant, 258

SUBJECT INDEX

- parameters, 257
- probability distribution, 257
- sufficient statistics, 257
- parametric model p_1
 - algorithms
 - general iterated scaling (GIS), 245
 - iterative generalized LS (IGLS), 246
 - iterative proportional fitting (IPF), 246
 - attractiveness parameter, 243
 - dyad, 254
 - global density parameter, 243
 - homogeneity effect, 243
 - ML estimation, 245
 - productivity parameter, 243
 - reciprocation effect, 242
 - reciprocity parameter, 243
 - sufficient statistics, 244
- parametric model p_2
 - algorithms
 - iterative generalized LS (IGLS), 252
 - MCMC, 252
 - Bayes's theorem, 253
 - dyad, 254
 - random effects, 248
- partitioning algorithms, 10
- path, 63
- path
 - edge-independent, 63
 - node-independent, 63
- path length, 166
- percolation
 - adjacent disks, 153
 - adjacent sites, 157
 - aggregation process, 137
 - amenable graph, 148
 - Bernoulli percolation model, 113
 - Bethe lattice, 137–139, 148
 - bond percolation, 112
 - Boolean model, 149
 - Cayley graph, 146
 - Cayley tree, 137, 138, 148
 - cellular engineering, 150
 - Cheeger constant, 147
 - cluster, 154
 - cluster–cluster aggregation, 137
 - cluster-size distribution, 119
 - continuum percolation, 149
 - continuum percolation probability, 154
 - correlation length, 118, 119
 - critical density, 150
 - critical exponents, 121, 140
 - critical point, 120
 - critical probability, 114, 139
 - discrete percolation, 112, 154
 - disk, 153
 - Gilbert's disk system, 154
 - Grimmett–Newman transitive graph, 146
 - hyperscaling relations, 123
 - infinitely many infinite clusters, 140
 - isoperimetric constant, 147
 - Kadonoff blocks, 124
 - long open paths, 117
 - mean cluster size, 116
 - microfabrication, 150
 - monomer-cluster aggregation, 137
 - multidimensional infinite hypercubic lattice, 112
 - Newman–Schulman result, 130, 144
 - number of infinite clusters, 128
 - one-dimensional case, 157
 - open cluster, 113
 - percolation on trees, 138
 - percolation probability, 114
 - percolation threshold, 120
 - phase transition, 114, 145
 - Poisson Boolean model, 151
 - Poisson point process, 150, 151
 - power laws, 121
 - quasi-transitive graph, 146
 - renormalization (semi)group, 123
 - renormalization-group transformation, 125
 - scaling relations, 123
 - semiconductors, 106
 - site percolation, 108, 113, 155
 - sol–gel transition, 137
 - subcritical phase, 115, 116
 - supercritical phase, 115, 120
 - transitive graph, 144, 146
 - translation invariance, 116
 - trifurcation, 132
 - unique infinite cluster, 131
 - universality, 122
- Perron–Frobenius theorem, 325
- phase transition, 78
- piecewise Lipschitz function, 405
- pixel picture, 393
- Poisson distribution, 435
- political blogs network, 344, 354, 359
- power-law degree distribution
 - exponent, 172
- power-law distribution
 - general form, 172
- preferential attachment
 - examples
 - citation networks, 202
 - metabolic networks, 202
 - movie actor networks, 202
 - online edit networks, 202

SUBJECT INDEX

- preferential attachment model
 - adding new nodes and edges, 203
 - algorithm, 203, 206
 - asymptotics via master equation, 203
 - cumulative advantage, 202
 - generalization, 206
 - linear case, 209
 - nonlinear, 207
 - Pólya process, 201
 - power-law, 205
 - stretched exponential distribution, 207
 - sublinear case, 207
 - superlinear case, 207, 210
 - Yule process, 202
 - Zipf’s law, 202
- prior distribution
 - conjugate gamma, 317
 - Dirichlet, 317
- probability distributions
 - Bernoulli, 302, 303
 - Dirichelet, 363
 - exponential, 178
 - log-normal, 178
 - multinomial, 301
 - power law with exponential cutoff, 178
 - Weibull, 178
- probability generating function
 - binomial-distributed network, 191
 - definition, 189
 - excess-degree distribution, 190
 - exponential-distributed network, 192
 - Poisson-distributed network, 191
 - second neighbors, 193
- probability generating function (PGF), 435
- product graph, 145
- proper graph coloring, 386
- protein–protein interaction network, 177
- pseudo-likelihood approach, 259
- Raleigh quotient, 349
- random adjacency matrix, 300
- random copying model
 - biological networks, 212
 - citation networks, 215
 - full duplication, 213
 - hybrid, 214
 - partial duplication, 213
 - World Wide Web, 212
- random variable
 - expected value, 14
 - standard deviation, 14
 - variance, 14
- random variables
 - correlation coefficient, 14
 - covariance, 14
 - finitely exchangeable, 378
 - infinitely exchangeable, 379
- random vector
 - covariance matrix, 14
 - expected value, 14
- Rayleigh–Ritz theorem, 280
- reduced graph, 298
- Reed–Frost model
 - discrete-time, 432
- resolution limit, 337
- Riemann zeta function, 196
- rooted forest, 83
- Sampson’s monk data, 38, 298, 344
- scale-free network
 - average path length, 174
 - clustering coefficient, 174
 - definition, 173
 - resilience, 174
- scientific collaboration networks, 36
- second-moment method, 79
- selection bias, 233
- self-avoiding path, 63
- self-loop, 57
- sets
 - symmetric difference, 376
- shift-invariance
 - configuration, 129
 - event, 129
 - probability measure, 130
- simple graph, 186
- simulated annealing, 224
- singular value decomposition, 12
- SIR* model
 - susceptible–infected–recovered, 429
- SIS* model
 - susceptible–infected–susceptible, 429
- site, 57
- small-world models
 - Erdős number, 164
 - Milgram’s message-passing experiments, 161
 - Oracle of Baseball, 164
 - Six Degrees of Kevin Bacon, 163
 - six degrees of separation, 162
 - Watts–Strogatz algorithm, 165
 - Watts–Strogatz model, 165
- snapshots, 413
- social networks, 176
- social networks
 - Adolescent Health Survey (AddHealth), 33
- sociogram, 2
- sociomatrix, 1
- spectral clustering

SUBJECT INDEX

- misclassification rates, 354
- regularized, 356
- spectral density
 - adjacency matrix, 328
 - modularity matrix, 328
 - Poisson random graph, 328
- spectral graph theory, 350
- spectral theorem, 12
- stars, 255
- statistical process control, 421
- Stieltjes–Perron inversion formula, 327
- Stirling’s formula, 143
- stochastic blockmodel
 - degree-corrected, 314
 - likelihood criterion, 304
 - mixed-membership, 363
 - MLE, 304
 - variational approximation, 305
 - variational EM algorithm, 306
- stochastic models
 - continuous-time, 431
- Strong Law of Large Numbers (SLLN), 264
- subgraph, 60
- Szemerédi’s regularity lemma, 399, 404
- tail σ -field, 129
- technological networks, 176
- terrorist networks, 51
- threshold function, 78
- tie, 57
- time label, 413
- time-varying networks, 412
- transcriptional regulatory network, 370
- transitivity, 169
- transportation networks, 176
- tree
 - r -regular Cayley tree, 138
 - locally finite, 138
 - regular, 138
- tree graph, 58
- tree of order k , 83
- triad model
 - clustering model, 256
 - Erdős–Rényi model, 256
 - probability distribution, 256
 - sufficient statistics, 256
- triangles, 169, 255
- variational approximation, 305
- variational EM approach, 365
- walk, 63
- Wigner’s semicircle law, 328, 344
- World Wide Web (WWW), 21, 219
- Zachary’s karate club data, 40, 345