

Index

- adaptation, 42–46, 81, 119, 121, 171
- adaptive peaks, 82, 164
- adhesion proteins, 143
- adultocentrism, 48–49, 165
- allometric growth, 4
- animal kingdom, 3, 10, 41, 50, 133
 - modularity, 64
 - origins, 120
 - structure, 114–117
 - toolkit genes, 147, 154
- annelid worms, 41, 114, 119, 133, 137–140
- antennapedia mutation, 30, 94, 110, 124, 140
- apoptosis, 56
- appendages, 39, 45, 122, 136, 140–141, 166
- Arabidopsis*, 50
- Archaea, 3
- arthropods, 24–25, 41, 108, 111, 113, 147
 - body plan, 122–123
 - fossils, 119
 - germ-band stage, 67
 - homologous vs. convergent features, 131–133
 - limbs, 136–137, 140–141
 - patterns of relatedness, 114–117
 - segmentation, 137
 - skeleton, 67–68, 168
- artificial selection, 83–85
- asymmetry, 64, 98–102
- axolotl, 59–60
- bacteria, 2–3, 74
- Bateson, William, 9, 26–27
- beak, 15, 70, 161, 171
- Belon, Pierre, 20
- bicoid* gene, 100
- bilateral symmetry, 34, 54, 64, 69–70, 116–117, 122, 131–133, 166
- Bilateria, 115–117
 - anteroposterior axis, 72, 138–139
 - body plan, 123
 - eyes, 136, 142, 144
 - fossils, 120
 - left–right axis, 100
 - non-bilaterally symmetrical, 140
 - origins, 119, 122
- biogenetic law, 23
- birds, 4, 112, 127, 167
 - apoptosis, 57
 - beak size, 70, 161, 171
 - body plan, 104
 - convergent evolution, 37–38
 - development compared to mammals, 65
 - evolution from dinosaurs, 42
 - predation and natural selection, 89
 - skeleton, 20
 - vertebrae in long-necked, 92

184 INDEX

- birds (cont.)
wings, 103, 136
wingspan, 27
- bithorax mutation, 30, 79
- blastocyst, 65
- blastodisc, 65
- blastula, 26, 34, 65, 68
- body axes
anteroposterior, 34, 55, 72, 94, 100,
137–139, 166
dorsoventral, 24, 100, 166
left–right, 100, 166
- body plans
bird, 104
definition, 67–69
developmental stages, 122–129
evolutionary origins, 69–70, 85,
113–130, 160–164, 168, 172
genes, 129–130
homologous vs. convergent features,
131–134
key features, 117
mechanisms of origins, 121
micro/macroevolution, 75
novelties and, 113
timescale of origins, 117–121
- body size, 50, 112, 161, 168, 171
developmental variation, 77–79
effect of quantitative trait loci (QTLs),
102, 123
fruit-fly, 156
mouse, 127
snails, 90
stabilizing selection, 92–93
- brachiopods, 115–116
- brain size, 18
- Brenner, Sydney, 49
- Brown, William L., 43
- Burgess Shale, 119
- butterflies, 140, 148
developmental bias and artificial
selection, 84–85, 160
- developmental phases, 2, 34
- life cycle, 47–48
- variation, 84–85, 97
- Caenorhabditis elegans*, 49, 126
- Cambrian explosion, 119–120
- Cambrian period, 117–120, 131
- carapace (turtle), 105–107, 113
- carapacial ridge, 107–108
- caterpillars, 47–48, 66, 148
- cave-fish, 64, 133
- cell differentiation, 52, 55
- cell division, 50, 54–55, 170
- cell membrane, 143
- cell movement, 54–55
- centipedes, 111, 166
developmental bias, 85–88, 155
developmental repatterning, 60
evolutionary novelties, 103–104
eye loss, 133, 143
leg-bearing segments, 61, 87–88
macromutation, 163
segmentation, 63, 91, 138
temperature effects on development, 11
venom claws, 60, 87, 103–104,
108–112, 119
- cervical vertebrae, 91–92, 94–96, 155,
157
- character, 21, 27, 41, 77–83, 158–160,
171
artificial selection for, 83–86
derived, 69
morphological, 127–128
- chick, 49, 150
- chirality, 97–103, 124
- chordates, 38–39, 54, 67–68, 115, 119,
133
- clade, 37, 99, 111, 157
Amniota, 127
avian, 150
centipede, 108
frogs, 149

- mammalian, 83
- tetrapod, 104
- turtle, 105
- cladistics, 37–38, 69, 79
- cladogram, 38–40
- cnidarians, 50, 117, 122
- coadaptation, 43, 171
- coding regions (of genes), 73, 135, 144, 147–148, 155, 167
- coelacanth, 134
- colinearity, 72
- convergent evolution, 37–39, 87, 142
- correlation of growth, 77, 158–160
- crabs, 28, 64
- creationism, 17–18
- Cryogenian period, 120
- Cuvier, Georges, 114–115

- Darwin, Charles, 12, 23, 34–35, 48, 77, 83, 153, 158–159
- Darwin, Erasmus, 20
- Darwinism, 12–15, 48, 151, 153
- de Beer, Gavin, 28, 30, 152
- de Vries, Hugo, 27
- deep homology, 137, 141, 154, *see also* homology
- deuterostomes, 54, 116, 123, 133
- developmental bias, 5, 13, 62, 70, 121, 155, 159, 164, 168, 170
 - artificial selection and, 83–85
 - interaction with natural selection, 14, 91–95, 160
 - phenotypic plasticity and, 85–88
 - vs. macromutation, 96–98
- developmental constraint, 5, 10, 13, 45, 60–63, 91, 155, 159, 164, 170
 - absolute and relative constraint, 62–63
 - selective constraint and, 91–95
- developmental genetics, 11, 49, 139–140, 152
- developmental reaction norms, 36, 77, 157

- developmental repatterning, 58–60, 111, 124, 156–158
 - echinoderms, 117
 - role of toolkit genes, 129
 - snails, 96
 - types, 147, 163, 167
- developmental trajectory, 17–18, 68, 156–157, 166, 170
 - biases in production of variants, 96, 168
 - convergent and homologous structures, 40
 - definition, 4–5
 - developmental repatterning, 60–61, 156–157, 165
 - divergence, 124, 128
 - evolvability, 63
 - frogs, 149
 - human, 33
 - population spread, 121
 - relative constraint, 63
 - two species compared, 67
- dinosaurs, 4–5, 42, 105
- directional selection, 41–42, 89, 171
- distal-less genes, 85, 139–142, 147
- Dlx genes, 140
- DNA, 6–9, 17, 36, 41, 71, 134–135, 145
 - coding vs. non-coding, 73
 - double-helical structure, 134–135
- domains of life, 2
- Drosophila*, 49–50, 137, 154
 - anteroposterior axis, 100
 - caudal gene, 87
 - crossveinless wing pattern, 32
 - developmental repatterning, 156–157
 - developmental variation, 77–79
 - hedgehog* gene, 55, 72
 - mutations, 9–10, 31, 94, 139–140, 142
 - segmentation, 142
 - Ultrabithorax* gene, 129
- duplication and divergence, 104, 147, 167

186 INDEX

- earthworms, 47
Ecdysozoa, 116
echinoderms, 123
 body plans, 68, 117, 140
 brain, 18, 134
 relationship to chordates, 54
 relationship to hemichordates, 115
 rudiment stage, 67, 69
eco-devo, 12
Ediacaran biota, 119
Ediacaran period, 119–120, 131
egg, 49, 128
 flies, 156
 snakes, 128
embryogenesis, 1, 46–47, 51, 54–55,
 127, 150
embryology
 comparative, 19–25, 150, 165
 experimental, 26, 150
environmental breadth (of adaptation),
 42–45
enzymes, 9, 16–17, 26, 135–136, 144
eukaryote, 2
evolutionary novelty, 69–70, 103–105,
 107, 171
 generalizations about, 111–113
 origins, 119, 160–164, 168, 172
 type I novelties, 103, 105–108
 type II novelties, 103, 108–111
evolutionary pattern, 37–41
evolutionary process, 5, 12, 21, 31,
 40–46, 138
evolutionary synthesis, 150–153
evolvability, 63–65
 lack of, 92–94
extended evolutionary synthesis, 152–153
eyeless gene, 142–144
eyes, 64, 132–133, 136, 141–144, 166, 170
eyespots, 84–85, 160

Fabricius, Hieronymus, 20
FGF-10 protein, 107–108
Fisher, Ronald, 27–28, 124, 150

fitness, 27, 34, 61, 74, 82–83, 92–93,
 122, 154
 measurement of, 48
 mutation and reduced, 31, 36, 156, 172
fitness profiles, 43–44
flatworms, 34, 47, 132, 141
flowering plants, 13–14
forcipules, 108
fossils, 75, 105, 108–110, 119–121,
 131–132
frogs, 5, 47, 49, 138, 149
fruit-flies. *see Drosophila*
fungi, 2

gastropods, 115, 157
 macromutation, 163
 reversed asymmetry, 91, 97–101, 122
 shell, 107, 112
gastrula, 34, 68, 100
gastrulation, 54
gene classification, 70, 80, 108
gene co-option, 40, 138–139, 141,
 144–148, 163, 167
gene duplication, 104, 145, 147, 154
gene expression, 72, 87, 93–94, 100,
 110–111, 139–140, 142, 167
generalization in science, 1, 14, 22, 33,
 111–113
genetic assimilation, 32, 36
genetic code, 6, 135, 148
genetic drift, 12, 16, 34, 64, 89–91
genome, 73, 80, 147, 157, 171
 mitochondrial, 135
 nuclear, 135
genotype, 80, 100, 169
Geoffroy Saint-Hilaire, Étienne, 24–25,
 114, 123
geological timescale, 117–119
germ-band stage, 67, 137
ghost lineage, 120
gill clefts, 24, 33, 65, 170
glaciations, 120
gnathostomes, 42

- Goldschmidt, Richard, 28, 30–31, 35, 75, 122, 161
- Gould, Stephen Jay, 5, 10, 21–22, 62, 91, 93, 152, 164
- gradualism, 27, 30–31, 35
- Haeckel, Ernst, 20, 22–25, 30
- Haldane, J. B. S., 34, 77, 103, 114, 151
- halteres, 79
- hedgehog* gene, 10–11, 55, 72
- Hedgehog protein, 11, 52, 108
- helcionellids, 119
- hemichordates, 115
- Hennig, Willi, 37–38, 40
- heritability, 63, 156
 - continuous variation, 28, 36
 - developmental variation, 77
 - snail shell characters, 88–90
- heterochrony, 30, 59, 61, 147, 155, 163, 167
- heterometry, 59–60, 147, 155, 163, 167
- heterotopy, 59–61, 147, 155, 163, 167
- heterotypy, 59–61, 147, 155, 163, 167
- hierarchy correspondence approach, 126
- historical contingency, 5, 34
- homeobox, 6–10, 17, 25–26, 49
- homeobox genes, 11, 71–72, 81, 136, 140, 142, 167
- homeodomain, 7–9, 71, 142, 148
- homeosis, 9, 26
- homology, 20, 39–40, *see also* deep homology
- hopeful monsters, 31, 122
- hormones, 143
- hourglass, 22, 65–67, 128
- housekeeping genes, 17, 70, 77
- Hox genes, 72, 94, 122, 135–136, 142–143
 - Antennapedia*, 110, 140
 - body plan origins and, 129
 - homology, 137
 - segmentation, 139
 - Ultrabithorax*, 129
- Huxley, Julian, 37, 45, 151–152
- Huxley, Thomas Henry, 35
- inheritance, 18, 157
 - maternal effects, 100
 - Mendelian, 1, 27, 150
 - of acquired characters, 12, 32, 158
- insects, 47, 63, *see also Drosophila*
 - developmental variation, 77–80
 - evolutionary novelties, 103–104, 112–113
 - eyeless* gene, 142
 - eyes, 136, 142
 - germ-band stage, 67
 - moult, 143
 - mutations, 30
 - patterns of relatedness, 115
 - pesticide resistance, 74
 - reduction in number of legs, 122–123
 - segmentation, 137–139
- internal integration, 94
- internal selection, 94
- introns, 6, 135
- isometric growth, 4
- jaws, 42–43, 104, 119, 171
- jellyfish, 117, 122, 132, 142
- juveniles, 2, 5, 40, 48, 91, 99, 170
- kelp, 3
 - Kimberella*, 120
- Kimura, Motoo, 12, 17
- kingdoms, 2–3, 6
- Lamarck, Jean-Baptiste, 21, 32, 114
- lancelets, 39, 112
- landmark features (morphological), 81
- larva, 2, 47, 50, 59, 65–68
 - developmental repatterning, 156
 - Drosophila*, 10
 - mutant forms, 142
- laws, scientific, 33, 165

188 INDEX

- levels of biological organization, 12, 58, 165, 167
- Lewis, Edward B., 10, 122–123
- life cycle, 13, 79, 128
- comparison between two species, 65–66
 - complex (indirect development), 47–48
 - human, 34, 46–47
 - length, 53
 - model organisms, 49–50
 - simple (direct development), 46–47
- limbs, 93, 131, 133–134, 146
- apoptosis in development of, 56
 - distal-less genes, 85, 139–141
 - effect of Hox gene mutations, 129
 - length, 81
- lobe-finned fish, 22–23, 104
- macroevolution, 31, 74–76
- macromutation, 91, 96–98, 101–102, 122, 161–163, 172
- mammals, 21, 83, 127–128
- apoptosis, 57
 - aquatic, 104
 - embryos, 24
 - homology, 39
 - life cycle, 47
 - neck length, 91–92, 94–95
 - pattern of relatedness, 115
 - role of *Pax 6* gene, 143
 - skeleton, 39
 - vs. birds, developmental trajectories, 65–67
- manatees, 92, 95, 157
- mating, 90–91, 98–100
- Meckel–Serres law, 20–23
- megaevolution, 75
- Mendel, Gregor, 27
- metabolism, 17, 51
- metamorphosis, 2, 47, 51, 59
- microevolution, 31, 74–75, 83, 129
- micromutation, 97, 101–102, 122–123, 129, 161–163
- model organisms, 49–51, 53, 150
- modern synthesis, 26, 77, 150–153
- modularity, 63–64, 95
- molecular clock, 120
- molluscs, 69, 98, 100, 112–115, 117, 119–120
- monophyletic group, 37, 105
- morphogenesis, 52, 126–127, 129
- morphospace, 45–46, 163–165
- motor neuron, 56
- moulting, 41, 116, 143
- mouse, 126–128, 136
- distal-less* gene expression, 140
 - model system, 50
 - Pax6* gene expression, 143
- multicellularity, 2–3, 18, 33, 141
- mutation bias, 155
- mutations, 36, 72, 145, *see also* macromutation; micromutation and developmental repatterning, 58–59, 156–158 and the evolution of novelties, 161–163 *Drosophila*, 9–10, 31, 139 in Hox genes, 129 in toolkit genes, 154 major/minor effects, 80–81 neck vertebrae, 95 reversed chirality, 101–102
- myriapods, 110–111, 115
- natural selection, 3, 5, 12–14, 41, 48, 77, 130, 167, 170–171
- adultocentric view, 48
 - blind watchmaker, 45, 83
 - correlation of growth, 158–160
 - developmental bias, 91–95
 - developmental repatterning, 96
 - genetic drift and, 88–91
 - genetically based theory, 150

- interaction with variation, 153–156
- reversed chirality, 100
- neck, mammalian, 12, 91–92, 94–96, 155, 157
- nematodes, 49, 53, 117
- neo-Darwinism, 32, 58, 62, 97, 153
- neural tube, 55–56
- neurulation, 54–55
- neutral theory, 12
- newts, 50
- Nodal signalling, 72, 100
- Notch signalling, 72, 138
- notochord, 55, 67, 127, 138, 150
- Nüsslein-Volhard, Christiane, 10

- Owen, Richard, 39

- palaeontology, 26, 151–152
- pattern formation, 52
- Pax genes, 136, 142–144
- pharyngula stage, 34, 65, 67, 128
- phenotype, 16, 79, 156, 169
 - environmental effects, 27
 - fitness, 41
 - frequency, 88–90
 - maternal effect, 100
 - toolbox genes, 154
- phenotypic plasticity, 78, 85–88, 157, 165
- philosophy of biology, 149
- phyllotaxis, 13
- phylogenetic tree, 14, 98, 105
- phylotypic stage, 65–67
- Pitx-1* gene, 81
- plants, 2–4, 21, 165
 - evening-primrose, 27
 - gene, 7, 144
 - leaf development patterns, 13–14, 61
 - model system, 50
 - resistance to heavy metals, 74
- pleiotropy, 95
- polygenes, 80
- polymorphism, 16, 26, 88–89
- population genetics, 15, 26, 41, 58, 80, 151, 169
- post-embryonic development, 11, 46, 51, 127, 143
- protostomes, 54, 116, 123, 133
- punctuated equilibrium, 75–76

- quantitative genetics, 80–81
- quantitative trait loci (QTLs), 80–81, 90, 97, 102, 123

- radial symmetry, 68, 132
- Raff, Rudolf, 30, 35, 50
- recapitulation, 23–24, 30
- regeneration, 47, 50
- regulatory regions (of genes), 59, 129, 135, 144–148, 155, 167
- reproductive isolation, 99
- reproductive maturity, 46, 59
- Riedl, Rupert, 126
- RNA, 52–53, 73, 144
- Rotifera, 94, 116
- rudiment stage (echinoderms), 67, 73

- saltationism, 26–27, 35, 158
- scala naturae*, 18, 21, 23
- sea-squirts, 39, 112, 140
- sea-urchins, 18, 50, 54, 65–68
- segment identity, 10, 139
- segment number, 10, 61, 85–88, 138, 163
- segment polarity, 10
- segmentation, 41, 61–62, 70, 131–134, 137–139, 142, 161
- Seilacher, Dolf, 120
- selective constraint, 42, 92–95, 155
- sexual dimorphism, 87
- shell
 - molluscan, 81, 88–90, 96–98
 - turtle, 15, 69, 105–108, 112–113, 119, 161

190 INDEX

- signalling pathways, 11, 70–72, 100, 137–138
 Simpson, George, 75
 skeleton, 39–40, 67, 70
 arthropod, 41, 67–68, 117, 131, 168
 bird/human comparison, 20
 stickleback, 81
 vertebrate, 15, 67–68, 117, 127–128, 131, 168, 171
 sloths, 92, 94–95
 slugs, 90, 98
 snails, 69, 157, 170
 heterometry and heterotypy, 60
 reproductive darts, 90–91
 reversed asymmetry, 98–102
 shell pigmentation, 88–90, 97
 shell shape, 81, 98
 shell size, 90, 96–97
 variation, 89–91, 97
 snakes, 128, 133, 138
 snowball Earth, 120
 Sonic hedgehog, 55, 72, 150
 speciation, 60, 70, 75–76, 87, 89, 99–100, 129–130
 spiral cleavage, 117
 Spiralia, 116
 stabilizing selection, 41–42, 92, 94
 standing variation, 154–155
 starfish, 18, 140
 stem cells, 47, 52, 68
 stem lineage, 69, 123, 154
 centipede, 108–110, 112
 turtle, 106, 162
 sticklebacks, 81

 tadpoles, 5, 149
 taxon sampling, 15, 154
 tetrapods, 104–107
 Thompson, D'Arcy Wentworth, 28–30, 96
 toolkit genes, 70, 73, 80–81, 85, 107, 129, 134–135, 143–144, 148, 166
 deep homology, 137, 154
 duplication and divergence, 147
 left–right axis patterning, 100
 mutations in, 97, 154
 transcription factors, 70–71, 73, 143–145
 transformations (Thompsonian), 28–30, 96
 trilobites, 119–121, 141
 turtles, 105–106, 111, 170–171, *see also* shell, turtle

 unicellular organisms, 1–2
 uniformitarianism, 121
 urbilaterian, 122–123, 131–133, 137

 variation, 16, 18, 41, 76–83, 121, 158–159, 161–163, 168
 biased, 76–77, 81–83
 continuous, 16, 26–30, 35–36, 78–80, 97
 developmental/selective constraint, 93
 discontinuous/discrete, 26–30, 35, 41, 79
 effect of natural selection, 74
 genetic, 16, 84, 157
 interaction with selection, 156–163
 phenotypic, 16
 polymorphic, 16
 seasonal, 84
 variational modality, 103–104
 velvet worms, 122, 140, 143
 vertebrae. *see* cervical vertebrae
 vertebrates
 body plan, 113, 117, 119, 123
 development of nerve cord, 24
 evolution, 22
 eye development genes, 142–144
 fin-to-limb transition, 103, 141
 head, 112
 homologous vs. convergent features, 131–133
 jaws, 42, 104, 119
 lack of six-legged, 63, 93–94
 nerulation, 55–56
 phylogenetic, 65, 67

- regeneration, 47
relatedness, 114
role of distal-less genes, 140–141
segmentation, 136–137
skeleton, 15, 67–68, 117, 127–128,
131, 168, 171
von Baer, Karl Ernst, 20–23
von Baer's laws, 20–24, 42, 65–67, 128
- Waddington, Conrad Hal, 17, 32, 152
Wallace, Alfred Russel, 21, 159
- Wieschaus, Eric, 10
wings, 112, 141
bat, 103
bird, 27, 103, 136
butterfly, 48, 84–86, 160
insect, 9, 31–32, 79, 103
Wiwaxia, 119
Wright, Sewall, 151
- zebrafish, 50
zygote, 1, 4, 33, 46, 50, 100, 124, 156