

Index

- acoustic emissions, 100
- acoustic waves, 69
- activation energy, 35, 75, 78, 203
- age-hardening, 65
- ageing, 64
- Al, 55, 59, 130
- Al₂Cu, 64
- alloy
 - Al, 99
 - Al-Cu, 64
 - Cu-Ni, 59
 - Cu-Zn (brass), 70
 - Fe-C, 71
 - Ni superalloy, 63
 - Ni-50Ti, 71
 - Ni-Ti, 33
 - shape memory, 115
 - superelastic, 115
- alumina, 195
- aluminium powder, 66
- American Society of Testing and Materials, 81
- amorphous materials, 66
- amorphous metals, 201
- anisotropy, 37, 85, 100–101, 117, 139, 152, 162, 167, 169
- annealing, 86
- annealing twins, 70
- Armco Iron, 62
- Arrhenius, 34, 75, 78
- ASTM, 81
- austenite, 73, 99

- back-stress, 117
- ballistic impact, 74
- ballistic indentation, 249
- ballistics, 31
- barreling, 108, 112, 113, 119, 159
- Basquin law, 242
- Bauschinger
 - Johann, 117
- Bauschinger effect, 107, 117
- bcc structure, 60
- beam bending, 219
- beam curvature, 219, 256
- beam deflections, 221, 232
- beam stiffness, 221, 232
- bedding down, 113
- bend test fixtures, 225
- bending moments, 219
- Berkovich indenters, 137
- biaxial tensile testing, 100
- bifurcation buckling, 234
- bonding
 - covalent, 43
 - ionic, 43
 - metallic, 43
- brass, 130
- brasses, 99
- Brazier buckling, 234
- Brinell
 - Johan August, 125
- Brinell hardness test, 125, 134
- British Standards Institute, 81
- brittle materials
 - bend testing, 225
- BSI, 81
- buckling, 108, 209
 - Brazier, 234
 - hollow tubes, 232
- bulk modulus, 19
- Burgers
 - Johannes, 44
- Burgers circuit, 46
- Burgers vector, 46, 50, 55
- butt-end shoulder, 84

- C250 maraging steel, 155
- cantilever beam, 219, 256
- cantilever loading, 87
- carburizing, 242
- castings, 5, 40
- cavitation, 97
- cermet, 124, 163, 173, 196
- characteristic strain, 29
- chemical etching, 156
- Chernov–Lüders band, 98

- climb, 29, 55, 76
- clip gauges, 88, 108, 113
- close-packed directions, 46
- close-packed planes, 46
- coarsening, 65
- coatings, 193, 201
- Coble creep, 75
- coefficient of friction, 160, 228
- coefficient of restitution, 143
- coherency strains, 65
- coherent boundaries, 70
- coherent boundary, 68
- cold work, 57
- compliance calibration, 87, 158
- compliance tensor, 17
- concertina folding, 233
- conductivity, 61
 - electrical, 43
 - thermal, 43
- Considère
 - Armand, 89
- Considère construction, 89, 94–95
- constitutive law, 29, 127, 165
- constitutive laws, 59, 73, 78, 115
- constraint, 86, 207, 213
- constraint effect, 58
- constriction, 55
- contact area, 125
- contact drift, 198
- contact stress, 225
- convergence, 149
- convergence algorithms, 164
- convergence criterion, 165
- copper, 61, 94, 139, 249
- Cottrell
 - Alan, 60
- Cottrell atmospheres, 60, 62, 98
- crack initiation, 242
- crack opening displacement, 241
- crack propagation, 3
- crack tip
 - plastic zone, 241
- crack tip opening displacements, 88
- cracking, 139
- crashworthiness, 234
- creep, 1, 34, 67, 74, 102, 124
 - Coble, 75
 - diffusional, 76
 - dislocation, 76
 - from nanoindentation data, 203
 - Nabarro–Herring, 76
 - primary, 34, 173
 - secondary, 34
 - tertiary, 34, 176
- critical failure strain, 98
- critical fracture strain, 239
- critical strain criterion, 30
- cross-head, 87
- cross-slip, 29, 54
- cruciform samples, 100
- crystal structure, 85, 100
 - hexagonal, 69–70
 - tetragonal, 69
- crystallographic texture, 58
- Cu, 55, 86, 110, 130
- cut through, 66
- cutting, 31
- cyclic loading, 3, 87, 235
- cycling frequency, 242
- dead weight loading, 87, 102
- deep drawing, 39
- deep-drawn sheet, 101
- deformation twinning, 25, 32, 67, 74, 159
- delocalized electrons, 43
- depth-sensing indentation, 192
- determinant, 11
- diagonalising, 11
- diamond, 124, 195
 - oxidation, 199
- diamond cone, 129
- diamond indenters
 - oxidation, 137
- diamond tips, 137
- DIC (digital image correlation), 59, 85, 88
- diffusion, 74, 78
- diffusion distances, 61
- diffusional creep, 76
- dilation, 16
- direction cosines, 10–11, 13
- dislocation, 4, 21, 29, 43
 - annihilation, 56
 - climb, 53, 55
 - creep, 76
 - cross-slip, 54, 77
 - density, 51, 53, 57, 77, 85, 193, 206
 - edge, 45, 60
 - energy, 52
 - energy of, 48
 - force on, 48, 64
 - forces between, 52
 - forest hardening, 206
 - geometrically necessary, 206
 - glide, 21, 25, 44, 48, 67, 101, 159
 - glissile, 53
 - jogs, 22, 206
 - kinks, 53
 - line tension, 49, 64
 - line vector, 46
 - mixed, 47
 - mobility, 29, 117, 193
 - partial, 48, 55
 - perfect, 48, 55
 - screw, 44, 47

- dislocation (cont.)
 sessile, 53
 spacing between, 52
 strain field, 52
 tangles, 22, 29, 118, 206
 dispersion strengthening, 63, 66
 displacement control, 163
 displacement measurement, 87
 distribution of plastic strain, 153
 DoITPoMS, 46, 90, 221
 DSC (differential scanning calorimetry), 33
 dual phase steels, 116
 ductile rupture, 239
 ductility, 29, 61, 92
 dummy suffix, 10
- earring, 101
 easy glide, 99
 eddy current gauges, 88, 108
 EDM (electro-discharge machining), 82
 eigenvalues, 11
 einstein summation convention, 10, 17
 elastic constants, 17
 elastic strain energy, 24
 electro-magnetic induction, 143
 electron beam melting, 86
 electron microscopes, 85
 elongation at failure, 92, 98
 engineering shear strain, 18
 Euler
 Leonard, 231
 Euler buckling, 231
 Euler buckling stress, 109
 explosions, 31, 70
 extrusion, 66
- face-centred cubic, 46
 failure strain, 92
 fatigue, 235, 241
 high cycle, 236
 low cycle, 236
 fatigue life, 242
 fatigue limit, 242–243
 fatigue resistance, 37
 fcc, 46, 55, 68, 71
 Fe-C martensite, 71
 FEM (finite element method), 3, 29–31, 40, 92, 97,
 112, 115, 119, 127, 142, 150, 155, 158, 166,
 170, 196, 226
 inverse, 40, 148
 iterative, 173
 mesh independence, 160
 numerical stability, 160
 sensitivity analyses, 159
 ferrite, 61, 116
 FIB (focussed ion beam), 209
 fibre composites, 230
 fibre push-out, 209
 field tensors, 16
 first rank tensor, 7
 flow stress, 28–29, 134, 144, 152
 force balance, 37, 118
 forest hardening, 53
 forging, 37, 39, 56, 89, 169
 four-point bend testing, 226, 258
 fracture, 3
 critical plastic strain, 166
 critical strain, 3
 fracture criterion, 93
 fracture energy, 3, 238
 fracture mechanics, 3, 236
 fracture strength, 238
 fracture toughness, 3, 82, 88, 193, 240
 frame drift, 198
 Frank
 Charles, 44
 Frank's rule, 49, 55
 Frank–Read source, 54, 206
 free suffix, 10
 Frenkel
 Jacov, 44
 friction, 108, 110, 116, 119, 159
 friction coefficient, 108, 112, 119
 friction stir processing, 86
 gas gun, 252
 gauge length, 81, 85, 88, 92, 107
- geometrically necessary dislocations, 206
 glassy metals, 201
 goodness-of-fit, 164
 grain boundaries, 58, 75, 78, 85, 118
 grain boundary sliding, 150
 grain boundary structure, 139
 grain rotations, 140
 grain size, 58, 76, 85–86, 139, 142, 150
 grain structure, 135, 138
 Griffith fracture criterion, 236, 238
 grinding, 86
 grips, 81
 Hounsfield, 83
 pinned, 82
 serrated, 82
 split-collar, 82
 threaded, 82
 growth twins, 70
 Guinier–Preston zones, 64
- Hadfield's manganese steel, 116
 hardness testing, 2, 58, 85, 87, 118, 123–125, 204
 Brinell, 125
 conversion between hardness numbers, 131
 effect of residual stresses, 140
 from load–displacement data, 203
 Knoop, 137

- Leeb, 143
- Mohs, 144
- Rockwell, 129, 140
- Vickers, 129, 131
- HCF (high cycle fatigue), 236
- hcp, 71
- heat treatment, 29, 65
- heating from plastic deformation, 101
- high cycle fatigue, 236
- high strain rate tensile testing, 101, 245
- high strain rates, 143
- high-speed photography, 252
- Hirsch
 - Peter, 44
- homologous temperatures, 35
- Hooke
 - Robert, 262
- Hooke's law, 17
- Hopkinson bar tests, 247
- hot working, 58, 61
- HY-100 steel, 93
- hydraulic systems, 87
- hydrostatic line, 23, 26
- hysteresis, 33, 72

- impact events, 69, 247
- indent profiles, 140, 155, 158, 161
- indentation, 1
 - cryogenic, 198
 - depth-sensing, 138, 192
 - in vacuum, 199
 - pop-in, 205
 - size effect, 193
- indentation creep
 - pile-up, 177
 - use of a recess, 173
- indentation creep plastometry, 103, 173
- indentation plastometry, 2, 85, 97, 115, 118, 124, 127, 140, 149, 194, 212, 228, 250
 - commercialization, 179
 - curved surfaces, 156
 - edge effects, 157
 - friction, 160
 - inclined surfaces, 157
 - sample preparation, 154
- indentation superelastic plastometry, 178
- indenter shapes, 124
 - self-similar, 124
- indenters
 - area function, 125, 202
 - Berkovich, 137, 141, 196
 - damage, 137, 196
 - Knoop, 141
 - oxidation, 196
 - sharp, 125, 136, 196
 - spherical, 149
 - Vickers, 196
- inhomogeneity, 167
- Instron Corporation, 129
- interfacial energies, 65
- interfacial sliding, 162
- interferometric optical set-ups, 88
- internal oxidation, 61
- interstitial
 - carbon, 61
 - nitrogen, 61
 - oxygen, 61
- interstitial solute, 60
- intrusion–extrusion mechanism, 242
- invariants, 12
- inverse FEM, 97, 148
- ion beam milling, 109
- ion implantation, 210
- iterative FEM, 119
- iterative modeling, 40

- jogs, 53
- Johnson–Cook law, 31, 39, 244

- Knoop
 - Frederick, 137
- Knoop test, 137

- laser cutting, 82
- laser peening, 242
- lattice friction stress, 45, 59
- lattice vector, 48
- LCF (low cycle fatigue), 236
- lead screws, 87
- Leeb test, 143
- lenticular, 70
- linear work hardening, 27
- load capability, 85
- load cell, 87
- load drop, 98
- load–displacement plot, 179
- loading frame, 87
- loading rate, 5
- loading train, 87, 158
- low cycle fatigue, 236
- lubrication, 107, 108, 110, 117, 119, 136, 161
- Lüders bands, 62, 98
- Ludwigson equation, 159
- Ludwik–Hollomon equation, 29, 31, 62, 90, 157, 159
- LVDT (linear variable displacement transducers), 88, 108

- machining, 31
- Mangalloy, 116, 128
- maraging steel, 163
- Martens
 - Adolf, 71
- martensitic transformations, 71, 73, 74, 99

- matter tensors, 17
 maximum stress criterion, 230
 Maxwell
 James Clerk, 24
 mechanical “backlash”, 129
 mechanical twins, 67
 meso-scale, 150
 metal forming, 56
 metal matrix composites, 5
 metallic foams, 6
 metastable precipitates, 65
 micrographs, 65
 micropillar compression, 109, 193, 208
 microstructure, 2, 43, 59, 77, 85, 116, 193, 242
 microstructure, 77
 mild steel, 61, 98–99
 Miller indices, 23, 46, 51
 Miller–Norton law, 35, 174
 misfit strains, 37, 40
 misorientation angles, 57
 MMC (metal matrix composites), 5, 169
 Mohr
 Christian Otto, 12
 Mohr’s circle, 12, 25, 248, 264
 Mohs
 Friedrich, 123, 145
 Mohs hardness scale, 144
 moment balance, 37
 MoSi₂, 108
 multiple slip, 58

 Nabarro–Herring creep, 76
 nanoindentation, 2, 135, 168, 192
 nanoindentations, 148, 152
 size effect, 204
 necking, vii, 30, 89, 116, 151, 159, 238
 Nelder–Mead convergence algorithm, 183
 Nelder–Mead simplex search, 164
 Neumann bands, 69
 neutral axis, 256
 Ni, 173
 Ni-base superalloy, 139, 210
 nitriding, 242
 non-metallic inclusions, 242
 normal stress, 8

 octahedral interstice, 60
 Orowan
 Egon, 44, 63
 Orowan bowing, 63
 Orowan stress, 64
 over-ageing, 66
 oxidation of diamond, 137
 oxide films, 119, 130, 136, 150, 154, 207
 oxygen in copper, 162
 oxygen-free high conductivity Cu, 61

 parallel plate capacitors, 88
 Paris–Erdogan law, 241
 Pb, 119
 Peierls stress, 45, 59, 139
 penetration ratio, 129, 151
 persistent slip bands, 67, 99, 139, 212
 phase
 austenitic, 33
 martensitic, 33
 phase diagram
 Al–Cu, 64
 phase transformations, 115, 207
 martensitic, 32
 pile-ups, 118, 125, 132, 153, 162, 202
 pin-jointed ends, 232
 pinning, 61
 pipeline, 156
 plane strain, 240
 plane stress, 26
 plastic buckling, 232
 plastic strain
 distribution, 153
 plastic work
 distribution in strain level, 185
 platens, 108, 119
 Poisson ratio, 4, 18, 162, 202
 Polanyi
 Michael, 44
 polar second moment of area, 223
 polishing, 86
 polycrystals, 21, 58
 polygonization, 56
 polymers, 242
 polytope, 165
 pop-in, 206
 porosity, 5
 porous materials, 115
 Portevin–Le Chatelier effect, 62, 98
 precipitates, 59, 64, 77, 138, 201
 precipitation hardening, 63, 66
 pre-load, 130
 premature fracture, 84
 primary creep, 34
 primary slip system, 50, 211
 principal strains, 16, 95
 principal stresses, 11
 profilometers, 181
 profilometry, 158
 projected contact area, 204
 pure shear, 248

 quasi-static, 82
 quenching, 64

 RA (reduction of area), 89, 93–94
 R_a value, 155
 radiation, 29
 radius of gyration, 232

- Ramberg–Osgood equation, 159
- rate of twist, 262
- Read
 - Thornton, 44
- rebound hardness, 142
- recovery, 56
- recrystallization, 36, 39, 57, 61, 77
- reduced modulus, 202
- reduced section length, 84
- reduced sum of squares, 164
- replica technique, 158
- representative volume, 85, 126, 135, 150, 204
- residual stresses, 36, 59, 117, 140, 169, 242
 - equal biaxial, 140
- resolved shear stress, 50
- rigid body rotation, 14
- ring compression test, 119
- Rockwell
 - Hugh, 129
 - Stanley, 129
- Rockwell hardness test, 129, 134
- rolling, 37, 39, 56, 89
- R_z value, 155

- sample size, 82, 85, 109
- sapphire, 195
- scalars, 7
- scanning laser extensometry, 88, 108
- Schmid factor, 50, 58, 211
- Schmid's law, 50
- Schmidt hammer test, 142
- scratch testing, 144
- screw dislocation, 47
- second moment of area, 220, 254
 - circular section, 254
 - rectangular section, 254
- second rank tensors, 7, 11
- secondary creep, 34
- secular equation, 12
- serrations, 61, 98
- servo-hydraulic valves, 87
- shape memory alloys, 32, 116
- shear bands, 66
- shear modulus, 18, 20, 44, 262
- shear stress, 8
 - resolved, 50
- shock waves, 32
- shore test, 143
- shot peening, 37, 242
- shoulders, 82
- SHPB (split Hopkinson pressure bar), 101, 247
- simple cubic structure, 45
- simplex, 165
- single crystal, 50, 138, 150, 168, 193
- single crystals, 29, 44, 58, 76, 82, 99–100, 109, 117, 209
- single crystals, 62
- sink-in, 125, 132, 162
- size effects, 136, 203, 204
- slenderness ratio, 232
- slip plane, 46, 48
- slip system, 46
 - primary, 50
- slip systems, 21
- SME (shape memory effects), 32, 33, 73
- solid solubility, 59
- solute atoms, 59
 - interstitial, 60
 - substitutional, 59
- solution strengthening, 59
- solution treatment, 64
- speckles, 88
- spherical indenters, 137
- springs, 224, 261
- stable necking, 92
- stacking fault, 55
- stacking fault energy, 55
- stacking sequence, 71
- stainless steel, 31, 233
- steels, 61, 69
 - AISI-1018, 249
 - AISI-4340, 249
 - dual phase, 116
 - duplex stainless, 127
 - hadfield's manganese, 116
 - maraging, 248
 - mild, 61
 - SPFH590, 246
 - SS400, 246
 - stainless, 31
 - TRIP, 99, 116
 - X-80, 118
 - 08PS, 99
- sticking friction, 108, 119
- stiffness tensor, 17
- strain energy release rate, 237
- strain gauge rosettes, 248, 264
- strain gauges, 88, 264
- strain gradient plasticity, 206
- strain hardening, 21
- strain rate dependence of plasticity, 243
- strain rate sensitivity, 32, 39, 144
- strains, 2, 7
 - average plastic, 129
 - deviatoric, 16
 - hydrostatic, 16, 60
 - measurement, 84
 - nominal, 88
 - principal, 95, 248
 - von Mises, 23, 95, 128, 159
- stress concentration, 238
- stress exponent, 36, 75, 173, 203
- stress intensity factor, 240

- stress ratio, 241
 stress space, 23, 26
 stresses, 2, 7
 bowing, 64
 concentration, 81
 contact, 225
 deviatoric, 22, 44, 115
 engineering, 27
 exponent, 78
 flow, 28, 134
 hydrostatic, 19, 22, 115, 159
 lattice friction, 45
 nominal, 27, 88
 normal, 8
 Orowan, 64
 Peierls, 45, 139
 principal, 11
 relaxation, 73
 residual, 36, 169
 saturation, 29
 shear, 8, 23, 44
 threshold, 241
 true, 27
 ultimate tensile, 91
 von Mises, 22, 115, 124, 134, 159, 251
 stress-life fatigue testing, 241
 stretcher strains, 98
 sub-critical crack growth, 236, 239
 sub-grain boundaries, 56
 sub-grains, 56
 substitutional solute, 59
 superelasticity, 32, 72
 supersaturated solid solution, 64
 surface roughness, 119, 130, 136, 143, 150, 154,
 201, 228
 swaging, 251
 symmetry, 17

 Tabor
 David, 123
 Taylor
 Geoffrey, 44
 taylor cylinder test, 249
 taylor factor, 58
 temperature, 5
 homologous, 56
 tensile drawing of polymers, 92
 tensile testing, 1, 50, 81
 tension-compression asymmetry, 100, 107, 115,
 116, 159
 tension-torsion tests, 230
 tensorial shear strain, 18
 tensors, 2
 anti-symmetrical, 14
 compliance, 17
 deformation, 14
 field, 16
 first rank, 7
 matter, 17
 relative displacement, 14
 rotation, 15
 second rank, 7
 stiffness, 17
 strain, 14
 symmetrical, 14
 zeroth rank, 7
 testing standards, 81
 texture, 58, 85, 101, 117, 139, 150, 152, 168
 thermal activation, 56
 thermal drift, 194, 198, 204
 thin sheet, 82, 85
 three-point bending, 257
 tilt boundary, 56
 tin cry, 69
 torque, 221
 torsion, 221, 261
 torsion testing, 228
 torsional coils, 224
 torsional split Hopkinson bar, 248
 toughness, 195
 transformation of axes, 9
 transformation-induced plasticity, 99, 116
 transformations
 martensitic, 115
 Tresca, 172
 Henri, 25
 Tresca yield criterion, 25, 100
 true stress, 27
 Tsai–Hill criterion, 230
 tungsten carbide, 130
 twin
 boundaries, 68
 twinning, 21
 deformation, 21
 direction, 67
 elements, 67
 plane, 67
 shear, 67
 twist boundary, 57
 twisting moment, 221

 ultimate tensile stress, 3–4
 uniqueness, 149
 unit cell, 4, 46
 untextured, 58
 UTS (ultimate tensile stress), 3, 86, 92, 97, 116,
 126, 151

 vacancy, 55
 vector, 7, 9
 very soft materials, 156
 Vickers equivalent cone, 133
 Vickers hardness, 152, 192
 values, 132

- Vickers testing machine, 131
- Voce equation, 29, 31, 62, 93–94, 159
- von Mises
 - Richard Edler, 24
- von Mises strain, 95
- von Mises stress, 22
- von Mises yield criterion, 101

- Wade
 - William, 123
- water jet cutting, 82
- welding, 40
- wood, 232
- work hardened layer, 156
- work hardening, 3, 21, 89, 132, 143, 151, 162, 238
 - linear, 27
 - work hardening coefficient, 27, 29
 - work hardening exponent, 29
 - work hardening rate, 28, 56, 116
- worm drives, 87
- wrinkling, 232

- yield envelope, 23, 26
- yield point, 58
- yield stress, 3–4, 22, 140, 143
- yielding criteria
 - Tresca, 25
 - von Mises, 24, 172
- Young's modulus, 4, 17, 88, 138, 162, 168, 201–202, 220, 232, 263

- π -plane, 26