

Index

- absolute frame, *see* frame, inertial
- acceleration
 - centripetal, 24
 - Coriolis, 24
 - transformation from inertial to rotating frame, 23
- acceleration in
 - (deep) cylindrical-polar coordinates, 106
 - (deep) orthogonal-curvilinear coordinates, 100
 - (deep) spherical-polar coordinates, 103
 - (shallow) cylindrical-polar coordinates, 117
 - (shallow) orthogonal-curvilinear coordinates, 114
 - (shallow) spherical-polar coordinates, 116
- adiabatic expansion, 246
- adiabatic process, 34, 286
- advection
 - operator, 18
 - passive, 20
- aerosol, 7, 38, 41
- albedo, 239
- alternative to Vallis (2017)'s prototypical oceanic Gibbs potential, 312–319
 - pure-water part, 312–315
 - saline-correction part, 315–317
 - some derived quantities, 317–321
- atmosphere
 - cloudy, 38, 63
 - dry, 37, 38
 - planetary, 14, 37
- atom, 70, 94
- axial-orthogonal-curvilinear coordinates
 - definition of, 121
- axis of rotation, *see* rotation axis
- azimuthal angle, 123
- balance
 - dynamical, 72
 - geostrophic, 144–147
 - horizontal, 145
 - hydrostatic, 136, 146–147, 161, 190
 - of horizontal forces, 147, 156, 171
 - of vertical forces, 147, 156, 171
 - physical, 146
 - quasi-hydrostatic, 144–147
 - three-way, 144, 146
 - two-way, 146
 - vertical, 145
- baroclinicity vector, 470
- barotropic fluid, definition, 29
- barotropic PV equation, spheroidal planet, 13, 631–651
 - alternative material forms, 644, 647
 - assumptions, 634–637
 - diagnostic Poisson problem for pressure
 - in axial curvilinear coordinates, 648
 - in vector form, 648
 - dynamical consistency, 647
 - global conservation, 639–643
 - axial angular momentum, 640
 - mass, 639
 - total energy, 641
 - material conservation of PV
 - derivation from 3D conservation, 646
 - derivation from first principles, 643–645
 - meridional variation of gravity
 - geometric constraint, 635
 - influence on fluid flow, 651
 - stream function forms, 645
 - variational derivation, 649
- barotropic vorticity equation, classical, 631
- basic Gibbs potential for
 - dry air, 223–224, 239
 - pure frozen water, 227, 239, 247
 - pure liquid water, 225–227, 239, 247
 - water vapour, 224–225, 239, 247
- basic Gibbs potentials, enthalpy of
 - condensation, 250
 - fusion, 250
 - pure frozen water, 250

- pure liquid water, 250
- vaporisation, 250
- water vapour, 250
- bathymetry, 11, 12, 331, 338
- representation of, 372, 381, 384, 396
- cardinal thermodynamic potential, *see*
 fundamental thermodynamic potential
- Carnot's law, 55, 58
- celestial body, 3, 44, 146, 238
- characteristic equation of state, *see* fundamental
 equation of state
- chemical bond, 73
- chemical potential, 54, 78
 - of seawater, 304, 313
- circle of revolution, 123
- circulation
 - atmospheric, 134, 238, 243
 - global, 4, 134, 243
 - oceanic, 10, 238, 243
 - thermohaline, 10
- Clairaut's fraction, 168, 189, 196–197, 211, 214,
 215
- Clapeyron's equation, 251–253
- Clausius-Clapeyron approximation, 252–259
 - thermodynamical consistency of, 258–259
- cloud formation, 7, 243
- cloudy air, 15, 75, 228, 232, 236, 259–275
 - approximated equation of state, 51–52
 - approximated thermodynamic-energy
 equation, 56–62
 - closed parcel, 43–45, 47, 49, 56, 64, 71
 - criterion for saturation, 266–267
 - definition of, 40, 259–260
 - equation of state for, 49–52, 65–67
 - explicit forms for entropy, 89–90
 - explicit forms for internal energy, 86–89
 - functional forms, 86–92
 - governing equations for motion of, 62–64
 - internal energy, 54, 55, 62
 - latent internal energy, 54–56
 - mass-continuity equation for, 47–48
 - mass fraction of dry air at saturation, 263–266
 - momentum equation for, 52–53
 - nomenclature and definitions, 65, 66
 - open parcel, 56
 - parcel, 40–41, 56, 217, 261
 - realisable phase combinations, 260, 262
 - release of latent internal energy, 263, 265
 - saturation vapour pressure, 263, 265
 - thermodynamic-energy equation for, 53–62
 - thermodynamic properties from entropy, 92
 - thermodynamic properties from internal
 energy, 90–92
 - thermodynamical consistence, 282–286
 - unapproximated equation of state, 49–51
 - coexistence, *see* phase coexistence
 - coexistence curve, 243, 244, 275, 278, *see also*
 saturation curve
 - determination of, 252–259
 - liquid–frozen (exact), 253–254
 - slope of, 251–253, 257–258
 - vapour–frozen (Clausius–Clapeyron
 approximation), 256–257
 - vapour–frozen (exact), 255
 - vapour–liquid (Clausius–Clapeyron
 approximation), 255–256
 - vapour–liquid (exact), 254–255
 - colatitude, 101
 - commutivity of
 - variation and differentiation, 430
 - variation and integration, 430
 - component
 - of a thermodynamic system, 69, 233
 - composite Gibbs potential, 228–237, 239–241,
 243
 - a very useful property, 236–237
 - composition
 - change of, 77, 84
 - chemical, 14, 247
 - constant, 38, 41, 49–51, 75, 286, 290
 - definition of, 6
 - mixture of inert ideal gases, 15, 31, 32, 37, 223
 - mixture of substances, 67
 - of a planet, 141, 149, 156, 175, 176
 - of Earth, 137, 161, 176, 200, 203, 330
 - of Earth's atmosphere, 6–8
 - of Earth's dry air, 6–7, 32
 - of Earth's oceans, 6, 9–12
 - variable, 39, 41, 49, 50, 53, 220
 - condensation, 7, 243, 246, 250
 - nucleus, 41
 - configuration space, 429, 430, 432, 435, 445
 - conservation
 - of internal energy, 54
 - conservation principles, 5, 13–15, 463–494, 499
 - conservation principles, curvilinear form, 480–487
 - axial absolute angular momentum, definition,
 482
 - global, 483–487
 - Lagrangian and Eulerian forms, summarised,
 480–481
 - potential vorticity, definition, 483
 - tabulated, 484, 485
 - total energy, definition, 482
 - conservation principles, vector form, 465–480
 - absolute vorticity, 468–469
 - angular momentum, 466
 - axial absolute angular momentum, 466–468

- conversion between Lagrangian and Eulerian forms, 476–480
 - global, 479–480
 - Lagrangian and Eulerian forms, summarised, 477
 - mass, 465–466
 - potential vorticity, 470–475
 - tabulated, 476
 - total energy, 469–470
- conservative system, 427
- conservative temperature, 239
 - definition of, 291
 - for alternative to Vallis (2017)'s oceanic prototype, 318–321
 - for Vallis (2017)'s oceanic prototype, 311–312, 320, 321
- constituent, 41, 44, 49, 55, 63, 74, 240, 259
 - of a thermodynamic system, 69
- conversion, mass fraction/mixing ratio, 43
- cooling at Earth's surface, 54
- coordinate system
 - axial-orthogonal-curvilinear, 121–126
 - COS (Confocal-Oblate-Spheroidal), 109–111
 - cylindrical-polar (deep), 103–106
 - cylindrical-polar (shallow), 116–118
 - ellipsoidal, 6
 - generalised-vertical, 374–388
 - geocentric-polar, 179–180, 182, 192
 - geodetic, 106–109, 335–336
 - geographic-polar, 180–181
 - geopotential, 12, 126, 144, 146, 147, 354–366
 - GREAT (Geophysically Realistic, Ellipsoidal, Analytically Tractable), *see* GREAT coordinates
 - non-Euclidean, *see* non-Euclidean geometry
 - orthogonal-curvilinear (deep), 98–111
 - orthogonal-curvilinear (shallow), 111–118
 - parametric-polar, 180
 - SOS (Similar-Oblate-Spheroidal), 118, 355
 - spherical-polar (deep), 101–103
 - spherical-polar (shallow), 114–116
 - terrain-following, 12, 372, 382–385
- core of a planet, 161, 200, 206
- Coriolis force, 24, 144, 146, 147
 - expression in terms of metric factors, 122–126, 519
- crust of a planet, 161, 200, 206
- cryosphere, 240, 295
- curl in
 - (deep) cylindrical-polar coordinates, 105
 - (deep) orthogonal-curvilinear coordinates, 100
 - (deep) spherical-polar coordinates, 102
 - (shallow) cylindrical-polar coordinates, 117
 - (shallow) orthogonal-curvilinear coordinates, 113
- (shallow) spherical-polar coordinates, 115
- Dalton's law of partial pressures, 31, 65, 241
- deep ocean layer, 10, 11
- degrees of freedom for molecules of an ideal gas, 94
 - accessible, 96
 - possible, 94
 - rotational, 94
 - translational, 94
 - vibrational, 94
- density distribution, functional form for
 - ellipsoidal planet, 199–203
 - spherical planet, 160–163
- deposition, 243, 246, 250
- derivation methodologies for approximate equation sets, 511, 533
 - classical Eulerian, 511, 533
 - Lagrangian, using Euler–Lagrange equations, 511, 533
 - Lagrangian, using Hamilton's principle, 511, 533
- derivative following fluid, *see* material derivative
- distance metric in
 - confocal-oblate-spheroidal (COS) coordinates, 110
 - cylindrical-polar coordinates (deep), 105
 - cylindrical-polar coordinates (shallow), 117
 - geodetic coordinates, 108
 - orthogonal-curvilinear coordinates (deep), 99
 - orthogonal-curvilinear coordinates (shallow), 112
 - spherical-polar coordinates (deep), 102
 - spherical-polar coordinates (shallow), 115
- divergence in
 - (deep) cylindrical-polar coordinates, 105
 - (deep) orthogonal-curvilinear coordinates, 100
 - (deep) spherical-polar coordinates, 102
 - (shallow) cylindrical-polar coordinates, 117
 - (shallow) orthogonal-curvilinear coordinates, 113
 - (shallow) spherical-polar coordinates, 115
- downwelling, 10
- dry air, 9, 15, 38, 40, 41, 49, 55, 63, 65, 239
- dust, 41
- dynamical consistency, 13, 531, 562, 647, 651
 - definition, 498
- dynamical core, 12, 410, 500, 533, 698, 762
 - overview, 4–5
- dynamical coupling, 4
- Earth
 - mass of, 135
 - mass of its atmosphere, 135
 - volume of, 135
- eccentricity, 336

- elastic boundary, 371, 396, 397
- ellipsoid, 106, 126, 134, 137
 - eccentricity, 181
 - functional forms, 179–182
 - surface area, 181
 - volume, 181
- ellipticity, 178, 197
- empirical representation, 220
- energy
 - internal, 12
 - transfer, 243
- energy representation, 79
- energy-like invariant for elastic lids
 - at finite pressure, 403–405
- enthalpy, 59, 62, 222, 248, 249, 290
 - flux of, 249
 - for alternative to Vallis (2017)'s oceanic prototype, 318–321
 - for Vallis (2017)'s oceanic prototype, 310–311, 320, 321
 - of condensation, 249, 250
 - of deposition, 250
 - of freezing, 249, 250
 - of fusion, 246, 249, 250
 - of sublimation, 249, 250
 - of vaporisation, 246, 249, 250
- entropy, 79, 218, 220, 249, 297
 - change from heating, 82, 225
 - prognostic equation, 79
- entropy representation, 79
- equation of state
 - conventional for an ocean, 297, 318
- equations of state, 80–82
 - from entropy, 81
 - from internal energy, 80
- equatorial plane, 24, 123, 154, 176
- equatorial radius, 135, 136, 197
- equilibrium, 136, *see also* geophysical fluid,
 - equilibrium states
 - chemical, 72, 228, 247
 - mechanical, 72, 247
 - quasi-static, 72
 - thermal, 72, 247
- equilibrium depth of an ocean, 348, 369
- Ertel's theorem for conservation of potential vorticity, 473–475, 538–540
- Euler–Lagrange equations for momentum
 - components, 128–129, 516, 548, 584, 595, 649
 - derivation, 453–454
- Eulerian versus Lagrangian viewpoints of fluid
 - dynamics, 414–417
 - mathematical representation, 415–416
 - physical representation, 414
- transformation between location and label spaces, 416–417
- evaporation, 7, 45, 245, 246, 249
- exact non-linear solutions, 13, 772
- exact steady solutions, 3D equations, 698–722
 - compatibility constraints for balance, 701–702
 - construction procedure, 705–708
 - generalised thermal wind equation, 708–709
 - horizontal balance, 700–701, 704–705
 - illustrative examples, 710–721
 - atmospheric flow, non-separable temperature, 715–721
 - atmospheric isothermal flow, 713–714
 - incompressible flow, 710–713
 - inclusion of orography/bathymetry, 706–707
 - overview, 698–699
 - vertical balance, 700–701, 705
- exact steady solutions, shallow-water equations, 655–695
 - derivation methodology, 658–659
 - illustrative examples, spheroidal geometry, 661–668
 - equatorial jet, 662
 - exponentially decaying jet, 667
 - isolated polar vortex, 663
 - Jovian jets, 666
 - twin mid-latitude jets, 662
 - wind profiles, 663
 - overview, 655
 - rotated solutions, spherical geometry, 668
 - stability to linear perturbation, 671–695
 - application of stability criteria, twin jets above a flat boundary, 684–688
 - application of stability criteria, twin jets above hills, 688–695
 - derivation of stability criteria, 676–682
 - linearised perturbation equations, 672–676
 - zonal metric factor, visualisation, 660
- exact unsteady solutions, 3D equations, 746–762
 - balancing pressure
 - family of solutions, 760
 - particular solution, 761
 - decomposition of total pressure, 752
 - family of solutions, 760
 - flow characteristics, 751
 - fluid composition, 751
 - overview, 746–747
 - particular solution, 761
 - quartet of equation sets, 750
 - representation of
 - Coriolis force, 754
 - gravity, 751
 - test cases for validating models, 762–772
 - atmospheric prototype, 768, 770
 - individual waves over an ellipsoid, 764

- multiple rotated waves over a sphere, 765
- multiple waves over a sphere, 764
- oceanic prototype, 769, 770
- overview, 762–763, 771–772
- practical considerations, 766–771
- top boundary condition, role of, 762
- exact unsteady solutions, barotropic PV equation over an ellipsoid, 723–745
- exact unsteady solutions, barotropic PV equation over an ellipsoid
 - balancing pressure
 - family of solutions, 742–744, 759
 - particular solution, 739–742, 759
 - complementary derivation, 737–739
 - derivation, 725–737
 - compatibility conditions, 727–730
 - eigenproblem, 725–726
 - family of solutions, 733–735
 - functional form of solutions, 726–727
 - implied model of gravity, 731–732
 - meridional structure, 732–733
 - particular solution, 735–737
 - family of solutions, 756–757
 - overview, 723–725
 - particular solution, 757
- exosphere, 8
- expansion/contraction term, 469

- Figure of the Earth, 107, 133, 137
- first ellipticity, 136
- first law of thermodynamics, *see* fundamental thermodynamic relation
- flattening parameter, 135, 136
- fluid, 4, 15
 - incompressible, 225
 - reservoir, 71, 72
 - spheroid, 136
 - stratified, 8
- fluid element, *see* fluid parcel
- fluid flow
 - incompressible, 710
 - unaccelerated, 143–147
- fluid parcel, 15, 21, 71, 77
 - closed, 71
 - open, 71
 - partially open, 71, 72
 - velocity of, 16–17
- fog formation, 7, 244
- force
 - acting on a body, 21
 - apparent, 24, 138
 - apparent gravitational attraction, 147
 - apparent gravity, 144, 147
 - centrifugal, 24, 25, 135, 137–139, 154, 192
 - conservative, 25
 - Coriolis, *see* Coriolis force
 - exerted by a gas on a piston, 32
 - gravitational attraction, 192
 - Newtonian gravitational attraction, 135, 138, 139, 154
- forcing
 - external, 143
- frame
 - inertial, 21, 22, 24
 - rotating, 21, 22, 24, 64
- freezing, 243, 250
- frozen cloud, 260
 - composition, 40
 - Gibbs potential, 273
 - other thermodynamic potentials, 273–275
 - saturation, 264–266
 - saturation vapour pressure, 265–266
- frozen water, 41, 49, 54, 55, 63, 65
- functionals, 419–431
- fundamental equation of state, 73–75, 89, 217, 237
 - alternative form, 79
 - for an ocean, 294
 - for cloudy air, 89
- fundamental thermodynamic potential, 218
- fundamental thermodynamic relation, 75–77, 220, 223
- fundamental thermodynamic relation for
 - enthalpy, 222
 - Gibbs potential, 223
 - Helmholtz free energy, 223
 - internal energy, 222
- fusion, 243, 245

- gas
 - argon, 37, 94
 - carbon dioxide, 6, 7, 37, 95, 238, 253
 - diatomic, 6, 85, 94
 - greenhouse, 7
 - helium, 94
 - inert, 31, 32, 38
 - methane, 7, 37, 238, 253
 - monatomic, 6, 94
 - nitrogen, 6, 37, 95
 - nitrogen oxide, 7
 - oxygen, 6, 95
 - ozone, 7
 - polyatomic, 6, 94
 - sulphur dioxide, 7
 - triatomic, 6, 94
- gas constant, 30, 49, 50, 55, 65
 - composite, 41, 50, 52
 - ratio, 52
- Gauss's divergence theorem, 167, 192, 775

- generalised coordinates, 428, 429, 432, 433, 435, 437, 445, 451
- generalised thermal wind equation, 708–709
- generalised vertical coordinates
- governing equations, 378–380
 - hybrid aspects, 380–381
 - mass-continuity equation, 376–378
 - time integration, 380
 - transformation relations, 374–376
- geodesic, definition of, 422
- geodesy, 330–337
- definition of, 147
- geographic latitude
- relating to metric factors, 123–125
- geoid, 12, 176, 197, 330–332, 335, 337, 338, 340
- geophysical fluid
- equilibrium states, 141, 143–147
- geopotential, 12, 25, 133
- geopotential for
- ellipsoidal planet, constant density, 186
 - ellipsoidal planet, variable density, 195, 208
 - spherical planet, constant density, 153
 - spherical planet, variable density, 169
- geopotential of apparent gravity, *see* geopotential
- geopotential surface, 5, 25, 137, 141, 146, 147, 162
- spheroidal, 139
- geostrophic balance equation, 145
- Gibbs phase rule, 233–235
- Gibbs potential for
- alternative to Vallis (2017)'s oceanic prototype, 312–319
 - cloudy (saturated) air, 267–268
 - cloudy air, 260–261, 266–270
 - frozen cloud, 269–270
 - humid (subsaturated) air, 267
 - humid air, 240–242
 - liquid and frozen cloud, 270
 - liquid cloud, 268–269
 - pure water substance, 247
 - saline ocean, 294–327
 - TEOS-10, 319–327
 - Vallis (2017)'s oceanic prototype, 299–312
- glacier, 246
- Global Positioning System, 5, 147, 329, 332
- governing equations for motion of a geophysical fluid, in
- axial-orthogonal-curvilinear coordinates, 128, 373, 449, 378–452, 464–465
 - cylindrical-polar coordinates, 131, 386
 - generalised vertical coordinates, 374–388
 - spherical-polar coordinates, 130, 385
 - vector form, 92–94, 120, 439–449
- GPS, *see* Global Positioning System
- gradient in
- (deep) cylindrical-polar coordinates, 105
 - (deep) orthogonal-curvilinear coordinates, 100
 - (deep) spherical-polar coordinates, 102
 - (shallow) cylindrical-polar coordinates, 117
 - (shallow) orthogonal-curvilinear coordinates, 113
 - (shallow) spherical-polar coordinates, 115
- gravity, 5–6
- apparent, 25, 140
 - assumptions for representation in atmospheric and oceanic models, 336
 - meridional variation, 134, 175
 - some history, 136–138
 - standard gravitational parameter, 135
 - vertical variation, 134, 135
- gravity for
- ellipsoidal planet, constant density, 182–189
 - ellipsoidal planet, variable density, 191–211
 - spherical planet, constant density, 150–156
 - spherical planet, variable density, 156–171
- GREAT coordinates, 118, 170, 354–366
- choices for meridional coordinate, 361
 - Clairaut's fraction, 347, 352
 - geopotential representation, 340–354
 - geopotential surfaces, 353
 - meridional metric factor, 361
 - metric factors, preparatory steps, 359
 - metric factors, summary, 363
 - orthogonal trajectories, 354
 - overview, 357
 - spherical asymptotic limit, 366
 - transformation algorithms, 364
 - vertical metric factor, 360
 - zonal metric factor, 363
- Green's identities, 775
- Greenwich Royal Observatory, 333
- haline contraction coefficient, 304, 313
- halocline, 11
- Hamilton's principle of least action, *see* Hamilton's principle of stationary action
- Hamilton's principle of stationary action
- background, 427–428
 - benefits, 428
 - governing equations for global fluids, in
 - curvilinear form, 449–452
 - vector form, 439–449
 - Lagrangian and action of a physical system, 428–430
 - mathematical statement, 430, 512, 605
 - system of point particles, 435–439
 - verbal statement, 429–430
- heat
- diffusion, 54
 - removed, 54, 232
 - supplied, 54, 232

- transfer, 71, 243
- heating
 - at Earth's surface, 54
 - rate, 73, 77
 - solar, 11
- homentropic fluid, *see* barotropic fluid
- humid air, 52, 232, 236, 239–242
 - composition, 40
 - definition, 239
- hydrological cycle, 7, 238, 246
- hydrostatic balance equation, 9, 146
- hydrostatic primitive equations, 366, 500, 503, 504, 519, 522, 526
- ice, 227
- ideal gas, 6, 15, 30, 38, 216
 - assumption, 15
 - enthalpy of, 35
 - governing equations for motion of, 36
 - internal energy of, 33
 - mixture, 31–32
 - specific heat capacities, 94–96
 - thermodynamic-energy equation for, 15, 33–36
- ideal-gas law, 30–32, 38, 49, 63
 - for a mixture of constant composition, 32
- IERS (International Earth Rotation Service)
 - reference meridian, 333
- impermeability, 71
- infinitesimal volume, 15
- initial state, 4
- internal energy, 73, 79, 218, 222
 - conservation of, 73, 75
 - definition of, 73
 - prognostic equation, 77–79
- inverse of ellipticity, 135
- isentropic process, 222, 286, 290, 292
- isohaline process, 286
- isopycnal surface, 160–162, 200–202
- isothermal layer, 8
- kinematic equation, 23
- kinetic energy, 26
 - dissipation into heat, 54
- kinetic theory of gases, 30, 33, 216
- label space, 415–417
 - coordinates, 415
- Lagrangian mechanics, 427
- Laplace's equation, 138, 149, 157, 167, 176, 191
- Laplacian
 - of a zonally averaged function, 173
- Laplacian in
 - (deep) cylindrical-polar coordinates, 105
 - (deep) orthogonal-curvilinear coordinates, 100
 - (deep) spherical-polar coordinates, 102
 - (shallow) cylindrical-polar coordinates, 117
 - (shallow) orthogonal-curvilinear coordinates, 113
 - (shallow) spherical-polar coordinates, 115
- lapse rate, 8
 - adiabatic, 304, 313
- latent cooling, 222, 239, 243
 - cloudy air, 54, 56, 58
- latent heat, 7, 59, 244, 249
 - of condensation, 250
 - of deposition, 250
 - of evaporation, 250
 - of freezing, 250
 - of fusion, 55, 59, 62, 87, 225, 250
 - of sublimation, 250
 - of vaporisation, 55, 59, 62, 87, 225, 250
- latent heating, 61, 62, 222, 239, 243
 - cloudy air, 39, 52, 54, 56, 58, 61
- latent internal energy, 87, 227, 242–249
- latitude
 - geocentric, 177–179
 - geographic, 181
 - parametric, 180
- latitude circle, 122
- latitudinal plane, 122
- Le Chatelier's principle, 232
- Legendre polynomials, 138, 158, 172, 176
- level surface, *see* geopotential surface
- liquid cloud, 260
 - composition, 40
 - Gibbs potential, 271
 - other thermodynamic potentials, 271–273
 - saturation, 261–264
 - saturation vapour pressure, 263–264
- liquid water, 9, 41, 49, 55, 63, 65
- local speed of sound, 85
- location space, 415–417, 429
 - coordinates, 415
- macroscopic scale, 232
 - definition of, 70
 - transfer, 232
- mantle, 161, 200
- Mariana Trench, 10
- Mars, planet, 37
- mass
 - sink, 44
 - source, 44
 - transfer, 71, 72
- mass density, 65
- mass fraction, 32, 41–42, 62, 74, 218, 236
 - definition of, 41
 - for dry air, 42
 - for frozen water, 42
 - for liquid water, 42

- for water vapour, 42
 - for an ocean, 78, 240
 - for cloudy air, 50, 55, 78, 240
 - of dry air, 6
 - of solute, 9
 - of total water substance, 46, 56
- mass-continuity equation, 26–29
 - Eulerian form, 27
 - Lagrangian form, 27
 - specific volume form, 29, 417–419
- material conservation, 20, 79
- material derivative, 16, 18
 - of a scalar, 17–20
 - of a vector, 20–21
- material derivative in
 - (deep) cylindrical-polar coordinates, 105
 - (deep) orthogonal-curvilinear coordinates, 100
 - (deep) spherical-polar coordinates, 103
 - (shallow) cylindrical-polar coordinates, 117
 - (shallow) orthogonal-curvilinear coordinates, 114
 - (shallow) spherical-polar coordinates, 115
- material element, *see* fluid parcel
- material rate of change, 22
- material transport, 43, 44, 47
 - dry air, 44
 - water substance, 44–45
- matter, 69–70, 228
 - composition of, 69
- Maxwell relation, 219, 220, 297
- mean sea level, 135, 140, 147, 330–332
- melting, 238, 243
- meridian, 121
- meridional plane, 121, 134, 176
- mesopause, 8, 135
- mesosphere, 8
- metric
 - deep, 141
 - shallow, 141
- metric factor in
 - confocal-oblate-spheroidal (COS) coordinates, 110
 - cylindrical-polar coordinates (deep), 105
 - cylindrical-polar coordinates (shallow), 116
 - geodetic coordinates, 107
 - orthogonal-curvilinear coordinates (deep), 99
 - orthogonal-curvilinear coordinates (shallow), 112
 - spherical-polar coordinates (deep), 101
 - spherical-polar coordinates (shallow), 115
- metric terms, 101
- microscopic kinetic energy, 73
- microscopic potential energy, 73
- microscopic scale, 232
 - definition of, 70
- mixed layer, 10, 11
- mixed-phase cloud, *see* cloudy air
- mixing ratio, 42–43, 62
 - definition of, 42
 - for dry air, 42
 - for frozen water, 42
 - for liquid water, 42
 - for water vapour, 42
- moist air, 9
- molecule, 70, 73, 84, 94, 232, 240, 245, 247
- momentum equation, 21–26
 - in a rotating frame, 22–25
 - in an inertial frame, 21–22
 - vector-invariant form, 26
- motionless atmospheric state, with zero pressure
 - at finite height, 405–410
- motionless atmospheric state, with zero pressure
 - at finite height
 - deep, 407–410
 - isothermal and shallow, 406–407
- Newton's constraint, 187, 196
- Newton's second law, 14, 21
- Newton's universal gravitational constant, 135, 136, 140, 166, 175
- Newton–Raphson iteration, 255, 278, 288
- Newtonian gravitational potential for
 - ellipsoidal planet, constant density, 186
 - ellipsoidal planet, variable density, 195, 208
 - spherical planet, constant density, 152
 - spherical planet, variable density, 165
- Newtonian gravity, 149–150
 - Gauss's reformulation of, 149
- Newtonian mechanics, 427
- Noether's theorem, 428, 487–494
 - labels, 488
 - Lagrangians, 488, 489
 - particle-relabelling symmetry and conservation
 - of potential vorticity, 493–494
 - rotation symmetry and conservation of axial
 - angular momentum, 489–491
 - statement, 487
 - symmetries, 488
 - time translation symmetry and conservation of
 - total energy, 492–493
- non-Euclidean geometry, 111–112
- non-rotating frame, *see* frame, inertial
- normalisation of Gibbs potentials for water
 - substance, 227–228
- ocean conveyor belt, 10
- oceanic Gibbs potential
 - construction, 296–299
 - decomposition, 296
 - empirical expansions, 297

- fundamental thermodynamic relation, 296
 - pure-water part, 296
 - saline correction part, 296
- orography, 12, 147, 331, 336, 338
 - representation of, 372, 381, 384, 396
- partial pressure, 31, 50, 51, 65, 241, 275
 - at saturation, 261, 263
- pathline, 16
- permeability, 71
- phase, 40, 44, 74, 227, 233
 - change of, 12, 44, 54, 56, 71, 243, 246
- phase coexistence, 228, 233, 244, 246–248
- phase diagram, 243–245, 251, 260
- phase transition, 62, 220, 238, 243–275
 - continuity of Gibbs potential, 248
 - discontinuity of other thermodynamic potentials, 248–251
 - qualitative overview, 243–247
 - terminology, 245, 246, 249–251
- piston within a cylinder, 33, 70
- planet
 - ellipsoidal, 175
 - constant density, 142, 175
 - variable density, 142, 176
 - fluid, 175
 - idealised, 141
 - rigid, 150, 156, 175
 - rotation rate, 166, 175, 197
 - spherical
 - constant density, 142
 - variable density, 142
 - spheroidal, 175
 - surface area, 167, 192
 - total mass, 166, 167, 175, 197, 202, 207
 - volume, 167, 192
- plumb line, 139, 144, 145, 155, 331
- point particle, 15
- Poisson's equation, 138, 149, 160, 167, 176, 183, 191, 197
- polar radius, 135, 136
- potential
 - of apparent gravity, 25, 138
 - of centrifugal force, 25, 139, 151, 182, 192, 198
 - of Newtonian gravity, 21, 139, 150, 176, 190
- potential density, 239
 - definition of, 292
 - for alternative to Vallis (2017)'s oceanic prototype, 318–321
 - for Vallis (2017)'s oceanic prototype, 312, 320, 321
- potential enthalpy, 239
 - definition of, 290–291
 - for alternative to Vallis (2017)'s oceanic prototype, 318–321
 - for Vallis (2017)'s oceanic prototype, 311, 320, 321
- potential temperature, 239, 286–289
 - definition of, 287
 - for alternative to Vallis (2017)'s oceanic prototype, 317–318, 320, 321
 - for dry air, 36, 289
 - for humid (subsaturation) air, 288–289
 - for Vallis (2017)'s oceanic prototype, 309–310, 320, 321
- potential temperature versus entropy, 289–290
- potential theory, 138, 139, 149–150, 176
 - revisited, 189–191
- potential vorticity conservation, 470–475, 494
 - barotropic for a spheroidal planet, 643
 - for shallow-water equations, 628–630
- precipitation, 7, 44, 72, 232, 238, 243, 246
- pressure
 - units, 10
- pressure gradient
 - force, 22, 144
 - horizontal, 145, 146
 - vertical, 147
- pseudo force, *see* force, apparent
- pycnocline, 11
- quasi-hydrostatic balance equation, 145
- quasi-shallow equation sets
 - classical Eulerian derivation, 533–543
 - in axial-orthogonal-curvilinear coordinates, with conservation principles, 557–559
 - Lagrangian density approximation, 543–545
 - Lagrangian derivation
 - using Euler–Lagrange equations, 548–549
 - using Hamilton's principle, 545–548
 - variations for quasi-shallow contributions, 559–561
- radiation, 54, 228
 - short-wave, 245
 - solar, 11, 239
- radiative cooling, 11, 54
- radiative heating, 4, 11, 54
- radiative properties, 7, 11, 53
- reaction
 - chemical, 7, 45
 - photochemical, 45
- reference ellipsoid, 5, 12, 147
- reference pressure, 286, 290, 292
- reference state
 - for entropy, 89
- representative values for physical constants
 - of basic Gibbs potentials, 228
- reversible compression, 54
- reversible expansion, 54

- reversible thermodynamic process, 286
 Reynolds' transport theorem, 27, 47, 776
 rigid boundary, 371, 395, 397
 Rossby–Haurwitz wave
 ellipsoidal geometry, generalisation to,
 723–745, 756, 760–762, 771
 spherical geometry, 747, 756, 757, 762, 764, 771
 rotated coordinate transformation on a sphere,
 695–697
 rotation axis, 22, 121, 136, 137, 139, 176
 rotation rate, 136
 rotation vector, 23, 24
- saline contraction coefficient, 304
 saline water, 240
 salinity, 9, 71, 240, 294, 302
 Absolute Salinity, 9, 75, 78, 296, 298, 322
 Practical Salinity, 9
 saturation, 239, 242–246, 248
 instability at, 248
 saturation curve, 243–245, *see also* coexistence
 curve, 247
 saturation vapour pressure, 225, 226, 244
 scale factor, *see* metric factor
 scale separation, 70
 sea pressure, 304
 seawater, 9, 15, 64, 75, 296, 319, 323, 326
 closed parcel, 71
 parcel, 78
 second ellipticity, 136
 shallow ocean, 176
 shallow-water equations, 13, 562–630
 assumptions, 567–571
 in ellipsoidal coordinates, 576–578
 geocentric, 576
 geographic, 578
 parametric, 577
 reference geopotential surface, 575
 representation of gravity, 578–581
 shallow-water equations, 'basic', 566–591
 classical Eulerian derivation, 566–575
 in axial curvilinear coordinates, 573–574
 in ellipsoidal coordinates, 580, 582–583
 geocentric, 582
 geographic, 583
 parametric, 582–583
 in spherical-polar coordinates, 583–584
 in vector form, 574
 Lagrangian density, 584–590
 from first physical principles, 587–590
 from governing equations, 584–587
 vertically averaged pressure
 from first physical principles, 590
 from governing equations, 584–587
 shallow-water equations, 'quasi-shallow'
 conservation principles
 in axial curvilinear coordinates, 599–602,
 624–630
 in spherical-polar coordinates, 603
 in axial curvilinear coordinates, 598
 in spherical-polar coordinates, 602
 Lagrangian density, 591–594, 621–623
 Lagrangian derivation of horizontal
 momentum components, 595–598
 vertically averaged pressure, 594
 shallow-water equations, 'unified quartet',
 605–618
 application of Hamilton's principle, 613
 columnar flow and labels, 606–608
 constant density and mass-continuity equation,
 608–609
 derivation methodology, 605
 Hamilton's principle for incompressible fluid
 flow, 605
 in spherical-polar coordinates, 614–618
 Lagrangian density, 609–613
 shallow-water equations, exact steady solutions,
 see exact steady solutions, shallow-water
 equations
 singular limit, 171
 solenoidal term, 469
 solute, 9, 75, 78, 240
 space weather, 134
 specific heat capacity, 62, 82–84
 at constant pressure, 55, 61, 83, 297, 304, 313
 at constant volume, 54, 61, 82–83, 225
 difference at constant pressure and constant
 volume, 83–84
 for ideal gas, 84
 specific humidity, 240
 specific volume, 29, 65, 249
 spherical geopotential approximation, 5, 140, 170,
 215, 338
 as an asymptotic limit, 6, 211–212
 gravitational flux divergence, 213
 spherical harmonic, 138
 spherical solid harmonic, 157, 161, 173, 183, 193
 spheroid, 5, 106, 126, 134, 136
 functional forms, 176–178
 spirit level, 144, 145, 331
 star fixed frame, *see* frame, inertial
 statistical mechanics, 30, 84, 94
 Stokes's theorem, 776
 stratification, 10, 134
 stratopause, 8, 135
 stratosphere, 8
 subatomic particle, 70
 sublimation, 45, 238, 243, 245, 246, 249
 substance, 41, 49, 55, 69, 70, 228
 constituent of, 69

- molecules of, 70
 - phase of, 69
 - rate of change of, 78
- substance content
 - measures of, 41–43
 - mixture of, 63
- substance transport, 43–47
 - Eulerian forms, 48–49
 - using mass fractions, 45–46
 - using mixing ratios, 46
- substantive derivative, *see* material derivative
- supercooled liquid, 244, 248
- surface layer, *see* mixed layer
- temperature
 - virtual, 52
- temperature profile
 - atmosphere, 8
 - ocean, 11
- TEOS-10, 9, 295, 304
 - background, 319
 - notation and units, 319–322
 - toolboxes, 296, 327
- TEOS-10 Gibbs potential, 237, 296, 319–327
 - coefficients for pure-water part, 324
 - coefficients for saline correction part, 326
 - decomposition, 300
 - pure-water part, 323–325
 - saline correction part, 325–326
- thermal expansion coefficient, 304, 306, 313
- thermocline, 10, 11
- thermodynamic change
 - irreversible, 77, 232
 - quasi-static, 77
 - reversible, 77
- Thermodynamic Equation Of Seawater 2010, *see* TEOS-10
- thermodynamic equilibrium, 45, 70, 74, 79, 89, 217, 218, 232
 - definition of, 72
- thermodynamic flux, 240
- thermodynamic potential, 217–237
 - natural variable, 218, 220, 221, 223, 241
- thermodynamic properties
 - from Gibbs potentials, 228
 - from thermodynamic potentials, 221
- thermodynamic state, 72, 217
- thermodynamic system, 228, 235, 236
 - closed, 53, 70–72, 228
 - component of, 69
 - composition of, 70, 71
 - open, 70–72, 232
 - state of, 72
 - wall of, 70
- thermodynamic variable
 - extensive, 72
 - intensive, 72, 295
- thermodynamic vocabulary, 69–73
- thermodynamics
 - of an ideal gas, 29–36
- thermopause, 8, 135
- thermosphere, 8
- total derivative, *see* material derivative
- total energy
 - budget equation, 249
- total energy input rate, 54, 78
- total pressure, 31, 67, 241, 275
 - at saturation, 261, 263
- traditional approximation, for shallow fluids, 498, 500, 511, 518, 519, 522
- triple point of a substance, 244
- triple point of water, 225, 228, 243, 244, 251
 - temperature and pressure at, 244
- triple point of water in presence of dry air, 228, 239, 275–282
 - 2D phase diagram, 276–278, 280, 281
 - 3D phase diagram, 275–279
 - coexistence curve, 279
 - distribution of water substance, 279–282
 - temperature and pressure at, 278
- tropopause, 8, 135
- troposphere, 8
- unified quartet of deep/shallow, (quasi-)hydrostatic/ non-hydrostatic, 3D, equation sets
 - classical Eulerian derivation, 511–512
 - geopotential representation
 - in spherical geometry, 506
 - in spheroidal geometry, 509
 - historical overview, 500–504
 - in spherical geometry, with conservation principles, 504–507, 522–526
 - in spheroidal geometry, with conservation principles, 507–511, 526–530
 - interrelationships, 501
 - Lagrangian densities
 - in spherical geometry, 515
 - in spheroidal geometry, 514
 - Lagrangian derivation
 - using Euler–Lagrange equations, 516–517
 - using Hamilton’s principle, 512–516
 - transition from deep to shallow forms, 517–519
- unified sextet of deep/quasi-shallow/shallow, (quasi-)hydrostatic/non-hydrostatic, 3D equation sets
 - components of planetary vorticity vector, 541–543
 - in spherical geometry, with conservation principles, 553–556

- in spheroidal geometry, with conservation
 - principles, 549–553
- interrelationships, 532
- Vallis (2017)'s prototypical oceanic Gibbs
 - potential, 298–319
 - decomposition, 299–300
 - definition, 299, 303–304
 - pure-water part, 300–302, 304, 307
 - representative values for parameters, 304, 305
 - saline correction part, 302–304, 308
 - some derived quantities, 304–312
- vaporisation, 243
- vapour pressure, 244–245
- variational principles, 419–431
- variational problems, simple
 - gravitational attraction between two particles, 425–427, 431–435
 - shortest arc between two points on a sphere, 422–425
 - shortest curve between two points in a plane, 419–422
- variations in axial orthogonal coordinates, 456–462
- vector identities, 773–776
- velocity in
 - (deep) cylindrical-polar coordinates, 105
 - (deep) orthogonal-curvilinear coordinates, 99
 - (deep) spherical-polar coordinates, 102
 - (shallow) cylindrical-polar coordinates, 117
 - (shallow) orthogonal-curvilinear coordinates, 112
 - (shallow) spherical-polar coordinates, 115
 - COS (Confocal-Oblate-Spheroidal) coordinates, 110
 - geodetic coordinates, 108
- vertical
 - local, 144, 147
- vertical boundary conditions and conservation
 - axial angular momentum, 399–401
 - prototypical configurations, 401–403
 - total energy, 397–399
- vertical boundary conditions and conservation, 381–382, 395–403
 - atmosphere–ocean boundary, 398–399
 - elastic boundary, 396–398
 - rigid boundary, 395–397
- vertical coordinate
 - height-based, 382–383
 - issues at top of the atmosphere, 405–406
 - pressure-based, 383–385
 - terrain following, 372, 382–385
- vertical coordinate, evolution equations, 388–395
 - axial angular momentum, 393–395
 - energy, 389–393
 - mass, 388–389
- virial interaction, 240, 247
- volatile organic compounds, 41
- volume element in
 - confocal-oblate-spheroidal (COS) coordinates, 110
 - cylindrical-polar coordinates (deep), 105
 - cylindrical-polar coordinates (shallow), 117
 - geodetic coordinates, 108
 - orthogonal-curvilinear coordinates (deep), 99
 - orthogonal-curvilinear coordinates (shallow), 112
 - spherical-polar coordinates (deep), 102
 - spherical-polar coordinates (shallow), 115
- vortex tilting/stretching term, 469
- vorticity
 - absolute, 26
 - planetary, 26
 - relative, 26
- water substance, 7, 37, 38, 40, 41, 49, 55, 216, 236, 247–259
 - frozen state, 7, 37, 238
 - liquid state, 7, 37, 238
 - vapour state, 7, 37, 238
- water vapour, 7, 38, 41, 55, 63, 65, 239
- WGS 84 (World Geodetic System 84), 330–337
 - coordinate system, 332, 333, 335
 - geodetic coordinates, 335–336
 - reference ellipsoid, 106, 332–335, 337, 357
 - defining parameters, 334
 - reference meridian, 106, 335
- whole atmosphere model, 62, 134
- work done, 54, 71, 232
 - by gravity, 139
 - by or on a gas, 32–33, 228
 - on a fluid parcel, 24, 25