

Name Index

- Aho, Alfred V., 76
 Alaoglu, Leonidas, 531
 Allauzen, Cyril, 357
 Allouche, Jean-Paul, 78, 305, 307
 Almeida, Jorge, 307
 Araujo, Isabel, 357
 Arnoux, Pierre, 53, 80, 306
 Ashley, John, 80
 Atiyah, Michael F., 154
 Avila, Artur, 199, 408

 Baire, René-Louis, 526
 Balchin, Scott, 304
 Balková, L'ubomíra, 356
 Banach, Stefan, 108, 525, 531
 Barge, Marcy, 540
 Bass, Hyman, 358
 Béal, Marie-Pierre, 5
 Bernoulli, Jacob, 131
 Berstel, Jean, 6, 79, 81, 358
 Berthé, Valérie, 5, 80, 306, 356, 357, 409, 540
 Besbes, Adnene, 308
 Bezuglyi, Sergey, 79, 305, 307, 308
 Birkhoff, Garrett, 197
 Birkhoff, George D., 76, 134, 154
 Blanchard, François, 155
 Bogolyubov, Nikolai N., 133
 Boissy, Corentin, 410
 Boltzman, Ludwig, 76
 Borel, Emile, 528
 Boshernitzan, Michael, 308, 409
 Boyle, Michael, 6, 242, 243
 Bratteli, Ola, 2, 200, 241, 243, 433
 Brocot, Achille, 63, 81
 Brown, James R., 76

 Brun, Viggo, 357
 Bruschiński, N., 154
 Bruyère, Véronique, 357
 Büchi, Richard J., 356, 543

 Canterini, Viencent, 79
 Cantor, Georg, 8
 Carathéodory, Constantin, 131, 143, 528
 Carlsen, Toke M., 434
 Carrol, Joseph E., 199
 Carroll, C. R., 409
 Cassaigne, Julien, 80, 307, 342
 Cauchy, Augustin Louis, 523, 525
 Cayley, Arthur, 514
 Cecchi Bernales, Paulina, 6, 306
 Čech, Eduard, 148, 154
 Chacon, Rafael V., 37, 262
 Champernowne, David G., 20
 Choffrut, Christian, 6
 Church, Alonzo, 76
 Chvatal, Vašek, 521
 Cobham, Alan, 78, 307
 Cohn, Paul M., 356
 Cornfeld, Isaac P., 408
 Cortez, María Isabel, 305
 Costa, Alfredo, 307
 Coulbois, Thierry, 358
 Coven, Ethan M., 77, 541
 Crochemore, Maxime, 77
 Crovisier, Sylvain, 153
 Culik, Karel, 541
 Cuntz, Joachim, 434
 Curtis, Morton L., 23

 Damanik, David, 81, 305

- Damron, Michael, 357
 Danthony, Claude, 409
 Dartnell, Pablo R., 357
 Davidson, Kenneth R., 6, 433
 De Felice, Clelia, 356
 de Luca, Aldo, 80
 Dekking, F. Michel, 81, 541
 Delecroix, Vincent, 199, 306, 308, 409
 Diamond, Beverly, 540
 Diekert, Volker, 540
 Dirac, Paul, 528
 Dirichlet, Johann, 509
 Dolce, Francesco, 5, 6, 356, 409, 540
 Donoso, Sebastián, 305
 Downarowicz, Tomasz, 81, 273, 305
 Droubay, Xavier, 80
 Du, Chen Fei, 77
 Dumont, Jean-Marie, 154
 Dunford, Nelson, 155
 Durand, Fabien, 2, 198, 304–308, 357, 540
- Effros, Edward G., 3
 Ehrenfeucht, Andrew, 79, 305
 Eilers, Soren, 6, 433, 434
 Elliott, George A., 2, 433
 Espinoza, Bastián, 305
- Fagnot, Isabelle, 541
 Fekete, Michael, 240
 Ferenczi, Sébastien, 305, 306
 Fibonacci, Leonardo, 31
 Fickenscher, Jon, 357, 409
 Fine, Nathan J., 67
 Fischer, Roland, 77
 Fogg, N. Pytheas, 80
 Fomin, Sergei V., 408
 Forni, Giovanni, 408
 Forrest, Alan H., 304
 Frettlöh, Dirk, 540
 Frobenius, Georg F., 520
 Furstenberg, Harry, 76
- Giordano, Thierry, 2, 154, 220, 222, 242
 Gjerde, Richard, 304, 408
 Glasner, Eli, 242
 Glass, Andrew M., 243
 Glimm, James G., 304, 433
 Golay, Marcel J. E., 79
 Goodearl, Kenneth R., 108
 Gottschalk, Walter H., 3, 114
 Goulet-Ouellet, Herman, 357
- Goyheneche, Valérie, 541
 Graham, Ronald L., 81
 Grillenberger, Christian, 242
- Haar, Alfred, 248
 Haar, Oscar, 304
 Hahn, Hans, 108
 Handelman, David, 3, 108, 154, 242, 243
 Hansel, Georges, 155
 Hardy, Godfrey, 76, 511
 Harju, Tero, 79, 541
 de la Harpe, Pierre, 358
 Hartfiel, Darald J., 199
 Hatcher, Allen, E., 153
 Hausdorff, Felix, 522
 Hedlund, Gustav A., 3, 19, 23, 24, 77, 114, 357
 Heine, Eduard, 527
 Heller, Pavel, 5, 6
 Herman, Michael-R., 153
 Herman, Richard H., 2, 154, 199, 215, 241, 242
 Hilbert, David, 199, 525
 Hilion, Arnaud, 358
 Hollander, Michael, 540
 Holton, Charles, 307
 Honkala, Juha, 307
 Hopcroft, Jeffrey D., 76
 Hosseini, Maryam, 6, 154
 Host, Bernard, 2, 6, 304–306
- Jacobs, Konrad, 81
 Janvresse, Elise, 542
 Johansen, Orjan, 304, 408
 Jørgensen, Palle E., 243
 Jullian, Yann, 409
 Justin, Jacques, 54, 80, 356
- Kakutani, Shizuo, 133, 157, 198, 242
 Kapovich, Ilya, 518
 Karhumäki, Juhani, 306, 543
 Karpel, Olena, 308
 Karrass, Abraham, 358
 Katok, Anatole B., 357
 Keane, Michael, 81, 408, 409, 541
 Kenyon, Richard, 540
 Kerov, Serguei, 154
 Keynes, Harvey B., 409
 Khinchin, Aleksandr Y., 154
 Khodayan Karim, Amir, 6
 Kim, Ki Hang, 154, 243

- Klouda, Karel, 80
 Knuth, Donald E., 81, 304
 Koblitz, Neal, 304
 Kolmogorov, Andrei, 531
 König, Dénes, 526
 Krein, Mark, 135
 Krieger, Dalia, 540
 Krieger, Wolfgang, 110, 434
 Kronecker, Leopold, 76, 155
 Krylov, Nicolai M., 133
 Kůrka, Petr, 79, 304, 357
 Kurosh, Aleksandr G., 336, 514
 Kwiatkowski, Jan, 79, 305, 307
 Kyriakoglou, Revekka, 5, 6, 80, 307
- Labbé, Sébastien, 6, 357
 Lagrange, Joseph-Louis, 510
 Lang, Serge, 518
 Lanneau, Erwan, 410
 Lebesgue, Henri, 528, 530
 Lecroq, Thierry, 77
 Lee, Kwok Pun, 305
 Lenz, Daniel H., 81, 305, 308
 Leroy, Julien, 5, 306, 308, 356, 357, 540
 Lind, Douglas, 76
 Lindenmayer, Aristid, 78
 Linna, Matti, 79
 Livshits, Anatol N., 304
 Lopez, Michel, 358
 Lothaire, M., 80, 357
 Luenberger, David G., 521
 Lustig, Martin, 358
 Lyndon, Roger C., 23
- Maass, Alejandro, 273, 305, 357
 Madden, James J., 243
 Magnus, Wilhelm, 358
 Mal'tsev, Anatolii I., 513
 Maloney, Gregory R., 305
 Mañuch, Ján, 306, 543
 Marcus, Brian H., 6, 76, 80
 Markov, Alexander A., 243
 Markov, Andrei A., 133
 Martin, John C., 79
 Masur, Howard, 409
 Matsumoto, Kengo, 434
 Medynets, Konstantin, 79, 305, 307
 Méla, Xavier, 243, 542
 Michel, Pierre, 154
 Miernowski, Tomasz, 409
 Mignosi, Filippo, 80, 81
- Milman, David, 135
 Mizutani, Masahiro, 306
 Monteil, Thierry, 306
 Morita, Kliti, 517
 Morse, Marston, 19, 24, 32, 77, 252, 357
 Mossé, Brigitte, 79
 Moussavi, Hamoon, 77, 79
 Müllner, Clemens, 541
 Mundici, Daniele, 243
 Myasnikov, Alexei, 518
- Narbel, Pierre, 358
 von Neuman, John, 154
 Newton, Dan, 409
 Nicolas, François, 307
 Nielsen, Jacob, 512
 Nikodym, Otto, 531
 Nogueira, Arnaldo, 409
- Olesen, Dorte, 433
 Ornstein, Donald S., 242
 Oxtoby, John C., 137, 154
- Pansiot, Jean-Jacques, 79, 307
 Panti, Giovanni, 243
 Parry, William, 154
 Patashnik, Oren, 81
 Pedersen, Gert K., 433
 Pelantová, Edita, 356
 Perrin, Dominique, 6, 79, 80, 306, 307, 356, 409, 540
 Perron, Oskar, 520
 Petersen, Karl, 76, 243, 542
 Petite, Samuel, 153, 305, 306
 Pin, Jean-Eric, 356
 Pires, Benito, 409
 Pirillo, Giuseppe, 80
 Pisot, Charles, 508, 540
 Plandowski, Wojciech, 306, 543
 Poincaré, Henry, 16, 76, 362
 Poon, Yiu Tung, 153
 Post, Emil, 76
 Putnam, Ian F., 2, 6, 154, 198, 199, 215, 220, 222, 241, 242
- Queffélec, Martine, 78, 154
- Radon, Johann, 531
 Rauzy, Gérard, 3, 27, 53, 80, 305, 408
 Renault, Jean, 242
 Restivo, Antonio, 79, 81

- Reutenauer, Christophe, 6, 79, 80, 356, 409
 Richomme, Gwénaél, 6, 306, 540
 Riedel, Norbert, 109, 542
 Rieffel, Marc, 434
 Riesz, Frigyes, 530
 Rindone, Giuseppina, 6, 356, 409
 Robert, Alain M., 304
 Robinson, Derek W., 433
 Rokhlin, Vladimir A., 157, 198
 Roush, Fred W., 154, 243
 Rowen, Louis, 518
 Rozenberg, Gregorz, 78, 79
 Rudin, Walter, 79, 531
 Rudolph, Daniel J., 242
 de la Rue, Thierry, 542
 Rust, Dan, 304, 305
 Rytter, Wojciech, 77

 Sadun, Lorenzo, 540
 Salomaa, Arto, 78
 Samuel, Pierre, 511
 Schaeffer, Luke, 77, 79
 Schochet, Claude, 154
 Schreier, Otto, 512
 Schützenberger, Marcel-Paul, 79
 Schupp, Paul, 518
 Schwartz, Jacob T., 155
 Schwarz, Hermann, 525
 Sécébold, Patrice, 540
 Sellami, Tarek, 306
 Seneta, Eugene, 199
 Serre, Jean-Pierre, 358
 Servent, Victor, 540
 Shallit, Jeffrey O., 77–79, 305, 307
 Shapiro, Harold S., 79
 Shen, Chao-Liang, 3
 Shimomura, Takashi, 305
 Siegel, Anne, 79
 Sinai, Yakov V., 408
 Skau, Christian F., 2, 154, 199, 215, 220, 222,
 241, 242, 304, 305
 Smale, Stephen J., 110
 Solitar, Donald, 358
 Solomyak, Boris, 305, 540
 Stallings, John R., 516, 518

 Starosta, Stepan, 80
 Steiner, Wolfgang, 6, 306, 356, 357
 Steinitz, Ernst, 304
 Stern, Moritz, 63, 81
 Stirling, James, 241
 Sugisaki, Fumiani, 236, 243

 Tan, Bo, 356
 Thomas, Alain, 154
 Thue, Axel, 32, 151
 Thuswaldner, Jörg M., 306, 357
 Toeplitz, Otto, 64
 Tomiyama, Jun, 242
 Troubetzkoy, Serge, 409
 Tuncel, Selim, 80, 154
 Turing, Alan, 76
 Tychonov, Andrei N., 482, 526

 Ullman, Jeffrey D., 76

 van der Corput, Johannes G., 307
 Veech, William A., 357, 409
 Vershik, Anatol M., 2, 198, 210, 241, 242, 304
 Viana, Marcelo, 408
 Vuillon, Laurent, 80, 356

 Walters, Peter, 242, 304
 Wedderburn, Joseph, 517
 Weierstrass, Karl Theodor, 465
 Weiss, Benjamin, 77, 242
 Wen, Zhi Xiong, 356
 Weyl, Hermann, 155
 Wilf, Herbert S., 67
 Willard, Stephen, 76
 Williams, Robert F., 77
 Williams, Susan G., 81, 154
 Wright, Edward M., 76, 511

 Yassawi, Reem, 306, 541
 Ye, Yinyu, 521
 Yuasa, Hisatoshi, 307

 Zamboni, Luca Q., 306, 307
 Zhang, Yi Ping, 356
 Zorn, Max August, 436

Index of Symbols

- | | |
|---|--|
| $1 \otimes L(w)$, 309
$\mathbf{1}_\Gamma$, 181
$\mathbf{1}_M$, 95
$\mathbf{1}_{\mathfrak{P}}$, 163
$\mathbf{1}_X$, 118
$\mathbf{1}_n$, 166
$\mathbf{1}_n(X)$, 124
$\mathbf{1}_n(x)$, 171

$\mathcal{A}(U)$, 71
A^* , 17
$[a_0; a_1, \dots]$, 510
\mathfrak{A}_α , 420
$\mathcal{A} \vee \mathcal{B}$, 159
$\text{Ad}(U)$, 417
\mathfrak{A} , 414
$\mathfrak{A} \oplus \mathfrak{B}$, 415
\mathfrak{A}/\mathcal{J} , 416
$\alpha_{a,b}$, 327
$\alpha \vee \beta$, 532
α_μ , 143

$B(x, \varepsilon)$, 523
$\mathfrak{B}(\mathcal{H})$, 415, 525
$b_n(X)$, 25
B_u , 291

$C(\Gamma)$, 179
$C(n)$, 167
$C(\mathfrak{P})$, 163
$C(X, \mathbb{R})$, 112
c_α , 59
$\text{Card}(A)$, 8
$\chi_{[w]}$, 120
χ_A , 529 | $CR_X(U)$, 346
$CR_X(w)$, 346

$D(S)$, 374
$D(x_1, x_2, \dots, x_n)$, 509
Δ , 91, 463
Δ^+ , 93
Δ^0 , 91
(δ_0, δ_1) , 341
$(\Delta_1, \dots, \Delta_k)$, 360
Δ_M , 94
∂_n , 123
∂_T , 112
δ_x , 528
$\det(M)$, 519
$\text{DG}(V, E)$, 204
$\text{diam}(C)$, 523
$d_U(w)$, 353
$\mathcal{D}_u(x)$, 291
$d_U(X)$, 354

ε , 17
$E(n)$, 201
$E(U, w, V)$, 313
$E_X(w)$, 309
$\mathcal{E}_X(w)$, 309
$e_X(w)$, 26

$F(A)$, 512
$\text{Fac}(L)$, 281
$f_{k,v}(x)$, 138
$f^{(n)}$, 114

$G(\Gamma, v)$, 179, 515
$G(\mathfrak{P})$, 163 |
|---|--|

- $G * H$, 513
- G^+ , 82
- (G, G^+, u) , 86
- $[G : H]$, 511
- $[g, h]$, 511
- γ_α , 58
- $\Gamma_n(X)$, 27
- $G_n(X)$, 124
- $G_n(x)$, 171
- G_θ , 335

- $H(\alpha)$, 532
- $h(T)$, 532
- $h(T, \alpha)$, 532
- $H(X, T, \mathbb{Z})$, 118
- $h(X, S)$, 234
- $H^+(X, T, \mathbb{Z})$, 118
- $\text{Hom}(G, H)$, 511

- \hat{I} , 398
- $I(G)$, 91
- $\mathcal{I}(I, T)$, 407
- $I(n)$, 167
- $I(\mathfrak{P})$, 163
- $I(\mathfrak{P}', \mathfrak{P})$, 164
- $I(w)$, 368
- $I(X, T)$, 146
- id_n , 413
- $\text{id}_n^{(e)}$, 413
- $i_{n+1, n}(x)$, 171
- $\text{Inf}(G)$, 90
- $\text{Inf}(X, T)$, 146
- $\int f d\mu$, 530
- I_U , 129
- i_U , 130

- $J(w)$, 368

- $K_0(\mathfrak{A})$, 426
- $K^0(X, T)$, 118
- $[K : \mathbb{Q}]$, 508
- \ker , 511
- \mathfrak{K} , 415, 527
- \mathcal{K}_M , 94

- $\ell_X(w)$, 26
- $\mathcal{L}(\sigma)$, 31
- $\ell(\sigma)$, 37
- $\mathcal{L}(X)$, 22
- (ℓ, m, π) , 398
- L_a , 53

- λ_M , 520
- $\varinjlim G_n$, 91
- $\lim_{\rightarrow} \mathfrak{A}_k$, 418
- $\mathcal{L}^{(n)}(\tau)$, 277
- $\mathcal{L}_n(X)$, 22
- $L(U, w)$, 313
- $L_X(w)$, 309

- $\|M\|$, 414
- $M(n)$, 201
- $M(\mathfrak{P}', \mathfrak{P})$, 164
- $M(\sigma)$, 37
- $\mathcal{M}(X, T)$, 135, 146
- $\|M\|_\infty$, 525
- M_k , 51
- $M \sim N$, 107
- \mathcal{M}_n , 413
- $M_{[n, N]}$, 279
- $\mathcal{MR}_X(w)$, 348
- $m_X(w)$, 26

- $N(x)$, 508
- $\nu \ll \mu$, 135

- $\mathcal{O}(x)$, 9
- $\mathcal{O}_+(x)$, 9
- $\Omega(\sigma)$, 280
- $\Omega(x)$, 22

- $\text{Pal}(w)$, 54
- \mathfrak{P} , 157
- $\mathfrak{P}(n)$, 160
- ϕ , 122
- $\hat{\phi}^*$, 127
- $\hat{\varphi}$, 42
- φ_k , 48
- $\pi(n)$, 167
- $\pi(\mathfrak{P})$, 163
- $\pi(s)$, 58
- $p_n(X)$, 24
- $p_n(x)$, 19

- $\mathbb{Q}[x]$, 507

- $r(e)$, 178, 201, 514
- $R(w) \otimes 1$, 309
- \mathbb{R}_+ , 83
- $\text{rank}(X)$, 273
- $\mathcal{R}'_X(u)$, 27
- \mathcal{R}_M , 94
- $\mathcal{R}_X(r \cdot l)$, 259

- | | |
|--|-------------------------------|
| $\mathcal{R}_X(u)$, 27 | $\langle U \rangle$, 325 |
| $\mathcal{R}_X(u \cdot v)$, 270 | $[u]$, 22 |
| R_E , 209 | $ u $, 17 |
| $\rho(M)$, 520 | \tilde{u} , 18 |
| $\rho_X(v)$, 317 | U^* , 18 |
| R_λ , 11 | $[u \cdot v]$, 22 |
| $R_n(X)$, 122 | $ u _a$, 17 |
| $(R, S) : M \sim N$ (lag ℓ), 107 | u^∞ , 18 |
| R_U , 129 | u^ω , 18 |
| r_u , 130 | $V(n)$, 201 |
| $R(w, V)$, 313 | (V, E) , 200 |
| $R_X(w)$, 309 | (V, E, \leq) , 207 |
| $r_X(w)$, 26 | (V_E, T_E) , 211 |
| $s(e)$, 178, 201, 514 | \tilde{w} , 341 |
| $S(G)$, 87 | $w^{(+)}$, 54 |
| $\iota(T)$, 390 | $W_n(X)$, 171 |
| \mathbb{S}^1 , 11 | \tilde{x} , 18 |
| S_e , 329 | $X(\sigma)$, 31 |
| $\text{Sep}(T)$, 361 | x^+ , 18 |
| $S_{i,j}$, 344 | (X, \mathcal{F}, μ) , 528 |
| $\langle \sigma \rangle$, 30 | (X, G) , 67 |
| $ \sigma $, 30 | $\langle x, y \rangle$, 525 |
| $\Sigma(\Gamma)$, 178 | x^- , 18 |
| $\sigma(T)$, 525 | $\ x\ _\infty$, 525 |
| σ_1 , 399 | $\ x\ _p$, 525 |
| σ_2 , 399 | X_E , 209 |
| $\sigma^\omega(v \cdot u)$, 34 | X_E^{\max} , 210 |
| Σ_T , 364 | X_E^{\min} , 210 |
| σ_u , 294 | X^h , 67 |
| \mathfrak{S}_n , 241 | $X^{(k)}$, 28 |
| $s_n(X)$, 25 | X_M , 69 |
| spr , 415 | x_{\max} , 210 |
| $\text{Stab}(x)$, 540 | x_{\min} , 210 |
| \mathbb{T} , 11 | $X^{(n)}(\tau)$, 277 |
| $T(x, i)$, 42 | X^τ , 42 |
| T_0, T_1 , 343 | (X, T, μ) , 15 |
| T_α , 11, 58 | $\mathbb{Z}(A)$, 99 |
| $\tau_{\{n, N\}}$, 277 | \mathbb{Z}_+ , 83 |
| T_E , 210 | $\mathbb{Z}[1/2]$, 92 |
| $\theta_{\mathcal{A}}$, 341 | $\mathbb{Z}[x]$, 507 |
| θ_U , 325 | $\mathbb{Z}_n(X)$, 122 |
| $\text{Tr}(M)$, 518 | \mathbb{Z}_p , 14 |
| $\text{Tr}(x)$, 508 | $\mathbb{Z}(p_n)$, 245 |
| T_U , 12 | |

Subject Index

- abelian
 - group, 82
 - \mathbb{Q} -rank of, 512
 - rank of, 512
 - monoid, 82
- abelianization, 511
- absolutely continuous measure, 135, 531
- acyclic graph, 201, 514
- additive coding sequence, 80
- adic transformation, 241
- adjacency matrix
 - of Bratteli diagram, 201
 - of graph, 519
- adjoint
 - of element in C^* -algebra, 414
 - of linear operator, 525
- admissible
 - fixed point
 - one-sided, 33
 - two-sided, 34
 - semi-interval, 376
 - left, 376
 - right, 375
- AF algebra, 419
- algebra, 516
 - AF, 419
 - approximately finite, 419
 - Banach, 525
 - Boolean, 528
 - CAR, 420
 - GICAR, 421
 - semisimple, 517
 - simple, 517
 - UHF, 304
 - uniformly hyperfinite, 304
- $*$ -algebra, 414
- algebraic
 - conjugate, 508
 - extension, 508
 - integer, 85, 507
 - number, 507
- almost everywhere (a.e.), 528
- alphabet, 17
 - input, 341
 - output, 341
- alternating map, 519
- angle of rotation, 58
- anticipation of block map, 23
- antisymmetric matrix, 518
- aperiodic
 - dynamical system, 11
 - morphism, 32
 - sequence, 19
 - shift space, 253
- approximately finite algebra, 419
- Arnoux–Rauzy
 - sequence, 53
 - shift, 53, 310
 - derivative, 334
 - dimension group, 173
 - unique ergodicity, 175
- asymptotic
 - component, 68
 - Thue–Morse shift, 70
 - left, 63
 - right, 63
- automatic sequence, 78
- automaton
 - Büchi, 356
 - deterministic, 77

- flower, 71
- input, 341
- minimal, 77
- output, 341
- unambiguous, 79
- automorphism
 - associated with Rauzy induction, 372
 - elementary, 327
 - positive, 326
 - Rauzy, 53
 - tame, 327
- axiom of choice, 526
- Baire Category Theorem, 117, 526
- balance
 - of two words, 52
- balanced
 - sequence, 52
 - set of words, 52
- Banach algebra, 525
- Banach–Alaoglu Theorem, 531
- base of odometer, 246
- basis
 - of partition, 157
 - of subgroup, 512
 - of topology, 522
 - of tower, 157
- Bernoulli measure, 131
 - uniform, 131
- bi-infinite
 - path, 30
 - sequence, 18
- bifix code, 322
 - decoding by, 322
 - incidence graph of, 323
 - X -complete, 322
 - X -degree of, 354
 - X -maximal, 353
- binary expansion
 - of integer, 70
 - of real number, 67
- bipartite graph, 515
- Birkhoff
 - averages, 134
 - contraction coefficient, 197, 305
 - Ergodic Theorem, 134
- bispecial
 - regular condition, 355
 - word, 25
 - regular, 355
- block, 17
 - code, 23, 28
 - map, 23
 - anticipation, 23
 - memory, 23
 - window size, 23
 - presentation, *see* presentation
- Boolean algebra, 528
- Borel
 - measure, 528
 - probability measure, 131
 - subset, 528
- bottleneck, 279
- boundary, 111
 - operator, 111
- bounded
 - operator, 524, 525
 - set, 523
- Bratteli compactum, 210
- Bratteli diagram, 2, 200
 - adjacency matrix, 201
 - associated with a directive sequence, 288
 - dimension group, 204
 - infinite path, 209
 - intertwining, 204, 222
 - isomorphic, 202
 - morphism read on, 208, 252
 - ordered, 207
 - partial, 413
 - properly ordered, 210
 - range map, 201
 - rank, 272
 - root of, 201
 - simple, 202
 - source map, 201
 - stationary, 202
 - telescoping
 - equivalence, 204
 - telescoping of, 202, 207
- Bratteli–Vershik
 - BV, 211
 - dynamical system, 211
 - dimension group, 218
- Brun shift, 355, 357
- Bruschlinski group, 154
- Büchi
 - automaton, 356
 - condition, 356, 543
- BV-representation, 211
 - of interval exchange, 380
 - of Arnoux–Rauzy shifts, 330
 - of dendric shifts, 330

- of Fibonacci shift, 265
- of linearly recurrent shifts, 271
- of odometers, 247
- of period-doubling shift, 251
- of squared Fibonacci shift, 384
- of Sturmian shift, 333
- of Thue–Morse shift, 266, 301
- of Tribonacci shift, 255
- of unimodular \mathcal{S} -adic shift, 288
- Cantor
 - dynamical system, 8, 14
 - linearly recurrent, 273
 - set, 13
 - space, 8, 210
 - version of interval exchange, 367
- CAR algebra, 420
- Carathéodory Extension Theorem, 131, 143, 528
- Cassaigne shift, 311
 - dimension group, 352
 - even code, 343
- Cauchy sequence, 523
- Cauchy–Schwarz inequality, 525
- Cayley graph, 514
- Čech cohomology group, 148
- central part of word, 336, 513
- Chacon
 - binary
 - morphism, 37, 198, 262
 - sequence, 262
 - shift, 70, 79, 198, 263
 - ternary
 - morphism, 300, 307, 313
 - shift, 313
- chain recurrent system, 153
- Champernowne
 - constant, 77
 - sequence, 20
- change of variable formula, 530
- characteristic
 - function, 120, 529
 - of eventually dendric shift, 311
 - sequence, 59
- circular
 - code, 41
 - morphism, 41, 258
- clopen set, 521
- closed set, 521
- closure in topological space, 521
- coboundary, 112
 - element, 111
 - function, 112
 - operator, 111
- cocycle, 111, 114
 - relation, 114
 - orbit, 222
- code, 41
 - bifix, 322
 - circular, 41
 - prefix, 27
 - suffix, 27
 - uniformly synchronized, 72
- coding
 - by nonoverlapping blocks, 322
 - by overlapping blocks, 28
 - morphism, 41
 - natural, 59
- coefficient
 - contraction, 197
 - of continued fraction, 510
- cofinal paths, 209
- cofinality equivalence, 209, 229
- coherent linear involution, 400
- cohomological equation, 147, 153
- cohomologous functions, 112
- coincidence, 65, 75
- commutator, 511
- compact
 - operator, 420, 527
 - space, 7, 526
- compactum, 210
- compatibility conditions, 131
- complete
 - invariant, 10
 - metric space, 524
 - return word, 346
- completion
 - of metric space, 524
 - of normed algebra, 524
 - of normed space, 524
- complexity
 - of Chacon ternary sequence, 301
 - of dendric shift, 312
 - of interval exchange shift, 371
 - of linearly recurrent sequence, 21
 - of minimal substitution shift, 269
 - of period-doubling shift, 75
 - of sequence, 19
 - of shift space, 23
 - of Thue–Morse shift, 69
- composition

- matrix, 37
- of path, 178
- of relations, 230
- cone, 103
 - positive, 82
- conjecture
 - \mathcal{S} -adic, 306
 - Pisot, 540
 - unimodular, 109
- conjugacy
 - in groups, 511
 - of dynamical systems, 9
 - of words, 17
- conjugate
 - algebraic, 508
 - elements of group, 511
 - morphisms, 40
 - subgroups, 511
 - transpose of matrix, 526
 - words, 17
- connected
 - component, 527
 - graph, 514
 - space, 527
- connecting
 - matrix, 169, 218
 - morphism, 91
- connection
 - of interval exchange, 361
 - of linear involution, 400
- consecutive
 - edges, 178, 201
 - order, 235
- conservative factor, 68
- constant
 - length morphism, 30
 - of expansivity, 249, 270
 - of linear recurrence, 21
- context-free
 - grammar, 358
 - group, 358
 - language, 358
- continued fraction, 510
 - coefficient, 510
 - partial quotient, 510
- continuous
 - flow, 147
 - function, 522
- contraction coefficient, 197
- convergence
 - in mean, 520
 - pointwise, 522
 - uniform, 523
- convergent sequence, 522
- convex
 - hull, 531
 - set, 531
- coset
 - graph, 325
 - of ideal, 416
 - right, 511
- cover of space, 526
 - open, 526
- C^* -algebra, 414
 - approximately finite, 419
 - direct limit of, 418
 - ideal of, 416
 - morphism of, 414
 - semisimple, 416
 - simple, 416
 - UHF, 432
 - unital, 414
- C^* -crossed product, 434
- C^* -identity, 414
- C^* -norm, 417
- C^* -equivalence of matrices, 237, 267
 - decidability, 243
- current algebra, 434
- Curtis–Hedlund–Lyndon Theorem, 23
- cutting sequence, 62
 - intercept, 62
 - slope, 62
- cycle, 111
 - generalized, 515
 - in graph, 178, 514
 - simple, 514
- cyclic group, 512
 - primary, 512
- cylinder, 22, 209
 - function, 122
- d -power free sequence, 74
- DOL
 - system, 78
 - language generated by, 78
- decidability
 - of C^* -equivalence of matrices, 243
 - of LR for substitution shift, 268
 - of periodicity of fixed points, 71
 - of shift equivalence, 110
 - of telescoping equivalence
 - of stationary diagrams, 243

- of the conjugacy of primitive substitution shifts, 308
- decidable
 - problem, 76
 - property, 10, 76
- decoding of a shift, 345
 - by a bifix code, 322
 - by nonoverlapping blocks, 322
- Decomposition Theorem, 78
- Defect Theorem, 306
- degree
 - of bifix code, 354
 - of field extension, 508
 - of vertex, 514
- dendric
 - eventually, *see* eventually set, 310
 - shift, 310
- derivative
 - of Arnoux–Rauzy shift, 334
 - of dendric shift, 321
 - of dynamical system, 12, 239
 - of interval exchange shift, 380
 - of Sturmian shift, 334
 - sequence, 291
 - shift, 129, 291
- derived subgroup, 511
- descendant of vertex, 201
- determinant, 519
- deterministic automaton, 77
- diameter of set, 523
- dimension
 - pair, 109
 - triple, 109
- dimension group, 97
 - of Arnoux–Rauzy shift, 172
 - of Bratteli diagram, 204
 - of BV-dynamical system, 218
 - of Chacon binary shift, 198
 - of Fibonacci shift, 145, 193
 - of minimal dynamical system, 170
 - of odometer, 247
 - of period-doubling shift, 300
 - of Rudin–Shapiro shift, 198, 301
 - of Sturmian shift, 145
 - of Thue–Morse shift, 195
 - of Tribonacci shift, 175
 - of unimodular shift, 290
- Dirac measure, 528
- direct limit
 - of C^* -algebras, 418
 - of groups, 91
 - of ordered groups, 93
- directed
 - graph, 514
 - ordered group, 84
 - set, 203, 425
 - tree, 515
 - internal node of, 515
 - leaf, 515
 - node of, 515
 - root of, 515
- directive sequence
 - of episturmian shift, 54
 - of Fibonacci shift, 54
 - of morphisms, 278
 - of standard sequence, 54
 - of words, 74
 - of Tribonacci shift, 55
- Dirichlet
 - class group theorem, 509
 - Unit Theorem, 509
- disconnected
 - space, 527
 - totally, 8, 13, 527
- discrete topology, 521
- discriminant
 - of basis, 508
 - of number field, 509
- distance, 523
 - (p_n) -adic, 244
 - ultrametric, 8, 523
- divisible hull, 512
- division points
 - of interval exchange, 376
 - of linear involution, 398
- domain of interval exchange, 374
- dominant eigenvalue, 520
- Dominated Convergence Theorem, 530
- doubling
 - map, 341
 - transducer, 341
- dyadic rationals, 87, 92
- dynamical chapter system
 - topological, 7
- dynamical system
 - aperiodic, 11
 - Bratteli–Vershik, 211
 - Cantor, 8, 14
 - derivative, 12
 - equicontinuous, 249
 - expansive, 249, 270

- finite, 11
- invertible, 8
- measure-theoretic, 15
- minimal, 10
- morphism of, 9
- ordered cohomology group of, 119
- periodic, 11
- recurrent, 9
- symbolic, 14
- topologically transitive, 9
- edge, 200
 - consecutive, 178, 514
 - end of, 178, 514
 - maximal, 210
 - minimal, 210
 - of graph, 514
 - origin of, 178, 514
 - range of, 178
 - shift, 30
 - source of, 178
- Effros–Handelman–Shen Theorem, 98
- element of C^* -algebra
 - positive, 418
 - self-adjoint, 415
 - unitary, 417
- elementary
 - automorphism, 327
 - equivalence, 69
- end
 - of edge, 178, 514
 - of path, 514
- endomorphism, 30
- entrance time, 11
- entropy
 - of cover, 532
 - relative to cover, 532
 - topological, 532
- enveloping C^* -algebra, 418
- episturmian
 - sequence, 53
 - standard, 53
 - strict, 53
 - shift, 53, 172
 - directive sequence, 54
 - strict, 53
- equal path number property, 250
- Equality problem
 - for morphic sequences, 541
 - for substitution shifts, 541
- equation
 - Pell, 509
- equicontinuous
 - family of functions, 304
 - system, 249
- equivalence
 - cofinality, 209
 - of flows, 147
 - relation étale, 232
- equivalent
 - flows, 147
 - ideals, 509
 - orbit, 221
 - transformations, 388
- erasing morphism, 30
- ergodic
 - probability measure, 134
 - number of, 144, 306, 407
 - system, 134
 - Theorem, 134
 - transformation, 134
- étale
 - equivalence relation, 232
 - groupoid, 242
- Euclidean norm, 525
- even
 - code, 343
 - letter, 343
 - subgroup, 350
 - word, 343
- eventual
 - kernel, 94
 - range, 94
- eventually
 - dendric shift, 310
 - of characteristic c , 311
 - threshold of, 310
 - periodic sequence, 19
 - proper morphism, 253
- exact sequence, 167
- expansion
 - continued fraction, 510
 - (p_n) -adic, 245
- expansive dynamical system, 249, 270
- exponent of word, 17
- extendable
 - set of words, 22
 - word, 22
- extension
 - algebraic, 508
 - graph, 309
 - generalized, 313

- extreme point, 135, 531
- face in ordered group, 84
- factor
 - complexity, *see* complexity
 - conservative, 68
 - map, 9
 - occurrence of, 18
 - of sequence, 18
 - of word, 17
 - internal, 343
 - proper, 17
 - system, 9
- factorial
 - language, 22
 - number system, 246
- Fekete's Lemma, 240
- Fibonacci
 - algebra, 419
 - morphism, 15, 31
 - sequence, 15, 162
 - sequence of numbers, 24, 413
 - shift, 32, 53, 72, 124, 165, 172, 311, 313, 318, 323
 - BV-representation of, 265
 - derivative, 129
 - dimension group of, 145, 188, 193
 - directive sequence, 54, 174
 - doubling map on, 342
 - invariant measure, 141
 - partition in towers, 158, 159, 162
 - Rauzy graph, 182, 319
 - slope, 62
- field, 507
 - of p -adic numbers, 246
 - quadratic, 508
- Fine–Wilf Theorem, 67
- finite
 - automaton, 79
 - dynamical system, 11
 - measure, 528
- Finite Index Basis Theorem, 356
- finite-to-one map, 72
- fixed point
 - admissible, *see* admissible
 - one-sided, 33
 - two-sided, 34
- flip equivalence, 242
- flow
 - continuous, 147
 - equivalence, 148
 - suspension, 147
- flower automaton, 71
- follower set, 69, 77, 439
- forbidden blocks, 29
- Formula
 - change of variable, 530
 - Justin, 54
 - Schreier, 513
 - Stirling, 241
- free
 - abelian group, 99, 511
 - group, 512
 - monoid, 17
 - product of groups, 513
- full shift, 14
- one-sided, 14
- function
 - coboundary, 112
 - cohomologous, 112
 - continuous, 522
 - homotopic, 147
 - integrable, 530
 - locally constant, 112
 - measurable, 528
- fundamental
 - group, 515
 - unit, 510
- Fundamental Theorem
 - of abelian groups, 512
 - of Linear Programming, 197
- G -dynamical system, 67
- Gaussian integers, 510
- generalized
 - extension graph, 313
 - natural numbers, 304
 - path, 319
 - permutation, 398
- generated topology, 522
- geometric rate of convergence, 520
- GICAR algebra, 421
- golden mean
 - number, 38
 - shift, 15, 29
- graph
 - acyclic, 201, 514
 - adjacency matrix of, 519
 - bipartite, 515
 - Cayley, 514
 - coset, 325
 - directed, 514

- edge of, 514
- extension, 309
- group of, 199
- incidence matrix of, 180
- incidence of bifix code, 323
- labeled, 514
- ordered cohomology group of, 181
- parity, 343
- Rauzy, 27, 182
- strongly connected, 28, 514
- undirected, 514
- vertex of, 514
- group, 507
 - abelian, 82
 - cyclic, 512
 - defined by a labeled graph, 516
 - free, 512
 - abelian, 99
 - Hopfian, 338, 513
 - morphism of, 511
 - of cycles, 178
 - of ideal classes, 509
 - of units, 509
 - ordered, 82
 - profinite, 299
 - residually finite, 338, 513
 - Riesz, 98
 - specular, 335
 - topological, 522
 - torsion-free, 86
 - virtually free, 358
- growing morphism, 30

- Haar measure, 248, 304
- Hahn–Banach Theorem, 108
- Hausdorff space, 522
- height of tower, 157
- Heine–Cantor Theorem, 527
- hereditary set, 203, 425
- Hermitian norm, 525
- higher block
 - code, 28
 - presentation
 - of a morphism, 48
 - of a shift, 28
- Hilbert
 - projective distance, 199
 - space, 525
- homeomorphism, 522
- homologous, 111
- homotopic functions, 147
- homotopy, 147
- Hopfian group, 338, 513

- ideal
 - coset of, 416
 - of C^* -algebra, 416
 - of algebra, 516
 - of ordered group, 84
 - of ring, 507
- image subgroup, 91, 146
- incidence
 - graph of bifix code, 323
 - matrix
 - of graph, 180
 - of morphism, 37
- Inclusion problem
 - for substitution shifts, 541
- indecomposable morphism, 70, 285
- index of subgroup, 511
- induced
 - shift space, 128
 - associated morphism, 129
 - system, 12
 - topology, 522
 - transformation, 12
- induction graph, 389
 - modified, 390
- inductive limit, *see* direct limit
- infinitesimal
 - element, 90
 - subgroup, 90, 226
- ∞ -norm, 525
- inner product, 525
- input
 - alphabet, 341
 - automaton, 341
 - merge, 78
 - split, 78
- integer
 - algebraic, 507
 - p -adic, 245
 - p_n -adic, 245
 - profinite, 246
- integrable function, 530
- integral, 529
- intercept, 52
 - of cutting sequence, 62
- interior of set, 521
- internal
 - factor, 343
 - node, 515

- intersection of relations, 230
- intertwining of Bratteli diagrams, 204, 222
- interval exchange
 - BV-representation, 380
 - Cantor version, 367
 - ergodic measures, 407
 - irrational, 364
 - minimal, 362
 - natural coding of, 364
 - on a stack, 409
 - regular, 361
 - shift, 365
 - regular, 365
 - transformation, 360
 - with flip, 400
- invariant
 - by relation, 229
 - complete, 10
 - function, 134
 - measure, 15, 132
 - ergodic, 134
 - set, 10, 134
 - under conjugacy, 10
- inverse
 - edge, 318
 - limit, 298
 - of relation, 230
- inversion of permutation, 501
- invertible dynamical system, 8
- irrational interval exchange, 364
- irreducible
 - language, 20
 - matrix, 519
 - permutation, 364
 - shift space, 24
- isolated point, 522
- isomorphism
 - of dynamical systems, 9
 - of measure-theoretic systems, 16
- iterated palindromic closure, 54
- Justin Formula, 54
- Kakutani
 - equivalence, 220
 - orbit equivalence, 227
 - strong orbit equivalence, 227
- Kakutani–Rokhlin partition, 157
- kernel
 - eventual, 94
 - of bifix code, 346
 - of group morphism, 511
- König Lemma, 526
- KR-partition, 157
- Krein–Milman Theorem, 135
- Kronecker Theorem, 76
- Krylov–Bogolyubov Theorem, 133
- Kurosh Subgroup Theorem, 336, 514
- L^∞ -norm, 525
- L^p -norm, 525
- L -system, 78
- labeled graph, 514
- Lagrange Theorem, 395, 510
- laminary set, 339
 - orientable, 340
- language, 18
 - generated by DOL -system, 78
 - irreducible, 20
 - minimal automaton of, 77
 - of a sequence, 18
 - of a shift space, 22
 - of an endomorphism, 31
 - recognizable, 77
 - uniformly recurrent, 21
- lattice order, 83
- leaf of directed tree, 515
- Lebesgue
 - Dominated Convergence theorem, 530
 - integral, 529
 - measure, 362, 528
- left
 - admissible semi-interval, 376
 - asymptotic, 63
 - marked morphism, 303
 - prolongable, 34
 - proper
 - morphism, 253, 280
 - sequence of morphisms, 280
 - return word, 27
 - special word, 25
- Lemma
 - Fekete’s, 240
 - König, 526
 - Rauzy, 257
 - Rokhlin, 198
 - Zorn, 89, 436, 526
- length
 - data, 398
 - of path, 514
 - of word, 17
- letter

- even, 343
- odd, 343
- letter-to-letter morphism, 30
- lexicographic
 - map, 210
 - order, 83, 207
- limit
 - point of directive sequence, 278
- linear
 - operator, 524
 - program, 521
- linear involution, 398
 - coherent, 400
 - connection, 400
 - minimal, 401
 - natural coding, 402
 - nonorientable, 400
 - orientable, 400
 - shift, 402
- linear map
 - kernel, 507
- linearly recurrent
 - dynamical system, 273
 - sequence, 21
 - shift, 40
- linearly repetitive, 305
- local
 - action, 231
 - homeomorphism, 230
- locally constant function, 112
- map
 - alternating, 519
 - finite-to-one, 72
 - lexicographic, 210
 - multilinear, 519
 - two-to-one, 366
 - Vershik, 210
- Markov chain, 132
 - stationary, 133
- Markov compactum, 241
- Markov–Kakutani fixed point Theorem, 133, 149
- matrix
 - adjacency, 519
 - antisymmetric, 518
 - composition, 37
 - conjugate transpose of, 526
 - connecting, 169
 - determinant, 519
 - incidence, 37
 - irreducible, 519
 - nonnegative, 519
 - of a stationary diagram, 202
 - of partial multiplicities, 413
 - partition, 255
 - positive, 519
 - primitive, 519
 - reducible, 519
 - stochastic, 520
 - trace of, 518
 - transpose of, 518
 - unimodular, 104
- measurable
 - function, 528
 - set, 528
 - space, 528
- measure
 - absolutely continuous, 135, 531
 - Borel, 528
 - Dirac, 528
 - finite, 528
 - Haar, 248, 304
 - invariant, 15, 132
 - monotone, 528
 - positive, 528
 - probability, *see* probability
 - space, 528
 - theoretic dynamical system, 15
- mechanical sequence, 52, 59
 - intercept, 52
 - irrational, 52
 - slope, 52
- mediant of two fractions, 75
- memory of block map, 23
- measure-theoretic system
 - isomorphism of, 16
- metric space, 523
 - complete, 524
- metrizable space, 523
- minimal
 - dynamical system, 10
 - interval exchange, 362
 - linear involution, 401
 - period of sequence, 19
 - polynomial, 508
 - relation, 229
 - right-resolving presentation, 69
- mixed return word, 348
- mixing
 - probability measure, 149
 - weakly, 149

- topologically, 150
- module over a ring, 507
- monoid, 511
 - abelian, 82
 - free, 17
 - morphism, 30
- monoidal basis, 336
- monotone measure, 528
- Morita
 - equivalence, 517
 - strong, 432
 - Theorem, 517
- morphism
 - associated with induction, 129
 - binary Chacon, 37, 262
 - circular, 41
 - composition matrix, 37
 - conjugate, 40
 - connecting, 91
 - constant length, 30
 - erasing, 30
 - eventually proper, 253
 - Fibonacci, 15, 31
 - growing, 30
 - incidence matrix of, 37
 - indecomposable, 70
 - left marked, 303
 - left prolongable, 34
 - left proper, 253, 280
 - letter-to-letter, 30
 - natural into direct limit, 92
 - nonerasing, 30
 - of C^* -algebras, 414
 - of dynamical systems, 9
 - of groups, 511
 - kernel of, 511
 - of monoids, 30
 - of unital ordered groups, 86
 - partition associated with, 159
 - periodic, 32
 - positive, 84
 - primitive, 36
 - proper, 253
 - read on Bratteli diagram, 208
 - stationary, 252
 - recognizable, *see* recognizable morphism
 - right prolongable, 33
 - right proper, 253, 280
 - Rudin–Shapiro, 70
 - ternary Chacon, 300
 - Thue–Morse, 32
 - Tribonacci, 53
 - uniform, 30
- *-morphism, 414
- Morse–Hedlund Theorem, 19, 24
- multigraph, 178
- multilinear map, 519
- multiple labeled edge, 514
- multiplicity of word, 26
- mutually singular, 531
- natural
 - coding
 - of interval exchange, 364, 365
 - of linear involution, 402
 - of rotation, 59
 - morphism, 92
 - order, 83
 - set of generators, 335
 - neighbor of point, 376
 - neighborhood, 522
 - nested
 - sequence of partitions, 159
 - neutral
 - shift space, 316
 - word, 26
 - Nielsen–Schreier Theorem, 512
 - node of directed tree, 515
 - internal, 515
 - nonerasing morphism, 30
 - nonnegative
 - matrix, 519
 - vector, 519
 - nonorientable linear involution, 400
- norm
 - Euclidean, 525
 - in number field, 508
 - induced, 524
 - L^∞ , 525
 - L^p , 525
 - of operator, 524
 - on vector space, 524
- normal
 - element of C^* -algebra, 415
 - subgroup, 511
- normed
 - algebra, 524
 - space, 524
- nullhomotopic, 147
- number
 - algebraic, 507
 - field, 508

- p -adic, 304
- supernatural, 432
- occurrence
 - of factor, 18
 - overlap of, 18
- odd
 - letter, 343
 - word, 343
- odometer, 14, 246
 - base of, 246
 - BV-representation of, 247
 - dimension group of, 247
 - universal, 246
- one-cocycle, 153
- one-sided
 - full shift, 14
 - sequence
 - Sturmian, 51
 - shift space, 14
 - associated, 14
- open
 - ball, 523
 - cover, 526
 - set, 521
- operator, 524
 - adjoint of, 525
 - boundary, 111
 - bounded, 524
 - coboundary, 111
 - compact, 527
 - unitary, 526
- orbit, 9
 - cocycle, 222
 - equivalence, 229
 - equivalent, 221
 - strongly, 222
 - positive, 9
- order
 - consecutive, 235
 - ideal, 84
 - lattice, 83
 - lexicographic, 83, 207
 - natural, 83
 - prefix, 17
 - suffix, 17
 - topology, 522
 - unit, 85
- ordered, 207
 - Bratteli diagram, 207
 - cohomology group, 119
 - of a graph, 181
- group, 82
 - directed, 84
 - of a matrix, 95
 - perforated, 86
 - simple, 85
 - state of, 87
 - unital, 86
 - unperforated, 86
- partition, 360
- properly, 210
- orientable
 - laminary set, 340
 - linear involution, 400
- origin
 - of edge, 178, 514
 - of path, 514
- oscillation, 461
- output
 - alphabet, 341
 - automaton, 341
 - merge, 78
 - split, 78, 305
- overlap
 - of occurrences, 18
 - of words, 348
- p -norm, 525
- p -adic
 - integer, 14, 245
 - number, 304
 - topology, 14
- palindrome, 54
 - closed sequence, 55
- palindromic closure, 54
 - iterated, 54
- palindromization map, 54
- parity graph, 343
- parsable pair, 44
- parse of a word, 353
- partial
 - diagram, 413
 - homeomorphism, 230
 - range, 230
 - source, 230
 - multiplicities
 - matrix of, 413
 - quotient, 510
- partition
 - coarser, 159
 - finer, 159

- in towers, 157
 - associated with a morphism, 159
 - nested, 159
- matrix, 255
- refinement, 159
- Pascal adic system, 238
 - C^* -algebra, 434
 - weak mixing, 542
- path, 514
 - cofinal, 209
 - end of, 514
 - in Bratteli diagram, 201, 209
 - in graph, 178
 - maximal, 210
 - minimal, 210
 - origin of, 514
 - reduced, 310
 - simple, 325, 514
 - space, 209
- Pell's equation, 509
- perforated ordered group, 86
- period
 - of sequence, 19
 - of word, 17
- period-doubling
 - morphism, 65
 - sequence, 65, 75, 78
 - shift, 65, 251
 - BV-representation, 251
 - complexity, 75
 - dimension group, 300
- periodic
 - dynamical system, 11
 - morphism, 32
 - point, 11
 - sequence, 19
 - shift, 22, 253
 - two-sided sequence, 19
- permutation, 511
 - group, 511
 - inversion of, 501
 - irreducible, 364
 - reducible, 363
- Perron–Frobenius Theorem, 519
- Pisot
 - conjecture, 540
 - number, 70, 508
- (p_n) -adic
 - distance, 244
 - expansion, 245
 - integer, 245
 - topology, 244
- Poincaré Recurrence Theorem, 16, 362
- point
 - in topological space, 521
 - isolated, 522
 - limit, 278
 - periodic, 11
- pointwise convergence, 522
- positive
 - automorphism, 326
 - basis, 327
 - cone, 82
 - element in C^* -algebra, 418
 - linear functional, 418
 - matrix, 519
 - measure, 528
 - morphism, 84
- Post correspondence problem, 76
- prefix
 - code, 27
 - X -maximal, 314
 - map, 123
 - of sequence, 18
 - of word, 17
 - proper, 17
 - order, 17
- presentation
 - higher block
 - of morphism, 48
 - of shift, 28
 - of sofic shift, 68
- primary cyclic group, 512
- primitive, 12
 - matrix, 519
 - morphism, 36
 - of dynamical system, 239
 - S -adic shift, 283
 - sequence of morphisms, 279
 - substitution shift, 37
 - substitutive
 - sequence, 37
 - shift, 37
 - word, 17
- principal ring, 507
- probability measure, 528
 - Borel, 131
 - ergodic, 134
 - invariant, 132
 - mixing, 149
 - weakly mixing, 149
- product topology, 522

- profinite
 - group, 299
 - integer, 246
 - ring, 299
- projection in C^* -algebra, 415
- projective distance, 196
- prolongable
 - left, 34
 - right, 33
- proper
 - factor, 17
 - morphism, 253
 - prefix, 17
 - \mathcal{S} -adic shift, 283
 - sequence of morphisms, 280
 - suffix, 17
- properly
 - ordered, 210
- property
 - decidable, 10
 - undecidable, 10
- purely
 - morphic sequence, 78
 - substitutive sequence, 33, 34
- \mathbb{Q} -rank, 512
- quadratic field, 508
- quotient
 - of C^* -algebra, 416
 - of group, 511
- radix order, 20
- Radon–Nikodym Theorem, 531
- range, 230
 - eventual, 94
 - map, 201
 - of edge, 178
 - of path, 201
- rank
 - of abelian group, 512
 - of Bratteli diagram, 272
 - of subgroup, 512
 - topological, 273
- Rauzy
 - automorphism, 53
 - graph, 27, 182
 - induction, 61, 371
 - Lemma, 257
- recognizable
 - language, 77
 - morphism, 42, 265, 284
 - for aperiodic points, 284
 - on shift space, 42
- recurrent
 - dynamical system, 9
 - point, 9
 - sequence, 20
 - uniformly, 21, 25
 - word in sequence, 20
- reduced
 - path, 310, 514
 - word, 512
- reducible
 - matrix, 519
 - permutation, 363
- refining sequence, 160
- regular
 - bispecial condition, 355
 - bispecial word, 355
 - interval exchange, 361
 - shift, 365
- relation
 - composition, 230
 - intersection, 230
 - inverse, 230
 - minimal, 229
- relatively compact, 526
- representation
 - BV, 211
- residually finite group, 338, 513
- return
 - substitution, 294
 - time, 12
 - word, 27, 259, 270
 - in episturmian shift, 55
 - left, 27
 - mixed, 348
 - right, 27
- Return Theorem
 - for Arnoux–Rauzy shifts, 316
 - for dendric shifts, 316
 - for interval exchange shift, 393
 - for specular shifts, 350
- reversal
 - of sequence, 18
 - of word, 18, 341
- Riesz
 - decomposition property, 97
 - interpolation property, 97
 - group, 98, 109
 - representation theorem, 530
- right

- admissible semi-interval, 375
- asymptotic, 63
 - component, 68
 - points, 68
- coset, 511
- infinite sequence, 18
- prolongable, 33
- proper
 - morphism, 253, 280
 - sequence of morphisms, 280
- resolving
 - graph, 69
 - presentation, 69
- return word, 27
- special word, 25
- rigid sequence, 540
- ring, 507
 - ideal of, 507
 - principal, 507
 - profinite, 299
 - topological, 522
- Rokhlin Lemma, 198
- root
 - of Bratteli diagram, 201
 - of directed tree, 515
- rotation, 58
 - angle of, 8, 58
 - natural coding of, 59
 - of the circle, 11
 - of the interval, 7
- Rudin–Shapiro
 - morphism, 70, 301
 - sequence, 70
- shift
 - BV-representation, 301
 - complexity, 70
 - dimension group, 198, 301
- \mathcal{S} -adic
 - conjecture, 306
 - representation, 278
 - sequence, 279
 - shift, 278
 - directive sequence of morphisms, 278
 - primitive, 283
 - proper, 283
 - unimodular, 283
- Schauder–Tychonov Theorem, 466
- Schreier
 - basis, 336, 513
 - Formula, 513
 - transversal, 336, 512
- self-adjoint
 - element of C^* -algebra, 415
 - subalgebra, 415
- semi-interval, 360
 - admissible, 376
 - left, 376
 - right, 375
- semigroup, 511
 - free, 17
- seminorm, 417, 524
- semisimple algebra, 517
- separable
 - space, 419, 522
- separation points, 361
- sequence
 - aperiodic, 19
 - Arnoux–Rauzy, 53
 - bi-infinite, 18
 - Chacon binary, 262
 - convergent, 522
 - cutting, 62
 - d -power free, 74
 - episturmian, 53
 - standard, 53
 - strict, 53
 - left-infinite, 18
 - mechanical, 52, 59
 - one-sided, 18
 - palindrome closed, 55
 - period-doubling, 65
 - periodic, 19
 - purely substitutive, 33
 - right-infinite, 18
 - Rudin–Shapiro, 70
 - \mathcal{S} -adic, 279
 - Sturmian, 52
 - Toeplitz, 64
 - Tribonacci, 53
 - two-sided, 18
- sequence of morphisms
 - bottleneck of, 279
 - primitive, 279
 - proper, 280
- shift equivalence, 78, 107
 - over \mathbb{Z} , 107
 - strong, 69
- shift space, 14
 - Arnoux–Rauzy, *see* Arnoux–Rauzy
 - Brun, 355
 - Cassaigne, *see* Cassaigne

- complexity of, 23
- dendric, 310
- derivative of, 129
- episturmian, 53
- eventually dendric, 310
- Fibonacci, *see* Fibonacci
- generated
 - by a morphism, 31
 - by a sequence, 22
- golden mean, 15, 29
- interval exchange, 365
- irreducible, 24
- language of, 22
- neutral, 316
- of finite type, 29, 68
- one-sided, 14
- periodic, 22, 253
- primitive substitutive, 37
- sofic, 68
- Sturmian, *see* Sturmian
- subshift of, 14
- substitutive, 34
- Thue–Morse, *see* Thue–Morse
- Toeplitz, 64
- Tribonacci, *see* Tribonacci
- uniformly recurrent, 25
- shift transformation, 8
 - one-sided, 14
- σ -algebra, 528
- simple
 - algebra, 517
 - Bratteli diagram, 202
 - C^* -algebra, 416
 - cycle, 514
 - hat, 253
 - ordered group, 85
 - path, 325, 514
- simplex, 531
 - algorithm, 521
- simplicial submonoid, 107
- skew product, 67, 407
- sliding block code, 23
- slope
 - of cutting sequence, 62
 - of mechanical sequence, 52
 - of Sturmian sequence, 58
 - of word, 59, 73
- Smale space, 110
- SOE, *see* strongly orbit equivalent
- sofic shift, 68
 - presentation of, 68
 - right-resolving, 69
- software
 - SageMath, 80
 - Walnut, 77
- solenoid, 304
- solution of linear program, 521
- source, 230
 - map, 201
 - of edge, 178
 - of path, 201
- space
 - Cantor, 8
 - compact, 526
 - connected, 527
 - disconnected, 527
 - Hausdorff, 522
 - measurable, 528
 - metric, 523
 - metrizable, 523
 - normed, 524
 - separable, 522
 - topological, 521
 - totally disconnected, 8
 - zero-dimensional, 527
- spanning tree, 210, 515
- spectral radius
 - in Banach algebra, 525
 - of matrix, 520
- spectrum in Banach algebra, 525
- specular
 - group, 335
 - set, 339
 - shift, 339
- squared Fibonacci shift, 365
 - Bv-representation, 384
- stable
 - submonoid, 79
 - subset, 10
- Stallings
 - folding, 516
 - graph of a subgroup, 516
 - reduced graph, 516
- standard sequence
 - in episturmian shift, 53
 - of words, 74
- state, 87
 - in C^* -algebra, 418
 - of transducer, 341
 - of unital ordered group, 87
 - splitting, 305
- stationary

- Bratteli diagram, 202
- Markov chain, 133
- odometer, 247
- ordered Bratteli diagram, 209
- system, 103
- Steinitz number, 304
- Stern–Brocot tree, 63
- Stirling Formula, 241
- stochastic matrix, 520
- strict episturmian
 - sequence, 53
 - shift, 53, 310
- strictly ergodic, 136
- strong
 - Morita equivalence, 432
 - orbit equivalence, 222
 - shift equivalence, 69
- strongly
 - connected graph, 28, 514
 - mixing probability measure, 150
- Sturmian
 - algebra, 420
 - one-sided sequence, 51
 - sequence, 52
 - shift, 52, 332
 - BV-representation, 333
 - dimension group, 119, 145, 170
 - directive sequence, 54
- subadditive
 - measure, 528
 - sequence, 240
- subalgebra
 - self-adjoint, 415
- subgroup
 - coset of, 511
 - derived, 511
 - normal, 511
 - of ordered group, 83
 - of unital ordered group, 86
- submonoid
 - of abelian group, 82
 - simplicial, 107
 - very pure, 41
- subshift, *see* shift space
- subspace of topological space, 522
- substitution, 32
 - language, 33
 - shift, 33
- substitutive
 - purely, 33
 - sequence, 34
- shift, 35
- subword, 17
- successor
 - of edge, 210
 - of vertex, 201
- suffix
 - code, 27
 - X-maximal, 314
 - map, 123
 - of word, 17
 - proper, 17
 - order, 17
- suffix-connected, 357
- supernatural number, 299, 432
- suspension flow, 147
- symbol splitting, 305
- symbolic
 - dynamical system, 14
 - flow, 76
- symmetric
 - difference, 463, 529
 - group, 241, 511
 - matrix, 518
 - rank, 335
 - set, 336
- synchronization delay, 72
- synchronized word, 44
- synchronizing pair, 45, 71
- tag sequence, 78
- tame
 - automorphism, 327
 - basis, 327
- telescoping
 - equivalence, 204
 - of \mathcal{S} -adic sequence, 278
 - of Bratteli diagram, 202
 - of ordered Bratteli diagram, 207
- Theorem
 - Baire Category, 117, 526
 - Banach–Alaoglu, 531
 - Carathéodory Extension, 131, 143, 528
 - Curtis–Hedlund–Lyndon, 23
 - Dirichlet Unit, 509
 - Effros–Handelman–Shen, 98
 - Fine–Wilf, 67
 - Finite Index Basis, 356
 - Heine–Cantor, 527
 - Kakutani Strong orbit Equivalence, 227
 - Krein–Milman, 135
 - Kronecker, 76

- Krylov–Bogolyubov, 133
- Kurosh, 336, 514
- Lagrange, 510
- Markov–Kakutani, 133, 149
- Morita, 517
- Morse–Hedlund, 19, 24
- Nielsen–Schreier, 512
- Orbit Equivalence, 226
- Perron–Frobenius, 519
- Poincaré Recurrence, 16, 362
- Radon–Nikodym, 531
- Return, 316
- Riesz Representation, 530
- Schauder–Tychonov, 466
- Strong Orbit Equivalence, 222
- Tychonov, 482, 526
- Wedderburn, 517
- Weierstrass Approximation, 465
- Williams Classification, 78
- threshold of eventually dendric shift, 310
- Thue–Morse
 - Bratteli diagram, 252
 - morphism, 32
 - sequence, 33
 - complexity, 69
 - shift, 32, 40
 - asymptotic components, 70
 - BV-representation of, 266, 301
 - dimension group of, 195, 267
- Toeplitz
 - sequence, 64, 150
 - shift, 64, 75
- topological
 - conjugacy, 9
 - dynamical system, *see* dynamical system
 - entropy, 234, 532
 - group, 522
 - Markov chain, 77
 - rank, 273
 - ring, 522
 - space, 521
- topologically
 - mixing, 150
 - transitive, 9
- topology
 - basis of, 522
 - defined by a distance, 523
 - discrete, 521
 - generated, 522
 - induced, 522
 - (p_n) -adic, 244
 - torsion-free group, 86
 - torus, 11
 - totally disconnected, 8, 13, 527
 - tower
 - basis of, 157
 - construction, 12, 42, 67
 - height of, 157
 - of partition, 157
 - trace
 - in C^* -algebra, 427
 - in number field, 508
 - of matrix, 518
 - transducer, 341
 - input alphabet, 341
 - output alphabet, 341
 - transformation
 - adic, 241
 - interval exchange, 360
 - translation values, 360
 - transpose of matrix, 518
 - tree, 515
 - directed, 515
 - set, 356
 - triangular inequality, 523
 - Tribonacci
 - morphism, 53
 - sequence, 53
 - shift, 73, 174, 198, 311, 322, 371
 - BV-representation, 255
 - dimension group of, 175
 - directive sequence, 55
 - two-sided
 - sequence, 18
 - shift space, 14
 - associated, 15
 - two-to-one map, 366
 - Tychonov Theorem, 482, 526
 - UHF-algebra, 304
 - ultrametric distance, 8, 523
 - unambiguous automaton, 79
 - undecidability
 - of isomorphism of ordered groups, 108
 - of telescoping equivalence, 243
 - undecidable
 - problem, 76
 - property, 10, 76
 - undirected graph, 514
 - uniform
 - continuity, 527
 - convergence, 523

- frequencies, 138
- morphism, 30
- uniformly
 - continuous, 527
 - hyperfinite C^* -algebra, 304, 432
 - recurrent
 - language, 21
 - sequence, 21
 - shift, 25
 - synchronized code, 72
- unimodular
 - \mathcal{S} -adic shift, 283
 - conjecture, 109
 - matrix, 104
 - sequence of morphisms, 283
- unioccurrent factor, 56
- unique ergodicity, 136
 - of Arnoux–Rauzy shifts, 175
 - of irrational rotations, 150
 - of linearly recurrent systems, 274
 - of odometers, 247
 - of primitive substitution shifts, 138, 193
- unit
 - circle, 11
 - in number field, 509
- unital
 - C^* -algebra, 414
 - ordered group, 86
 - associated with a partition, 163
- unitary
 - element in C^* -algebra, 417
 - equivalence, 417
 - operator, 526
- universal
 - odometer, 246
 - property of direct limits, 92
- unperforated ordered group, 86
- van der Corput map, 307
- vector
 - nonnegative, 519
 - positive, 519
 - space, 507
- Vershik map, 210
- vertex
 - of Bratteli diagram, 200
 - of graph, 514
- very pure submonoid, 41
- virtually free group, 358
- waiting time, 12
- weak-star topology, 531
- weakly mixing probability measure, 149
- Wedderburn Theorem, 517
- Weierstrass Approximation Theorem, 465
- Williams Classification Theorem, 78
- window size of block map, 23
- word, 17
 - balance of, 52
 - bispecial, 25
 - block of, 17
 - complexity, 19, *see* complexity
 - conjugate, 17
 - empty, 17
 - even, 343
 - extendable, 22
 - factor of, 17
 - infinite, 18
 - left return, 27
 - left-special, 25
 - length of, 17
 - neutral, 26
 - odd, 343
 - prefix of, 17
 - primitive, 17
 - reduced, 512
 - reversal of, 18
 - right-special, 25
 - subword of, 17
 - suffix of, 17
- wreath product, 76
- X -degree of bifix code, 354
- X -complete bifix code, 322
- X -maximal
 - bifix code, 353
 - prefix code, 314
 - suffix code, 314
- zero-dimensional space, 527
- Zorn Lemma, 89, 436, 526