
Index

- 1PI effective action, *see* quantum effective action
- accelerated observer, 339
- Altarelli–Parisi splitting function, 247
- Anderson localization, 282, 347, 351
- angular ordering, 180
- anomalous dimension, 6
- anomalous magnetic moment, 10, 34
- antenna effect, 175
- asymptotic freedom, 134, 192
- axial gauge, *see* gauge fixing
- axion, 204
- Baker–Campbell–Hausdorff formula, 13, 63, 77, 88, 143, 292
- Banks–Casher relation, 282, 283
- Banks–Zaks fixed point, 136, 191
- BCFW recursion, 208, 211, 215, 223, 233
- Berends–Giele recursion, 210, 252
- Berezin integral, *see* Grassmann, integral
- Bernoulli numbers, 106
- Berry
 - conjecture, 315
 - phase, 76, 91
- β function, 6, 65, 69, 191, 351
- Bethe–Heitler limit, 310
- black hole radiation, *see* Hawking radiation
- Bloch state, 200, 347
- Bogoliubov transformation, 282, 331, 339
- Boltzmann–Vlasov equation, 305
- Bose–Einstein distribution, 278, 346
- bosonization, 76, 111
- BRST symmetry, 73, 134
- Burnett–Kroll, *see* Low–Burnett–Kroll
- Callan–Symanzik equation, 6
- canonical ensemble, 277
- Cartan–Maurer invariant, 135, 197, 199
- Casimir
 - energy, 76, 103, 107
 - operator, 138, 150
- causality, 18
- center symmetry, 282, 293
- chemical potential, 279
- chiral condensate, 283
- chiral symmetry, 76, 111, 277, 285
 - breaking, 76, 111, 283
- Chudakov effect, 180
- classical field, 10, 49, 323
- classical particle, 151, 282, 298, 301
- coherent state, 10, 62, 63, 76, 83, 87, 335
 - overcompleteness, 86
 - spin, 76, 91, 136
- Coleman–Norton, *see* Landau, equations
- collinear divergence, 10, 22, 26, 47, 178, 211, 247

color ordering, 205, 214, 221, 226
 color-octet model, 184
 color-ordered amplitude, 214, 215, 221,
 223, 228, 239, 242, 247, 256
 leading-color, 206, 262
 rational term, 259
 commutation relation, 2, 11, 131, 137
 conformal transformation, 342
 Coulomb gauge, *see* gauge fixing
 Coulomb potential, 49
 covariant derivative, 8, 132
 covariant gauge, *see* gauge fixing
 cross-section, 3, 40, 42, 49, 238
 Cutkosky cutting rules, 9, 259, 280, 319

Debye
 mass, 281, 305
 screening, 281

density operator, 74, 277, 296

D'Hoker–Gagné formula, 76, 115, 155

dimensional regularization, 5, 36, 66, 111,
 163, 164, 266

dipole model, 183

Dirac
 equation, 7, 59
 non-relativistic, 347
 fermion, 7, 75, 133, 169, 277
 Lagrangian, 7, 8, 133, 277
 matrix, 7, 216, 229, 348
 operator, 277, 283
 spinor, 7

Dyson equation, 257, 347

eigenstate thermalization hypothesis, 315

eikonal approximation, 40, 53, 136, 175,
 183, 184, 242

electromagnetic charge, 8

energy–momentum tensor, 106

entropy, 74, 108

equation of state, 313

equivalence principle, 41

Euclidean action, 74, 194, 198

Euler characteristic, 98, 171, 288

Euler–MacLaurin formula, 106

evolution operator, 3, 15

exclusive observable, 320, 324

external field approximation, 49

Fadeev–Popov ghost, 132, 162

Fermi–Dirac distribution, 300, 307

fermion doubler, 277

Feynman
 integral, 23, 29, 31, 38
 parameter, 23, 24, 29, 37, 163, 164
 rule, 4, 36, 50, 67, 79, 133, 163, 173,
 212, 224, 252, 278, 279, 319
 color-ordered, 206, 243

Feynman gauge, *see* gauge fixing

field strength, 132, 153, 173, 300

Fierz identity, 131, 138, 150, 172, 222, 227,
 232

Fock state, 3, 84

Fokker–Planck equation, 118, 123, 128

form factor, 36

formation time, 180, 310

free energy, 74, 107, 295

free streaming, 298, 307

functional determinant, 72, 115

Gabor frame, 86

gauge
 invariance, 8, 73, 132, 136, 144, 153,
 163, 167, 188, 201, 276, 280, 304
 transformation, 132, 136, 153, 158,
 170, 188, 201

gauge fixing
 axial, 133, 220
 Coulomb, 8
 covariant, 133, 206
 Feynman, 9, 243
 Landau, 8
 temporal, 8, 197, 199, 332
 't Hooft–Veltman, 136, 162

Gauss
 law, 199
 mapping, 100, 289

Gauss–Bonnet theorem, 94, 98, 289

generalized unitarity, 209, 211, 259, 261,
 267

generating functional, 3, 72, 277, 320, 325

- geometric phase, *see* Berry, phase
- gluon, 133, 176, 183, 185, 222
- Gordon identity, 34
- grand canonical ensemble, 279
- Grassmann
 - integral, 72
 - variable, 72, 133
- Gross–Neveu model, 76, 111
- Hamiltonian, 1, 43, 77, 196, 199
- hard thermal loop, 280, 282, 298, 301, 308
- Hawking radiation, 282, 339
- heat kernel, 101, 109
- Heisenberg representation, 3, 10, 11, 15, 18, 44, 277, 332
- homotopy, 135, 197
- Hubbard–Stratonovich, *see* bosonization
- inclusive observable, 320, 324, 326
- index (of a zero), 287
- infrared divergence, 10, 22, 26, 47, 211, 242
- instanton, 135, 136, 193, 197, 199
- interaction representation, 2, 10, 11, 15, 18, 277
- Jacobi identity, 131, 140
- Kadanoff–Baym equations, 282
- Klein–Gordon equation, 2, 16, 313, 334
- Kleiss–Kuijf relation, 211, 238
- KMS symmetry, 278
- Kruskal coordinates, 346
- Kubo formula, 306
- Landau
 - damping, 281
 - equations, 10, 22, 26, 30
 - Coleman–Norton Interpretation, 26
- Landau gauge, *see* gauge fixing
- Landau–Pomeranchuk–Migdal effect, 282, 305
- Langevin equation, 76, 118
 - complex, 76, 123
- lattice
 - field theory, 276
 - regularization, 276
- Lee–Nauenberg theorem, 10, 43
- Legendre transform, 76, 79
- Lie
 - algebra, 130, 153, 159
 - algebra, generator, 130, 137, 139, 141, 149, 227
 - bracket, 130
 - group, 130, 158
- light-cone coordinates, 339
- link variable, 276
- Liouville
 - equation, 293
 - theorem, 298, 302
- Lipmann–Schwinger equation, 45, 327
- little group, 10, 12, 38
- little-group
 - scaling, 207, 232
- loop equation, *see* Makeenko–Migdal
- loop integral reduction, 209, 263, 269
- Lorentz
 - algebra, 7, 13
 - force, 152
 - group, 12
 - invariance, 5, 7, 10, 34, 38, 41, 73, 132
- Lorenz gauge, *see* gauge fixing, Landau
- Low–Burnett–Kroll theorem, 10, 57, 136, 184
- LSZ reduction formula, 3, 136, 166, 167, 321
- Majorana fermion, 7
- Makeenko–Migdal equation, 136, 148
- Mandelstam
 - formula, 144
 - variable, 65
- master integral, 209, 263, 269
- Matsubara
 - formalism, 278
 - frequency, 74, 108, 278
- MHV amplitude, 208, 215, 244
- microcanonical equilibrium, 312
- minimal coupling, 8
- mode function, 281
- Moyal product, 290

- Moyal–Groenewold quantization, 292
- Nambu–Goldstone boson, 283
- Napier’s analogy, 94
- neutron electric dipole moment, 204
- Nielsen–Ninomiya theorem, 277, 282, 285
- Noether’s theorem, 8
- non-Abelian
 gauge theory, 130, 153, 155, 157
 Stokes’s theorem, 136, 157
- normal-ordered product, 63, 104
- on-shell recursion, *see* BCFW recursion
- one-particle-irreducible diagram, 73, 350
- OPP integrand reduction, 209
- optical theorem, 9
- order parameter, 283, 297
- Parke–Taylor formula, 208, 211, 215, 238, 244
- partial amplitude, *see* color-ordered amplitude
- partition function, 74, 107, 278
- parton cascade, 180
- Passarino–Veltman, *see* loop integral reduction
- path integral, 71, 83, 87
- path-ordered product, 135, 155, 159
- photon decoupling identity, 211, 221
- pinch singularity, 23, 47
- planar graph, 136, 171, 205
- plaque, 276
- plasmon mass, 280
- Poincaré algebra, 35
- Poincaré–Hopf theorem, 288
- Poisson
 bracket, 2, 201, 293
 distribution, 316, 330
- polarization vector, 8, 40, 41, 207, 211, 218, 220
- Polyakov loop, 293
- pure gauge, 132, 197
- QCD, *see* quantum chromodynamics
- QED, *see* quantum electrodynamics
- quantum chromodynamics, 69, 107, 133, 175, 183, 191, 254, 283, 301
- quantum effective action, 73, 75, 155
- quantum electrodynamics, 8, 34, 152, 162, 298
- quark, 133, 176, 183, 185, 193, 211, 226, 229, 233, 251, 253
 deconfinement, 282, 293
- regularization, 5, 25
- renormalizability, 6, 259
- renormalization, 5
 group, 6, 65, 69, 191, 351
 scale, 6, 114
- representation
 adjoint, 131, 189
 faithful, 97, 131, 143
 fundamental, 97, 131, 143, 153, 227
 singlet, 131
- Rindler space, 340
- running coupling, 65, 69, 191
- S matrix, 9, 10, 15, 18, 41, 43
- scalar field theory, 65
- scalar integral, 209
- scalar QCD, 223, 261, 267
- scalar QED, 53, 75, 324, 331
- scattering amplitude, *see* transition amplitude
- Schouten identity, 207, 218
- Schur lemma, 180, 189
- Schwinger mechanism, 282, 324, 331
- Schwinger–Keldysh
 formalism, 279, 322, 326
 generating functional, 281
- soft factor, 244
- spherical triangle, area, 96
- spinor-helicity formalism, 206, 211, 216, 218, 220, 229, 233, 238
- splitting amplitude, 247
- star product, *see* Moyal product
- stochastic quantization, 76, 118, 122
- strong CP problem, 204
- structure constants, 130, 137, 139, 141, 172
 symmetric, 131, 137, 139, 141

- SU(n) tensor, 190
- superficial degree of divergence, 5, 6, 10
- surface ordering, 161
- symmetry factor, 5, 80
- tangent rule, *see* Napier's analogy
- temporal gauge, *see* gauge fixing
- θ vacuum, 136, 199
- 't Hooft coupling, 151, 173
- 't Hooft–Veltman gauge, *see* gauge fixing
- time-ordered product, 3, 168
- transition amplitude, 3, 40, 42, 183, 185, 205
- tunneling amplitude, 193, 197, 203
- unitarity, 9
- Unruh effect, 282, 339
- vacuum graph, 319, 321
- van Neerven–Vermaseren, *see* loop integral reduction
- vector field, 8, 132
- Vlasov equation, 298, 301
- Ward–Takahashi identity, 9, 10, 35, 38, 56, 61, 134, 162, 177, 184, 185, 243
- Weinberg convergence theorem, 6, 10, 31
- Weizsäcker–Williams approximation, *see* external field approximation
- Wess–Zumino term, 96
- Weyl
 - mapping, 76, 77, 88, 290
 - quantization, 76, 77
- Wick
 - rotation, 30, 38, 193, 198
 - theorem, 85
- Wigner transform, 77, 282, 290
- Wilson
 - action, 276
 - line, 76, 115, 135, 136, 145, 157, 295
 - loop, 135, 136, 144, 148, 157, 293
 - term, 277
- Wong equations, 136, 151, 154, 302
- worldline formalism, 74, 136, 154
- Yang–Mills
 - equation, 132, 147, 197, 198
 - ground state, 199
 - theory, 107, 131, 136, 148, 171, 197, 199, 205, 213, 252, 259, 295
- zero-point energy, *see* Casimir energy
- zeta function regularization, 73, 76, 101, 107