
Index

- algebra
 - Artin, xxx
 - Beilinson, 330
 - canonical, 335
 - dg, 298
 - differential graded, 298
 - exterior, 246, 332
 - gentle, 185
 - integral group, 184
 - Koszul, 330
 - Kronecker, 157
 - noetherian, xxx
 - quadratic, 330
 - quasi-hereditary, 232
 - Schur, 229, 245
 - split quasi-hereditary, 285
 - squid, 336
 - symmetric, 196, 254, 332
 - tensor, 246, 331
 - trivial extension, 164
- antisymmetriser, 274
- approximation
 - left, 212, 352
 - right, 38, 212
- arrow, xxxi
 - start of, xxxi
 - terminus of, xxxi
- artinian conjecture, 376
- Auslander–Reiten formula, 192
- Baer’s criterion, 362
- Brown representability theorem, 92, 98
- calculus
 - of left fractions, 10
 - of right fractions, 10
- cardinality, xv
- Catalan number, 225
- category, xvii
 - α -filtered, 60
 - abelian, xxii, 16
 - abelian quotient, 30
 - additive, xx, 15
 - additive quotient, 29
 - algebraic triangulated, 85, 300
 - BGG category \mathcal{O} , 292
 - cocomplete, xxiii
 - compactly generated triangulated, 98, 305
 - connected, xxi
 - derived, 88, 107, 299
 - dg, 300
 - differential graded, 300
 - directed, xx
 - essentially small, xvii
 - exact, xxvi, 21
 - exact products, 123
 - filtered, xix, 11, 342
 - finitely generated abelian, 383, 397
 - free abelian, 400
 - Frobenius, xxx, 83, 182
 - Gröbner, 372
 - Grothendieck, xxiii
 - having enough injectives, xxviii, 23
 - having enough projectives, xxviii, 23
 - having injective envelopes, 27
 - having projective covers, 27
 - hereditary, xxix, 139
 - homotopy, 103, 299
 - idempotent complete, xxv
 - injectively stable, 28, 191
 - k -linear, xxx, 347
 - Krull–Schmidt, xxvi
 - left Hom-finite, 421

- length, xxiv
- locally α -presentable, 61
- locally finitely presented, xxiii, 343
- locally presentable, 61
- locally small, xv
- of morphisms, xvii, 20
- opposite, xvii
- path, 348
- perfectly generated triangulated, 92
- perpendicular, 176
- preadditive, 347
- projectively stable, 43, 191
- purity, 379
- singularity, 182
- slice, 170, 343
- small, xvii
- Spanier–Whitehead, 308
- spectral, 59, 438
- split exact, xxix
- stabilised derived, 182
- stable, 83, 182
- suspended, 73
- symmetric tensors, 229, 244
- triangulated, 73
- uniserial, 424
- with exact (co)products, 108
- Cauchy filtration
 - exterior powers, 283
 - symmetric powers, 271
 - symmetric tensors, 267
- Cauchy identity, 292
- centre, xxx, 347
- Chase’s lemma, 362
- class, xv
- cocycle, 104
- cogenerating set
 - perfectly, 96
- cogenerator
 - injective, xxviii
- cohomology
 - of a complex, 104
 - Tate, 143, 411
- coideal
 - of a poset, 285
- coinvariants, 244
- cokernel, xxii
- colimit, xix
 - α -filtered, 60
 - α -small, 60
 - directed, xx, 342
 - filtered, xx, 342
- homotopy, 89
- complex, 102
 - acyclic, 105, 106
 - bounded, 109, 196, 209
 - cochain, 102
 - contractible, 102
 - dualising, 317, 318
 - homologically perfect, 312
 - homotopically minimal, 131
 - homotopy injective, 122
 - homotopy projective, 122
 - K-injective, 122
 - K-projective, 122
 - Koszul, 331
 - perfect, 167, 189
 - quasi-isomorphic to its cohomology, 139
 - shifted, 103
 - split, 105
 - totally acyclic, 180
- composition, 241
- cone
 - mapping, 104
 - of a morphism, 76, 83
- content, 242
- coresolution
 - finite \mathcal{C} -, 208
- cotorsion pair, 176, 211
- count, xviii
- cover
 - projective, 25
- decomposition of a category
 - direct, xxi
 - orthogonal, xxi
- Dedekind domain, 445
- degree
 - cohomology, 104
 - complex, 102
 - homogeneous element, 53
- dense chain, 440
- diagram, xix
- differential, 102, 298, 300
- dimension
 - finitistic, 222, 405
 - flat, 179
 - global, xxix
 - injective, xxix
 - Krull–Gabriel, of a category, 436
 - Krull–Gabriel, of an object, 441
 - minimal, 439
 - of a Gorenstein ring, 179
 - projective, xxviii

- weak, 179
- direct summand, xxi
- dual
 - quadratic, 331
 - Ringel, 241
- dual pair, 404
- endlength of a module, 426
- envelope
 - injective, xxviii, 25, 35
 - pure-injective, 381
- epimorphism, xvii
 - homological, 137
 - of rings, 45
- equivalence
 - derived, 311
 - homotopy, 103
 - of categories, xviii
 - of extensions, 21, 116
 - of fractions, 11
 - of monomorphisms, xxii
 - of tilting objects, 220
 - stable, of objects, 28
 - triangle, 74
 - up to direct summands, 301
 - up to permutation, 241
- essential image, xviii
- extension
 - exact category, xxv, 22, 116
 - triangulated category, 97
 - universal, 236
- extension of scalars, xxxiv
- exterior power, 246
- filling, 242
 - strictly increasing each column, 242
 - weakly increasing each row, 242
- five lemma, xxix
- fraction
 - left, 10
 - right, 10
- Frobenius pair, 88
- function
 - additive, 415
 - complete symmetric, 243
 - irreducible (sub)additive, 415
 - Schur, 243
 - subadditive, 415
- functor, xvii
 - α -coherent, 67
 - additive, xxi, 16
 - adjoint, xviii
 - cofinal, xx, 344
 - coherent, 67
 - cohomological, 75
 - contravariantly finite, 372
 - covariantly finite, 372
 - derived Nakayama, 196, 316
 - diagonal, xix
 - effaceable, 42
 - endofinite, 416
 - essentially surjective, xviii
 - exact, xxv, 22, 74
 - faithful, xviii
 - FI-module, 375
 - finitely presented, 17, 378
 - full, xviii
 - graded, 254
 - k -linear, 347
 - left derived, 128
 - left exact, 44, 349
 - localisation, xix, 7
 - locally effaceable, 43
 - Nakayama, 164, 195, 277
 - noetherian, 370
 - quotient, xviii
 - representable, 17
 - right derived, 127, 128
 - Schur, 257, 280
 - Serre, 189
 - strict polynomial, 230, 251
 - support, 422
 - triangle, 74
 - weakly left exact, 17
 - Weyl, 280
 - Yoneda, 6, 17
- Gabriel–Popescu theorem, 56
- general linear group, 250
- generating set, 356
 - compactly, 98
 - perfectly, 92
- generator, xxiii
 - projective, xxviii
- good filtration, 293
- grading group, 53
- Grothendieck category
 - locally finite, 357, 360
 - locally finitely generated, 357
 - locally finitely presented, 121, 357
 - locally noetherian, 37, 325, 357, 359, 369
- Grothendieck group
 - of a ring, xxx
 - of a triangulated category, 110
 - of an exact category, xxx, 109

480

group algebra, 348
 group cohomology, 408
 height, xxiv
 Hilbert's basis theorem, 368
 Hochster duality, 408
 homogeneous element, 53
 even, 54
 horseshoe lemma, xxix
 ideal, xxi
 associated prime, 50
 of a poset, 285, 368
 of null-homotopic morphisms, 102
 prime, 48
 image
 of functor, xviii
 of morphism, xxii
 invariants, 244
 isomorphism, xvii
 Jacobson radical, xxiv
 k -algebra, xxx
 k -linearisation, 348
 kernel
 of functor, xxi, 16
 of morphism, xxii
 weak, 17
 Kostka number, 242
 Krull–Gabriel filtration, 436
 Krull–Remak–Schmidt–Azumaya theorem, 59
 lattice, xxxi
 congruence relation, 439
 finite length, 439
 modular, xxxi
 Tamari, 225
 Leibniz rule, 298
 length, xxiv
 limit, xix
 direct, xx
 homotopy, 90
 localisation
 of a category, 3
 universal, 46
 Verdier, 78
 Loewy length, xxiv
 Matlis duality, xxxi
 minimal decomposition, 27, 131
 module, xv
 acyclic dg, 299
 adic, 447
 basic tilting, 226
 bimodule, xv

Index

characteristic tilting, 240, 289
 costandard, 232, 288
 dg, 298, 300
 differential, 185
 generic, 430, 432
 Gorenstein injective, 192
 Gorenstein projective, 179, 192
 graded, 54
 K -projective dg, 303
 maximal Cohen–Macaulay, 179
 p -torsion, 445
 perfect dg, 300
 Prüfer, 447
 pseudo-coherent, 171
 pure-injective, 402
 Schur, 279
 stable, 161
 standard, 232, 285
 tilting, 219
 torsion, 408
 torsion free, 409
 twisted, 54, 152
 Weyl, 279
 monomorphism, xvii
 morphism, xvii
 admissible epimorphism, xxvi, 21
 admissible monomorphism, xxvi, 21
 comparison, 267
 connecting, xxv
 essential epi, 25
 essential mono, xxviii, 25
 left almost split, 398
 left minimal, 212
 null-homotopic, 20, 102, 299
 phantom, 167
 pure mono, 380
 radical, xxiv
 right minimal, 212
 standard, 261, 280
 Noether isomorphism, xxxi
 object, xvii
 α -presentable, 61
 artinian, xxiv
 closed, 4
 compact, 96, 167, 304, 309, 362
 costandard, 271
 discrete, 133
 endofinite, 415
 finite length, xxiv, 360
 finitely generated, 357
 finitely presented, xxiii, 121, 343, 369

- fp-injective, 399
- homologically finite, 77, 138, 309
- indecomposable, xxiv, 58
- initial, 314
- injective, xxviii, 23
- local, 4
- noetherian, xxiv, 359
- orthogonal, 4
- Prüfer, 396
- product-complete, 395
- projective, xxviii, 23
- pure-injective, 380
- semisimple, xxiii
- Σ -pure-injective, 393
- simple, xxiii
- small, 96
- standard, 264
- super-decomposable, 58
- tilting, 147, 215, 307, 308
- uniform, 58, 438
- octahedral axiom, 74
- ordered surjection, 373
- p -rank, 455
- partial order
 - admissible, 370
 - dominance, 242
 - lexicographic, 242
- partition, 241
 - conjugate, 241
- path, xxxi
 - differential, 186
 - length, xxxi
 - maximal differential, 186
- point, 150
 - closed, 150, 156
 - generic, 150
 - isolated, 399
 - rational, 150
- polynomial map, 250
- poset
 - noetherian, 368
 - strongly noetherian, 368
- primitive cycle, 186
- projective presentation, 23
- pullback of abelian categories, 41
- quasi-compact space, 383, 397
- quasi-isomorphism, 105, 107, 299, 306
- quiver, xxxi
 - Kronecker, xxxii, 155
 - opposite, 336
 - underlying diagram, 224
- quotient, xxii
- radical, xxiv, 160
- recollement, 34
- regular cardinal, 60
- representation
 - generic, 375
 - group, 348
 - k -linear, 348
 - postinjective, 156
 - preprojective, 156
 - quiver, xxxii, 156, 348
 - regular, 156, 158
 - separated, 160
 - sign, 275
- resolution
 - complete, 142, 301
 - finite \mathcal{C} -, 177, 208
 - injective, 112
 - K -injective, 122
 - K -projective, 122, 303
 - projective, 113
- restriction of scalars, xxxiv
- ring
 - associated graded, 52
 - complete intersection, 183
 - finite, 375
 - finite representation type, 429
 - Gorenstein, 179, 183
 - graded, 53
 - graded commutative, 54
 - graded noetherian, 54
 - hypersurface, 183
 - Iwanaga-Gorenstein, 179
 - local, xxiv, 59
 - opposite, xv
 - quasi-Frobenius, xxx, 87, 184
 - right coherent, 167, 313, 405
 - right hereditary, xxix
 - right perfect, 405
 - right pure-semisimple, 404
 - right self-injective, 87
 - self-injective, 88
 - semiperfect, xxvi
 - semiprimary, 37
 - semisimple, xxix
 - with several objects, 376
- scheme, 344
 - Gorenstein, 318
 - projective, 317
- sections of a sheaf, 151
- sequence

482

admissible, xxvi, 21
 approximation, 176
 bad, 374
 colocalisation, 7
 cone, 83
 exact, xxv, xxvi, 21
 localisation, 7
 long exact, xxv
 mapping cone, 104
 minimal, 374
 pure-exact, 380
 short exact, xxv
 set, xv
 sheaf
 locally free, 153
 of differential forms, 204, 318
 structure, 152
 torsion, 153
 twisted, 152
 shift of a category, 73
 shuffle product, 246
 snake lemma, xxix
 socle, xxiv, 154
 source, 224
 specialisation closed, 48, 162
 spectral space, 408
 spectrum
 of a commutative ring, 48
 of a Grothendieck category, 37, 381
 of an additive function, 415
 of indecomposable pure-injectives, 384
 Zariski, 407
 Ziegler, 384, 400
 stable under base change, 263
 stalk of a sheaf, 153
 standard basis theorem, 270
 straightening, 264
 subcategory
 cofinal, xx, 344
 contravariantly finite, 38, 212
 coresolving, 212
 covariantly finite, 212, 352
 definable, 385
 extension closed, xxvi, 22
 full exact, 22
 left cofinal, 12, 119
 localising, 33, 92
 resolving, 211
 right cofinal, 119
 self-orthogonal, 208
 Serre, xxvii, 30

Index

thick, xxvii, 76, 138, 208
 triangulated, 76
 subgroup of finite definition, 392
 subobject, xxii
 sum
 Baer, 22
 direct, xxi
 locally finite, 415
 support
 of a complex, 133
 of a module, 48, 162
 of a sheaf, 153
 suspension of a category, 73
 symmetric group, 244
 symmetric power, 244
 symmetric tensors, 244
 comultiplication map, 248
 diagonal map, 248
 multiplication map, 246
 symmetriser, 274
 syzygy, xxix, 180
 t-structure, 319
 canonical, 320
 tensor product, 68, 252
 top, xxiv
 torsion pair, xxvii, 147
 split, xxviii
 transpose, 191
 triangle, 73
 exact, 73
 standard, 84
 truncation
 brutal, 111
 exact, 111
 soft, 111
 two out of three property, xxvii, 88, 138, 208
 type of a diagram, xix
 unit, xviii
 vector bundle, 153
 vertex, xxxi
 Wakamatsu's lemma, 212
 weight sequence, 334
 weight space decomposition, 260
 weighted projective line, 334
 Yoneda's lemma, 17
 Young diagram, 242
 Young subgroup, 247
 Young tableau, 242
 Zariski closed, 48, 407
 Ziegler closed, 385