

INDEX

- almost sound premouse, 112
- anomaly, 181
- anticore map, 31
- $\mathcal{B}$ -tree, 442
- background coherence problem, 93
- background construction, 72
 - $B^{\mathbb{C}}(F)$ (background for F), 73
 - $\mathbb{C} \upharpoonright \gamma$, 74, 155
 - certificate, 71, 406
 - extender unique at v , 154, 406
 - extender-active, 71
 - F^* certifies F^+ , 154
 - $\bar{F}^{\mathbb{C}}$, 72
 - good at $\langle v, k \rangle$, 154, 402, 406
 - last model, 74
 - least branch $(w, \mathcal{F}, \Sigma)$ -construction, 406
 - $\text{lev}(\mathbb{C})$, $<_{\mathbb{C}}$, 73
 - maximal, 71
 - $M_{v,k}^{\mathbb{C}}$, 70, 404
 - $\Omega_{v,k}^{\mathbb{C}}$, 404
 - $\Omega(c, \Sigma^*)$, $\Omega(\mathbb{C}, M, \Sigma^*)$, 90, 167
 - PFS construction, 153
 - plus consistent at v , 154, 406
 - $\text{Res}_{v,k}[N]$, $\sigma_{v,k}[N]$, 403
 - $\text{Res}_Q[N]$, $\sigma_Q[N]$, 76
 - universal, 303, 345
 - w -construction above κ , 70
- bicephalus, 154, 200, 441
- bottom-up normalization, 290
- branch condensation, 16
- $\tilde{\mathcal{C}}$ -sound premouse, 112
- $\mathcal{C}_k(M)$, $\mathcal{C}(M)$, 31
- $\text{cof}_k^M(\gamma)$ ($r\Sigma_k$ cofinality), 40
- $\text{cHull}_{n+1}^M(X)$ (collapse of $\text{Hull}_{n+1}^M(X)$), 29, 111
- close to M , 38, 138
- Closeness Lemma, 138
- coarse extender pair, 304
- coarse extender premouse, 67
- coarse Γ -Woodin pair, 301
- coarse Γ -Woodin tuple, 301
- coarse strategy pair, 407
- coarse strategy premouse, 402
- coarsely coherent sequence, 68
- $\text{Code}(A)$, $\text{Cd}(x)$, 60
- coherent pair, 67
 - $\delta(w)$, 67
 - maximal, w -maximal, 67
- Comparison Theorem, 11, 357, 398, 413
- complete normalization, 289
- conversion stage, 80, 158
- conversion system, 80, 83, 159
 - $\text{lift}(\mathcal{T}, c)$, $\text{lift}(\mathcal{T}, M, \psi, Q, \mathbb{C}, R)$, 89, 166
 - $\text{res}_{\alpha}(\mathcal{T}, c)$ (generator map), 89, 166
 - $\text{stg}(\mathcal{T}, c, \alpha)$ (α -th conversion stage), 89, 166
- Copy Lemma, 144
- countably iterable, 55, 149
- Dec (decoding of reducts), 116
- definability property, 497
- delay interval, 133
- d_M^n (denotation function), 26, 114
- dropdown sequence, 78, 157
 - $A_i(Q, N)$, $\kappa_i(Q, N)$, $n(Q, N)$, 78, 157
- embedding normalization, 223, 229, 232
 - $\alpha(\mathcal{T}, F)$, $\beta(\mathcal{T}, F)$, 237
 - $\alpha^{\mathcal{T}, S, F}$, $\beta^{\mathcal{T}, S, F}$, $u^{\mathcal{T}, S, F}$, 252
 - b -cofinal branch, 269
 - $\text{br}(b, \mathcal{T}, \mathcal{U})$, $m(b, \mathcal{T}, \mathcal{U})$, 266
 - $\text{br}_{\mathcal{W}}^{\mathcal{T}, \mathcal{U}}$, $\text{br}_{\mathcal{T}}^{\mathcal{W}}$, $\text{br}_{\mathcal{U}}^{\mathcal{W}}$, 275
 - coarse case, 264, 276
 - $\text{nd}_{\mathcal{W}}(\xi, \gamma + 1)$, $\text{br}_{\mathcal{W}}(\xi, \gamma)$, 267
 - phalanxes, 460, 469
 - $\hat{p}_{\eta, \gamma}: \mathcal{W}_{\eta}^{\text{ext}} \rightarrow \mathcal{W}_{\gamma}^{\text{ext}}$, 258

- $\Phi_{\eta,\gamma}: \mathcal{W}_\eta \rightarrow \mathcal{W}_\gamma$, 253
- $u_{\eta,\gamma}, i_{\xi}^{\eta,\gamma}, \mathcal{W}_\eta, \sigma_\eta, R_\eta$, 262
- $W(\mathcal{T}, F)$, 232, 237
- $W(\mathcal{T}, \mathcal{S}, F)$, 251
- $W(\mathcal{T}, \mathcal{U})$, 253, 262
- $z(v), z^*(v)$, 284
- embeddings of mouse pairs, 397
- embeddings of premice
 - cardinal preserving, 33
 - cofinal, 33, 115
 - completion, 114
 - copy map, 47, 48, 58, 135
 - $\vec{e}$ -minimal, 151
 - elementary, 33, 115
 - exact, almost exact, 37, 115
 - i_E^M , 20, 35
 - near n -embedding, 33
 - nearly elementary, 45, 115
 - strongly cofinal, 392
 - strongly respects projecta, 45
 - upward and downward extension, 32, 116, 120
 - weakly elementary, 33
- extender
 - close to M , 38, 138
 - definition, 19
 - $E^+, E^-, \hat{\lambda}(E), \text{lh}(E), o(E)$, 130
 - $\varepsilon(E)$, 130
 - generator, 20
 - Jensen completion, 21
 - nice, 65
 - $v(E), \lambda(E)$, 21
 - plus type, 130
 - short, 21
 - $\text{sp}(E), \text{dom}(E), \text{lh}(E), \kappa(E)$, 20
 - very close to M , 36, 38, 138
 - weakly amenable to M , 415
 - whole, 21
- extender algebra, 64
- extender tree
 - $e_\gamma^V, \mathcal{V}^{\text{ext}}$, 244
 - $p_{\mathcal{T}, F}, \hat{p}_{\mathcal{T}, F}$, 244
- $\mathcal{F}(P, \Sigma)$, 504
- full mouse pair, 505
- full normalization, 228
 - $X(\mathcal{T}, \mathcal{U})$, 524
- fullness-preserving, 505
- Γ -Woodin, 301
- generator map, 89, 160, 166
- generic interpretability, 501
- genericity iteration, 64
- $G^+(M, \lambda, \theta)$, 149
- $G^{\text{qn}}(M, \lambda, \theta)$, 56
- gratuitous drop, 52
- h_M^{n+1} ($r\Sigma_{n+1}$ Skolem function), 29
- hod pair
 - least branch, 394
- HPC (hod pair capturing), 12
- hull condensation, 245
- hull property, 497
- $\text{Hull}_{n+1}^M(X)$ ($r\Sigma_{n+1}$ Skolem hull), 29, 111
- $\text{IH}_{\kappa, \delta}$, 401
- index, 533–536
- internally lift consistent, 218
- $I_{\alpha, \beta}^T$ (branch extender), 140
- iterates past, 14, 339, 343, 410
- iterates to, 14, 339, 343, 410
- iteration game
 - $G(M, \theta), G(M, \lambda, \theta)$, 55
 - $G^{\text{qn}}(M, \lambda, \theta)$, 55
 - $G^{\text{sn}}(M, \theta), G^{\text{sn}}(M, \lambda, \theta)$, 56
- iteration strategy, 56
 - canonical κ -extension, 61
 - complete (λ, θ) strategy, 149
 - countably iterable, 55
 - (η, θ) -iteration strategy, 55
 - $(\eta, \theta, \mathcal{F})$ -iteration strategy, 66
 - induced by Σ^* , 90, 167
 - internally lift consistent, 218
 - (λ, θ) strategy induced by Σ^* , 91, 167
 - mildly positional, 92, 168
 - normalizes well, 293
 - positional, 57, 91, 208, 399
 - pullback consistent, 211
 - pushforward consistent, 308, 340
 - quasi-normalizes well, 292
 - scope, 11
 - Σ^π (pullback strategy), 59, 150
 - Σ^{rel} , 525
 - $\Sigma_{s, < v}$ (join of strategies), 57
 - $\Sigma_{s, N}, \Sigma_s$ (tail strategy), 57, 150
 - strategy coherence, 91, 209, 336
 - strong hull condensation, 297
 - θ -iteration strategy, 55
 - Weak Dodd-Jensen property, 151, 400
- iteration tree
 - copied tree $\pi\mathcal{T}$, 58
 - ε_β^T , 131
 - $\mathcal{F}$ -tree, 65

- $i_{\alpha\beta}^{\mathcal{U}}$ (partial iteration map), 49
- $\lambda_{\beta}^{\mathcal{T}}$, 51
- $\text{lh}(\mathcal{T})$, 50
- M -nice, 488
- M -stack, 54, 56, 149
- main branch, 50
- meta-tree, 263, 493
- ms-normal, 53
- nice, 65
- normal, 52, 65
- normal M -stack, 54
- plus tree, 130
- quasi-normal, 52, 65
- relevant, 524
- semi-normal, 50
- semi-normal M -stack, 54
- special node, 141
- $\mathcal{T}^{\text{sep}}$ (λ -separation of $\mathcal{T}$), 218
- $\mathcal{U}^{<\gamma}, \mathcal{U}^{>\gamma}$, 237
- $\mathcal{U}^+$, 147, 214
- least branch hod pair, 394
- least branch premouse
 - $\dot{B}^N, \dot{\Sigma}^N, \dot{E}^N, \dot{F}^N$, 388
 - branch active, 390
 - definition, 391
 - language $\mathcal{L}_1$, 388
 - M -tree, 390
- LEC ($L[E]$ capturing), 12
- $\text{lift}(\mathcal{T}, c)$, $\text{lift}(\mathcal{T}, M, \psi, Q, \mathbb{C}, R)$, 89, 166
- $\text{lift}(\mathcal{T}, M, \mathbb{C})$, 90, 166
- M -stack
 - maximal, 54, 149
 - normal, 54, 149
 - quasi-normal, 54, 149
 - $\mathcal{U}(s), \mathcal{M}_{\alpha}(s), \mathcal{M}_{\infty}(s)$, 54
- maximal construction, 71
- meta-iteration tree, 263, 493
- mildly positional, 92, 168
- $M_{\infty}(P, \Sigma)$, 504
- M_0^k (reduct of strong core), 151
- M^- , 25
- mouse pair, 396, 397
- ms-ISC (ms-solid), 22, 102
- nearly elementary, 45
- nice cofinality witness, 40
- NLE (no long extenders), 13
- normalizes well, 292, 293
- $\Omega_{v,k}^{\mathbb{C}}$, 356
- $\Omega(c, \Sigma^*), \Omega(\mathbb{C}, M, \Sigma^*)$, 90, 167
- Ω_P^+ , 214
- $\Omega_{\mathcal{F}}^{\text{ubh}}, \Omega_{n,\mathcal{F}}^{\text{ubh}}$, 356
- parameter solid premouse, 108, 110
- pfs premouse
 - $\mathfrak{D}_k(M)$ (stronger core), 187
 - strong core $\bar{\mathfrak{C}}_k(M)$, 105
- $p_i(M), p(M)$ (standard parameter), 24
- (π, v, k) -lift, $(\pi\mathcal{T})^+$, 147, 214
- plus tree, 130
 - copied tree $\pi\mathcal{T}$, 136
 - λ -separated, 132
 - λ -tight, 132
 - M -stack, 149
 - maximal delay interval, 133
 - maximal M -stack, 149
 - normal, 132
 - normal companion $\mathcal{T}^{\text{nm}}$, 133
 - normal M -stack, 149
- plus type extender, 130
- positional, 57, 91, 92, 168, 208, 399
- potential premouse, 22
 - pfs, 103
- premouse
 - $\trianglelefteq$ (initial segment), 25
 - $\trianglelefteq_0$ (weak initial segment), 26
 - $\trianglelefteq^{\text{ct}}$ (cutpoint), 413
 - cutpoint of HOD, 523
 - extended M -sequence, 130
 - $k(M), l(M), \hat{o}(M), o(M)$, 25
 - $M|\langle v, k \rangle, M|v, M||v$, 25
 - $M \downarrow i, M^+, M^-$ (degree changes), 26
 - pfs, 109
 - pfs violation (N, κ, D) , 95
 - projectum-measurable, 95
 - pure extender (Jensen), 22, 25
 - $\hat{\rho}_k(N), \hat{\rho}(N)$, 112
 - $\hat{\rho}_{m+1}(N)$, 112
 - solid, 31, 105
 - type 1 ($\hat{\rho} \leq \rho$), type 2 ($\rho < \hat{\rho}$), 113
- projectum
 - reduct M^i , 108
 - $\rho_i(M), \rho(M), \rho^-(M)$, 30, 108
- projectum solid premouse, 110
- pseudo iteration tree, 420, 464
- pseudo-hull, 247
- $\Psi(\Phi, \mathcal{U})$, 250
- $(\Psi, \Sigma, M_{v,l}^{\mathbb{C}})$ -coiteration, 490
- pullback consistent, 211
- pure extender pair, 334, 399

536

INDEX

- pushforward consistent, 308, 340, 394
- quasi-normalization, 280
 - coarse case, 282
 - $V(\mathcal{T}, F), \alpha_0(\mathcal{T}, F), V(\mathcal{T}, \mathcal{U})$, 277
 - $z(v), z^*(v)$, 284
- quasi-normalizes well, 293
- resurrection consistency problem, 93
- resurrection map
 - consistency of resurrections, 78, 156
 - $\text{Res}_Q[N], \sigma_Q[N]$, 76
- res_α (generator map), 160
- (R, Ψ) -coiteration, 445
- rQ -formula, 392
- $r\Sigma_n$ relation, 26
- $\text{rt}(\gamma)$, 422
- $(*)(P, \Sigma)$, 14, 356
- semi-normal tree, 50
- sequence-measurable over M , 103
- Shift Lemma, 48, 135
 - applies to (φ, π, E) , 48
 - copy map, 47
 - $\langle \pi, \varphi \rangle: \langle P, E \rangle \rightarrow \langle Q, F \rangle$, 46
- solid parameter, 31
- solid premouse, 31, 108
- solidity witness $W_{M'}^{\alpha, r}$, 30, 105
- Solovay sequence, 522
- sound, k -sound, 31, 108
- special node, 141
- stable pfs premouse, 108, 110
- stable node, 421
- $\text{stab}(\mathcal{T})$, 464
- $\text{st}(\gamma)$, 422
- strategy coherence, 92, 209, 336
- strong hull condensation, 297
- strongly respects projecta, 45
- strongly stable pair, 334
- strongly stable premouse, 132
- strongly uniquely θ -iterable, 66, 302
- subcompact cardinal, 9, 485
- tree embedding
 - cofinal, 247
 - definition, 246
 - extended, 250
 - of $\mathcal{T}$ into $W(\mathcal{T}, F)$, 250
 - $\Phi \circ \Psi$, 250
 - $\Phi_{\mathcal{T}, S, F}$, 252
 - $\Phi: \mathcal{T} \rightarrow \mathcal{U}$, 247
 - pseudo-hull, 247
 - $u^\Phi, v^\Phi, (s_\alpha)^\Phi, (t_\alpha)^\Phi, p^\Phi$, 246, 247
 - weak, 524
- type 1 pfs premouse, 109
- type 2 pfs premouse, 113
- UBH (Unique Branches Hypothesis), 309
- ultrapower
 - $[a, f]_E^M$, 35
 - $\text{Ult}_0(M, E)$, 20
 - $\text{Ult}_n(M, E), \text{Ult}(M, E)$, 35
- uniquely θ -iterable, 66, 302
- universal parameter, 30, 105
- Universally Baire, 60
- weak ms-ISC, 103
- weak pfs violation, 99
- Weak Dodd-Jensen property, 151, 172, 400
- weakly ms-solid, 106
- well supported branch extender, 140
- $X(\mathcal{T}, F)$ (full normalization), 242, 524
- $z(v), z^*(v)$, 316