

Index

- abrupt transition, 49, 61, 67–69, 76, 88, 245
- adiabatic approximation, 241
- adult, 126, 127, 227–230, 247
- advective diffusion equation, 198
- aggression, 23, 25, 27, 43, 138, 149, 150
- Airy function, 63–65, 254
- AK theory, 5, 23, 24, 33, 37, 39–42, 45, 47, 67, 68, 84, 98, 110, 227, 228, 231, 235, 244, 245, 249
 - with Allee nonlinearity, 79, 82
- alignment interaction, 179–184, 190–193, 202, 203, 231, 232, 246
 - network, 203
- alignment model, 180, 181
- Allee effect, 14, 46, 76–82, 84, 85, 97, 120, 218, 219, 222, 235, 240, 243, 245, 247
- animal sensory input, 184, 202
- annihilation, 6, 10, 128, 129, 218, 229
- Aristotelian approximation, 5, 194
- avoidance interaction, 152–154

- bacterium, 5, 7, 49, 51–54, 56–62, 65–70, 74, 76, 77, 86, 98, 117–120, 122–124, 179, 211, 245
- BBGKY hierarchy equation, 6
- bifurcation, 14, 27, 30, 40, 49, 83, 85, 124
 - pitchfork, 81, 84
 - transcritical, 37, 50, 81, 84
- birth process, 14, 25, 37
- Boltzmann equation, 6, 20
- Burger's equation, 59

- caging effect, 158, 159
- carrying capacity, 24, 26, 73
- centering or attraction interaction, 179, 192–195, 231, 246
- centering or attraction model, 192, 194, 196, 199
- chemotaxis, 57, 59, 60, 76
- chess, 49
- collective
 - concept, 152

- excitation, 152, 153
- interaction, 249
- maneuver, 193, 232
- motion, 179, 180, 189, 192, 193
- rearrangement, 154
- state, 178, 179, 246
- competition, 14, 23–25, 36, 37
- continuity equation, 8
- convective Fisher equation, 15, 211–213, 218, 246
- convective Nagumo equation, 15
- coverage time, 166, 167
- cross-infection, 42, 43

- death process, 14, 36, 37, 44
- defect
 - technique, 10, 11, 129, 144
- topological, 168–170
 - disclination, 168–170
 - dislocation, 168–170
- delay, 232, 233
- diffusion constant, 7, 9, 17, 23, 25, 40, 43, 52, 59, 60, 68, 91, 99, 102, 103, 105, 111, 113, 116, 117, 120, 126, 128, 133, 136, 140, 150, 181, 182, 189, 192, 194, 199, 202, 226, 244, 245, 253, 254
- diffusion equation, 7, 8, 10, 12, 86, 99, 102, 137, 205
 - with time-dependent coefficients, 174, 251, 254

- elliptic function, 50–52, 118, 119, 123, 124
- environmental parameter, 24, 25, 28–30, 32–35, 37–40, 43, 50, 68, 70, 74, 98, 239, 242
- environmental patch, 31, 49, 61, 64, 65, 76
- Escherichia coli*, 52, 59
- exciton, 10, 12, 13, 128
- extinction
 - infection, 35, 49, 67, 73, 245
 - length, 53, 62–65, 74, 75
 - population, 49, 51, 53–55, 59, 60, 62, 63, 65, 71, 73, 74, 76, 79, 124, 240, 245
 - transition, 66, 70, 76, 242

- ferromagnetism, 180, 191–193
- Fick's law, 8
- Fisher equation, 13, 14, 21, 35, 42, 45–47, 50, 53–55, 60, 66, 76, 77, 86, 117–120, 122, 124, 125, 205, 206, 223, 239
- Fisher–Montroll equation, 46, 47
- flocking, 5, 8, 16, 178–182, 187–190, 192, 193, 195, 199, 200, 202–204, 231, 232, 246, 247
- fluctuation-dissipation relation, 181
- focal point drift-diffusion equation, 9, 177
- Fokker–Planck equation, 17, 194, 196, 199
- fractional diffusion equation (FDE), 18, 253, 254, 258
- front propagation, 6, 13, 21, 23, 25, 33–35, 46, 47, 76, 85, 95–97, 206, 209, 211–214, 223–226, 235, 239, 240, 242, 244–246
- front shape, 213, 215
- front speed, 213, 226
- Γ -space, 4–6, 17, 35, 41, 152, 156, 187, 228
- Gaussian function, 8–10, 17, 86–88, 90–93, 112–115, 130, 137, 217
- generalized convective equation, 14, 218, 246
- generalized master equation (GME), 4, 19, 252–255, 257, 258
- Glauber dynamics, 190, 191
- Green function, 129, 197–199, 201
- half-Markoffian approximation, 255
- Hantavirus epidemic, 1, 5, 20–24, 28, 33, 35, 45, 49, 50, 66, 67, 76, 77, 79, 81, 86, 98, 117, 120, 137, 138, 149, 150, 152, 230, 244, 245
- Heisenberg picture, 18
- Hemigrammus rhodostomus* or rummy-nose tetra fish, 203
- home range, 5, 6, 8, 105, 114, 117, 126–128, 132, 133, 136, 138, 139, 149, 150, 153, 172, 227, 245
 - center, 131, 132
 - overlap, 116
 - separation, 114, 136
 - size, 102, 103, 106–111, 113, 114, 117, 146, 156
- home sharing effect, 146, 148, 150
- Hurst exponent, 18
- hydrodynamic model, 188–190
- inertial spin model, 189
- infected, 2, 5, 20–24, 27–33, 36, 43, 44, 68–70, 76, 80–85, 99, 127, 128, 135, 139, 140, 143, 149, 150, 152, 228–231, 235
- infection
 - spread, 1, 2, 20–23, 33, 35, 41, 82, 98, 99, 126–128, 137, 138, 149, 150, 227, 230, 245, 247
 - transmission, 2, 11, 12, 20, 23, 36, 37, 42–44, 49, 66–69, 72, 74, 75, 86, 98–100, 117, 127, 128, 150, 172, 194, 227, 229, 245, 247
- infection probability, 130
- influence function, 46, 86–97
- Ising model, 191
- juvenile, 127, 227–231, 237, 247
- kinetic equation, 6, 37–40, 134, 138, 149, 150, 152
- KiSS model, 52
- KTHNY theory of melting, 153, 164–166, 169
- Kuramoto model, 181, 182
- Langevin equation, 17, 181, 189, 194, 196, 198, 199
- least-squares, 119, 121
- Lévy foraging hypothesis, 18
- linear approximation, 71, 238
- Liouville–von Neumann equation, 3
- liquid-solid model, 228, 231
- logistic equation, 27, 50
- long-range
 - competition Fisher equation, 77, 86, 90
 - competition Nagumo equation, 77, 93, 96
 - correlation, 185
 - interaction, 14, 77, 86, 93, 185, 203
 - movement, 43
 - order, 164
- Lyapunov functional, 94
- majority voter model, 187, 188
- many-body or many-particle system, 152, 178, 191, 195, 246
- mark-recapture observations, 75, 99–102, 104, 111–114, 137, 231, 245
- Markoffian approximation, 134, 255
- mask, 51–53, 55–58, 60, 61, 76, 117, 118, 120, 122, 124
 - critical size, 124, 125
 - inter-distance, 53, 54
 - moving, 51, 52, 58
 - multiple, 55, 57–59
 - stationary, 51, 52, 117, 122
 - twin, 53–56, 58
 - width, 52–54, 57, 60, 76, 118, 122–124
- Master equation, 3, 4, 6, 12, 36, 152
- Maxwell's equation, 117
- mean field
 - approximation, 25, 76, 150, 172, 173, 200, 228
 - equation, 25, 27, 40, 43, 174, 175, 228–230
- mean square displacement, 8, 99, 101–105, 109, 116, 177
 - generalized master equation, 13
 - in a box, 102
 - saturation, 100–110, 114, 116
 - telegrapher's equation, 13
 - territorial random walk, 157, 158
 - with observation window, 101
- memory function, 3, 4, 12, 13, 46, 252, 253
- mesoscopic representation, 159
- Mittag–Leffler function, 254
- mod exponential function, 94–97
- Monte Carlo or stochastic simulations, 6, 21, 35–41, 114, 115, 152, 153, 167, 174, 178, 186, 188, 228–230, 246

- mosquito, 5, 24, 41–45
 mouse or rodent, 5, 6, 8, 20–39, 41, 42, 45, 46, 61, 67–69, 71, 74–76, 79–85, 93, 97, 98, 100–102, 104, 106, 111, 117, 126, 127, 139–141, 143, 145, 149, 150, 227–230, 234, 235, 238–240, 242, 244, 245
 movement
 coherent or ballistic, 4, 12, 210
 correlated or persistent, 166–168
 incoherent or random, 12, 75, 205, 209, 248
 statistics, 18, 168
 μ -space, 4–6, 17, 35, 41, 127, 149, 152, 178, 187, 228, 244
Myotis Daubentonii or Daubenton's bat, 231–233, 247

 Nagumo equation, 14, 77, 78, 85, 120, 122, 218, 240, 242
 Newton, 1, 2
 classical mechanics, 3
 kinematic plan, 2
 Newton's equation, 4, 5, 96, 193
 nonlinear drift equation, 16, 192
 nonlinearity, 6, 14, 16, 33, 35, 52, 69, 93, 122, 206, 208, 209, 212, 220, 249
 generalized, 76, 211, 212, 218–222
 logistic or quadratic, 14, 15, 45, 46, 77, 79, 122, 206, 209, 211, 212, 218, 223, 238–240
 Nagumo or Allee, 14, 15, 46, 78–80, 93, 97, 219, 221, 240
 sinusoidal, 222
 nonmonotonicity, 128, 132, 133, 135–137, 142, 146, 147, 149, 150, 161, 209, 245
 nucleation, 179, 192, 246

 observation window, 101, 103, 108, 110, 111, 114, 158, 160, 232
 order parameter, 164, 165
 bond-orientational, 164, 165
 flocking, 182, 183, 186, 187
 translational, 164, 165
 Ornstein–Uhlenbeck process, 18
 oscillation, 12, 30, 42–44, 83, 92, 95, 161, 162, 207, 208, 211, 239, 241, 242, 247

 pair correlation function, 161, 163
 parameter extraction, 98, 101, 105, 110, 112, 116, 117, 120, 124, 125, 153, 177, 244, 245, 249
 pattern, 14, 35, 46, 77, 81, 86–89, 91–93, 95, 153, 155, 159, 162, 168, 175–177, 179, 203, 211, 223, 231, 233, 239, 242, 245, 246
Peromyscus boylii or brush mouse, 235
Peromyscus maniculatus or deer mouse, 22, 25, 67, 68, 75, 100, 111, 137, 235
 perturbation, 37, 41, 202, 226
 external, 204
 scheme or technique, 223, 225, 226
 singular, 47, 192, 225

 phase
 change, 163
 coexistence, 165
 continuous, 165, 166, 169, 184, 187, 189
 discontinuous or first-order, 163, 165, 166, 189, 192
 disordered, 168, 179, 189
 gas, 6, 163, 166, 168, 193
 hexatic, 164, 168, 169, 171, 175
 infected, 33, 39
 liquid, 163, 166, 168, 169, 171, 175
 ordered, 153, 164, 168, 178, 179, 182, 184, 189
 solid, 162, 163, 168, 169, 171, 175
 space, 88, 90, 96, 97, 141
 transition, 49, 68, 153, 163, 164, 168, 183–185, 187, 188, 246
 piecewise linear approximation, 206, 223, 226, 227
 polaron, 249
 predator, 24, 127, 135, 202, 227, 231, 247
 propagator
 convective Fisher equation, 212
 diffusion equation, 8
 diffusion in a box, 173, 174
 Fisher–Montroll equation, 47
 focal point drift-diffusion equation, 9
 fractional diffusion equation, 254
 generalized convective equation, 15, 212, 218, 220
 infinite nonlocal competition Fisher equation, 86
 multidimensional diffusion, 142
 multidimensional diffusion equation, 131
 nonlinear drift equation, 16
 Smoluchowski equation, 10
 subdiffusion reflecting partitions, 174
 pulmonary syndrome, 21

 railway-track model, 190, 191
 random walk, 4, 7, 9, 12, 23, 51, 75, 99, 118, 127, 138, 139, 155, 157, 158, 205, 206, 245
 anomalous, 109, 110, 138, 255, 258
 biased, 7
 Brownian or diffusive, 8, 33, 46, 59, 65, 71, 99, 101, 102, 126, 137, 138, 142, 245, 246
 confined or tethered, 8–11, 103, 104, 126, 128, 139, 149, 150
 continuous time (CTRW), 18, 251–253, 258
 correlated or persistent, 7, 166
 Lévy, 7, 18
 self-avoiding, 7
 territorial, 9, 154, 157, 158, 177
 refugium or refugia of infection, 21–23, 25, 30–33, 66–74, 234, 244
 repulsion interaction, 179, 202, 231

 scent mark, 152, 154–157, 159, 160, 168, 171, 172, 177
 active, 155
 animal, 154, 177, 246
 foreign, 152
 Schrödinger picture, 18

- Schrödinger's equation, 61, 196, 249
 self-propelled particle model, 181, 184–186
 Smoluchowski equation, 8, 10, 11, 17, 104, 117, 128, 136, 140, 174, 189, 194, 227, 245
 with drift, 195, 198
 spatial exclusion, 153, 160, 161, 175
 spatial segregation, 153, 157–159
 square function, 87, 88, 90, 92, 94, 106, 216
 statistical mechanics, 1, 4, 6
 step or Heaviside function, 32, 50, 68, 70–74, 89, 92, 95, 181, 216, 219
 stigmergy, 154, 246, 249
Sturnus vulgaris or starling, 180, 189, 190, 203
 survival probability, 11
 susceptibility, 164, 165
 susceptible, 2, 5, 21, 23, 24, 27–29, 32–34, 36, 37, 39, 43, 69, 81, 83, 99, 127, 128, 131, 139, 140, 143, 149, 150, 152, 228–230, 248
 symmetry breaking, 168, 180, 182, 189

 telegrapher's equation, 12, 13, 166, 191, 205
 telegrapher's Fisher equation, 205, 209, 210
 territoriality, 5, 13, 154, 237
 territory, 152–155, 157–161, 166–168, 171, 172, 246
 animal, 8, 171, 172, 175
 boundary, 166, 168, 171, 172, 177
 centroid, 161–163, 168
 foreign, 155
 hexagonal, 167
 neighbor, 159
 shape, 159, 160
 size, 174
 tessellation, 161
 thermodynamics, 2
 time-dependent delayed directional correlation, 231

 time-dependent delayed separation, 232
 time-dependent diffusion constant, 19, 256–258
 transform
 cosine Fourier, 91, 94
 Fourier, 8, 9, 91, 92, 94, 106
 Laplace, 11, 129–131, 133, 136, 140, 142, 143, 149
 transformation
 center of mass, 141, 174, 194
 Jacobian, 197
 polar coordinates, 181
 reciprocal, 26
 relative coordinate, 141, 174
 traveling ansatz, 212, 241

 vectorial network model, 184–187
 vegetation, 24, 28, 82, 98, 112, 245, 247
 velocity or spatial condensation, 179
 vertical transmission, 24, 41–43
 Vicsek model, 180–183, 186, 187
 view
 aerial, 17
 Eulerian, 18
 infantry unit, 17
 Lagrangian, 18
Vulpes vulpes or red fox, 152, 176

 wave equation, 12, 33
 West Nile virus
 epidemic, 21, 24, 27, 41, 42, 45, 138
 model, 5, 42, 249
 Wiener process, 18
 Wright function, 254

 zonal flocking model, 202
Zygodontomys brevicauda or short-tailed cane mouse, 100, 101, 111