

Author Index

- Abelson, R. P., 203, 301, 394, 416
 Acar, S., 87
 Ackerman, P. L., 390
 Agarwal, A., 469–470
 Agresti, A., 435, 479
 Algina, J., 389
 Altman, D. G., 389–390
 American Educational Research Association, 172, 264
 American Psychological Association, 187, 201, 262–263, 418, 452
 Anderegg, C., 248–257
 Anderson, N. H., 485
 Andrews, D. A., 10
 Angeles Quiroga, M., 334, 350
 Appelbaum, M., 264
 Asbrand, J. P., 235–238
 Asparouhov, T., 496
- Baddeley, A., 4
 Baird, D., 411
 Bakan, D., 169, 416
 Bakker, M., 42, 258, 301
 Bangert, A. W., 286
 Barnett, V., 38
 Barnsley, R. H., 3–4
 Barrick, M. R., 5–6
 Baskett, T. F., 74
 Baumberger, J. P., 286
 Bavelier, D., 334
 Beauchamp, G., 489
 Bem, S. L., 113
 Benbow, C. P., 38
 Benjamin, D. J., 417
 Berkson, J., 475
 Bickel, P. J., 42
 Blanca, M. J., 80
 Bland, J. M., 389–390
 Bohrnstedt, G. W., 29
 Bonta, J., 10
 Borgatta, E. F., 29
 Bosco, F. A., 341
 Bouchard, T., 2
- Bouter, L. M., 187, 416
 Box, G. E. P., 10
 Bransford, J., 174
 British Psychological Society, 172
 Browne, K. D., 334
 Brydges, C. R., 286
 Buckner, J. C., 38
 Burt, S. M., 390
 Burton, J. Z., 13
 Butcher, J. N., 113
- Calvin, C. M., 193
 Camerer, C. F., 258, 260, 493
 Campbell, D. T., 260
 Capraro, R. M., 3
 Caspi, 487
 Cassidy, S. A., 261–262
 Census Bureau (US), 75
 Centers for Disease Control (CDC), 184, 199
 Cioffi, F., 4
 Clark, C. L., 252
 Cleary, T. A., 396
 Clotfelter, C. T., 134
 Cohen, J., 156, 162, 169, 174, 257–258, 301, 459
 Cole, T. J., 74
 Conroy, R. M., 221, 486
 Cook, P. J., 134, 417
 Copeland, R., 134
 Cortina, J. M., 37, 42
 Costa, P. T., 495
 Cramér, A. O. J., 470
 Crane, H., 417
 Creswell, J. W., 7
 Crocker, L., 389
 Cronbach, L. J., 6, 462
 Croson, R., 135
 Cumming, G., 162, 167, 201, 203, 260, 416
- Dawis, R. V., 390
 Deary, I. J., 75, 264–268, 393
 DeCarlo, L. T., 78, 190, 225
 Delaney, H. D., 489

- Dellinger, A. B., 23
 Denis, D., 89
 Department for Work and Pensions (UK), 40, 75
 Der, G., 75
 Dickersin, K., 416
 Diefenbach, G. J., 220
 Dosser, D. A., 156, 169, 301
 Duesbery, L., 391
 Dunlap, W. P., 416
 Dunn, E., 203
 Dunn, O. J., 285
 Durlak, J. A., 175, 301, 303, 397
- Eijk, C. van der, 29
 Eysenck, H. J., 158, 415
- Faragher, E. B., 354
 Feig, S., 234
 Feingold, A., 12
 Ferguson, C. J., 169, 175
 Fidell, L. S., 262–263
 Fidler, F., 162, 167, 172, 258, 261
 Finch, S., 172, 201
 Fisher, R., 290
 Flynn, J. R., 186
 Foroughi, C. K., 334, 350
 Fox, J., 248–257
 Franco, A., 416
 Franklin, J. C., 390
 Frey, B. S., 412
 Fricker, R. D., 417
 Friendly, M., 89
 Fritz, C. O., 172, 194, 301
- Galton, F., 389–390
 García-Pérez, M. A., 203
 Gardner, H., 13
 Gasper, J., 11
 Gelman, A., 415
 Gershoff, E. T., 354–356
 Gigerenzer, G., 169, 205, 257, 287, 301
 Giner-Sorolla, R., 188
 Glass, G. V., 232, 436, 479
 Golden, C. J., 286
 Goltz, H. H., 478–479
 Goodman, M., 494
 Gorard, S., 48
 Gorsuch, R. L., 495
 Gottfredson, L. S., 194
- Granic, I., 334
 Greenwald, A. G., 155, 187, 260
 Grogan-Kaylor, A., 354–356
- Haller, H., 261–262
 Hambleton, R., 394
 Hamilton-Giachritsis, C., 334
 Hanson, W. E., 193
 Heisey, D. M., 202
 Hidalgo, B., 494
 Hill, C. J., 194
 Ho, H.-K., 186
 Hoenig, J. M., 202
 Hollingworth, L. S., 265
 Holzinger, K. J., 78–79
 Hubbard, R., 260
 Huberty, C. J., 301
 Hummel, T. J., 283
 Hunter, J. E., 436
- Ioannidis, J. P. A., 258, 260, 288
- Jacobson, N. S., 197
 Jamieson, S., 29
 Jensen, A. R., 75, 231, 389
 Jaynes, W. H., 193
 Johnson, W., 394
 Jokela, M., 186
 Jones, T. A., 80
- Kalnins, A., 464
 Kenaszchuk, C., 260
 Kerr, N. L., 187–188
 Kieffer, K. M., 261
 Kiewra, K. A., 62
 Kim, H., 164
 Kintsch, W., 174
 Kirk, R. E., 162, 172, 197, 203, 260–261
 Kline, R. B., 41, 47, 143, 196, 201, 257–258,
 261, 416, 495
 Komlos, J., 184–186, 197
 Konstantopoulos, S., 479
 Kornrich, S., 9
 Krauss, S., 261–262
 Kryst, L., 187
 Kuhn, T. S., 14
 Kulik, C.-L. C., 193
 Kulik, J. A., 193
 Kupka, R. W., 142

578 Author Index

- Lacritz, L. H., 82
 Lakens, D., 287, 417
 Lane, D. M., 416
 Larsen, R., 199
 Lauderdale, B. E., 187
 Lazar, N. A., 260–262
 Leech, N. L., 23
 Lewis, D. M. G., 11
 Lewis, J. D., 30
 Li, L. M. W., 282–283, 285
 Lieberman, M. G., 463
 Lieberman, S., 3
 Lilienfeld, S. O., 13
 Lindley, D. V., 196
 Linn, R. L., 87
 Liu, J. K., 99, 102, 277
 Lubinski, D., 38
- Maillardet, R., 201, 260
 Makel, M. C., 187, 493
 Marcus-Roberts, H. M., 27
 Marks, M., 416
 Matthews, M. S., 493
 Maxwell, S. E., 257–258
 McBee, M. T., 234, 493
 McCloskey, D. N., 261
 McCoach, D. B., 172
 McCrae, R. R., 495
 McDaniel, M. A., 288
 McDonald, C. J., 389
 McGrath, R. E., 390
 McNemar, Q., 416, 457
 Meehl, P. E., 11, 196, 494
 Meyer, G. J., 390
 Micceri, T., 75, 80, 82
 Mikelson, K. S., 3
 Miller, G. A., 4, 24
 Min, Y.-I., 416
 Moffitt, T. E., 188
 Moore, D. A., 188, 493
 Morris, J. D., 463
 Morris, P. E., 172, 194, 301, 463
 Murray, L. W., 156, 169, 301
 Muthén, B., 496
- Nagele, E., 74
 Newcombe, R. G., 416
 Norcross, J. C., 1, 3
 Norman, G., 29
 Nuijten, M. B., 436
- Open Science Collaboration, 167, 188, 258, 260, 493
 Osborne, J. W., 258, 301
- Paas, F., 4
 Paek, S. H., 87
 Pallesen, J., 470
 Patel, J. K., 74
 Pearson, E. S., 261
 Pearson, K., 335, 397, 411
 Perugini, M., 354
 Plucker, J. A., 493
 Popper, K. R., 4
 Price, C. J., 80
 Poropat, A. E., 193
 Poston, J. M., 193
- Rajecki, D. W., 1
 Rambo-Hernandez, K. E., 387
 Read, C. B., 74
 Reed, T. E., 117
 Remschmidt, H. E., 249
 Reyes, C. J., 235–238
 Reynolds, C. R., 30
 Richard, F. D., 301
 Roberts, F. S., 27
 Robinson, D. H., 62
 Rodgers, J. L., 261
 Rogers, K. B., 193
 Rose, J., 29
 Rosenthal, R., 287, 415–416
 Rosnow, R. L., 287, 415
 Russell, J. T., 390
 Ruxton, G. D., 489
 Ryan, T. A., 158
- Savalei, V., 203
 Schich, M., 94
 Schimmack, U., 258, 436
 Schmidt, F. L., 156, 196, 203, 258, 260
 Schmitt, D. P., 301
 Schönbrodt, F. D., 354
 Scott, W. F., 196
 Sedlmeier, P., 169, 257, 301
 Senn, S., 389–390
 Shaw Taylor, L., 12
 Siegle, D., 172
 Simmons, J. P., 261
 Simpson, E. H., 478–479
 Sireci, S. G., 394
 Skidmore, S. T., 335, 466

- Slade, M. L., 192, 436
 Slife, B. D., 23
 Sligo, J. R., 283
 Smaldino, P. E., 10, 12
 Smith, G., 389
 Smith, M. L., 232, 436, 478–479
 Smith, R. L., 462
 Spearman, C., 484, 495
 Steinemann, J. H., 392
 Sterling, T. D., 416
 Stern, H., 415
 Stevens, J. P., 285, 495
 Stevens, S. S., 23–27, 29, 31, 48, 485
 Stigler, S. M., 74, 389
 Stoloff, M., 1, 3
 Stoner, M., 164
 Strauss, V., 394
 Strenze, T., 348
 Sundali, J., 135
 Sundström, A., 393
 Swineford, F., 78–79
- Tabachnick, B. G., 260–263
 Taylor, H. C., 390
 Thompson, B., 3, 169, 172–173, 196–197, 201, 288,
 301, 335, 353, 466, 493, 495
 Thorndike, R. L., 389
 Townsend, M., 259
 Trafimow, D., 416
 Truax, P., 197
 Tukey, J. W., 41, 167, 201, 283
- Urbina, S., 9
- van 't Veer, A. E., 188
 Vacha-Haase, T., 172–173, 353
 Vadillo, M. A., 416, 436
 Vargha, A., 489
 Vernon, P. E., 394
 Vinten, J., 154–163, 167–168, 173, 187, 206
 Volker, M. A., 231, 301, 439
 von Károlyi, C., 13
 Voracek, M., 51
- Waite, K., 8, 37, 42, 62–72, 84–90, 92, 105–106,
 113–114, 222–232
 Warne, R. T., 13, 30, 51, 75, 77, 83, 116, 167–169,
 172, 188, 192, 261, 277, 285, 288, 301, 309,
 335, 348, 390, 396, 436, 474, 476–477, 480,
 493–495, 498
 Wasserstein, R. L., 259–262
 Werblow, J., 391
 Wiberg, M., 393
 Wicherts, J. M., 42, 187
 Wilcox, R. R., 42
 Williams, R. N., 23
 Winch, R. F., 260
 Woodberry, K. A., 193
- Yettick, H., 2
 Yule, G. U., 479
- Zar, J. H., 484
 Zientek, L. R., 51, 173, 301, 493
 Ziliak, S. T., 261
 Zimmerman, D. W., 220, 258
 Zwick, R., 394

Subject Index

- abbreviation, 47
- absolute zero, 27
- alpha (α) setting
 - ANOVA procedure, 287
 - defined, 521
 - in NHST, 156
 - one-sample t -test, 185
 - one-variable chi-squared test, 412
 - paired two-sample t -tests, 224
 - two-variable chi-squared test, 423
 - unpaired two-sample t -tests, 250
 - when to adjust, 287–288
 - z -test, 156
- alternative hypothesis
 - defined, 521
 - p -value and, 249–261
 - two-tailed test and, 158–159
- analytical probability distribution, *see* probability distribution
- animation charts, 94
- ANOVA procedure
 - assumptions, 302–303
 - defined, 285–286, 521
 - and GLM, 306
 - guided practice, 310–317
 - logic, 303–305
 - one-way, 468
 - post hoc* tests, 306–310
 - p -value, 302
 - three-way, 470–471
 - two-way, 468–470
 - Types I and II errors, 302
- ANOVA procedure steps
 - choose one- or two-tailed test, 289
 - critical value determination, 290
 - effect size calculation, 297–299
 - F -distribution, 290
 - form data groups with the dependent variables, 287
 - null hypothesis definition, 287
 - observed value and critical value comparison, 296–297
 - observed value calculation, 290–297
 - set alpha, 287
- ANOVA table, 292–296, 521
- anti-seizure medication and children example, 154–163, 203–205
- assumptions (statistical), 44, 521
- AUC (area under the receiver operating characteristic curve)
 - defined, 521
 - as effect size, 162
 - Mann–Whitney U test and, 485
- autism spectrum disorder and sibling relationships example, 222–232
- autism spectrum disorder variables, 37
- average, *see* mean
- Baby Name Voyager, 93–94
- bar graphs, 86
- baseline group, 521
- baseline model, 353, 382, 427, 521
- baseline outcome, 427, 521
- bell curve, *see* normal distribution
- Bem Sex Roles Inventory, 112–113
- Bessel's correction, 47, 521
- bimodal distribution, 81–82, 522
- Bonferroni correction, 284, 522
- Bonferroni–Dunn *post hoc* test, 309, 522
- box plot, 85–86
- capture percentage (confidence interval), 201, 522
- causation and correlation, 354–356
- cause-and-effect relationships, 356
- central limit theorem (CLT)
 - defined, 522
 - implications, 144–145
 - importance of, 147
 - main principle of, 140
 - sample size and, 143
- central tendency models
 - combined with variance models, 51
 - defined, 36, 522
 - guided practice, 42–43
 - mean, 39–41
 - median, 38–39

- mode, 37
 - trimmed mean, 41–42
- chance, p -value and, 261
- chi-squared test
 - defined, 522
 - nominal outcomes, 410–411
 - one-variable, 411
 - two-variable, 422–426
 - table, 519–520
- clinical significance, 197, 522
- coefficient of determination. *see* r^2
- Cohen's benchmarks for effect sizes, 300–301, 522
- Cohen's d , 162, 193, 522
- conditional probability, 479, 522
- confidence interval
 - calculation example, 200
 - calculation of, 199
 - correct interpretation of, 201
 - defined, 523
 - description, 198–199
 - incorrect interpretations of, 201
 - NHST and, 202–203
 - population parameter estimation, 198
 - p -value, 205–206
 - z -values for, 200
- confirmatory factor analysis, *see* factor analysis
- constant (in quantitative research), 5, 523
- contingency table, 422, 523
- continuous data, 31, 523
- control group, 356, 523
- correlation, *see also* Pearson's r
 - assumptions about regression and, 390–397
 - causation and, 354–356
 - Cramér's V , 438–439
 - defined, 523
 - multicollinearity, 463–464
 - restriction of range and, 394
 - scatterplots and, 343–348
 - stable, 354
 - as standardized measure, 335–343
- correlation coefficient
 - critical values for r table, 516–518
 - defined, 335, 523
 - purpose of, 334
- correlation table, 369, 523
- correlational research, 6
- covariance, 343, 523
- Cramér's V , 162, 438–439, 523
- critical value determination
 - defined, 523
 - NHST, 159
 - and observed value, 161
 - one-sample t -test, 188–190
 - one-variable chi-squared test, 413
 - paired two-sample t -tests, 225–227
 - r table, 516–518
 - two-variable chi-squared test, 423–424
 - unpaired two-sample t -tests, 253
- critical values for r table, 516–518
- cumulative frequency, 63, 523
- curvilinear relationship, *see* nonlinear relationship
- data
 - defined, 8, 523
 - levels of, 23–30
 - weighting, 210
- data classification
 - continuous, 31
 - discrete, 31
 - interval, 26
 - nominal, 24–25
 - ordinal, 25–26
 - ratio, 27
- data collection (in quantitative research), 6
- data group formation
 - ANOVA procedure, 287
 - in NHST, 155
 - one-sample t -test, 185
 - paired two-sample t -tests, 222
 - unpaired two-sample t -tests, 249
 - z -test, 154
- dataset, 8, 523
- datum, *see* data
- decisiveness across cultural groups example, 282–285
- degrees of freedom, 189, 523
- dependent sample t -test, *see* paired two-sample t -tests
- dependent variable
 - defined, 524
 - in the quantitative research process, 5
- descriptive discriminate analysis, 495, 524
- descriptive research, 6
- descriptive statistics
 - defined, 8–9, 524
 - models of central tendency, 36–44
 - models of variability, 44–51

582 Subject Index

- deviation score, 40, 524
- dice rolls example, 136–140
- difference score, 524
- direct correlation, *see* positive correlation
- discrete data, 31, 524
- distorted axis (visual model), 90
- Dunnett's test, 310, 524
- effect size
 - AUC (area under the receiver operating characteristic curve), 162
 - Cohen's d , 162, 300–301
 - Cramér's V , 162
 - defined, 162, 524
 - eta-squared (η^2), 162, 297–298
 - Glass's delta (Δ), 162, 232
 - GLM and, 174–175
 - importance of, 171–172
 - meta-analysis, 435–436
 - NHST, 161–163
 - odds ratios, 162
 - one-sample t -test, 190–194
 - one-variable chi-squared test, 417–418
 - paired two-sample t -tests, 231–232
 - phi, 162
 - p -value and, 261–262
 - r^2 , 532
 - relative risk, 162
 - two-variable chi-squared test, 427–429
 - unpaired two-sample t -tests, 269
- empirical probability
 - defined, 129, 524
 - dice toss, 136–140
 - guided practice, 129–130
 - and theoretical probability, 137–140
- empirical probability distribution, *see* probability distribution
- error, *see* residual
- eta-squared (η^2)
 - ANOVA and, 297–298
 - defined, 524
 - as effect size, 162
 - grand mean and, 298
 - prediction accuracy and, 298–299
- Excel (software)
 - ANOVA procedure, 325–328
 - basics of opening, 18–19
 - central tendency and variability, 54–56
 - linear transformations, 119
 - one-sample t -test, 214–215
 - one-variable chi-squared test, 445–446
 - paired two-sample t -tests, 242–243
 - Pearson's r , 362–364
 - regression line, 404–405
 - Spearman's ρ , 484
 - two-variable chi-squared test, 444–445
 - unpaired two-sample t -tests, 275–276
 - visual models, 97–98
 - z -scores, 119–123
 - z -test, 179
- exhaustive classification, 24
- experiment, 356, 524
- experimental group, 356, 524
- experimental research, 6
- experimentwise Type I error, 284, 524
- exploratory factor analysis, *see* factor analysis
- exploratory research, 288, 524
- extension, *see* generalization
- extreme value, *see* outlier
- factor analysis, 495, 525
- factorial model, 471, 525
- false negative, *see* Type II error
- false positive, *see* Type I error
- falsifiable hypothesis, 4
- familywise Type I error rate, *see* experimentwise Type I error
- F -distribution, 290, 510–512, 525
- file drawer problem, 416, 436, 525
- findings (research), 261
- first law of individual differences, 231
- Flowing Data (website), 94
- frequency, 62, 525
- frequency of unlikely events, 259–260
- frequency polygons, 84–85, 525
- frequency tables, 62–64, 525
- gambler's fallacy, 134–135
- Gaussian distribution. *see* normal distribution
- gender and IQ example, 264–268
- general linear model (GLM)
 - ANOVA and, 306
 - characteristics of, 172–173
 - defined, 10, 525
 - interrelated nature of, 173–175
 - one-sample t -test, 210
- generalization, 142, 195, 525
- gifted children example, 476–477
- Glass's delta (Δ), 162, 232, 525
- Google employee success example, 394

- grand mean, 298, 525
 gratification delay example, 469–470
- HARKing (hypothesizing after the results are known), 187–188, 525
- harmonic mean, 307, 526
- histogram shape descriptions
 kurtosis, 77–80
 and linear transformations, 105–111
 non-normal caveat, 83
 normal distribution, 73–75
 number of peaks, 81–82
 skewness, 75–76
- histograms
 characteristics of, 65–67
 defined, 526
 guided practice, 68–72
 probability conversion, 135
- homogeneity of variance, 262, 526
- honestly significant difference, *see* Tukey's *post hoc* test
- hot-hand fallacy, 133, 135
- hypothesis, 526
- incorrect graph type (visual model), 90–91
- independent samples *t*-test, *see* unpaired two-sample *t*-tests
- independent variable
 defined, 526
 in the quantitative research process, 5
- inferential statistics
 defined, 9, 142, 526
 logic of, 141–143
 NHST and, 153–154
- information table, 290–291, 526
- interaction (multiple regression), 462–463, 470, 526
- interactive charts, 93–94
- interquartile range, 45–46, 534
- interval (histogram), 65, 526
- interval data, 25–26, 530
- inverse correlation, *see* negative correlation
- joint probability, 131–133, 526
- Journal Article Reporting Standards (JARS), 263–264
- kitchen sink statistics, 464
- Kruskal–Wallis test, 489–490, 526, *see also* Wilcoxon rank-sum test
- kurtosis
 defined, 526
 distribution, 77–80
 memory aid, 81
 skewness and, 80
- language
 importance of exact, 13
 theoretical models and, 12–13
- latent variable, 494, 526
- left skewed distribution, *see* negatively skewed distribution
- leptokurtic distribution, 80, 527
- levels of data, *see also* measurement of quantitative variables
 defined, 527
 interval, 25–26
 mathematical operations and, 25, 30
 NOIR memory aid, 29
 nominal, 24–25
 ordinal, 25–26
 rating scales and, 29–30
 ratio, 25, 27
 in SPSS, 34
 test scores and, 29
- levels of measurement, *see* levels of data
- line graphs, 89, 527
- line of best fit, *see* regression line
- linear regression, 375, 527
- linear relationship (independent and dependent variable), 391
- linear transformations, *see also* *z*-scores
 defined, 104–105, 527
 and histogram shapes, 105–111
 and means, 105–106
 and standard deviation, 106–109
- literature review, 435, 527
- logistic regression, 475–476, 527
- logit, 475, 527
- log-odds, *see* logit
- lower limit (confidence interval), 200, 527
- main effect, 462, 527
- Mann–Whitney *U* test, *see* Wilcoxon rank-sum test
- marginal probability, 479, 527
- matching hypothesis, 14
- mathematical function, 25, 30
- mean
 comparing multiple groups, 282–283
 defined, 527

584 Subject Index

- mean (cont.)
 - estimating population, 144
 - grand, 298
 - inferential statistics and, 153–154
 - and linear transformations, 105–106
 - in model of central tendency, 39–41
- mean deviation, 48
- measurement, 24, 527
- measurement of quantitative variables, 258, *see also*
 - levels of data
- median, 38–39, 527
- men's height example, 184–194
- mesokurtic distribution, 78, 528
- meta-analysis, 435–436, 528
- meta-analytic thinking, 492–493, 528
- Microsoft Excel, *see* Excel
- Minnesota Multiphasic Personality Inventory, 113
- mixed methods research, 7, 528
- mode, 37, 528
- models
 - central tendency, 36–44
 - correctness of, 10
 - defined, 10, 528
 - General Linear Model, 173
 - multiple models can fit reality, 11
 - statistical assumptions and, 44
 - types of, 11–13
 - usefulness of, 10–11
 - variability, 44–51
 - visual, 62–94
- multicollinearity, 463–464, 528
- multimodal distribution, 82
- multiple intelligences model, 13
- multiple logistic regression, 476–477, 528
- multiple outcomes, 130–131
- multiple regression model
 - basics, 459–463
 - defined, 528
 - logistic regression and, 475–476
 - multicollinearity and, 463–464
 - multiple logistic regression, 476–477
 - three-way ANOVA, 470–471
 - two-way ANOVA, 468–470
- multiple R -squared, *see* R^2
- multivariate analysis of variance (MANOVA), 495, 528
- multivariate statistics, 494, 536
- mutually exclusive classification, 24
- National Longitudinal Study of Adolescent and Adult Health, 460–462, 464–468, 471–474, 480–482
- NBA basketball player height and scoring example, 393–394
- negative correlation, 340, 528
- negatively skewed distribution, 76–77, 528
- NHST, *see* null hypothesis statistical significance testing
- NOIR (levels of data memory aid), 29
- nominal data, 24–25, 528
- nominal outcomes, 410–411
- non-baseline group, 427, 528
- nonlinear relationship, 529
- nonlinear relationship (independent and dependent variable), 391
- non-normal distribution, 74–75, 83
- non-null hypothesis
 - one-sample t -test, 203–205
 - statistical significance tests, 205
- nonparametric statistics, 483–484, 529
- normal distribution
 - characteristics of, 73
 - defined, 529
 - derivation of, 75
 - history of, 74
 - kurtosis, 79
 - versus non-normal distribution, 74–75
 - z -scores and, 114–115
- null hypothesis
 - defined, 529
 - in NHST, 155
 - reason for testing, 155–156
 - in z -tests, 155
- null hypothesis definition
 - ANOVA procedure, 287
 - in NHST, 155
 - one-sample t -test, 185
 - one-variable chi-squared test, 412
 - paired two-sample t -tests, 222–223
 - two-variable chi-squared test, 423
 - unpaired two-sample t -tests, 249
 - z -test, 155
- null hypothesis statistical significance testing (NHST)
 - cautions
 - sample size sensitivity, 169
 - subjective decisions, 169
 - Types I and II errors, 167–169
 - confidence interval and, 202–203
 - continuous p -value problem, 415–417
 - defined, 529
 - guided practice, 164–167
 - as inferential statistics process, 152

- Pearson's r , 348–353
- procedure steps
 - choice of one- or two-tailed test, 156–159
 - effect size calculation, 161–163
 - finding critical value, 159
 - form data groups with independent variable, 155
 - null hypothesis definition, 155
 - observed value and critical value comparison, 161
 - observed value calculation, 159–160
 - set alpha, 156
 - sampling distribution, 351
 - statistical power, 257–258
 - Type I error, 284
 - z-test and, 153–154
- observed value
 - and critical value, 161
 - defined, 524
- observed value and critical value comparison
 - ANOVA procedure, 296–297
 - in NHST, 161
 - one-sample t -test, 190–191
 - one-variable chi-squared test, 414
 - paired two-sample t -tests, 229
 - two-variable chi-squared test, 426
 - unpaired two-sample t -tests, 255–256
 - z-test, 161
- observed value calculation
 - ANOVA procedure, 290–297
 - NHST, 159–160
 - one-sample t -test, 190
 - one-variable chi-squared test, 413–415
 - paired two-sample t -tests, 227–229
 - two-variable chi-squared test, 424–425
 - unpaired two-sample t -tests, 253–255
 - z-test, 159–160
- odds ratios
 - defined, 529
 - as effect size, 162
 - for more than two groups, 436–438
 - relative risk and, 434–435
 - two-variable chi-squared test, 429
- one- or two-tailed test choice
 - ANOVA procedure, 289
 - in NHST, 156–159
 - one-sample t -test, 185–187
 - paired two-sample t -tests, 224–225
 - unpaired two-sample t -tests, 250–252
 - z-test, 156–159
- one-sample t -test
 - caveats, 197–198
 - defined, 529
 - effect size, 210
 - guided practice, 207–209
 - independent variable, 210
 - non-null hypothesis, 203–205
 - p -value, 195–196
 - reasons for, 183–184
 - weighting data, 210
- one-sample t -test procedure steps
 - choice of one- or two-tailed test, 185–187
 - critical value determination, 188–190
 - effect size calculation, 190–194, 210
 - form data groups with independent variable, 185
 - null hypothesis definition, 185
 - observed value and critical value comparison, 190–191
 - observed value calculation, 190
 - set alpha, 185
- one-tailed test
 - choosing in NHST, 156–159
 - defined, 156, 529
 - statistical power and, 258
- one-variable chi-squared test
 - defined, 529
 - guided practice, 419–421
 - overview, 411–413, 421–422
 - Types I and II errors, 418
- one-way ANOVA, 468, 529
- operationalization
 - defined, 530
 - in the quantitative research process, 6
 - versus reductionism, 22–23
- ordinal data, 25–26, 530
- ordinary least squares regression (OLS), 385, 530
- outcome of interest, 427, 530
- outlier
 - defined, 37, 530
 - regression towards the mean and, 390
 - restriction of range and, 394–397
 - statistical model distortion and, 38
- p and Type I errors, 259
- paired samples t -tests, 530
- paired two-sample t -tests
 - reasons for, 220
 - when to use, 220–221
 - examples, 223–224, 234–235
 - guided practice, 235–238

586 Subject Index

- paired two-sample *t*-tests procedure steps
 - choose one- or two-tailed test, 224–225
 - critical value determination, 225–227
 - effect size calculation, 231–232
 - form data groups with independent variable, 222
 - null hypothesis definition, 222–223
 - observed value and critical value comparison, 229
 - observed value calculation, 227–229
 - p*-value, 232
 - sample size considerations, 234
 - set alpha, 224
 - statistical significance, 234
 - types I and II errors, 232–233
- parameter model, 47, 530
- parametric statistics, 483, 530
- Pearson's *r*, *see also* correlation, regression, Spearman's ρ
 - calculating, 335–340
 - defined, 335, 530
 - effect sizes, 353
 - examples of values, 342
 - interpreting, 340–341
 - in null hypothesis context, 348–353
- percentages and proportions, 64
- p*-hacking, 416
- phi (correlation coefficient), 162, 438, 530
- pie charts, 89–90, 530
- planned contrasts tests, 309, 530
- platykurtic distribution, 78, 530
- play therapy for abused children example, 235–238
- point estimates, 198, 531
- point-biserial correlation, 397, 531
- pooled standard deviation, 531
- pooled variance, 531
- population
 - abbreviation, 47
 - defined, 531
 - in the quantitative research process, 4
- population mean estimation, 144–146
- population standard deviation estimation, 145–146
- population standard estimation, 144–145
- positive correlation, 340, 531
- positively skewed distribution, 76, 78, 531
- post hoc* tests (ANOVA)
 - Bonferroni–Dunn *post hoc* test, 309
 - defined, 307, 531
 - Dunnett's test, 310
 - planned contrasts tests, 309
 - Scheffé's *post hoc* test, 309
 - Tukey's, 307–309
- power, *see* statistical power
- practical significance, 197, 531
- prediction, *see* regression
- pre-registration (for studies), 188
- Price is Right* rule, 159, 167
- probability
 - basics, 129
 - defined, 531
 - estimating, 130
 - gamblers' fallacy and hot-hand fallacy, 133–135
 - histogram, conversion to, 135
 - joint, 131
 - of multiple outcomes, 130–131
- probability distribution, 133–134, 531
- probability note, 263, 531
- proportions
 - defined, 531
 - in frequency tables, 63–64
 - and percentages, 64
- publication bias, 416, 531
- p*-value
 - ANOVA procedure, 302
 - avoiding incorrect interpretations of, 260–262
 - calculating, 167
 - confidence interval, 205–206
 - defined, 530
 - never zero, 168
 - one-sample *t*-test, 195–196
 - paired two-sample *t*-tests, 232
 - problems with continuous, 415–417
- qualitative research, 6–7, 532
- quantitative research
 - classifications of, 6
 - defined, 532
 - domination in the behavioral sciences, 1–2
 - example of research design of, 5
 - process of, 3–6
 - reductionism and, 23
- quartile, 45, 532
- quasi-experimental research, 6
- questionable research practice, 187, 532
- Quetelet's data example, 74
- r^2 , 532
- R^2 , 532

- random assignment, 356, 532
- randomness and statistical power, 258
- range
 - defined, 532
 - variability models, 45
- rating scales, 29–30
- ratio data, 25, 27, 532
- reality, models and, 10
- reductionism, 23
- reference group, *see* baseline group
- regression, *see also* Pearson's r
 - assumptions about correlation and, 390–397
 - defined, 375, 532
 - guided practice, 386–387
 - measuring individual prediction accuracy, 381–384
 - OLS, 385
 - standard equation, 375–376
 - unstandardized equation, 376–377
- regression line, 377–384
 - commonalities between derivations, 380–381
 - defined, 377, 382, 532
 - derivation from standardized equation, 378–380
 - derivation from unstandardized equation, 377–378
- regression towards the mean
 - caveats, 389–390
 - defined, 387–389, 532
 - examples, 389
- rejection region, 153, 533
- related-samples t -test, *see* paired two-sample t -tests
- relative risk
 - defined, 533
 - as effect size, 162
 - odds ratio and, 434–435
 - two-variable chi-squared test, 427
- research, *see also* statistical methods
 - classifications of, 6
 - exploratory, 288
 - HARKing as a questionable practice, 187–188
 - importance of preplanning in, 457
 - journal article reporting standards, 263–264
 - meta-analysis, 435–436, 492–493
 - publication bias, 416
 - separating good from bad, 2
- research hypothesis (quantitative research), 3–4, 533
- research question (quantitative research), 3–4
- residual
 - defined, 533
 - homogeneity of, 391–392
 - regression and, 381–384
 - Stroop test, 298–299
- restriction of range, 392–393, 533
- right skewed distribution, *see* positively skewed distribution
- sample (selection)
 - defined, 533
 - meta-analysis, 436
 - in the quantitative research process, 5
 - stable correlation and, 354
- sample size
 - abbreviation, 47
 - defined, 533
 - and statistical power, 257
- sample size sensitivity (in NHST), 169
- sampling distribution
 - defined, 142, 533
 - F -distribution, 290
 - null hypothesis, 351
 - shapes, 427
- sampling error, 142, 533
- scattergram, *see* scatterplot
- scatterplot
 - defined, 533
 - overview, 92
 - for visualizing correlation, 343–348
- Scheffé's *post hoc* test, 309, 533
- scientific theory
 - falsifiability of, 4
 - and scientific laws, 15–16
 - scientific laws and, 15–16
 - versus a theoretical model, 13
- significance, *see* clinical significance, practical significance, statistical significance
- Simpson's paradox, 477, 534
- skewed left distribution, *see* negatively skewed distribution
- skewed right distribution, *see* positively skewed distribution
- skewness (of distribution), 75–76, 80–81, 534
- spanking children example, 354–356
- Spearman's ρ , 484, 534, *see also* Pearson's r
- special case (statistical), 173, 534
- Sports Illustrated* curse, 389
- SS (sum of squares) value, 299
- standard deviation
 - defined, 46–47, 535
 - estimating population, 144–145

588 Subject Index

- standard deviation (cont.)
 and linear transformations, 106–109
 reasons for, 48
- standard error (SE), 144, 534
- standardized regression equation, 375–376, 534
- standardized scores, *see* *z*-scores
- statistical assumptions, 44
- statistical methods, *see also* research
 defined, 1–2, 534
 how to choose, 456–457
 logistic regression, 475–476
 multiple logistic regression, 476–477
 multiple regression model, 459–463
 multivariate methods, 494–496
 nonparametric statistics, 483–484
 three-way ANOVA, 470–471
 two-way ANOVA, 468–470
- statistical models
 defined, 11–12, 46, 534
 relationships, 15
- Statistical Package for the Social Sciences (SPSS)
 ANOVA procedure, 329–333
 basics of opening, 19–20
 central tendency and variance models, 57–60
 data levels in, 34
 Kruskal–Wallis test, 490–492
 linear transformations, 119–125
 multiple logistic regression, 480–482
 multiple regression model, 464–468
 one-sample *t*-test, 217–218
 one-variable chi-squared test, 446–450
 paired two-sample *t*-tests, 244–246
 Pearson's *r*, 366–372
 regression line, 405–406
 Spearman's ρ , 484
 two-variable chi-squared test, 449–454
 two-way ANOVA, 471–474
 unpaired two-sample *t*-tests, 277–280
 visual models, 99–103
 Wilcoxon rank-sum test, 467–486
z-scores, 124–126
- statistical power, 257–258, 534
- statistical significance
 defined, 534
 NHST, 196
 non-null hypothesis, 205
 paired two-sample *t*-tests, 234
 as a type of significance, 196–197
- statistical weights, 174, 534
- statistics
 branches of, 8–9
 for communicating results, 2–3
 confusing terminology in, 221
 defined, 9, 534
 evaluating researchers' conclusions, 2
 four ways in which it is used in social science,
 1–8
 power, 257–258
 translating research into day-to-day practices, 3
- stem-and-leaf plot, 86–88, 534
- stress relief example, 310–317
- Stroop test example, 286–299, 307–309
- structural equation modeling (SEM), 495–496, 534
- subjective decisions (NHST), 169
- t*-distribution table, 507–509
- test scores and data levels, 29
- testwise Type I error, 283–284, 535
- theoretical model
 defined, 12–13, 535
 relationships, 15
- theoretical probability
 defined, 130, 535
 and empirical probability, 137–140
- theoretical probability distribution, *see* probability
 distribution
- theory (scientific)
 broad scope of, 14
 defined, 535
 relationships, 15
 and scientific laws, 15–16
 theoretical model versus, 13
- third variable problem, 354, 535
- three-way ANOVA, 470–471
- Titanic* example, 410, 417–418, 423, 425–428,
 430–433
- treatment group, *see* experimental group
- trial (probability), 129, 535
- trimmed mean, 41–42, 535
- t*-tests
 problems with multiple, 283–284
 solutions for multiple, 284–285
t-distribution table, 507–509
- Tukey's *post hoc* test, 307–309, 513–515, 535
- two-sample *t*-test, *see* paired two-sample *t*-tests,
 unpaired two-samples *t*-test

- two-tailed test
 - choosing it in NHST, 156–159
 - defined, 156, 535
 - dividing rejection region in, 160
- two-variable chi-squared test, 422–426, 430–433, 438–439, 535
- two-way ANOVA, 468–470, 535
- Type I error
 - defined, 535
 - NHST, 167
 - p and, 259
- Type II error
 - defined, 535
 - NHST, 168–169
- Types I and II errors
 - ANOVA procedure, 302
 - comparison, 233–234
 - mnemonic devices, 233
 - one-variable chi-squared test, 418
 - paired two-sample t -tests, 232–233
 - p -value and, 260
- uniform distribution, 65, 76, 535
- unimodal distribution, 81–82, 535
- univariate statistics, 494, 536
- unlikely event, frequency of, 259–260
- unpaired two-sample t -tests
 - assumptions of, 262–263
 - examples of, 249, 269
 - group comparisons and, 247–248
 - guided practice, 264–268
 - independent and dependent variables, 269–270
 - reasons for, 247
 - weighting data, 269
- unpaired two-sample t -tests procedure steps
 - choice of one- or two-tailed test, 250–252
 - critical value determination, 253
 - effect size calculation, 256–257, 269
 - form data groups with independent variable, 249
 - null hypothesis definition, 249
 - observed value and critical value comparison, 255–256
 - observed value calculation, 253–255
 - set alpha, 250
- unpaired-sample t -tests, 536
- unskewed distribution, 536
- unstandardized regression equation, 376–377, 536
- upper limit (confidence interval), 189, 536
- vaccination rates in United States example, 386–387
- variability, 536
- variability models
 - combined with central tendency models, 51
 - defined, 44
 - guided practice, 49–51
 - interquartile, 45–46
 - range, 45
 - standard deviation, 46–47
 - variance, 49
- variable
 - defined, 536
 - in the quantitative research process, 5–6
- variance, 536
- variance analysis
 - as solution to multiple- t -tests, 284–285
 - ANOVA procedure, 285–299
 - ANOVA procedure steps, 286–301
 - comparing means from three or more groups, 282–283
 - homogeneity of, 262
 - problems with multiple t -tests, 283–284
- variance model, 49
- video games and intelligence example, 334–340, 349, 381–384, 387–389, 391–392
- Vineland Adaptive Behavior Scales (VABS), 154
- visual models
 - animation, 94
 - bar graphs, 86
 - box plot, 85–86
 - defined, 11, 536
 - frequency polygons, 84–85
 - frequency tables, 62–64
 - histograms, 65–82
 - interactive charts, 93–94
 - line graphs, 89
 - misleading charts and graphs, 90–91
 - pie charts, 89–90
 - relationships, 15
 - scatterplot, 92
 - selection of appropriate, 93–94
 - stem-and-leaf plot, 86–87
 - websites, 94
- way (ANOVA), 536
- weight, *see* statistical weights

590 Subject Index

- weighting data
 - GLM, 439
 - unpaired two-sample t -tests, 269
- Wilcoxon rank-sum test, 485–486, 536, *see also*
 - Kruskal–Wallis test, paired two-sample t -tests, unpaired two-sample t -tests
- χ^2 table, 519–520
- young adult online dating behavior example, 248
- z -scores, *see also* linear transformations
 - conversion to another scale, 115–116
 - defined, 536
 - guided practice 113–114
 - and linear transformations, 112–113
 - and normal distribution, 114–115
 - similarity to other z -formulas, 161
- z -scores, 499–506
- z -test
 - defined, 536
 - and the GLM, 172–173
 - guided practice, 169–171
 - and NHST, 153–154
 - similarities to one-sample t -test, 195
- z -test procedure steps
 - choose one- or two-tailed test, 156–159
 - effect size calculation, 161–163
 - finding critical value, 159
 - forming data groups with independent variable, 154
 - null hypothesis defined, 155
 - observed value and critical value comparison, 161
 - observed value calculation, 159–160
 - setting alpha, 156