

Index

- Abby Pain Scale, 235
 Access to Timely Formal Care (ActifCare), 19–20
 ACP. *See* Advance care planning (ACP)
 Actuarial, 2
 Adaptation-coping model
 generally, 9–10
 COVID-19 pandemic and, 197
 Meeting Centres Support Programme (MCSP) and, 140
 quality of life and, 96
 Adult Social Care Outcomes Toolkit (ASCOT), 94
 Advance care planning (ACP)
 advance directives (*See* Advance directives)
 benefits for persons with dementia, 214–17
 confirmation of dementia and, 215
 conversations, 216, 222
 CRPD and, 217, 218, 226–7
 CRPD Committee and, 214, 217, 218, 227
 diagnosis of dementia as key to, 215
 difficulty in verbal communication and, 216
 documentation of preferences, 216
 ‘Do Not Resuscitate’ (DNR), 214
 end-of-life decisions and, 216
 evaluation of mental capacity, 215
 execution of decisions, 217–18
 exploration of dementia and, 215
 family members and, 216
 healthcare providers and, 135
 in informal care, 132–3
 initiation of, 215
 optimal implementation, 217
 planning versus execution, 218
 potential for, 226–7
 process of, 214–17
 real will of patient, determination of, 218
 recommendations, 215–17
 in residential care facilities, 135
 suspicion of dementia and, 215
 time frame of, 214
 Advance directives
 autonomy, problems relating to, 242
 change in preferences, problems of, 241–2
 emotion, problems relating to, 242
 euthanasia, problems regarding, 241–2
 interpretation, problems of, 241
 potential for, 217
 Adverse selection, 280–1, 282
 Air pollution as risk factor, 274
 Alarm systems, 134
 Alcohol use
 driving and dementia compared in terms of risk, 253
 as modifiable risk factor, 156
Aliceheimer’s: Alzheimer’s through the Looking Glass (Walrath), 33
 Alzheimer, Alois, 2
 Alzheimer cafés, 137
 Alzheimer’s Association, 154–5
 Alzheimer Scotland, 219
 Alzheimer’s Disease
 biparietal AD, 11
 causes, uncertainty regarding, 271
 communication, changes in, 107
 diagnosis, difficulties in, 271–2
 driving and, 253–4, 259
 effects of, 5
 emotion and, 58
 as ‘face’ of dementia, 2–3
 inappropriate sexual behaviour (ISB) and, 117
 intellectual enrichment and, 160
 loneliness and, 157
 long preclinical phase of, 162
 meaning in life and, 66, 67–8
 mild cognitive impairment (MCI) and, 3
 as most common form of dementia, 3, 11
 pathology of, 154
 pharmacological treatments, 154, 159, 279
 sexuality and, 112, 113, 114
 technology and, 181–2
 variation in causative mechanisms, 163
 Alzheimer’s Disease Assessment Scale – cognitive subscale (ADAS-cog), 181
 Alzheimer’s Disease International, 27–8, 39, 176
 Alzheimer’s Disease-related Quality of Life (QOL-AD) Scale, 84, 87, 89
 Alzheimer’s Europe, 18, 39
 Alzheimer’s Poetry Project (APP), 37, 221–2
 Alzheimer’s Society, 18
 American Bar Association (ABA), 118, 119–20
 American Convention of Human Rights, 56
 American Psychological Association (APA), 118, 119–20
 Amsterdam University Medical Centre, 199
 Amyloid cascade hypothesis, 2–3
 Amyloid precursor protein (APP) gene, 2–3
 Anger
 cessation of driving and, 259
 COVID-19 pandemic and, 201
 Anorgasmia, 112
 Antecedents, behaviour, and consequences (ABC) model, 187–8
 Anthropological perspectives on dementia
 generally, 12
 caregivers and, 14
 dehumanization and, 14
 individualistic versus socio-centric orientation, 13–14
 material well-being and, 12
 Antibiotics, 237
 Anton Syndrome, 12
 Anxiety, COVID-19 pandemic and, 201
 Apathy
 clinical reflections on, 59
 COVID-19 pandemic and, 201
 Architectural design
 generally, 167, 189
 beneficial features, 172
 case studies, 172

- contemporary architectural qualities, 175
- ethnographic case studies, 172
- everyday places and objects, 173–5
- limitations of research, 171–2
- proper spatial relations, 172–173
- social dynamics, 175
- sociocultural perspective in, 175–6
- strategic places, 172
- studies, 171–2
- Aretaeus, 2
- Aristotle, 1, 47, 48, 82
- Artificial nutrition and hydration (ANH), 236, 237–9
- Arts
- decision-making, holistic and hermeneutic approach as frame for understanding, 222–3
 - fiction as participatory collaborative intervention, 223
 - graphic novels, destigmatization of dementia and, 33
 - improvisational acting and dancing as participatory collaborative intervention, 223
 - literature, destigmatization of dementia and (*See Literature, destigmatization of dementia and*)
 - lived experiences, holistic and hermeneutic approach as frame for understanding, 220–2
 - memoirs, destigmatization of dementia and, 33
 - participatory collaborative arts interventions, 222–3
 - poetry (*See Poetry*)
- Assumptions regarding dementia generally, 45
- autonomy and, 52–3
 - body/mind dualism and, 47–8
 - cognition and, 48–9
 - concept clarification, 46
 - driving and, 251–2, 260
 - emotion and, 48–9
 - identity and, 49–51
 - in legislation, 45–6
 - meaning in life and, 46
 - person-centred care and, 45
 - personhood and, 51–2
 - psychoanalysis and, 45
 - respect and, 53–4
 - self and, 46–7
- Asylums, 15
- Attachment theory, 10
- Attribution theory, 26
- Australia
- COVID-19 pandemic, impact on persons with dementia, 196
- driving and dementia, regulation of, 254
- Individual Dementia Support Programme, 196
- Meeting Centres in, 196
- Automobiles. *See Driving and dementia*
- Autonomous vehicles, 260
- Autonomy
- generally, x
 - advance directives, problems relating to autonomy, 242
 - assumptions regarding dementia and, 52–3
 - driving and, 252
 - euthanasia, problems relating to autonomy, 242
 - free will and, 52
 - juridical perspective, 56
 - principles-oriented autonomy approach to euthanasia, 240
 - relational context of, 53, 56
- Bacon, Francis, 2
- Barney's Version* (Richler), 33
- Bartlett, R., 18
- Basting, Anne Davis, 221–2
- Bath Assessment of Subjective Quality of Life in Dementia (BASQID), 84–7
- Bauer, M., 122
- Baumeister, R. F., 66
- 'The Bear Came over the Mountain' (Munro), 32
- Beckett, Samuel, 32
- Behavioural and psychological symptoms of dementia (BPSD), 115, 133
- Behavioural economics, 281, 283
- Behavioural variant of frontotemporal degeneration (bvFTD), 11–12
- Belgium. *See also Flanders (Belgium)*
- advance care planning (ACP) in, 217
 - care proxies, 217
 - euthanasia, societal views and attitudes towards, 239
 - informal care in, 130
 - palliative sedation in, 236
 - visitation in residential care facilities during COVID-19 pandemic, 204
- Benbow, S. M., 115
- Benevolence stigma, 37
- Benin, sociocultural representations of dementia in, 13
- Bentham, Jeremy, 82
- Berghmans, Ron L. P., 218, 220
- Bernlef, J., 32
- Best interests, 227–8
- Binswanger, Otto, 2
- Biogen, 271
- Biomedical model of dementia
- biopsychosocial models versus, 177
 - challenges to, 4
 - emergence of, 27
- Biopsychosocial models of dementia
- generally, 4–6, 27
 - biomedical model versus, 177
 - CRPD and, 212–13
 - development of, 4–5
 - dynamic systems analysis (DSA) model, 5
 - limitations of, 11–12
 - meaning in life and, 73
 - MIND at Home approach, 5
 - practical applications, 5–6
- Biparietal Alzheimer's disease, 11
- Black Daisies for the Bride* (Harrison), 34–5
- 'Blood-brain barrier', 272
- Body/mind dualism
- assumptions regarding dementia and, 47–8
 - Cartesian dualism, 47–8
 - Christianity and, 47
 - clinical reflections on, 57–8
 - Neoplatonism and, 47
- Bourdieu, Pierre, 221
- Bradford Dementia Group, 16, 167
- Bredesen, Dale, 160–1
- Brinkman-Stoppelenburg, A., 240
- Broeckaert, B., 236
- Cacioppo, John, 157
- Cambridge Neuropsychological Test Automated Battery, 181
- Canada
- artificial nutrition and hydration (ANH) in, 238
 - COVID-19 pandemic, impact on persons with dementia, 194–5
 - driving and dementia, regulation of, 254
 - euthanasia, societal views and attitudes towards, 240
- Can't We Talk about Something More Pleasant?* (Chast), 33
- Capacity
- advance care planning (ACP), evaluation of mental capacity, 215
 - decision-making, mental capacity and, 211, 212
 - legal capacity versus mental capacity, 213–14, 226
 - 'limited capacity' approach, 120
 - meaning in life, capacity perspective, 69

Index

- Capacity (cont.)
sexuality, capacity to consent, 118, 119–20
- Cardiopulmonary resuscitation (CPR), 236–7
- Caregivers. *See also* Informal care for persons with dementia
COVID-19 pandemic, impact of, 194–5
decision-making and, 219
informal care for persons with dementia, motivations of caregivers, 134, 137
lived experiences and, 219
sexuality, advocacy by family or caregivers, 120
shared decision-making (SDM) and, 219
support groups, 134, 137
unpaid care and, 277–8
volunteers, 278
- Care Network Flanders, 122
- Carr, D., 255
- Cartesian dualism, 30, 47–8
- Case management, 138
- Chast, Roz, 33
- China
dementia care in, 13
driving and dementia, regulation of, 254
- Christianity
body/mind dualism and, 47
dementia and, 17
- Cicero, 2
- Clark, A., 19
- Clinical reflections
apathy, 59
body/mind dualism, 57–8
cognition, 58
concept clarification, 59
dignity, 59
emotion, 58
identity, 58–9
personhood, 59
self, 57
- Cognition
assumptions regarding dementia and, 48–9
clinical reflections on, 58
- Cognitive behavioural therapy, 139
- Cognitive Orthosis for Assisting aActivities at Home (COACH), 182
- Cognitive stimulation, 225
- Cogstate Brief Battery, 181
- Cohen, G., 194
- Cohen, L., 13–14
- Collective risk, 280, 282
- Committee on the Rights of Persons with Disabilities. *See* United Nations Committee on the Rights of Persons with Disabilities (CRPD-Committee)
- Disabilities (CRPD-Committee)
Comorbidity, 159
Computerized Self Test (CST), 181
Concept clarification, 46, 59
Congregate care. *See* Residential care facilities
Convention on the Rights of Persons with Disabilities. *See* United Nations Convention on the Rights of Persons with Disabilities (CRPD)
Convention on the Rights of the Child, 55
Cornaro, Luigi, 161–2
The Corrections (Franzen), 33
Cortical basal degeneration, 11
COSMIN, 235
Courtesy stigma, 25
COVID 19 pandemic and dementia
generally, x, xi
adaptation-coping model and, 197
affect, impact on, 201–2
anger and, 201
anxiety and, 201
apathy and, 201
Australia, impact in, 196
autonomy, impact on, 203–4
behaviour, impact on, 201–2
Belgium, impact in, 204
Canada, impact in, 194–5
cardiopulmonary resuscitation (CPR) and, 236–7
caregivers, impact on, 194–5
deaths of persons with dementia, 193
depression and, 201
driving, effect on, 251
effects of, 193, 204
emotional adjustment, support for, 197–8
fear and, 201
home-dwelling persons with dementia, impact on, 193–9
Italy, impact in, 196
lessons learned, 198–9, 202–4
loneliness and, 201
Meeting Centres, impact on, 195–7
mental health, impact on, 193–5
Netherlands, impact in, 194, 196, 199, 204–5
nursing staff, support for, 202
practical adjustment, support for, 197
public financing of dementia care and, 282, 286
recommendations for residential care facilities, 203
residential care facilities, impact on, 199–204
Singapore, impact in, 196
social adjustment, support for, 198
social contact, changes in, 199–200
social health, impact on, 193–5
social inequality and, 156
social isolation and, 204
Spain, impact in, 196
studies on effects on persons with dementia, 199
support services, impact on, 195
technology and, 202–3
telehealth and, 204
UK, impact in, 196–8, 204
vaccination, 204–5
visitation in residential care facilities, 204–5
- CPOT, 235
- CRPD. *See* United Nations Convention on the Rights of Persons with Disabilities (CRPD)
- CRPD-Committee. *See* United Nations Committee on the Rights of Persons with Disabilities (CRPD-Committee)
- Curing dementia. *See* Drug development
- DAISY Intervention, 141
- Davies, H. D., 117
- Davies, N., 238, 239
- Davis, Robert, 17
- De Boer, A., 130
- De Boer, M., 240
- Decision-making
generally, x, 211
advance care planning (ACP) (*See* Advance care planning (ACP))
best interests and, 227–8
biopsychosocial models of dementia and, 212–13
caregivers and, 219
CRPD, under, 211, 212–13
dignity and, 211
holistic and hermeneutic approach as frame for understanding, 222–3
'in the moment' as frame for understanding, 224–6
legal capacity versus mental capacity, 213–14, 226
lived experiences (*See* Lived experiences)
mental capacity and, 211, 212
Newcastle Challenging Behaviour Model, 226
poetry and, 222

- recognition-primed decision model (*See* Recognition-primed decision model)
- shared decision-making (SDM) (*See* Shared decision-making (SDM))
- surrogate decision makers, 227
- traditional approach, 212
- De Duve, Christian, 159
- DEEP Network, 18
- Definition of dementia, 3
- de Grey, Aubrey, 153–4
- DEMCOM, 179
- de Medeiros, K., 117
- Dementia Action Alliance, 18
- Dementia Alliance International, 18
- Dementia friendly communities
- generally, 167, 189
 - case study, 177–8
 - defined, 176
 - dementia awareness in, 178
 - evaluation of success, 179
 - Four Cornerstone Model, 177
 - future challenges, 179–80
 - go-to points (GTPs) in, 178
 - infrastructure in, 178
 - in Japan, 176–7, 179, 180
 - networks, 177
 - origins of, 176–7
 - as paradigm shift, 177
 - people, 177
 - places, 177
 - public stigma and, 37
 - relational model of dementia and, 27–8
 - resources, 177
 - in Singapore, 167, 177–8, 179
 - social inclusion and, 19
 - in Taiwan, 177, 179
 - technology in, 178
 - in UK, 179
- Dementia Friends, 36
- Dementia Quality of Life (DQoL) Instrument, 84
- Dementia reconsidered: the person comes first* (Kitwood), 167
- ‘Dementia Statements’, 18
- DEMQUAL, 87
- DEMQUAL-Proxy-U, 91, 92, 93
- DEMQUAL-U, 91, 93
- Denmark
- age-related screening of drivers in, 255
 - DAISY Intervention, 141
- Depression
- cessation of driving and, 259
 - COVID-19 pandemic and, 201
 - meaning in life, correlation with, 64, 65, 68
 - as modifiable risk factor, 156
 - NYU Carer Intervention, effect of, 143
- Descartes, René, 47–8, 52
- Deter, Auguste, 2
- Devi, Gayatri, 33
- De Vleminck, A., 133
- Diabetes as modifiable risk factor, 155–6
- Diagnostic and Statistical Manual (DSM) 5,
- major neurocognitive disorder (NCD), 3, 4, 28
 - mild neurocognitive disorder (NCD), 4
- Diet as non-pharmacological intervention, 160–1
- Dignity
- generally, x
 - clinical reflections on, 59
 - decision-making and, 211
 - juridical perspectives on, 56
 - personhood and, 52
 - poetry and, 37
 - quality of life and, 83–4, 96
 - respect and, 53–4
- Disabilities Convention. *See* United Nations Convention on the Rights of Persons with Disabilities (CRPD)
- Discomfort Scale Dementia of Alzheimer-Type (DS-DAT), 88
- Disease versus syndrome, 4
- Distributive justice, 90
- Diverse care, need for, 20
- DOMINO study, 92, 279
- Donepezil, 92, 279
- ‘Do Not Resuscitate’ (DNR), 214, 236
- Driving and dementia
- generally, x
 - adverse outcomes of cessation of driving, 259
 - age-related screening, 255
 - alcohol use compared in terms of risk, 253
 - Alzheimer’s Disease and, 253–4, 259
 - anger, cessation of driving and, 259
 - autonomous vehicles and, 260
 - autonomy and, 252
 - cessation of driving, 258–60
 - cognitive impairment and, 252, 253–4
 - common perceptions of, 251–2, 260
 - comparison with healthy persons, 252–3
 - controversy regarding, 261
 - COVID-19 pandemic, effect of, 251
 - depression, cessation of driving and, 259
 - driving behaviour in dementia, 252–3
 - ethical issues, 260
 - experience, effect of, 256–7
 - family members, discussions with, 259–60, 261
 - financial costs of residential care facilities versus, 251
 - fitness assessment, 253, 255–8
 - frontotemporal lobar degeneration (FTLD) and, 253
 - global cognitive measures, 255–7
 - GPS systems and, 260
 - healthcare providers and, 252
 - hypothetical case description, 261–3
 - informants, role of, 257
 - injury or death, greater risk of, 261
 - intersections, accidents in, 254
 - Lewy body dementia and, 253
 - media portrayals of, 251–2, 260
 - medical confidentiality and, 254–5
 - necessity of, 251
 - neuropsychological tests, 255–7
 - on-road tests and, 252–3, 257–8
 - personal identity and, 251
 - personality factors, effect of, 257
 - political issues, 260
 - regulation of, 254–5
 - risk of accidents, 253–4, 260–1
 - ‘sick’ versus ‘healthy’ older drivers, 252
 - social inclusion and, 251
 - statistics, 261
 - Stroke Drivers Screening Assessment, 256
 - technological innovations and, 260
 - Useful Field of View, 256
 - weapon analogy, 260
- Drug development
- generally, 267, 271
 - costs of capital, 272
 - expenses of research and development (R&D), 271–2
 - ‘free rider’ problem, 272–3
 - patent protection, 272–3
 - public financing, 273
 - risk of failure, 272
 - surrogate biomarkers, 273
 - trials, 272
 - weighted average cost of capital (WACC), 271
 - willingness-to-pay (WTP), 273, 285
- Dynamic systems analysis (DSA) model, 5

Index

- Early detection of disease, 4
- Early onset dementia (EOD)
partner relationships and, 108–9
sexuality and, 111–12
- Economic costs of dementia
generally, x, xi, 267, 286
choices within healthcare budget, 90
cost-of-illness estimates, 268
distributive justice and, 90
forgone wage method, 268
future projections, 269–71
home care, costs of, 268
ignored costs, 269
informal care, costs of, 130, 268
lack of exactitude, 269
medical costs, 268
opportunity cost method, 277
optimal size of healthcare budget, 90
out-of-pocket payments, 275–6
personal budgets, 279
policy, imprecise correspondence with, 269
policy evaluations, quality of life and, 89–90
private costs (*See Private costs of dementia*)
private insurance (*See Private insurance*)
productivity loss, 278
public financing of dementia care (*See Public financing of dementia care*)
public stigma and, 30, 278
on quality of life, 89
regional differences, 269
replacement cost method, 268, 277
residential care facilities, costs of, 268
social inequality (*See Social inequality and dementia*)
statistics, 268
technology and, 185–6
unpaid care (*See Unpaid care*)
volunteers, 278
well-being method, 268, 277–8
willingness-to-pay (WTP) (*See Willingness-to-pay (WTP)*)
- Education as non-pharmacological intervention, 160
- Egypt (Ancient), dementia in, 1
- Eli Lilly, 271
- Elizabeth Is Missing* (Healey), 32–3
- Emotion. *See also specific emotion*
Alzheimer's Disease and, 58
assumptions regarding dementia and, 48–9
clinical reflections on, 58
COVID-19 pandemic, impact of, 201–2
- euthanasia, problems relating to
emotion, 242
- frontotemporal dementia (FTD)
and, 58
- Empathic communication, 220, 221–2
- Empowering environment
generally, x, xi, 167, 188
achievement, 169
architectural design (*See Architectural design*)
belonging, 169
case study, 170
continuity, 169
dementia friendly communities (*See Dementia friendly communities*)
night-time agitation and (*See Night-time agitation*)
person-centred care and, 167–8
purpose, 169
relationship-centred care and, 167–8, 170
security, 169
Senses Framework, 168–70, 171, 189
Senses in Practice (SiP), 170
significance, 169
technology (*See Technology and dementia*)
- End-of-life decisions
generally, x
advance care planning (ACP)
and, 216
antibiotics, 237
artificial nutrition and hydration (ANH), 236, 237–9
cardiopulmonary resuscitation (CPR), 236–7
classification of, 233
in informal care, 135
life-sustaining treatment (*See Life-sustaining treatment*)
palliative care (*See Palliative care at end-of-life*)
shared decision-making (SDM)
and, 135
'We Decide' (We Discuss End-of-Life Choices) intervention, 135
withdrawal of life-sustaining treatment, 236
- Engel, George, 4–5
- Enlightenment, dementia in, 2
- Environmental adjustment-focused models of dementia, 10
- Environmental risk factors, 156
- Erectile dysfunction (ED), 112
- Estonia, unpaid care in, 277
- Ethical issues
driving and dementia, 260
euthanasia, 240–2
- sexuality, 118
technology, 183, 185–6
willingness-to-pay (WTP), 285
- European Association for Palliative Care (EAPC), 132–3, 238
- European Court of Human Rights
autonomy in, 56
identity in, 55
- European Union
driving and dementia, regulation of, 254
European Medicines Association (EMA), 184
Joint Action on Dementia, 177
- European Working Group of People with Dementia, 18
- EuroQol (EQ-5D), 91, 92–3
- Euthanasia
advance directives, problems with, 241–2
autonomy, problems relating to, 242
care-oriented relational approach, 240–1, 242
change in preferences, problems of, 241–2
emotion, problems relating to, 242
ethical issues, 240–2
interpretation of advance directives, problems of, 241
non-voluntary euthanasia, 239
principles-oriented autonomy approach, 240
shared decision-making (SDM)
and, 242
societal views and attitudes, 239–40
voluntary euthanasia, 239
- Evidence-based interventions
generally, x, 129, 136
case management, 138
cognitive behavioural therapy, 139
- DAISY Intervention (Denmark), 141
- Education and Support Group for Carers (Hong Kong), 140–1
- Internet-based support interventions, 139
- Meeting Centres Support Programme (MCSP), 137, 140
- Memory Cafés, 137
- multicomponent combined interventions, 140–1
- New York University (NYU)
Carer Intervention (*See New York University (NYU) Carer Intervention*)
occupational therapy, 141
problem-solving training classes, 141

- respite care, 136–7
 skills training and therapy, 138–9
 support groups, 134, 137
 telephone support, 138
- Examen Cognitif par Ordinateur, 181
- Exercise
 as non-pharmacological intervention, 159–60
 quality of life and, 88–9
- The Experience of Alzheimer's Disease: Life through a Tangled Veil* (Sabat), 7
- 'Experiential interest approach', 241
- Facebook, 195
- FaceTime, 197
- Families. *See also* Informal care for persons with dementia
 advance care planning (ACP) and, 216
 driving and dementia, discussions regarding, 259–60, 261
 informal care for persons with dementia, family changes and, 131
 informants, role in driving and dementia, 257
 sexuality, advocacy by family or caregivers, 120
 sexuality and, 116
 unpaid care and, 277–8
- 'Fathers and Sons' (Mason), 128
- Fazio, S., 9
- Fear, COVID-19 pandemic and, 201
- FindMyApps, 139
- Finkelstein, A., 281
- Finland
 euthanasia, societal views and attitudes towards, 240
 legislative action regarding informal care, 131
 unpaid care in, 277
- Finnema, E. J., 5
- 'Five Key Principles', 15, 18
- Flanders (Belgium)
 end-of-life decisions in, 233
 Expert Center for Dementia, 162
 informal care, legislative action regarding, 131
 non-voluntary euthanasia, 239
 palliative care at end-of-life in, 234
 prevalence of pain at end-of-life in, 234
 voluntary euthanasia in, 239
 withdrawal of life-sustaining treatment in, 236
- 'Flow', 226
- Forgone wage method, 268
- Forster, Margaret, 33
- Four Cornerstone Model, 177
- France
 regulation of driving and dementia, 254
 SHARE study, 280
 unpaid care in, 277
 willingness-to-pay (WTP) in, 285
- Frankl, V. E., 69
- Franssen, E. S. E., 10
- Franzen, Jonathan, 33
- 'Free rider' problem, 272–3
- Frontotemporal dementia (FTD)
 communication, changes in, 107
 emotion and, 58
 inappropriate sexual behaviour (ISB) and, 117
 pathology of, 154
 pharmacological treatments, 154
- Frontotemporal lobar degeneration (FTLD), driving and, 253
- Frost, Carol, xii
- FTD. *See* Frontotemporal dementia (FTD)
- Galantamine, 279
- Galen, 2
- Geiger, Arno, 39
- G8 countries
 dementia and, 19
 World Dementia Council, 154
- Gender, social inequality and, 275
- Gendlin, E. T., 70
- Genito-pelvic pain and penetration disorder (GPPPD), 112
- Genova, Lisa, 31
- Germany
 driving and dementia, regulation of, 254
 informal care in, 130
Konfetti im Kopf, 39
 out-of-pocket payments in, 276
 unpaid care in, 277
- Glazner, Gary, 37, 221–2
- Gloucester Smart Home, 182
- Goffman, Erving, 26, 50
- Go-to points (GTPs), 178
- Government financing of dementia care. *See* Public financing of dementia care
- GPS systems, 260
- Graphic novels, destigmatization of dementia and, 33
- Greco-Roman period
 dementia in, 1–2, 27
 stigma in, 26
- Hagberg, B., 9
- 'Halo effect' of dementia, 115
- Harré, R., 7, 8
- Harris, P. B., 112, 113
- Harrison, Tony, 34–5, 166
- Harvard Medical School, 157
- Hatton, Nichola, 170
- Have the Men Had Enough?* (Forster), 33
- Hawaii, dementia care in, 14
- Healey, Emma, 32
- Healthcare providers
 advance care planning (ACP) and, 135
 driving and dementia and, 252
 sexuality and, 116, 121, 124
- Health insurance. *See* Private insurance
- Health Utilities Index (HUI), 91
- Hearing loss as risk factor, 156
- Heintzelman, S. J., 70
- Helsinki (Finland), legislative action regarding informal care, 131
- Hill, C. E., 70
- Hippocampus, 157
- Hippocrates, 1
- Hirschfield, Miriam, 15–16, 17
- Historical perspectives on dementia generally, x
 Alzheimer's disease as 'face' of dementia, 2–3
 in Ancient Egypt, 1
 definition of dementia, 3
 in Enlightenment, 2
 in Greco-Roman period, 1–2, 27
- Holdsworth, K., 108
- Holistic and hermeneutical approach
 decision-making, as frame for understanding, 220–2
 lived experiences, as frame for understanding, 220–2
- Home care
 costs of, 268
 COVID-19 pandemic, impact of, 193–9
 public financing of, 282
 sexuality in, 110–14
 willingness-to-pay (WTP), 285
- Hong Kong
 Education and Support Group for Carers, 140–1
 out-of-pocket payments in, 276
- House Mother Normal* (Johnson), 33
- Huber, M., 134
- Hughes, Julian C., 71, 220
- The Hundred Year-Old Man Who Climbed Out of the Window and Disappeared* (Jonasson), 32
- Hydén, L. C., 71
- 'Hypercognitive snobbery', 69
- Hypertension as modifiable risk factor, 156
- Hypoactive sexual desire disorder (HSDD), 112
- Hypothalamic-pituitary-adrenal (HPA) axis, 157–8

Index

- ICECAP-O scale, 94
- Identity
generally, x
assumptions regarding dementia and, 49–51
clinical reflections on, 58–9
driving and, 251
juridical perspective, 55–6
numerical identity, 49
relational identity, 49
shared perspective and, 49–50
social identity, 58–9
- Ignatieff, Michael, 33
- Inappropriate sexual behaviour (ISB)
generally, 114–15, 123–4
Alzheimer's disease and, 117
frontal lobe dysfunction as cause, 116–17
frontotemporal dementia (FTD) and, 117
management of, 117–18
masturbation, 116
as 'normal' reaction to abnormal environment, 115
paternalistic attitude towards, 115
pharmacological treatments, 117
psychoactive drugs as cause, 117
psychosocial factors, 117
for whom, 115–16
- Incremental cost-effectiveness ratio (ICER), 91–2
- Individual Cognitive Stimulation Therapy (ICST), 196
- Informal care for persons with dementia
generally, x, xi, 129, 144
abuse, risk of, 133
advance care planning (ACP), 132–3
aging population and, 130
alarm systems, 134
Alzheimer cafés, 137
anxiety and, 133
availability of, 130–1
broad vision of care and support, 134–5
'care gap', 130
caregivers (*See* Caregivers)
case management, 138
characteristics of, 129
cognitive behavioural therapy, 139
conflict in, 132
costs of, 130, 268
DAISY Intervention (Denmark), 141
demographics of, 129
before diagnosis, 132
Education and Support Group for Carers (Hong Kong), 140–1
emotional burden of, 133, 134
end-of-life decisions in, 135
evidence-based interventions generally, x, 129, 136
families (*See* Families)
family changes and, 131
financial decisions, 133
gender differences, 130–1
grief and, 132, 133, 134
insomnia and, 134
internet-based support interventions, 139
legislative action, 131
Meeting Centres Support Programme (MCSP), 137, 140
Memory cafés, 137
motivations of caregivers, 129, 137
multicomponent combined interventions, 140–1
New York University (NYU) Carer Intervention (*See* New York University (NYU) Carer Intervention)
night-time agitation and, 134
North–South divide in, 130
occupational therapy in, 141
'positive health' and, 134
Problem-solving training classes, 141
respite care, 136–7
retirement age, effect of, 131
safeguarding, 133
shared decision-making (SDM), 135
skills training and therapy, 138–9
societal changes and, 130
stage of dementia, relevance generally, 129, 131
statistics, 129
support groups, 134, 137
supporting persons with dementia, 133–4
telemonitoring, 134
telephone support, 138
timely diagnosis, importance of, 132–3
types of activities, 130
- Innes, A., 37
- Insomnia, 134
- 'Institutional aversion', 285
- Institutionalized care. *See* Residential care facilities
- Insurance. *See* Private insurance
- Integrated care, need for, 20
- Intellectual enrichment as non-pharmacological intervention, 160
- International Classification of Diseases (ICD), 57
- International Classification of Functioning (ICF), 212–13
- International Convention on the Rights of the Child, 55
- International Planned Parenthood Federation (IPPF), 120–1
- Internet-based support interventions, 139
- Internet of Things (IoT), 182
- 'In the moment'
decision-making, as frame for understanding, 223–4
defined, 223
'flow' and, 226
lived experiences, as frame for understanding, 223–4
person-centred care and, 226
for persons with dementia, 224, 226
- Intimate relationships. *See* Partner relationships and dementia; Sexuality and dementia
- Ireland
'Do Not Resuscitate' (DNR) in, 236–7
informal care, legislative action regarding, 131
- ISB. *See* Inappropriate sexual behaviour (ISB)
- Israel
antibiotics in, 237
artificial nutrition and hydration (ANH) in, 238
- Italy
antibiotics in, 237
artificial nutrition and hydration (ANH) in, 237–8
COVID-19 pandemic, impact on persons with dementia, 196
driving and dementia, regulation of, 254
informal care in, 130
Meeting Centres in, 196
Meeting Centres Support Programme (MCSP) in, 140
- Jamouille, Marc, 159
- Janssen, 271
- Japan
artificial nutrition and hydration (ANH) in, 238
dementia care in, 13–14
dementia friendly communities in, 176–7, 179, 180
driving and dementia, regulation of, 254
Ninchisho Supporters Programme, 176–7
10-Year Plan to Understand Dementia and Build Community Networks, 176–7
- Johns Hopkins University, 5
- Johnson, B. S., 33
- Jonasson, Jonas, 32

- Juridical perspectives on dementia
generally, 56
autonomy, 56
dignity, 56
identity, 55–6
personhood, 54–5
- Kant, Immanuel, 52
- Kelly, F., 37
- Killick, J., 226
- King, L. A., 70
- Kitwood, Tom, 6–7, 8, 11–12, 16–17, 58, 167, 169
- Kobe (Japan), dementia-friendly communities in, 180
- Kontos, Pia C., 8–9, 71, 221
- Kouwenhoven, P., 240
- Krause, N., 66
- KU Leuven
loneliness, research on, 157
Metaforum, ix, xi
Opening the Future, ix
- Language
deception induced by, 46
linguistic relative philosophy, 28
public stigma, perpetuating, 28
sensitivity to, 18–19, 28
- LaPlante, Alice, 31
- Late-onset dementia (LOD)
partner relationships and, 108–9
sexuality and, 111–12
- Legal perspectives on dementia. *See* Juridical perspectives on dementia
- Lewy body dementia
communication changes in, 107
diagnosis, difficulties in, 271–2
driving and, 253
pathology of, 154
pharmacological treatments, 154
- Life script, 224
- Lifestyle changes, 153–6, 161–2
- Life-sustaining treatment
generally, 236
antibiotics, 237
artificial nutrition and hydration (ANH), 236, 237–9
cardiopulmonary resuscitation (CPR), 236–7
withdrawal of treatment, 236
- Linguistic relative philosophy, 28
- LinkedIn, 199
- Literature, destigmatization of dementia and
generally, 31
complexity of dementia and, 32–3
empathy and, 31–2
empirical studies, 31
graphic novels, 33
medical field and, 31–2
memoirs, 33
poetry, 34–5
residential care facilities and, 32
- Lived experiences
arts and, 220–2
caregivers and, 219
CRPD and, 227
empathic communication and, 220, 221–2
holistic and hermeneutic approach as frame for understanding, 220–2
'in the moment' as frame for understanding, 220–2
poetry and, 221–2
potential for, 227
quality of life and, 83–4, 89
real will of patient, determination of, 218–19
shared decision-making (SDM) and, 219
- Lived time, 225
- 'Living well with dementia', 37
- Living wills, sexuality and, 120
- Locke, John, 48, 49, 52
- Loneliness
Alzheimer's disease and, 157
COVID-19 pandemic and, 201
in partner relationships, 107
psychological and societal perspectives, 153
as risk factor, 157
social engagement and, 160
social isolation distinguished, 157
- Louw, S. J., 71
- Mahieu, L., 116, 120, 122
- Major neurocognitive disorder (NCD), 3, 4, 28
- Malignant social psychology, 7
- Martyr, A., 88
- Mason, David, 128
- Maximizing Independence at Home (MIND at Home) approach, 5
- Mayo Clinic, 159, 160
- McCabe, M., 108
- McEwan, Ian, 33
- McGarry, K., 281
- McGowin, Diana Friel, 17
- McParland, P., 37
- Meaning in life
generally, x
Alzheimer's disease and, 66, 67–8
assumptions regarding dementia and, 46
benefits regarding well-being, 64
biopsychosocial models of dementia and, 73
capacity perspective, 69
cognitive functioning, role of, 66
components of, 63–4
connectedness and, 72, 73
continued participation in life and, 67
deficiency perspective, 69
depression, correlation with, 64, 65, 68
embodied cognition and, 70
existential psychology and, 63
as felt sense, 69–71
fragmented existence and, 67
importance for persons with dementia, 68–9
intuitive processes and, 70
macro-dimension, 70
Meaning in Life Questionnaire, 68
Meaning Maintenance Model, 66
meaning-making processes, 64–5
meaning retained in dementia, 67–8
meaning under pressure in dementia, 66–7
meso-dimension, 70
micro-dimension, 70
phenomenology and, 70
positive correlation with well-being in persons with dementia, 65, 69
positive illusions and, 69
positive psychology and, 63
as predictor rather than consequence of well-being, 64, 68
Presence of Meaning Subscale, 68
presence versus search, 64
in residential care facilities, 65
social inclusion and, xi
as socially constructed within relationships, 71–2
sources of, 63, 67
supporting in persons with dementia, 72–3
- Meaning in Life Questionnaire, 68
- Meaning Maintenance Model, 66
- Meeting Centres. *See also specific country*
COVID-19 pandemic, impact of, 195–7
emotional adjustment, support for, 197–8
lessons learned, 198–9
practical adjustment, support for, 197
social adjustment, support for, 198
- Meeting Centres Support Programme (MCSP)
COVID-19 pandemic and, 196
in informal care, 137, 140
quality of life and, 88
- MeetingDem Network, 195–6

Index

- Memantine, 92, 279
- Memoirs, destigmatization of dementia and, 33
- Memory cafés, 137
- Mercy killing. *See* Euthanasia
- Merleau-Ponty, Maurice, 70, 221
- Metabolic Enhancement for Neurodegeneration (MEND) Program, 160–1
- Metaforum, ix, xi
- Miesen, B. M. L., 10
- Migrants, social inequality and, 275
- Mild cognitive impairment (MCI), 3
- Mild neurocognitive disorder (NCD), 4
- Mindstreams, 181
- Mini-Mental State Examination (MMSE), 93, 215
- Modifiable risk factors, 28
- Modified labelling theory, 26
- Moniz-Cook, Esme, 167
- Moore, Julianne, 31
- MOPAT, 235
- Moral hazard, 281, 282
- ‘The Mother of the Muses’ (Harrison), 34, 166
- Motor vehicles. *See* Driving and dementia
- Mukadam, N., 270
- Mum* (documentary), 220–1
- Munro, Alice, 32
- Mutuality, 15–16
- Native Americans, dementia care and, 12
- Neoplatonism, 47
- Netherlands
- Alzheimer cafés in, 137
 - antibiotics in, 237
 - artificial nutrition and hydration (ANH) in, 238
 - cardiopulmonary resuscitation (CPR) in, 236–7
 - COVID-19 pandemic, impact on persons with dementia, 194, 196, 199
 - ‘Do Not Resuscitate’ (DNR) in, 236
 - Dutch Healthcare Standard Dementia, 138
 - end-of-life decisions in, 233
 - euthanasia among persons with dementia in, 242
 - informal care in, 130
 - Meeting Centres in, 196
 - Meeting Centres Support Programme (MCSP) in, 140
 - pain management at end-of-life in, 235
 - palliative care at end-of-life in, 233–4
 - palliative sedation in, 236
 - pneumonia in, 236
 - prevalence of pain at end-of-life in, 234
 - societal views and attitudes towards euthanasia in, 239–40
 - unpaid care in, 277
 - visitation in residential care facilities during COVID-19 pandemic, 204–5
 - voluntary euthanasia in, 239
 - willingness-to-pay (WTP) in, 285
 - withdrawal of life-sustaining treatment in, 236
- Netherlands Institute for Psychologists, 199
- Newcastle Challenging Behaviour Model, 226
- New York University (NYU) Carer Intervention
- generally, 129, 141
 - ad hoc counselling, 142–3
 - components of, 142
 - depression, effect on, 143
 - family counselling sessions, 142
 - first individual counselling session, 142
 - follow-up studies, 144
 - goals of, 141–2
 - health, effect on, 143
 - randomized controlled trials, 143
 - residential care facility placement, effect on, 143–4
 - second individual counselling session, 142
 - social support and, 143
 - spread of, 144
 - stress, effect on, 143
 - support groups and, 142
- Night-time agitation
- generally, 167
 - antecedents, behaviour, and consequences (ABC) model, 187–8
 - causes of, 186–7
 - empowering environment and, 186, 189
 - evidence-based solutions, 188
 - informal care and, 134
 - monitoring for triggering factors, 188
 - persons with dementia, triggering factors in, 186–7
 - in residential care facilities, 188
 - social environment, triggering factors in, 187
 - spatial and sensory environment, triggering factors in, 187
 - stepwise non-pharmacological approach, 187–8
- Nolan, Mike, 11, 167, 168–9
- Non-pharmacological interventions
- generally, x, 153, 159
 - diet, 160–1
 - education, 160
 - exercise, 159–60
 - intellectual enrichment, 160
 - Metabolic Enhancement for Neurodegeneration (MEND) Program, 160–1
 - for night-time agitation, 187–8
 - reality orientation, 160
 - social engagement, 160
- North–South divide in informal care, 130
- Nosognosia, 12
- Novartis, 271
- Numerical identity, 49
- Nursing homes. *See* Residential care facilities
- NYU Carer Intervention. *See* New York University (NYU) Carer Intervention
- Obesity as modifiable risk factor, 156
- Occupational therapy
- in informal care, 141
 - quality of life and, 88
- O’Connor, D., 18
- Ojagbemi, A., 88–9
- Oppen, George, 62
- Opportunity cost method, 277
- Organisation for Economic Co-operation and Development (OECD), 282
- Orrell, M., 5
- Out of Mind* (Bernlef), 32
- Out-of-pocket payments, 275–6
- Owolabi, M., 88–9
- PACSLAC, 235
- PAIC 15,235
- PAINAD, 235
- Pain assessment at end-of-life, 235
- Pain management at end-of-life, 235–6
- Palliative care at end-of-life as ‘mainstream’, 234
- pain assessment, 235
 - pain management, 235–6
 - palliative sedation, 236
 - prevalence of pain, 234–5
 - quality of life and, 233–4
- Palliative sedation, 236
- Park, Denise, 161
- PARO, 185
- Partner relationships and dementia
- generally, x, xi, 105, 123
 - communication, changes in, 107
 - couplehood, changes in, 108
 - early onset versus late onset dementia, 108–9
 - effects of dementia generally, 105–6

- lack of initiative, 107–8
 lack of scholarly attention, 124
 loneliness, 107
 loss, 106
 network, importance of, 109
 partner perspective, 106–8
 patient perspective, 106
 personhood, changes in, 108
 positive perspective, importance of, 108
 pre-death grief, 106
 relational changes, 106–8
 sexuality (*See* Sexuality and dementia)
 shifting roles, 107
 social isolation, 107
 Pascual-Leone, Alvaro, 162
 Patent protection in drug development, 272–3
 Pauling, Linus, 160
 Personal budgets, 279
 Person-centred care
 assumptions regarding dementia and, 45
 case study, 7–8
 criticisms of, 8–9
 defined, 219
 empowering environment and, 167–8
 integrative and dialectical framework, 6–7
 ‘in the moment’ and, 226
 malignant social psychology, 7
 positive person work, 8
 quality of life and, 88
 in residential care facilities, 136
 social constructivist view, 7
 social inclusion and, x–xi
 Values-Individualized approach-
 Perspective taking-Social environment (VIPS)
 framework, 9
 Person-first movement, 28
 Personhood
 generally, x
 assumptions regarding dementia and, 51–2
 clinical reflections on, 59
 dignity and, 52
 juridical perspective, 54–5
 partner relationships, changes in, 108
 specific meaning of, 51–2
 Petersen, Ronald, 159
 Pfizer, 271
 Pharmaceutical industry. *See* Drug development
 Physicalism, 57
 Pitt, Brice, 15
 Plato, 1
 Pneumonia, 236
 Poetry. *See also specific poem*
 decision-making and, 222
 destigmatization of dementia and, 34–5
 dignity and, 37
 lived experiences and, 221–2
 Poland, Meeting Centres Support Programme (MCSP) in, 140
 Political perspectives on dementia, 19–20
 Polypharmacy, 159
 Posidonius, 1–2
 ‘Positive health’, 134
 Positive illusions, 69
 Positive person work, 8
 Post, S. G., 69
 Pratchett, Terry, 58
 Presence of Meaning Subscale, 68
 Prevalence of pain at end of life, 234–5
 Prevention strategies
 generally, 153
 caution regarding efficacy of, 162–3
 disease-oriented approaches, 158
 lifestyle changes, 153, 154–5, 156, 161–2
 multidisciplinary approach, 158
 as preferable to treatment options, 154
 primary healthcare, 158
 quaternary protection, 159
 rejuvenation distinguished, 153–4
 role models, 161–2
 tolerance enhancement, 159, 161
 Primary healthcare, 158
 Privacy, sexuality and, 120–2
 Private costs of dementia
 generally, 267, 275
 out-of-pocket payments, 275–6
 personal budgets, 279
 productivity loss, 278
 public stigma and, 278
 social inequality and, 279
 unpaid care (*See* Unpaid care)
 volunteers, 278
 Private insurance
 generally, 267
 adverse selection and, 280–1
 behavioural economics and, 281
 collective risk and, 280
 moral hazard and, 281
 as substitute for unpaid care, 280
 underdeveloped nature of, 280–1
 Productivity loss, 278
 Progressively lowered stress threshold (PLST) model, 10
 Psellus, 2
 Psychoanalysis, assumptions regarding dementia and, 45
 Psychodynamical model of dementia, 9
 Psychogeriatric service, 199
 Psychological adaptation-based models of dementia
 adaptation-coping model, 9–10
 attachment theory, 10
 psychodynamical model, 9
 Psychosocial interventions. *See* Non-pharmacological interventions
 Ptah-Hotep (Egypt), 1
 Public financing of dementia care
 generally, 267–8
 adverse selection and, 282
 behavioural economics and, 283
 benefits of, 279–80
 challenges of, 281–5
 collective risk and, 282
 COVID-19 pandemic and, 282, 286
 distributional perspective, 280
 drug development, 273
 home care, 282
 insufficient political support for, 282–4
 medication, 279
 moral hazard and, 282
 necessity of, 286–7
 optimism regarding, 286
 out-of-pocket payments, 282
 residential care facilities, 282
 social inequality and, 282
 underdeveloped nature of, 282
 welfare perspective, 280
 willingness-to-pay (WTP), 284–6
 Public stigma regarding dementia
 generally, x, 25, 176
 alternative discourses and images, 37–9
 Cartesian dualism and, 30
 challenges of, 39–40
 characteristics of, 26
 cognitive abilities, value attached to, 30
 cognitive beliefs, 26
 concept of stigma and, 26, 36–7
 contact-based interventions, 36
 counter-framing and, 37–9
 economic factors, 30, 278
 educational interventions, 35–6
 emotional reactions, 26
 film perpetuating, 29–30
 historical background, 26–8
 individualism and, 30
 language perpetuating, 28
 literature, destigmatization of dementia and (*See* Literature, destigmatization of dementia and)
 media perpetuating, 28–30
 modifiable risk factors and, 28
 old age, stereotypes regarding, 29

Index

- Public stigma (cont.)
 other mental disorders,
 stereotypes regarding, 29
 protest and, 36
 residential care facilities,
 stereotypes regarding, 29
 social activism and, 36
 social inclusion and, xi
 sociocultural mechanisms
 perpetuating, 28–30
 understanding of dementia and,
 27–8
 war imagery and, 29
 Pythagoras, 1
- QALYs. *See* Quality-adjusted life
 years (QALYs)
- QUALIDEM, 87–8
- Quality-adjusted life years (QALYs)
 generally, 90, 94, 95
 DEMQOL-Proxy-U, 91, 92, 93
 DEMQOL-U, 91, 93
 as desire-fulfilment approach,
 90–1
 DOMINO study, 92
 EuroQol (EQ-5D), 91, 92–3
 Health Utilities Index (HUI), 91
 incremental cost-effectiveness
 ratio (ICER), 91–2
 manual-based coping strategy,
 92–3
 Mini-Mental State Examination
 (MMSE), 93, 215
 as preferentialist approach, 90–1,
 97
 resource allocation and, 91–3
 setting of values, 93–4
 specific versus generic scales,
 93
 unidimensional measure,
 obtaining, 91
- Quality of life and dementia
 generally, x, 81, 98
 adaptation-coping strategies, 96
 Adult Social Care Outcomes
 Toolkit (ASCOT), 94
 Alzheimer's Disease-related
 Quality of Life (QOL-AD)
 Scale, 84, 87, 89
 Bath Assessment of Subjective
 Quality of Life in Dementia
 (BASQID), 84–7
 behaviour observation
 instruments, 87–8
 capability approach, 82–3
 choices within healthcare budget,
 90
 coherence of scales, 94–5
 comparison of dementia-specific
 scales, 85–6
 consequentialist evaluations,
 89–90
- 'deep' definition, 83
 Dementia Quality of Life (DQoL)
 Instrument, 84
 DEMQOL, 87
 desire-fulfilment approaches,
 82
 dignity and, 83–4, 96
 disability-adjusted life years
 (DALYs), 90
 Discomfort Scale Dementia of
 Alzheimer-Type (DS-DAT),
 88
 distributive justice and, 90
 economic policy evaluations,
 89–90
 economic pressures, 89
 exercise and, 88–9
 generic scales, 94
 health-related QoL, 83
 ICECAP-O scale, 94
 lived experiences and, 83–4, 89
 measurement generally, 84
 Meeting Centres Support
 Programme (MCSP), 88
 mental state approaches, 82, 96
 multidimensional versus
 weighted standards, 96–8
 objective approaches, 82, 83
 occupational therapy and, 88
 optimal size of healthcare budget,
 90
 outcome measures, 90
 palliative care at end-of-life and,
 233–4
 paternalism, avoiding, 83
 person-centred care and, 88
 perspectives on well-being, 81–4
 pragmatic approach, 83
 preferentialist approaches, 82, 96
 proxy-based instruments, 87–8,
 89
 psychological interventions, 88
 psychosocial interventions, 88–9
 QUALIDEM, 87–8
 quality-adjusted life years
 (QALYs) (*See* Quality-adjusted
 life years (QALYs))
 Quality of Life in Late-stage
 Dementia (QUALID) Scale, 87
 reminiscence therapy and, 89
 Schedule for the Evaluation of
 Individual Quality of Life
 (SeiQoL), 87, 98
 self-report instruments, 84–7, 89
 specific versus generic scales,
 95–6
 subjective versus objective scales,
 96
 utilitarianism and, 82
 Quality of Life in Late-stage
 Dementia (QUALID) Scale, 87
 Quaternary protection, 159
- Race, social inequality and, 276
 Reality orientation as non-
 pharmacological intervention,
 160
 Recognition-primed decision model
 generally, 224
 cognitive stimulation, 225
 life script, 224
 lived time, 225
 for persons with dementia, 224
 situation assessment, 225
 Rejuvenation, 153–4
 Reker, G. T., 63–4, 66
 Relational identity, 49
 Relational model of dementia,
 27–8
 Relationship-centred care
 empowering environment and,
 167–8
 in residential care facilities, 11,
 136
 Reminiscence therapy, 89
 Replacement cost method, 268, 277
 Residential care facilities
 advance care planning (ACP) in,
 135
 affect, impact of COVID-19
 pandemic on, 201–2
 autonomy, impact of COVID-19
 pandemic on, 203–4
 behaviour, impact of COVID-19
 pandemic on, 201–2
 costs of, 268
 COVID-19 pandemic, impact of,
 199–204
 driving versus financial costs of,
 251
 inappropriate sexual behaviour
 (ISB) in (*See* Inappropriate
 sexual behaviour (ISB))
 in literature, 32
 loneliness, COVID-19 pandemic
 and, 201
 meaning in life in, 65
 night-time agitation in, 188
 nursing staff, support for, 202
 NYU Carer Intervention, effect
 on placement, 143–4
 person-centred care in, 136
 public financing of, 282
 recommendations regarding
 COVID-19 pandemic, 203
 relationship-centred care in, 11,
 136
 sexuality in, 114–16, 124
 social contact, changes in due to
 COVID-19 pandemic, 199–200
 stereotypes regarding, 29
 technology in, 202–3
 visitation during COVID-19
 pandemic, 204–5
 Respect

- assumptions regarding dementia and, 53–4
dignity and, 53–4
Respite care, 136–7
'Reverse parenting', 39
Richler, Mordecai, 33
Rights-based approach to dementia, 18
Right Time Place Care Study, 277
Risk factors for dementia
generally, xi, 153
age as, 154
air pollution as, 274
alcohol use as modifiable risk factor, 156
depression as modifiable risk factor, 156
diabetes as modifiable risk factor, 155–6
environmental factors, 156
general health factors as modifiable, 154
hearing loss as, 156
hypertension as modifiable risk factor, 156
loneliness as, 157
modifiable risk factors, 28, 154–6
obesity as modifiable risk factor, 156
smoking as modifiable risk factor, 156
social inequality as, 156, 274
social isolation as, 157
stress as modifiable risk factor, 156
traumatic brain injury as, 156
Rivastigmine, 279
Robotic Assistant for Mild Cognitive Impairment (RAMCIP), 185
Roca, Paco, 33
Rochester University Medical Center, 4–5
Role models, 161–2
Roosen, Adelheid, 220–1
Rurup, M., 239–40
- Sabat, Steven R., 7, 8, 220
Safeguarding, 133
Saturday (McEwan), 33
Scaffolding Theory of Aging and Cognition (STAC), 161
Scar Tissue (Ignatieff), 33
Schedule for the Evaluation of Individual Quality of Life (SeiQoL), 87, 98
Scottish Dementia Working Group, 18
Self
assumptions regarding dementia and, 46–7
clinical reflections on, 57
Self-stigma, 25
Sen, A., 82–3, 96
Senses Framework, 11, 168–70, 171, 189
Senses in Practice (SiP), 170
SENS Research Foundation, 153–4
Sexual assistance workers, 124
Sexuality and dementia
generally, x, 105, 109, 123–4
advocacy by family or caregivers, 120
age-related sexual dysfunction, 112
Alzheimer's Disease and, 112, 113, 114
anorgasmia, 112
assessment of capacity and consent, 119–20
capacity to consent, 118
committee approach, 120
complexity of consent, 119
confidentiality and, 121–2
consent and dementia, 118–19
dedicated tools for private sexual experience, 121
'delegitimization' of sexuality, 109
dementia care and privacy, 121–2
early onset versus late onset dementia, 111–12
erectile dysfunction (ED), 112
ethical issues generally, 118
family members and, 116
gender differences, 114
genito-pelvic pain and penetration disorder (GPPPD), 112
gradual changes in, 111
healthcare providers and, 116, 121, 124
in home care, 110–14
hypoactive sexual desire disorder (HSDD), 112
inappropriate sexual behaviour (ISB) (*See* Inappropriate sexual behaviour (ISB))
lack of scholarly attention, 124
LGBT persons and, 122
'limited capacity' approach, 120
living wills and, 120
mission statements, 122–3
partner perspective, 113–14, 123
patient perspective, 112–13, 123
policy, 123
privacy and, 120–2
protection perspective, 124
Quality, Prevention and Reaction Framework, 123
recommendations, 124–5
recreating sexuality, 114
in residential care facilities, 114–16, 124
risk taking and, 118–19
sexual assistance workers and, 124
sexual rights, 120–1
'social concealment' of sexuality, 109
sociocultural context, 109
stages of changes in, 110
variety of changes in, 111
vision, 122–3
Shared decision-making (SDM)
caregivers and, 219
end-of-life decisions and, 135
euthanasia and, 242
informal care, 135
Sheffield (UK), dementia-friendly communities in, 179
Singapore
Agency of Integrated Care, 178
COVID-19 pandemic, impact on persons with dementia, 196
dementia awareness in, 178
dementia friendly communities in, 167, 177–8, 179
Department of Statistics, 177
go-to points (GTPs) in, 178
infrastructure in, 178
Meeting Centres in, 196
Ministry of Health, 178
technology in, 178
Situation assessment, 225
Skills training and therapy, 138–9
Sleep disorders. *See* Night-time agitation
Smart home technologies, 182
SmartTapestry, 181
SmartWalk, 181
Smoking as modifiable risk factor, 156
Social constructivist view of dementia, 7
Social determinants of health, 273–4
Social engagement as non-pharmacological intervention, 160
Social identity, 58–9
Social inclusion
generally, x–xi
dementia-friendly communities and, 19
driving and, 251
meaning in life and, xi
person-centred care and, x–xi
public stigma and, xi
societal perspective on dementia, 16–17
Social inequality and dementia
generally, 267, 273
COVID-19 pandemic and, 156
dementia care services, 275
deprivation and, 274
gender and, 275

Index

- Social inequality (cont.)
migrants and, 275
private costs of dementia and, 279
public financing of dementia care and, 282
race and, 276
as risk factor, 156, 274
social determinants of health, 273–4
social isolation and, 274
- Social isolation
COVID-19 pandemic and, 204
loneliness distinguished, 157
in partner relationships, 107
psychological and societal perspectives, 153
as risk factor, 157
social engagement and, 160
social inequality and, 274
- Societal perspectives on dementia
generally, 14–15
'burden', persons with dementia as, 15
changes in, 16–17
Christianity and, 17
dementia-friendly community movement, 19
'Five Key Principles', 15, 18
forums on, 17–18
historical background, 15–16
language sensitivity and, 18–19
mutuality, 15–16
rights-based approach, 18
social inclusion and, 16–17
- Society for Post-Acute and Long-Term Care Medicine, 238–9
- Sociocultural model of dementia, 27
- South Korea, regulation of driving and dementia, 254
- Spain
COVID-19 pandemic, impact on persons with dementia, 196
informal care in, 130
Meeting Centres in, 196
unpaid care in, 277
willingness-to-pay (WTP) in, 285
- Spector, A., 5
- Spectrum of cognitive decline dementia, 3–4
mild cognitive impairment (MCI), 3
subjective cognitive impairment (SCI), 3
usual cognitive aging, 3
- 'Starry Night Poem' (anonymous), 24
- Steger, M. F., 66
- Stigma
attribution theory and, 26
benevolence stigma, 37
courtesy stigma, 25
in Greco-Roman period, 26
modified labelling theory and, 26
public stigma regarding dementia (See Public stigma regarding dementia)
self-stigma, 25
structural stigma, 25, 30
- Still Alice* (Genova), 31, 32, 33
- Stites, S. D., 30
- Stoics, 51–2
- Strategies for Engineered Negligible Senescence (SENS), 153–4
- STrategies for Relatives (START), 278
- Strawson, Peter, 52
- Stress
as modifiable risk factor, 156
NYU Carer Intervention, effect of, 143
- Stroke Drivers Screening Assessment, 256
- Structural stigma, 25, 30
- Subjective cognitive impairment (SCI), 3
- Support groups
for informal caregivers, 134, 137
NYU Carer Intervention and, 142
- Surrogate biomarkers, 273
- Surrogate decision-makers, 227
- Sweden, unpaid care in, 277
- Switzerland, willingness-to-pay (WTP) in, 285
- Sydney (Australia), Meeting Centres in, 196
- Taiwan, dementia-friendly communities in, 177, 179
- Tarzia, L., 119, 120
- Technology and dementia. *See also specific product*
generally, 167, 180, 189
Alzheimer's disease, 181–2
assistive and therapeutic devices, 183–6
collaborative approach, 180
consent and, 183
COVID-19 pandemic and, 202–3
creation of evidence, 184
data protection and, 183
in dementia-friendly communities, 178
driving, technological innovations and, 260
early diagnosis and, 181–2
economic factors, 185–6
equal access to, 183
ethical issues, 183, 185–6
evidence-based approach, 180
examples, 184–5
games, 181
individual level, ethical issues on, 185
- Internet of Things (IoT) and, 182
liability and, 183
mobile technologies for diagnosis and monitoring, 180–2
organizational level, ethical issues on, 185
in residential care facilities, 202–3
safety and, 183
in Singapore, 178
smart home technologies, 182
societal level, ethical issues on, 185–6
user-centred design, 184
- Telehealth, COVID-19 pandemic and, 204
- Telemonitoring, 134
- Telephone support, 138
- 'Then It Was Autumn' (Frost), xii
- Thomas, Matthew, 31, 33
- Thorgrimsen, L., 69
- 3 Nations Dementia Working Group, 18
- TimeSlips Project, 37, 221–2
- Tolerance enhancement, 159, 161
- 'The Tongues' (Oppen), 62
- Touch Panel-type Dementia Assessment Scale (TDAS), 181
- Traumatic brain injury as risk factor, 156
- Tresolini and Pew Fetzter Task Force, 168, 171
- Turn of Mind* (LaPlante), 31
- United Kingdom
Alzheimer's Society, 92
artificial nutrition and hydration (ANH) in, 238, 239
COVID-19 pandemic, impact on persons with dementia, 196–8
dementia care in, 12–13
dementia-friendly communities in, 179
DOMINO study, 92, 279
driving and dementia, regulation of, 254
euthanasia, societal views and attitudes towards, 240
Gloucester Smart Home, 182
Health Advisory Service, 15
informal care, legislative action regarding, 131
King's Fund Centre, 15, 18
Medical Research Council, 92, 273
medication, public financing of, 279
Meeting Centres in, 196–8
Meeting Centres Support Programme (MCSP) in, 140
National Health Service, 15

- National Institute for Health and Care Excellence (NICE), 92, 93, 167, 270
- National Institute for Health Research (NIHR), 271, 273
- out-of-pocket payments in, 276
- resource allocation in, 92
- social care versus healthcare, 276
- STrAtegies for RelaTives (START), 278
- unpaid care in, 277
- visitation in residential care facilities during COVID-19 pandemic, 204
- United Nations Committee on the Rights of Persons with Disabilities (CRPD-Committee)
- advance care planning (ACP) and, 214, 217, 218, 227
- best interests and, 227
- biopsychosocial models of dementia and, 212–13
- legal capacity versus mental capacity, 213–14
- United Nations Convention on the Rights of Persons with Disabilities (CRPD)
- generally, 45–6
- advance care planning (ACP) and, 217, 218, 226–7
- autonomy and, 56
- best interests and, 227–8
- biopsychosocial models of dementia and, 212–13
- decision-making under, 211, 212–13
- dignity and, 45–6, 56
- legal capacity versus mental capacity, 213–14, 226
- lived experiences and, 227
- as opportunity, 214
- as paradigm shift, 211, 212–13
- personhood and, 54, 55, 59
- social model of disability and, 212
- United States
- antibiotics in, 237
- artificial nutrition and hydration (ANH) in, 238
- Centers for Medicare and Medicaid Services, 273
- dementia care in, 12–13
- ‘Do Not Resuscitate’ (DNR) in, 236–7
- driving and dementia, regulation of, 254
- Food and Drug Administration (FDA), 184, 271
- Hawaii, dementia care in, 14
- Medicaid, 281
- National Institutes of Health (NIH), 154, 271, 273
- Native Americans, dementia care and, 12
- out-of-pocket payments in, 276
- palliative care at end of life in, 233–4
- pneumonia in, 236
- race and social inequality in, 276
- Veterans Affairs, 273
- Virginia FAMILIES Intervention, 144
- willingness-to-pay (WTP) in, 285
- Universal Declaration of Human Rights
- dignity and, 54
- identity and, 55
- personhood and, 54
- University of California at Los Angeles, 160–1
- University of Chicago, 157
- University of Leuven. *See* KU Leuven
- University of Manchester, 170, 223
- University of Sheffield, 168
- University of Surrey, 182
- Unpaid care
- caregivers, 277–8
- families, 277–8
- as private cost of dementia, 268
- willingness-to-pay (WTP), 285
- Useful Field of View, 256
- Utilitarianism, 82
- VALERE, 185
- Values-Individualized approach-Perspective taking-Social environment (VIPS) framework, 9, 167
- Vanhooren, S., 70
- Van Mierlo, L. D., 138
- Vercruyse, T., 37
- Vernooik-Dassen, Myrra, 167
- Virginia FAMILIES Intervention, 144
- VITAL, 185
- Vohs, K., 66
- Volunteers, 278
- Vrije Universiteit Amsterdam, 196
- Waiting for Godot* (Beckett), 32
- Walrath, Dana, 33
- We Are Not Alone* (Thomas), 33
- We Are Not Ourselves* (Thomas), 31
- ‘We Decide’ (We Discuss End-of-Life Choices) intervention, 135
- Weighted average cost of capital (WACC), 271
- Well-being. *See* Quality of life and dementia
- Well-being method, 268, 277–8
- WhatsApp, 195, 196, 197
- WHO. *See* World Health Organization (WHO)
- ‘Whole sight’, 220
- Widdershoven, Guy A. M., 218, 220
- Willingness-to-pay (WTP)
- generally, 269
- drug development, 273, 285
- ethical issues, 285
- home care, 285
- measurement of, 285
- practice versus studies, 286
- public financing of dementia care, 284–6
- unpaid care, 285
- Willis, Thomas, 2
- Wong, P. T. P., 63–4, 66
- World Health Organization (WHO)
- generally, 14–15
- on decision-making, 212–13
- dementia-friendly communities and, 27–8
- estimates on prevalence of dementia, 19
- International Classification of Functioning (ICF), 212–13
- Ministerial Conference on Global Action Against Dementia, 153
- on prevention and risk reduction, 153
- on public stigma, 39, 278
- quality of life and, 83
- rights-based approach to dementia, 18
- sexuality and, 116
- on unpaid care, 277
- Wrinkles* (Roca), 33
- WTP. *See* Willingness-to-pay (WTP)
- Youell, J., 113
- Zoom, 197–8