

## Index

- ADM (Arnowitt–Deser–Misner) formalism,  
*see also* 3+1 split  
 assembled, 81  
 numerical implementations, 86, 106–107  
 reformulations, 111–117  
 summarized, 199
- Ampère’s law, 46
- Apparent horizons, *see* Horizons
- Areal radius, *see* Circumferential radius
- Asymptotic flatness, 27–29, 92–100
- Baker, John, 127
- Barish, Barry, x, 34
- Bases, *see* Vectors; One-forms; Tensors
- Bianchi identity, *see also* Constraint  
 equations; Gauge freedom  
 and equations of motion, 136, 190, 192  
 electromagnetic, 50–52, 71  
 general relativistic, 21, 71  
 contracted, 71  
 summarized, 196
- Binaries  
 black hole, *see also* Gravitational waves  
 detections, 34, 42, 124–126, 136, *see also*  
 Gravitational wave interferometers  
 initial data, 103–104, 128, 131, *see also*  
 Bowen–York initial data; Puncture  
 initial data  
 numerical evolution, 126–134  
 orbital hang-up, 132  
 recoil, 132  
 spin flip, 133  
 neutron star, *see also* Gravitational waves;  
 Gamma-ray bursts; Kilonovae; Pulsars  
 detections, 35, 38, 39, 41–42, 125, 136,  
*see also* Gravitational wave  
 interferometers  
 initial data, 104  
 numerical evolution, 124, 137  
 pulsar, 34
- Newtonian point-mass, 35–41  
 gravitational wave amplitude, 36  
 gravitational wave frequency, 37, 38  
 orbital angular velocity, *see* Kepler’s law  
 orbital decay time, 40  
 post-Newtonian, 42, 134–136
- Birkhoff’s theorem, 29, *see also*  
 Schwarzschild spacetime
- Black holes  
 binaries, *see* Binaries  
 excision, 128  
 horizons, *see* Horizons  
 initial data, *see* Brill–Lindquist initial data;  
 Bowen–York initial data; Puncture  
 initial data; Schwarzschild spacetime  
 introduced, ix, 26–33  
 nonrotating, *see* Schwarzschild spacetime  
 precession, 134  
 recoil, *see* Binaries  
 rotating, *see* Kerr spacetime
- Boundary conditions, *see also* Asymptotic  
 flatness; Numerical techniques  
 and constraint violations, 110  
 Dirichlet, 155  
 Neumann, 155  
 outgoing-wave, 155, 171–172  
 periodic, 109  
 Robin, 155–156, 158, 160

- Boundary-value problems, *see also* Numerical techniques; Grids; Initial data; Boundary conditions
    - introduced, 155
    - linear, 155–158
    - matrix inversion, 157–158
      - band-diagonal matrix, 158
      - tridiagonal matrix, 157
    - nonlinear, 158–159
      - iteration, 158–159
      - linearization, 158–159
    - Poisson-type equation, 91, 94, 160
    - residual, 159
    - super-index, 157
    - worked numerical example, 160–168
  - Bowen–York initial data, *see also* Puncture initial data
    - boosted, 100, 103
    - in puncture initial data, 101–104
    - introduced, 97–101
    - spinning, 100, 103
      - compared with Kerr spacetimes, 104–105
    - worked numerical example, 160
  - Brill–Lindquist initial data, 93
  - BSSN (Baumgarte–Shapiro–Shibata–Nakamura) formalism
    - in black-hole simulations, 128
    - introduced, 111–115
    - summarized, 116
  - Campanelli, Manuela, 126
  - Cauchy problem, *see* Initial-value problems
  - Centrella, Joan, 127
  - Chirp mass, *see* Mass
  - Choptuik, Matthew, 124
  - Christoffel symbols
    - analogy with Newtonian gravitational fields, 20
    - in derivation of covariant derivative, 147
    - in local Lorentz frame, 22
    - introduced, 18–20
    - spatial, *see also* Minkowski spacetime
      - conformal decomposition, 90
      - flat space in spherical polar coordinates, 149
    - introduced, 76–77
    - summarized, 195
  - Circumferential radius, 26, 28, 129, *see also* Schwarzschild spacetime
  - Codazzi equation, 78, 79, 198
  - Codazzi–Mainardi relation, *see* Codazzi equation
  - Color coding
    - introduced, 45
    - summarized, 83
  - Commutator, 65, 147, *see also* Lie derivative
  - Conformal connection functions, 114–115, 122
  - Conformal decompositions, *see also* Christoffel symbols; Conformal factor; Conformal flatness; Extrinsic curvature; Hamiltonian constraint; Metric; Momentum constraint, Ricci tensor; Ricci scalar
    - in evolution equations, 113–114
    - introduced, 89–91
    - summarized, 199
    - thin-sandwich, 97, 104–105, 131
    - transverse-traceless, 94–97
  - Conformal factor, *see also* Conformal decompositions
    - exponent, 113
    - introduced, 90
  - Conformal flatness, *see also* Conformal decompositions; Initial data
    - Bowen–York initial data, 97–101, 104–105
    - Brill–Lindquist initial data, 93
    - introduced, 92
    - Schwarzschild spacetime, 93
  - Conformal imaging, 101
  - Connection coefficients, 147, *see also* Christoffel symbols
  - Constraint equations, *see also* Initial data as examples of boundary-value problem, 155
    - electromagnetic fields, 47–48
      - follows from electromagnetic Bianchi identity, 52, 71
    - from normal projection of field equations, 68
    - preserved by evolution equations, 47, 108
  - gravitational fields, *see also* Hamiltonian constraint; Momentum constraint
    - follow from Bianchi identity, 71
    - from normal projection of field equations, 79–80
    - preserved by evolution equations, 81
    - summarized, 199
  - scalar fields, 45
  - violations, 108–111, 115, 186–188, *see also* evolution equations
- Continuity equation, 48, 51

- Convergence, *see also* Numerical techniques
  - order, 153
  - tests, 187–189
- Cosmological constant, 25, *see also* Dark energy; Einstein's field equations
- Courant factor, 171, 186, *see also* Initial-value problems
- Covariant derivative, *see also* Christoffel symbols; Parallel transport
  - compatible with metric, 75, 148
  - contrasted with Lie derivative, 65
  - derived, 146–150
  - deviation from parallel transport, 19, 148
  - illustrated, 19
  - introduced, 16–20
  - properties, 150
  - spatial, 63, 76–77
  - summarized, 195–196
- Critical phenomena, 124, 194
- Current
  - spacetime
    - decomposed, 60
    - introduced, 50
  - spatial, 46
- Curvature, *see also* Extrinsic curvature; Metric tensor; Riemann tensor; Singularity
  - as origin of gravitation, 9
  - how to measure, 9, 15–16, 22–23, *see also* Riemann tensor; Parallel transport; Geodesic deviation
  - illustrated, 10, 22
  - how to visualize, *see* Embedding diagram
  - in Einstein's field equations, 24
  - of Newtonian trajectory, 1
- Dark energy, 25, *see also* Cosmological constant
- Degrees of freedom, 83
- Dual-frame formalism, 76
- Einstein, Albert, 9, 16, 25, 26, 34
- Einstein tensor
  - introduced, 24
  - summarized, 197
- Einstein Toolkit, 103, 115, 139
- Einstein's field equations
  - analogy with Maxwell's equations, 81–86
  - analogy with Poisson equation, 23, 25
  - analogy with scalar field equation, 82–86
  - decomposed, *see* 3+1 split
  - introduced, 23–25
  - linearized, 33
  - solutions, *see* Gravitational waves; Kerr spacetime; Schwarzschild spacetime
  - summarized, 197
- Einstein's gravity, *see also* Einstein's field equations; Metric
  - first acquaintance, 8–26
- Electric field
  - four-vector, 49
  - three-vector, 46
- Electrodynamics, *see* Maxwell's equations
- Embedding diagram, *see also* Schwarzschild spacetime
  - trumpet, 31–32
  - wormhole, 27–29
- EOB (Effective-One-Body) formalism, 135
- Event horizons, *see* Horizons
- Evolution equations, *see also* Initial-value problems; Numerical techniques; Boundary conditions
  - as example of initial-value problem, 155
  - comparison for different fields, 82–86
  - electromagnetic fields, 47, 73, *see also* Maxwell's equations
  - from spatial projection of field equations, 68
  - reformulated, 107–111, *see also* Constraint violations
- gravitational fields, 80–81
  - from spatial projection of field equations, 80–81
  - reformulated, 111–117, *see also* ADM formalism; BSSN formalism; Constraint violations; General harmonic; Z4
  - summarized, 199
- scalar fields, 45, 69
- Extrinsic curvature, *see also* Minkowski spacetime; Schwarzschild spacetime
  - analogy with electric field, 75–76
  - conformal decomposition
    - evolution, 114
    - initial data, 95–97
  - evolution equation, 80
  - illustrated, 61
  - introduced, 61
  - Lie derivative of spatial metric, 74–75
  - mean curvature, 66, *see also* Maximal slicing
    - evolution equation, 81
  - summarized, 198

- Faraday tensor, 48–54, *see also* Maxwell's equations
  - decomposition, 62–66
  - for arbitrary observer, 49
  - in local Lorentz frame, 49
  - in terms of vector potential, 51
  - transformation, 145
- Faraday's law, 46
- Fermat's principle, 16
- Flat spacetime, *see* Minkowski spacetime
- Foliations of spacetime, *see* 3+1 split
- Galilei, Galileo, 3
- Gamma-driver condition, 122, 128, *see also* Moving-puncture gauge; Spatial coordinates
- Gamma-ray bursts
  - GRB 170817A, 136
- Gauge freedom, *see also* Lapse; Shift
  - comparison, 85
  - electromagnetic fields, 47, 69, 83
    - follows from electromagnetic Bianchi identity, 52, 71
  - gravitational fields, 83
    - follows from Bianchi identity, 71
  - scalar fields, 83, 85
  - versus coordinate freedom, 76
- Gauge source functions, 117, *see also* Generalized harmonic formalism; Harmonic coordinates
- Gauss, Carl Friedrich, 10
- Gauss equation, 78, 79, 198
- Gauss's law, 46
- Gaussian normal coordinates, *see* Geodesic slicing
- General harmonic formalism, 115–117, 128
- General relativity, *see* Einstein's gravity
- Geodesic deviation, *see also* Riemann tensor
  - analogy with Newtonian tidal deviation, 21
  - introduced, 20–23
  - summarized, 197
- Geodesic slicing, 117–118, 120, *see also* Slicing; Spatial coordinates
- Geodesics, *see also* Christoffel symbols; Parallel transport
  - analogy with Newtonian equation of motion, 20
  - geodesic equation, 17
  - introduced, 16–17
- Gravitational wave interferometers
  - detections
    - catalog, 126
    - GW150914, 34, 42, 124–125, 136, 139
    - GW170817, 35, 39, 42, 136–137, 139
    - LIGO, x, 34, 39, 41, 124–125
    - LISA, 42
    - Virgo, 39, 41
- Gravitational waves
  - binary waveforms, 39–41, *see also* Weyl scalar
    - inspiral, 40, 125
    - ringdown, 125–126
  - catalogs, *see also* NINJA; NRAR, 134
  - EOBNR, 136
  - IMRPhenom, 136
  - RIT, 134
  - detections, *see* Gravitational wave interferometers
  - electromagnetic counterparts, *see* Gamma-ray bursts; Kilonovae
  - introduced, 33–42
  - linear wave equation, 33
  - perturbation methods, 40
  - ringdown, 40
  - weak-field, slow-velocity
    - binary inspiral rate, 40
    - binary wave amplitude, 36
    - binary wave frequency, 37
    - quadrupole emission formula, 36
    - quadrupole wave solution, 35
- Gravity
  - important gravitational quantities, 8
  - nonrelativistic, *see* Newton's gravity
  - relativistic, *see* Einstein's gravity
- Grid, *see also* Numerical techniques
  - cell-centered, 154
  - cells, 154
  - introduced, 151
  - numerical worked examples, 161–168, 175–187
  - points, 103, 110, 119, 128, 154
  - resolution, 151, 168, 186–189
  - spacing, *see* resolution
  - staggered, 154
  - uniform, 151
  - vertex-centered, 154
- Hahn, Susan, 123
- Hamiltonian constraint
  - conformal decomposition, 89–94
  - introduced, 79

- solutions, *see* Brill–Lindquist solution;
  - Puncture initial data; Schwarzschild spacetime
 summarized, 199
- Harmonic coordinates, 112, 117, 119, *see also* Slicing, Spatial coordinates
- Harmonic slicing, 119–120, *see also* Slicing
- Hilbert action, 25, *see also* Lagrangian density
- Horizons
  - and black-hole excision, 128
  - and trumpet geometries, 129, 130
  - apparent horizons, 30, 105
  - event horizons, 30, 105
  - introduced, 30–31
  - merging, 126, 127
  - Schwarzschild spacetimes, 28, 31, 32
  - trapped surfaces, 30
- Hubble, Edwin, 25
- Hulse, Russell, 34
- Hulse–Taylor pulsar, *see* Pulsars
- Hydrodynamics, 137, 139, 190
- Hypersurface, *see* Time slice
  
- Illustris simulation, 133
- Inflation, 194
- Inflaton, *see* Inflation
- Initial data, *see also* Boundary-value problems; Constraint equations; Numerical techniques
  - comparison, 84–85
  - electromagnetic fields, 47, 69
    - worked numerical example, 172
  - gravitational fields, 81, *see also* Hamiltonian constraint; Momentum constraint
    - black holes, *see* Brill–Lindquist initial data; Bowen–York initial data; Puncture initial data; Schwarzschild spacetime
    - freely specifiable versus constrained variables, 87–89
    - worked numerical example, 160–168
- Initial-value problems, *see also* Numerical techniques; Grid; Boundary conditions
  - Courant–Friedrich–Lewy condition, 171, *see also* Courant factor
  - Euler method, 170
  - FTCS (forward-time-centered space), 170
  - introduced, 155
  - iterative Crank–Nicolson, 170
  - method of lines, 169–172
  - Runge–Kutta, 170
  - symmetric hyperbolicity, 44
  - von Neumann stability analysis, 170
  - well-posedness, 44
  - worked numerical example, 172–187
- Jets, 133
- Junk radiation, 131
  
- Kepler’s law, 36–41, 93
- Kerr spacetime, 30, 33
  - compared with Bowen–York solution, 104, 105
  - maximal spin, 132
  - remnant of merger, 132
- Kilonovae
  - AT 2017gfo, 136
- Klein–Gordon equation, *see* scalar fields
  
- L2-norm, 110, 174, 186
- Lagrangian density
  - geometric, 25
  - matter, 25
    - electromagnetic fields, 191
    - scalar fields, 193
- Lapse, *see also* Metric tensor; Minkowski spacetime; Schwarzschild spacetime
  - acceleration of normal observer, 64
  - choices, *see* Slicing
  - collapse of the lapse, 119
  - illustrated, 57
  - in binary black hole simulation, 127
  - introduced, 56
  - pre-collapsed, 122
- Levi–Civita tensor
  - spacetime, 49
  - spatial, 64
- Lie derivative
  - contrasted with covariant derivative, 65
  - introduced, 64–65
  - of spatial metric, 74–75
  - of spatial tensor, 65
  - summarized, 196
- LIGO, *see* Gravitational wave interferometers
- Lindquist, Richard, 123
- Line element, *see* Metric tensor
- LISA, *see* Gravitational wave interferometers
- Local Lorentz frame, 22, *see also* Metric tensor
- Lousto, Carlos, 126

- Magnetic field
  - four-vector, 49
  - three-vector, 46
- Magnetohydrodynamics (GRMHD), 115, 137, 139
- Mass
  - chirp, 37–42
  - gravitational, 92, 105
  - in Newton's gravity, 1
  - gravitational versus inertial, 2–3, 8–9
  - reduced, 36
  - in Schwarzschild spacetime, 26
  - puncture, 102, 105
  - versus gravitational, 105
- Mass–energy density
  - defined, 79
  - electromagnetic, 193
  - scalar fields, 194
- Mass–energy flux
  - defined, 79
  - electromagnetic, 193
  - scalar fields, 194
- Maximal slicing, *see also* Slicing
  - as example of boundary-value problem, 155
  - defined, 98, 118
  - in constraint equations, 98–100
  - in evolution calculations, 118–119
  - limit of lapse evolution, 120–121
  - singularity avoidance, 118
- Maxwell's equations
  - analogy with Poisson equation, 51
  - derived from stress–energy tensor, 191–192
  - for general 3+1 splittings, 68
  - standard form, 46
  - with Faraday tensor, 50
  - with spacetime vector potential, 51
  - with spatial vector potential, 47
  - reformulated, 107–111
  - worked numerical example, 172–187
- May, Michael, 123
- Mean curvature, *see* Extrinsic curvature
- Metric tensor, *see also* Minkowski spacetime; Schwarzschild spacetime; Roberston–Walker spacetime
  - 3+1 decomposition, 71, 72
  - inverse, 72
  - summarized, 198
  - analogy with Newtonian potential, 10
  - defined, 141
  - determinant, 74
  - and tensor density, 115
  - in local Lorentz frame, 22
  - introduced, 9–16
  - reference, 114, 115
  - spacetime interval, 12–13
  - null, 13
  - space-like, 12
  - time-like, 12
  - spacetime Pythagorean theorem, 73
  - illustrated, 73
  - spatial
    - analogy with vector potential, 72, 76
    - conformal decomposition for evolution, 113
    - conformal decomposition for initial data, 89
    - determinant, 80, 112–114
    - introduced, 72
    - summarized, 198
- Minkowski spacetime, 11
  - Cartesian coordinates, 11
  - height function coordinates
  - extrinsic curvature, 61–62, 80
  - Hamiltonian constraint, 80
  - illustrated, 56
  - introduced, 55–56
  - lapse, 56, 74
  - normal vector, 55–56
  - projection operator, 59
  - sequence of exercises, 55
  - shift, 58, 74
  - spatial Christoffel symbols, 77
  - spatial metric, 74
  - spatial Ricci scalar, 80
  - spatial Ricci tensor, 77–78
- perturbation, 33
  - trace-reversed, 33
- spherical polar coordinates, 13
- Momentum constraint
  - conformal decomposition, 94–97
  - introduced, 79
  - solutions, *see* Bowen–York initial data
  - summarized, 199
- Momentum density, *see* Mass–energy flux
- Moving-puncture gauge, *see also* 1+log slicing; Gamma-driver condition; Trumpet geometry
  - as example of initial-value problem, 155
  - in binary black hole simulations, 128–130
  - introduced, 122
- Multimessenger astronomy, x, 35, *see also* Gamma-ray bursts; Jets; Kilonovae

- Neutron stars, ix, *see also* Binaries;
  - Gravitational waves; Gravitational wave interferometers; Pulsars
- Newton's gravity
  - acceleration, 2
  - brief review, 1–8
  - equation of motion, 3
  - field equation, 6, *see also* Poisson equation
  - mass in, *see* Mass
  - potential, 2, 6
  - tidal effects
    - tidal deviation, 5
    - tidal force, 4
    - tidal tensor, 6–7
- Newton, Sir Isaac, 1–3, 9
- Newtonian potential, *see* Newton's gravity
- NINJA (Numerical INjection Analysis)
  - collaboration, 134
- Normal vector
  - covariant derivative, 60, 62, *see also* Extrinsic curvature
  - illustrated, 56
  - in projection operator, 59
  - in terms of lapse and shift, 57
  - introduced, 54
  - observer, 55
    - acceleration, 62, 64
  - summarized, 197
- NRAR (Numerical-Relativity–Analytical-Relativity) collaboration, 135
- Numerical examples
  - codes
    - electromagnetic wave evolution, 175–186
    - puncture initial data, 161–168
  - exercises
    - electromagnetic wave evolution, 110–111, 186–187
    - puncture initial data, 103–104, 168
- Numerical techniques, *see also*
  - Boundary-value problems; Initial-value problems
  - discontinuous Galerkin methods, 151
  - finite-difference, 151–154, *see also* Grid convergence, *see* Convergence derivatives, 152–154
  - matrix inversion, *see* Boundary-value problems
  - residual, *see* Boundary-value problems
  - spectral, 151
    - convergence, 151
  - stability, *see* Initial-value problems
- One-forms, *see also* Vectors; Tensors
  - basis one-forms, 14, 141
  - components, 141
  - gradient, 14, 145
  - introduced, 141–146
  - spatial slice, 57
  - transformation, 143–145
- 1+log slicing, *see also* Moving-puncture gauge; Slicing
  - and trumpet geometry, 128–129
  - in moving-puncture gauge, 122, 128
  - introduced, 120–121
- Orbital hang-up, *see* Binaries
- Parallel transport
  - around closed loop, 22–23, *see also* Riemann tensor
  - illustrated, 22
  - geodesic, 19
  - illustrated, 19
  - introduced, 18–19
- Poisson equation, *see also* Einstein's field equations; Maxwell's equations; Newton's gravity; Scalar fields
  - as example of boundary-value problem, 155
  - introduced, 6
- Polarization, 83, 86
- Post-Newtonian approximation, *see* Binaries
- Poynting vector, 192, 193, *see also* Mass–energy flux
- Pretorius, Frans, 115, 126–131
- Projection operator, 59
- Proper distance, 12
- Proper time, 12
- Pulsars
  - PSR 1913+16 (Hulse–Taylor pulsar), 34
- Puncture initial data
  - binary black holes, 103, 131
  - introduced, 101–103
  - worked numerical example, 160–168
- Quadrupole emission formula, 36, *see also* Gravitational waves
- Recoil, *see* Binaries
- Ricci equation, 78, 79, 198

- Ricci scalar
  - introduced, 23
  - spatial, 80, 89, *see also* Minkowski spacetime
  - conformal decomposition, 90–92
  - summarized, 197
- Ricci tensor
  - introduced, 23
  - spatial, 77–80, *see also* Minkowski spacetime
  - conformal decomposition, 90–91
  - summarized, 197
- Riemann tensor
  - analogy with Newtonian tidal tensor, 21
  - in geodesic deviation, 21
  - in parallel transport, 22–23
  - introduced, 21
  - spatial, 77
    - conformal decomposition, 90–91
  - summarized, 196
- Robertson–Walker metric, 118
- Scalar fields
  - analogy with Poisson equation, 44
  - field equation
    - derived from stress–energy tensor, 193
    - first-order form, 44
    - for general 3+1 splittings, 69
    - standard form, 43
  - inflaton, *see* Inflation
  - introduced, 43–44
  - Klein–Gordon equation, 43, 193
  - mass, 43, 193
  - potential, 193
- Schwarzschild spacetime
  - Hamiltonian constraint, 92–93
  - introduced, 26–27
  - isotropic coordinates
    - Hamiltonian constraint, 92
    - horizon, 31
    - introduced, 29
    - lapse, shift, and spatial metric, 74
  - Painlevé–Gullstrand coordinates, 32
  - raindrop coordinates, *see* Painlevé–Gullstrand coordinates
  - Schwarzschild coordinates, 26
    - embedding diagram, 27–29
  - singularities, *see also* Singularity coordinate, 27, 31
  - spacetime, 27
  - trumpet coordinates
    - 1+log slicing, 121–122
    - embedding diagram, 31–32
    - extrinsic curvature, 81
    - Hamiltonian constraint, 93
    - horizon, 30–31
    - introduced, 29–30
    - lapse, shift, and spatial metric, 74
    - properties, 129
    - sequence of exercises, 32
- Schwarzschild, Karl, 26
- Shibata, Masaru, 124
- Shift, *see also* Metric tensor; Minkowski spacetime; Schwarzschild spacetime
  - choices, *see* Spatial coordinates
  - illustrated, 57
  - introduced, 58
- Singularity, *see also* Schwarzschild spacetime
  - avoidance, *see* Slicing
  - coordinate, 27, 31, 118, 130
  - in constraint equations, 101
  - in evolution calculations, 128
  - spacetime, 27, 129–130
- Slicing, *see also* 3+1 split; Embedding diagram; Lapse
  - choices, *see* 1+log slicing; Maximal slicing; Geodesic slicing; Harmonic slicing
  - collapse of the lapse, *see* Lapse concept, 54–55
  - grid stretching, 119
  - singularity avoidance, 118–121, *see also* 1+log slicing; Maximal slicing
- Smarr, Larry, 123
- Spacetime diagrams, 12–13
  - event, 17
  - light cones, 13
    - future, 13
    - past, 13
  - orthogonal vectors, 15
  - world line, 17
- Spatial coordinates
  - choices, *see* Gamma-driver condition; Geodesic slicing; Harmonic coordinates; Moving-puncture gauge
- SpEC code, 117
- Spin flips, *see* Binaries
- Stress–energy tensor
  - decomposition, 79–80, 192–194, *see also* Mass–energy density; Mass–energy flux



- electromagnetic fields
  - in terms of electric and magnetic fields, 192
  - in terms of Faraday tensor, 191
  - source terms, 192
- introduced, 24
- scalar fields, 193
- vacuum, 24
- Taylor, Joseph, 34
- Tensors, *see also* Einstein tensor; Faraday tensor; Levi–Civita tensor; Metric tensor; One-forms; Projection operator; Riemann tensor; Ricci tensor; Stress–energy tensor; Vectors
  - abstract tensor notation, 15
  - basis tensors, 140–146
    - coordinate, or holonomic, 143
    - orthonormal, 143
  - brief review, 140–150
  - components, 140–141
  - contraction, 141
  - covariant versus contravariant indices, 13–14, 140–142
  - density, 115
  - derivative, *see* Covariant derivative
  - outer product, 142
  - rank, 6, 140
  - spatial versus spacetime, 59
  - symmetries, 142
  - tidal, *see* Newton’s gravity
  - transformations, 143–146
    - coordinate, 145
    - Lorentz, 144
- Teukolsky, Saul, 124
- Thorne, Kip, x, 34
- 3+1 split
  - comparisons, 82–86
  - electrodynamics, 58–70
  - gravitational fields, 70–81
  - scalar fields, 46
  - spacetime kinematics, 54–58
  - summarized, 197–198
- Tidal effects, *see also* Newton’s gravity; Riemann tensor
  - Newtonian versus relativistic, 21–22
- Time slice, *see also* 3+1 split; Slicing
  - illustrated, 56
  - introduced, 54–55
- Time vector, 58, 66, 73
- Trapped surfaces, *see* Horizons
- Trumpet geometries, *see* Embedding diagram; Schwarzschild spacetime
- Twin paradox, 16
- Units
  - geometrized, 11, 160
  - natural, 43, 193
  - physical, 37
  - reinserting constants, 37–38
- Unruh, William, 128
- Vacuum spacetimes, 24, *see also* Black holes; Gravitational waves; Minkowski spacetime
- Vector gradient, 96
- Vector Laplacian, 96, 98
- Vector potential, *see also* Maxwell’s equations
  - spacetime
    - decomposed, 58
    - introduced, 51
  - spatial, 46
- Vectors, *see also* Current; Normal vector; One-forms; Tensors; Vector potential
  - acceleration, 62
  - basis vectors, 14, 18, 140
  - components, 140–141
  - displacement vector, 14, 145
  - dot product, 14, 140
  - four-velocity, 17, *see also* Normal vector
  - introduced, 140–141
  - transformation, 143–145
- Virgo, *see* Gravitational wave interferometers
- Weiss, Rainer, x, 34
- Weyl curvature scalar, 130
- Weyl tensor, 51
- Wheeler, John, 25
- White, Richard, 123
- Wormhole geometries, *see* Embedding diagram
- Z4 formalism, 115