

Index

- activity coefficient
 - Debye–Hückel ionic model, 359
 - definition, 358
- adiabatic, 179, 323
- aliasing, 564
- analytic or meromorphic functions, 572–574
- arithmetic mean, 536
- averaging
 - the gradient of the mass average, 184
 - the gradient of the volume average, 72–73
 - the mass average, 183
 - the volume average, 71
- big-O notation, 29
- Bjerrum length, 172, 359
- body forces, 86–89
- body-force equivalents, 234–241
- Bohm’s momentum hypothesis, 68, 103
- Born–Oppenheimer approximation, 71
- boundary conditions
 - Dirichlet conditions, 465
 - mixed conditions, 465
 - Neumann conditions, 465
 - periodic conditions, 466
 - radiation conditions, 466
- bulk modulus, 205, 323
- Cahn–Hilliard profile equation, 430
- capillary physics
 - zoomed-in Cahn–Hilliard theory, 422–433
 - zoomed-out macroscopic theory, 433–446
- capillary pressure, 436
- capillary rise, 442
- carrier frequency, 612
- Cauchy integral theorem, 588
- Cauchy’s theorem, 574–576
- Cauchy–Riemann conditions, 573
- central limit theorem, 535–543
- chemical potential
 - and first-order phase transitions, 350
 - and thermodynamic equilibrium, 343
 - in multicomponent fluid solutions, 354–361
 - of a solid mineral, 378
 - of single-component fluid, 321
 - reference configuration, 358
- chemical reactions
 - chemical affinity, 365
 - equilibrium constant, 366
 - extent of reaction, 364
 - Gibbs free energy of reaction, 365
 - in equilibrium, 364–367
 - mass-balance law, 366
 - stoichiometric coefficients, 364
- chirped pulse, 613
- Clapeyron equation, 352
- Clausius–Clapeyron equation, 352
- completeness relation
 - in Fourier-integral theorem, 523
 - in Sturm–Liouville theory, 493
 - proof using the Gaussian function, 527
 - proof using the sinc function, 578
- conservation of angular momentum, 90
- conservation of electric charge, 134–135
- conservation of energy, 93, 395–397
- conservation of entropy
 - one-component fluid, 397–398
 - two-component (binary) fluid, 404
- conservation of linear momentum, 78–82
- conservation of mass, 75–77
- contact angle
 - dynamic, 438
 - equilibrium, 437
- contact forces
 - definition, 85
 - molecular-interaction tensor, 85
 - near-neighbor interaction tensor, 84
 - virial tensor, 86
- contact lines
 - imbibition force acting on, 437
 - speed of advancement, 439
 - visualizing movement, 444
 - Young’s equilibrium condition, 437
- convolution theorem, 533
- Coriolis and centrifugal forces, 163–167
- Coulomb’s friction law, 234
- covalent bond, 71

- Curie's principle, 37–41, 188, 205, 375, 386
 curl of a tensor field, 20–23
 current density definition, 116
- Debye length, 359
 Debye relaxation, 602–604
 delayed linear response, 599–604
 deviatoric and isotropic decomposition, 40, 195
 dielectric displacement definition, 115
 diffusivity
 electromagnetic, 137, 660
 pressure, 268
 solute, 406
 thermal, 402
 viscous, 271
 dilatation
 definition, 195
 nonlinear relation to volume change, 196
 dimensional analysis, 271–276
 Dirac delta function
 as limit of well-behaved functions, 50
 derivative of, 50
 integral property, 49
 sifting property, 49
 three dimensions, 52
 discrete particle mechanics
 molecular dynamics, 70–71
 Newton's second law, 62
 quantum mechanics, 67–70
 dislocation line, 188
 dispersion, 410
 dispersive waves, 608–613
 displacement strain
 integral definition, 190
 relation to thermodynamic strain, 190, 192
 dissipation and delay, 604–608
 divergence of a tensor field, 18–20
 double-dot product, 10
 drainage, 437
- Einstein–Stokes ionic-mobility model, 132
 elastic anisotropy, 202
 elastic isotropy
 definition of the stiffness tensor, 203–204
 Hooke's law, 205
 elastic-strain energy, 179
 elasticity
 definition, 177
 rate of reversible work, 178
 elastodynamic plane waves, 209–212
 elastodynamic representation theorem, 231–233
 elastodynamic wave equation, 209
 elastostatics
 Green's tensor, 646
 linear, 241
 nonlinear, 241–243
 electret, 129
 electro-osmotic flow, 300
 electro-viscous effect, 301
 electromagnetic constitutive laws, 127
 electromagnetic continuity conditions, 144–149
 electromigration
 conductivity of ions, 132
 constitutive law, 131–133
 defined as a charge flux, 117
 defined as a current density, 116
 electron density, 74
 electrostriction, 88
 enthalpy, 337
 entropy
 Boltzmann's formula, 318
 postulational definition, 315–318
 entropy of mixing, 356–357
 entropy production
 Joule heating, 125
 one-component fluid, 398
 two-component fluid, 405
 Euler equation, 324
 Eulerian perspective, 77
 evanescent interface waves, 218–225
 expected value, 535
 extensive strain tensor, 371
- fast-Fourier transform FFT, 563
 ferromagnetic, 130
 fields
 higher-order tensor fields, 8
 scalar fields, 4
 second-order tensor fields, 6
 vector fields, 4
 first law of thermodynamics
 electromagnetic applications, 124
 enthalpy representation, 337
 for an elastic solid, 370
 Gibbs free energy representation, 339
 Helmholtz free energy representation, 335
 internal-energy representation, 320, 334
 Fourier series
 and rectification, 518
 from Sturm–Liouville theory, 494–497
 Gibbs phenomenon, 500–502
 solving partial-differential equations, 502–514
 Fourier transform
 and integral moments of functions, 534
 applied to diffusion problems, 543–550
 applied to wave problems, 550–556
 derivation of the transform pair, 519–520
 differentiation property, 532
 of real functions, 529–530
 of the Gaussian function, 525–527
 shifting property, 531
 stretching property, 531
 Fourier-integral theorem, 521
 friction coefficient, 234
 functions of 2nd-order tensors, 29–31

676

fundamental theorem of calculus
 divergence theorem, 16
 one dimension, 16
 three dimensions, 15, 54
 fusion or melting, 348

Galilean invariance, 122
 geometric mean, 538
 Gibbs free energy, 339
 Gibbs–Duhem equation, 324
 glide plane, 188
 gradient operator, 5
 Green's function continuity at source point, 636
 Green's function in a wholespace
 biharmonic equation, 666–668
 Laplace equation, 665–666
 scalar diffusion equation, 640–641
 scalar wave equation, 631–634
 Green's function method
 elastodynamics, 642–643
 electromagnetics, 652
 scalar diffusion equation, 637–640
 scalar wave equation, 627–631
 Stokes flow, 647–650
 Green's tensor in a wholespace
 elastodynamic, 643–646
 elastostatic, 646–647
 electromagnetic diffusion, 660–663
 pure electromagnetic waves, 659–660
 Stokes flow, 650–652
 Green's theorem, 17, 54, 574
 group velocity, 613

harmonic mean, 540
 head waves, 218
 Helmholtz free energy, 335
 Hilbert transform, 602
 Hooke's law
 matrix form for isotropic material, 207
 linear form, 200
 linear isotropic form, 205
 matrix representation, 201
 nonlinear form, 184–186
 nonlinear isotropic form, 205
 hydrogen bond, 71

ideal gas law, 81
 identity tensors
 fourth-order, 57
 second-order, 11
 imbibition, 437
 impermeability, 127, 384
 impermeittivity, 127, 384
 internal energy
 as a fundamental function, 320
 definition, 314
 representation, 333
 internal pressure (thermal pressure), 80, 82

Index

inverse-normal distribution, 540
 ionic bond, 71
 ionic mobility, 132
 ionic strength, 360
 isentropic, 323
 isochoric, 323
 isotropic tensors, 34–37

Jordan's lemma, 576

Kirchoff's formula, 552
 Kramers–Krönig relations, 602

Lagrangian perspective, 77
 Lamé modulus, 206
 latent heat, 351
 Laurent series, 580, 587–591
 law of large numbers, 538
 Le Chatelier's principle, 345, 353
 Legendre transform, 332
 Leibniz rule of differentiation, 17
 Lennard-Jones molecular-interaction energy, 70
 Levi–Civita alternating tensor, 13
 log-normal distribution, 539
 longitudinal elastic plane waves, 210
 loss tangent, 608

Mach number, 265
 macroscopic electromagnetics in a moving frame,
 122–124
 magnet, 130
 magnetohydrodynamics, 293
 magnetic field definition, 119
 magnetic induction definition, 119
 magnetization definition, 117
 magnetohydrodynamics, 143, 297
 Maxwell stress tensor, 120
 Maxwell's equations
 continuum form, 111–120
 for discrete molecules, 65
 for discrete nuclei and electrons, 112
 meniscus, 436
 metallic bond, 71
 method of images
 a diffusion problem, 548–550
 a wave problem, 555–556
 an electrostatic problem, 175
 method of Lagrangian multipliers, 424
 metrical coefficients, 42
 moment tensor, 238–240

near-neighbor interaction tensor σ , 84
 Newtonian gravity
 continuum form, 161–163
 gravity from discrete particles, 65
 nondimensional analysis
 perturbation analysis, 275
 similarity, 273
 nonwetting, 438

- normal distribution, 538
- Nyquist frequency, 564
- Ohm's law of electromigration, 131
- order of poles, 583–587
- orthogonal curvilinear coordinates, 41–48
- orthogonal polynomials, 494
- Oseen tensor, 652
- osmosis, 368
- osmotic pressure, 368
- P waves or compressional waves, 210
- Péclet number, 402, 410
- paramagnetic, 130
- Parseval's theorem, 532
- particle trajectory, 61
- phase diagram, 349
- phase transitions
 - first order, 348–353
 - second order, 348
- phase velocity, 611
- piezoelectric response, 383
- piezomagnetic response, 383
- plasticity, 188
- point defects, 377, 393
- Poisson ratio, 206
- Poynting vector, 93
 - complex, 220
 - elastodynamics, 211, 212
 - electromagnetics, 125
 - time averaged, 220
- pressure, 321
- pressure solution, 381
- principal value, 577, 601
- product rules of tensor calculus, 23–26
- quality factor Q , 607
- quantum force, 69
- quantum potential, 69
- Rayleigh dispersion formula, 613
- Rayleigh waves, 222–225
- reciprocity of transport coefficients
 - continuum demonstration, 415–419
 - Onsager demonstration, 419–422
- reflection and transmission
 - elastodynamic plane waves, 213–218
 - electromagnetic plane waves, 252–254
 - SV wave incident at free surface, 247
- representation theorem
 - elastodynamic (seismic), 233, 643
 - electromagnetics, 656
 - scalar diffusion equation, 640
 - scalar wave equation, 630
 - Stokes flow, 649
- residue theorem, 580–583
- residues, 582
- reverse osmosis, 368
- Reynolds number, 272
- Reynolds transport theorem, 17
- Roshko number, 272
- Rossby number, 167
- rotation of the Cartesian coordinates
 - changes in the vector and tensor scalar components, 31–35
 - the rotation matrix, 33, 57
- S waves or shear waves, 212
- scalar product, 9
- Schrödinger equation, 67, 103
- second law of thermodynamics
 - electromagnetic applications, 125
 - general statement, 398
- seismic reciprocity, 227–231
- separation of variables
 - overall approach, 466–485
 - separation constant, 467
- shear modulus, 205
- singularities
 - branch points, 579
 - poles, 578
- skin depth
 - electromagnetic, 137, 151, 169
 - magnetohydrodynamic, 296
 - pressure, 268
 - thermal, 447
 - viscous, 292
- Snell's law
 - elastodynamics, 215
 - electromagnetics, 253
- solenoidal (incompressible) flow, 266
- solid-state diffusion, 393
- solubility, 170, 376
- solubility product, 376–380
- specific heat, 323
- spin, quantum, 63
- state functions, 321
- Stefan problem, 448
- Sterling approximation, 357
- stiffness tensor
 - in Voigt matrix notation, 200
 - thermodynamic definition, 185
- Stokes mobility law, 288
- Stokes' theorem, 16
- Stonely waves, 222–225
- strain tensor
 - displacement strain $\mathbf{E}$, 188
 - thermodynamic strain $\mathbf{e}$, 182, 188
- stress tensor
 - continuity of traction, 97
 - definition, 89
 - deviatoric stress, 90, 94
 - isotropic stress, 90
 - Korteweg or capillary stress, 428
 - thermodynamic definition, 182
 - total pressure, 93
 - traction vector, 94

678

stress tensor (cont.)
 traction-force density, 89, 98–99
 viscous-stress tensor, 262
 Sturm–Liouville theory, 491–494
 sublimation, 348
 surface current, 146, 147, 157
 surface tension
 Cahn–Hilliard theory, 430
 qualitative description, 433–435
 symmetry of the stiffness tensor, 200

 Taylor dispersion, 410–414
 Taylor series
 of fields in one dimension, 27
 of fields in three dimensions, 27–29
 radius of convergence, 490
 temperature, 321
 tension crack, 238
 thermal expansion coefficient, 323
 thermodynamic equilibrium conditions, 341
 thermodynamic stability, 344–348
 thermodynamic strain
 integral rate definition, 180
 relation to displacement strain, 190, 192
 thermodynamics
 of elastic solids, 369–376
 of multi-component fluids, 354–369
 of single-component fluids, 314–354
 with electromagnetic polarization, 382–386
 time-series analysis
 deconvolution, 561
 filtering, 557–560
 windowing, 562
 total internal reflection, 218
 traction, 86, 94
 transport laws
 Cahn–Hilliard theory, 428–429
 one-component fluid, 399
 two-component (binary) fluid, 407
 transverse elastic plane waves, 211

Index

uncertainty relation, 526, 566

 van 't Hoff osmotic pressure, 369
 van der Waals attraction, 66, 70, 104
 vaporization, 348
 vector product, 12
 virial tensor $\mathbf{W}$, 86
 viscosity
 bulk viscosity, 263
 law of Newtonian viscosity, 263
 shear viscosity, 263
 viscous flow
 common boundary conditions, 278
 creeping flow around a sphere, 285–289
 in co-axial pipes, 283
 incompressible viscous flow, 266–269
 laminar flow, 272
 lubrication approximation, 302–312
 Navier–Stokes equation, 269
 steady flow in a duct, 279
 Stokes flow, 272
 the laws of viscous flow, 261–264
 time-varying flow, 289–293
 viscous pressure gradient, 270
 viscous-stress interface condition, 271
 Voigt or matrix representation of Hooke's law, 201
 vorticity, 270

 wave function, quantum, 67
 well-posed problems
 continuum electromagnetics, 158
 elastodynamics, 226–227
 scalar diffusion, wave and potential problems,
 462–466
 viscous flow, 277–278
 wetting, 438

 Young's modulus, 206
 Young–Laplace equation, 436