

Cambridge University Press

978-1-316-50560-1 — Hematopathology and Coagulation

Amer Wahed , Jesse Manuel Jaso , Ashok Tholpady

Index

[More Information](#)

Index

Italic page numbers refer to questions. Roman page numbers refer to explanations.

- abciximab, 130
- abetalipoproteinemia, 26
- acanthocyte, 9, 22, 26, 30
- acidified glycerol lysis test (AGLT), 27
- activated clotting time, *112*
- activated protein C (APC) resistance assay, *113*, 125, 126, 131
- ADAMTS 13 protease, 128
- afibrinogenemia, *108*
- AIDS, 19, 42
- Alder-Reilly anomaly, 32, 35
- alemtuzumab, 92
- all-*trans*-retinoic acid (ATRA), 56, 57, 59
- α angle, 109, 122, 123, 126
- aminocaproic acid, 123, 131
- amyloidosis, *116*, 129, 132
- anemia, 6–8, 16, 79, 90, 91, 95, *115*
 - aplastic, 18, 20, 30
 - constitutional, 23
 - congenital dyserythropoietic, 23, 25, 27
 - Diamond-Blackfan, 23
 - Fanconi's, 8, 23
 - hemolytic, 8–10, 19, 20, 23, 24, 28, 127
 - autoimmune, 9, 25, 26, 27, 75
 - Coombs-positive, 101
 - microangiopathic, 26, 128
 - iron deficiency, 79, 128
 - macrocytic, 7, 8, 21, 25
 - megaloblastic, 7, 21, 22, 23, 25, 26
 - microcytic hypochromic, 6, *11*, 20, 21, 28
 - myelophthisic, 19, 26
 - normoblastic, 21
 - normocytic normochromic, 21, *81*
 - of chronic disease, 7, 20, 21
 - pernicious, 8, 22, 76
 - refractory, *51*
 - with excess of blasts (RAEB), 63
 - sideroblastic, 7, 20–21
- anisocytosis, 20, 23, 24
- ankyrin, 23
- antibiotics, 30
- antibody. *See* immunoglobulin
- anti-Factor Xa assay, *113*, 125
- antifibrinolytic, 131, 132
- antiphospholipid syndrome (APS), 19, *114*, *119*, 126, 131
- antiplasmin, 123, 131, 132
- antithrombin, *118*, 125, 126, 129, 130
 - deficiency, *113*, 126
- apixaban, 130
- aplasia
 - bone marrow, 23
 - red cell, 23, 91
- aplastic crisis, 23
- arachidonic acid, 36, 122
- arsenic trioxide, 56
- aspirin, 37, *108*, 122, 125
- ATPase pump, 24
- Auer rod, 18, 50, 54, 55, 56, 57, 61
- basophilia, 35
- basophilic stippling, 7, 16, 21, 23, 26
- Bernard Soulier syndrome, 36, 37, *108*, 122
- β chain defect, *11*
- β -thromboglobulin, 126
- bilirubin, 26
- bisalbuminemia, 79
- bite cell, 24, 31
- bivalirudin, 130
- bleeding disorder, *107*–*13*, 122–25
- bone marrow, 5–6, 7, 8, 17, 18, 19, 20, 21, 23, 47, 48, 50, 54, 55, 57, 58, 59, 61, 63, 77, 79, 80, 81, 82, 83, 90, 91, 94, 95, 101
 - gelatinous transformation, 6, 19
 - interstitial and intrasinusoidal infiltration, 81, 90
 - loss of normal architecture, 92
 - necrosis, 6, 19
 - transplant, 91
- bruising, *47*, *112*, 125
- butyrate stain, 61
- C protein, *113*, *118*, *119*, 125, 126, 128, 130, 131
- C2, 25
- C3, 25
- C4b, 25
- C4bBP, 129
- C4bC2a, 25
- Cabot rings, 26
- Caisson disease, 19
- cAMP, 128
- carboxyhemoglobin, 17
- Castleman disease, 39, 42, 43, 102
- cat scratch disease, 38, 41
- celiac disease, 22, 31, 95
- centroblast, 41, 75, 76
- centrocyte, 41, 75, 76
- ceroid, 18
- cGMP, 128
- Chediak-Higashi syndrome, 32, 35, 37
- chest, 96, *115*, *118*
- chloroacetate esterase, 49, 60
- clopidogrel, 37, 128
- clotting factor
 - bovine factor V, 124
 - II, 128
- V, *113*, *118*, *119*, 124, 125
- Va, 126, 131
- VII, *117*, 128, 129
- VIIa, 129, 130, 131
- VIII, 124, 125, 127, 129
- VIIIa, 126, 131
- IX, 125, 128, 129, 130
- X, 125, 128, 129
- Xa, *118*, 125, 126, 130, 131
- XI, 129
- XII, 129
- XIII, *109*, 123, 126, 129
- XVIII, 124
- XXI, 129
- Von Willebrand factor (VWF), *114*, 122, 124, 125, 126, 127, 128
- coagulation activator, 125
- coagulation assay, 126
- coagulation cascade, *116*
- coagulation index (CI), 126
- cold agglutinin, 101
- cold hemagglutinin disease (CHAD), *10*, 17, 25, 26
- complete blood count (CBC), 4, 5, 7, 17, *81*, 82, 86, *115*, *118*
- coproporphyrinogen III, 28
- core binding factor (CBF), 48, 55
- corticosteroid, 78
- cryoglobulinemia, *10*, 77
- cyanmethemoglobin, 17
- cryoglobulin, 27, 101
- cytokine, 16, 21
- cytomegalovirus (CMV), 93
- cytopenia, 21, 90, 91, 95, 101
- dabigatran, 130
- danaproid, 130
- D-dimer, 56, *113*, *115*, *118*, 124, 126, 130
- δ aminolevulinic acid, 21, 28
- dermatitis herpetiformis, 95
- diastase resistance, 38
- DiGeorge syndrome, 36, 128
- dilute Russell viper venom test, *114*, 126
- dipyridamole, 128
- direct antiglobulin test (DAT), 25
- disseminated intravascular coagulation (DIC), 26, 56, 58, 61, 101, *117*, *118*, 123, 124, 127, 129, 130, 131
- Dohle body, 35
- Dohle-like body, 35, 37, 127
- Downey cell, 32, 33, 36, 37
- drepanocyte, 26
- dry tap, 5, 18, 79
- Dutcher body, 79

Cambridge University Press

978-1-316-50560-1 — Hematopathology and Coagulation

Amer Wahed , Jesse Manuel Jaso , Ashok Tholpady

Index

[More Information](#)

Index

- dyserythropoiesis, 23
 dysfibrinogenemia, 117, 130
 dyskeratosis congenita, 23
 dysmegakaryopoiesis, 127
- echinocyte, 26
 electrophoresis, 124
 electrophoretic mobility, 24
 elliptocyte, 24, 25
 elliptocytosis, 24, 25
 emperipolesis, 16, 43
 endomitosis, 16
 endoreduplication, 16
 enzyme immunoassay, 126
 enzyme-linked immunosorbent assay (ELISA), 126
 eosin-5-maleimide binding test, 27
 eosinophil, 4, 16, 18, 19, 43, 55, 60, 94, 99, 100, 102, 104
 precursor, 47, 55
 eosinophilia, 35, 39, 42, 93
 fibrinoid deposit, 39, 42
 microabscess, 39, 42
 epidermotropism, 83, 85, 93, 96, 97, 98, 99, 100
 epinephrine, 36, 112, 122, 125
 epistaxis, 112, 115, 125, 127
 Epstein syndrome, 36, 127
 Epstein-Barr virus (EBV), 70, 71, 77, 78, 79, 87, 99, 100, 101, 102
 EBV-encoded RNA (EBER), 94, 99, 102
 erythroblast, 15, 16, 18, 20, 22, 23, 54
 erythrocyte, 50, *See also* red blood cell
 erythrocyte sedimentation rate (ESR), 19
 erythroderma, 97, 98
 erythropoiesis, 3, 4, 15, 16, 20, 21, 23
 erythroid precursor, 3, 8, 15, 20, 21, 22, 23
 erythropoietin, 21
Escherichia coli O157:H7, 128
 ethylenediaminetetraacetic acid (EDTA), 6, 17, 19
 euglobulin clot lysis time (ECLT), 109, 123
 extramedullary involvement, 54, 55, 58, 59
- factor V Leiden mutation, 113, 118, 119, 125, 126, 131
 fat, 19
 necrosis, 85, 99
 perinodal adipose tissue, 102
 Fechtner syndrome, 36, 127
 Felty's syndrome, 36, 91
 ferritin, 20
 ferrochelatase, 15, 21, 28
 ferrous ion, 17
 fibrin, 122, 123, 126, 131, 132
 degradation product (FDP), 115, 124, 127, 129, 132
 fibrinogen, 56, 79, 112, 114, 115, 118, 122, 123, 124, 126, 127, 132
 fibrinoid sclerosis, 103
 fibrinolysis, 119–20, 123, 131–32
 primary, 109, 119
 secondary, 124
 fibronectin, 126, 127
 Fitzgerald trait, 129
- Flaujeac trait, 129
 flow cytometry, 24, 25, 27, 50, 54, 56, 57, 81, 82, 83, 88, 90, 91, 95, 104
 'flower cell', 92, 93
 fluorescence in situ hybridization study, 8, 102
 folate, 21, 23, 25
 folded cell, 25
 follicle, 38, 39, 41, 69, 75, 85, 99, 102
 follicular dendritic cell, 41, 43, 75, 80, 102
 follicular mucinosis, 97
 fondaparinux, 130
 free erythrocyte protoporphyrin (FEP), 20
 fusion protein, 51
- G6PD, 9, 24, 27, 31
 Gaisbock syndrome, 10, 27
 gamma glutamyl transpeptidase (GGT), 8, 23
 gamma-carboxylation reaction, 128
 Gaucher's disease, 18
 germinal center, 39, 41, 42, 43, 75, 85, 102
 polarity, 41, 75
 giant cell, 18, 38, 41, 42, 43, 98
 Giemsa stain, 16, 18, 67
 Glanzmann's thrombasthenia, 36, 37, 108, 122
 glucocerebrocidase, 18
 glutamic acid, 29, 129
 glutathione, 24, 28
 glycine, 28
 glycolytic pathway, 24
 granule, 4, 15, 16, 19, 55, 56, 81, 92, 122
 α, 37, 114, 126, 127, 130
 azurophilic, 16, 35, 56, 90, 101
 basophilic, 47
 cytoplasmic, 54
 δ, 37
 dense (δ), 108, 114, 126, 127
 eosinophilic, 55
 hemosiderin, 18
 iron-containing, 18
 neutrophilic, 54
 specific, 16
 sulfur, 42
 granulocyte, 22, 35, 36, 50
 precursor, 21, 22, 23
 granuloma, 5, 18, 42, 98, 100
 granulopoiesis, 3, 4, 15, 63
 gray platelet syndrome, 37, 127
 Grenz Zone, 97
 groin, 96, 98
- hallmark cell, 100, 102, 103
 Ham's acidified serum test, 8, 9, 23, 25
 haptoglobin, 79
 Heinz body, 24, 26, 28, 31
 hemangioma, 36, 128
 hematocrit, 115
 hematopoiesis, 3–4, 16, 17, 18, 19, 25, 55, 60
 hematoxylin and eosin stain, 95, 104
 heme, 3, 15, 20, 21, 28
 hemochromatosis, 18
 hemoglobin, 15, 17, 20, 22, 26, 27, 30, 79
 A, 11, 12, 27, 28, 29, 30
 A1c, 28
- A1d, 28
 A2, 11, 22, 27, 28, 29, 30
 A2'; 29
 AC, 25
 adduct, 10, 27
 AS, 25
 Bart's, 28, 30
 Beth Israel, 31
 biosynthesis, 10, 28
 C, 12, 25, 26, 28, 29, 30
 C1c, 28
 C1d, 28
 CC, 25
 Chesapeake, 31
 Constant Spring, 28, 29
 D, 29
 E, 29
 electrophoresis, 11, 22, 29, 30
 agarose gel, 30
 agarose gel, 12
 capillary method, 11
 post, 12
 embryonic, 10
 F, 11, 12, 16, 22, 27, 29, 30
 falsely elevated levels, 4
 fast, 12, 30
 G, 12, 30
 G2, 30
 Gower, 27
 H, 11, 28, 30
 HbAIII, 28
 I, 30
 J, 30
 Lepore, 29, 30
 M-Boston, 31
 measurement, 4, 17
 M-Saskatoon, 31
 O, 29
 Portland, 27
 S, 11, 12, 20, 22, 25, 28, 29, 30
 S1c, 28
 S1d, 28
 SC, 25, 28, 29, 31
 SD, 28
 SE, 28
 SO, 28
 SS, 12, 25, 28, 29, 30
 hemoglobin C disease, 17
 hemoglobinopathy, 10–13, 18, 20, 25, 31
 hemolysis, 25, 27, 28, 35, 60
 chronic, 23
 hemolytic uremic syndrome (HUS), 115, 128
 intravascular, 79
 microangiopathic, 10, 26, 128
 hemolytic uremic syndrome (HUS), 26
 hemophagocytic syndrome (HPS), 101
 hemophagocytosis, 99
 hemophilia A, 130
 hemophilia B, 118, 125, 130
 hemorrhage, 60
 hemostasis, 109, 110, 123, 129
 primary, 114–16, 126–28
 secondary, 116–18, 128–30

- heparin, 19, 113, 118, 123, 124, 125, 126, 127, 128, 130
 low molecular weight (LMWH), 125, 130
 unfractionated, 118, 130
- hepatitis B, 82
- hepatitis C, 27, 77, 82
- hepatosplenomegaly, 27, 94, 95, 101
- hereditary erythroblastic multinuclearity with positive acidified serum lysis test (HEMPAS), 23
- hereditary hemorrhagic telangiectasia (HHT), 115, 127, 128
- hereditary persistence of fetal hemoglobin (HPFH), 29
- hereditary spherocytosis (HS), 8, 10, 17, 23–24, 26, 27
- Hermansky-Pudlak syndrome, 37
- hexose monophosphate shunt, 24
- HHV-8, 43, 79
- high endothelial venule, 94, 102, 104
- high performance liquid chromatography (HPLC), 30, 31
- high-molecular-weight kininogen deficiency, 129
- histiocyte, 5, 18, 39, 41, 42, 77, 85, 98, 99, 100, 102, 104
- histiocytosis, 39, 43
- HIV, 42, 78, 82, 87, 93
- Hodgkin cell, 80
- Hodgkin-like cell, 100, 102, 104
- homocysteine, 131
- homocysteinemia, 131
- homocystinuria, 131
- Howell-Jolly body, 7, 10, 12, 16, 22, 26, 31
- HTLV-1, 82, 83, 87, 91, 92, 94
- hydrops fetalis, 28
- hydroxyurea, 22, 23, 29, 30
- hypercalcemia, 80, 93
- hypercoagulation, 126
- hyperfibrinolysis, 122, 123, 127, 131
- hyperhomocysteinemia, 119
- hyperkeratosis, 98, 99
- palmoplantar, 98
- hyperplasia
- angiofollicular, 43
 - epidermal, 98
 - erythroid, 8, 20, 21, 23, 28
 - follicular, 38, 39, 41, 42, 43
 - interdigitating dendritic cells, 41
 - interfollicular, 42
 - paracortical, 39, 41, 42
 - T-cell, 42
- hypersegmentation, 21, 22, 23
- hyperviscosity, 77
- hypocalcemia, 128
- hypofibrinogenemia, 37
- hypofibrinolysis, 123
- hypoproliferative disease, 55
- ileum, 22
- Imerslund-Grasbeck syndrome, 22
- immunoassay, 113, 126
- immunoblast, 19, 41, 43, 76, 102
- immunodeficiency, 35, 36, 42, 77, 93, 101
- immunofixation, 79
- immunoglobulin, 27, 75, 76, 78, 79
- A, 126
- anticardiolipin, 126
- anti-intrinsic factor antibody, 22
- antinuclear antibody, 91, 101
- anti-parietal cell antibody, 22
- anti-PF4-heparin antibody, 113, 126
- antiphospholipid antibody, 114, 126
- anti-smooth muscle antibody, 101
- biphasic antibody, 25
- Donath-Landsteiner antibody, 25
- E, 39
- G, 25, 27, 126
- M, 25, 26, 27, 77, 126
- immunohistochemical stain, 23, 70, 71, 87, 88, 91
- immunosuppressive therapy, 95
- infection, 18, 25, 36, 37, 42, 59, 90, 101, 129
- bacterial, 18, 26, 35, 36, 38, 42, 76, 91, 128, 129
 - chronic, 21, 27
 - fungal, 18, 42, 93
 - mycobacterial, 42
 - protozoan, 38, 41–42
 - sepsis, 91, 129, 130
 - viral, 23, 25, 27, 36, 42, 43, 70, 77, 78, 82, 87, 91, 92, 93, 94, 100, 101, 102
- interleukin, 16, 94
- international normalized ratio (INR), 112, 118, 125
- international sensitivity index, 125
- intrinsic factor, 21, 22
- iron, 8, 16, 17, 18, 21, 23, 26, 28, 30
- abnormal metabolism, 20
 - daily loss, 8, 22
 - deficiency, 7, 8, 15, 20, 22, 25, 28, 29, 37, 79, 128
 - stain, 5
 - storage, 22
- K time, 109, 122, 123
- kaolin, 125
- karyorrhexis, 23, 39, 42, 99
- karyotype, 59, 60, 79, 94
- Kasabach-Merritt syndrome, 36, 128
- Kawasaki disease, 42
- Kell blood group system, 26
- keratinocyte, 99
- Ketron-Goodman disease, 98
- Kikuchi-Fujimoto disease, 42
- Kimura disease, 42
- Kostmann's syndrome, 36
- lactate dehydrogenase (LDH), 26, 93
- lactoferrin, 16
- lacunar cell, 80
- Langerhans cell, 39, 42, 43
- lead poisoning, 7, 20, 21, 26
- lecithin cholesterol acyltransferase (LCAT) deficiency, 25
- leukemia, 18, 19, 20
- acute erythroid, 30, 54
 - acute lymphoblastic (ALL), 50, 58, 61
 - acute myeloid (AML), 23, 27, 36, 47, 48–49, 50, 54–55, 56, 57–60, 61
 - M6, 23
- acute promyelocytic (APL), 18, 48, 50, 54, 55, 56–57, 59, 61, 129
- adult T-cell leukemia/lymphoma (ATLL), 83
- aggressive NK-cell, 101
- chronic lymphocytic (CLL), 60, 69, 75–76, 91, 93
- chronic myelogenous (CML), 18, 35, 51, 56, 60
- chronic myelomonocytic, 54
- core binding factor, 47, 55
- hairy cell (HCL), 18, 72, 77, 79
- juvenile myelomonocytic, 30
- lymphoid, 36
- mixed phenotype acute, 58
- T-cell
- adult T-cell leukemia/lymphoma (ATLL), 82, 83, 91, 93–94
 - large granular lymphocytic (T-LGLL), 81, 90, 91
 - prolymphocytic (T-PLL), 82, 91, 92–93, 94
- leukemoid reaction, 35, 60
- leukocyte, 32, 35, 56
- polymorphonuclear (PMN), 16, 21, 23, 35
- leukocyte alkaline phosphatase score, 32, 35
- leukocytosis, 17, 32, 35, 47, 82, 91
- leukoerythroblastic blood picture, 19, 60
- leukopenia, 55
- liver, 20, 21, 25, 26, 27, 91, 93
- failure, 129
 - function test, 8
 - orthotopic transplantation (OLT), 119, 132
- lung, 100, 128
- cancer, 19
 - cardiopulmonary bypass, 116, 125, 128, 130
 - pulmonary embolism, 118
- lupus anticoagulant assay, 126
- lupus-associated panniculitis (LEP), 99
- LY30, 109, 122
- lymph node, 39, 69, 77, 83, 87, 93, 94, 97, 98, 99, 101, 102
- cervical, 75, 88
- dilatation of sinuses, 38
- enlarged, 38
- inguinal, 75
- loss of normal architecture, 75, 76, 102
- mesenteric, 95
- neck, 75
- paracortex, 39, 42, 102
- sinusoidal growth pattern, 103
- lymphadenitis
- dermatopathic, 42
 - necrotizing histiocytic, 42
- lymphadenopathy, 27, 38, 39, 81, 82, 83, 86, 91, 93, 95, 96, 98, 101
- Actinomyces*, 42
- cervical, 39, 43
- diffuse, 82
- granulomatous, 38, 42
- HIV, 38, 41
- sinus, 43
- staphylococcus, 42

Cambridge University Press

978-1-316-50560-1 — Hematopathology and Coagulation

Amer Wahed , Jesse Manuel Jaso , Ashok Tholpady

Index

[More Information](#)

Index

lymphadenopathy (*cont.*)
 toxoplasma, 42
Tropheryma whipplei, 42
 viral, 38, 41

lymphoblast, 15, 54

lymphocyte, 17, 18, 19, 35, 39, 43, 75, 76, 77, 79, 80, 81, 82, 83, 85, 86, 88, 91, 93, 94, 95, 96, 97, 98, 99, 100, 102
 atypical, 92
 atypical morphology, 60
 B-lymphocyte, 55
 large granular (LGL), 81, 90, 101
 nodular, 73
 reactive, 32, 33, 36, 37

lymphocyte-predominant (LP) cell, 73, 80

lymphocytic morphologic heterogeneity, 36

lymphocytosis, 32, 36, 81, 93, 94

lymphohistiocytic cell (L&H), 80

lymphoid aggregate, 6, 18, 19

lymphoid infiltrate, 5, 18

lymphoma, 18, 19, 42
 adult T-cell leukemia/lymphoma (ATLL), 83
 B-cell, 18, 70, 72, 75, 79
 cutaneous, 97
 diffuse large (DLBCL), 71, 72, 75, 76, 77–78, 79, 101
 primary cutaneous, 99
 primary mediastinal large, 71, 78

Burkitt, 70, 71, 72, 77, 79

discordant, 77

follicular, 18, 38, 69, 75, 77, 78
 pediatric, 69, 75
 primary cutaneous follicular center (PCFCL), 69, 75

Hodgkin, 18, 72–73, 80
 classical (CHL), 80, 100
 nodular lymphocyte predominant (NPLHL), 42, 78, 80
 nodular sclerosis, 80

large cell, 41, 76
 anaplastic (ALCL), 87–88, 94, 96, 100, 102–04
 breast implant-associated anaplastic, 88
 primary cutaneous anaplastic, 86, 100
 systemic anaplastic, 100

lymphoblastic, 77

lymphoplasmacytic (LPL), 71, 77, 78, 80

mantle cell, 70, 76, 78, 100

marginal zone, 70, 76, 77, 78

mucosa-associated lymphoid tissue (MALT), 70, 76–77

NK/T-cell, 86, 100–01

plasmablastic, 71, 78

primary cutaneous, 85

primary effusion, 71, 78

small lymphocytic (SLL), 69, 76, 78

T-cell, 18
 adult T-cell leukemia/lymphoma (ATLL), 82, 83, 91, 93–94

angiomyeloblastic, 87, 94, 101–02, 104

enteropathy-associated, 95–96

hepatosplenitis, 83, 84, 92, 94–95

peripheral, 88, 103, 104

primary aggressive epidermotropic, 100

primary cutaneous, 85, 86, 98, 99
 subcutaneous panniculitis-like, 85, 99
 Type I enteropathy-associated, 84

lymphomatoid granulomatosis, 78

lymphomatoid papulosis, 100

lymphoproliferative disorder, 25, 27, 37, 101
 B-cell, 91
 chronic, of NK-cells (CLPD-NK), 90
 T-cell, 92

lymphoreticular malignancy, 35

macro ovalocyte, 25

macropinocytosis, 7, 16, 21, 22, 23, 29

macrophage, 5, 15, 16, 18, 19, 22, 38, 39, 41, 42, 43, 75

macrothrombocyte, 36

malaria, 26, 95

mantle zone, 41, 42, 43, 75, 77, 102

mast cell, 19, 51, 60, 67, 77

Maurer's dot, 26

maximum amplitude (MA) of pin oscillation, 109, 122, 123, 126

May-Hegglin anomaly, 32, 35, 36, 127

McLeod phenotype, 26

mean corpuscular hemoglobin (MCH), 4, 17, 26

mean corpuscular hemoglobin concentration (MCHC), 17, 26

mean corpuscular volume (MCV), 8, 17, 21, 23, 25, 26

mean platelet volume (MPV), 19

mediastinum, 78

megakaryoblast, 54, 59

megakaryocyte, 3, 4, 16, 17, 22, 50, 58, 127

megakaryopoiesis, 3, 4

megaloblastoid change, 8

memory cell, 98, 102

metamyelocyte, 15, 16

methemoglobin, 12, 17, 30, 31

methemoglobinemia, 12, 30, 31

methotrexate, 23

microspherocyte, 24

microthrombocyte, 36

mitochondrion, 15, 20, 21, 26, 28

mixing study, 110, 112, 114, 125, 126

monoblast, 54, 57, 60

monoclonal gammopathy, 72, 79, 80

monoclonal protein, 77, 79

monocyte, 16, 22, 35, 57, 60, 130

monocytic differentiation, 49, 55, 57

monocytopenia, 79

monomorphic cell, 96

mononuclear cell, 36, 129

mononucleosis, 36

Mott cell, 79

mucocutaneous lymph node syndrome, 42

mucopolysaccharides, 35

mucosa, 22, 95, 128

multilineage dysplasia, 58, 59

multimer, 124, 128

multimerin, 126

mummy cell, 80

Mycobacterium avium intracellulare, 18

Mycoplasma pneumoniae, 26

mycosis fungoides, 84–85, 91, 93, 96–98, 99, 100

folliculotropic, 97

patch stage, 96, 97

plaque stage, 96, 97

TNMB system, 97

myeloblast, 15, 16, 54, 56, 60

myelocyte, 15, 16, 55

myelodysplastic syndrome (MDS), 16, 20, 21, 22, 23, 27, 35, 36, 50, 51, 58, 60, 91

myelofibrosis, 51, 66

myeloid cell, 54, 63
 abnormal location of immature precursors (ALIP), 50, 63

myeloid sarcoma, 54, 55

myeloma, 18, 27, 80

myeloperoxidase (MPO), 16, 54, 55, 56, 57, 58, 60

myeloproliferative disorder, 35, 37

myoglobin, 22

natural killer (NK) cell, 81, 90, 91, 100, 101

nephrotic syndrome, 80, 129

Neuropen effect, 60

neuroblastoma, 19

neutropenia, 32, 35–36, 81, 90, 91, 127

neutrophil, 4, 16, 17, 35, 37, 39, 42, 54, 57, 60, 100

neutrophilia, 35

Niemann-Pick disease, 18

night sweat, 83, 86, 88

nitric oxide (NO), 127, 128

non-specific esterase, 58, 60

normoblast, 15

nucleophosmin, 103

nucleus
 anaplastic, 86, 88, 94, 101, 102, 103, 104
 angulated, 96, 101
 apple-core morphology, 56, 57
 bilobed, 35, 56, 59, 61
 binuclearity, 8, 23
 butterfly wing morphology, 56
 cerebriform, 83, 93, 94, 96, 98, 100
 cytoplasmic asynchrony, 22
 division, 16
 folded, 96, 101
 horseshoe-shaped, 86, 88, 100, 102, 103
 invagination, 50, 61
 irregular, 90, 92, 102, 103
 karyorrhexis, 23
 kidney-shaped, 102
 membrane irregularity, 37
 monolobated, 59
 mononuclearity, 80
 multinuclearity, 8, 22, 23, 38, 43, 98
 nuclear bridging, 22
 nuclear debris, 42
 nucleoli, 15, 36, 37, 43, 60, 76, 77, 79, 80, 87, 90, 92, 94, 96, 97, 100, 101, 103
 round, 90, 91, 96, 97, 102

nurse cell, 16

orotic aciduria, 23

Osler-Weber-Rendu syndrome, 127, 128

osmotic fragility test, 24, 27

Cambridge University Press

978-1-316-50560-1 — Hematopathology and Coagulation

Amer Wahed , Jesse Manuel Jaso , Ashok Tholpady

Index

[More Information](#)

Index

- osteoblast, 16
 osteocyte, 16
 osteonectin, 126
 oxygen, 28, 30, 31
 oxyhemoglobin, 17
- packed marrow, 18
 pagetoid reticulosis, 85, 98
 pancreas, 23, 36
 pancytopenia, 19, 21, 50, 58, 79, 86
 Pappenheimer body, 16, 26
 paraprotein, 17, 72, 79, 80
 paraproteinemia, 17
 paroxysmal cold hemoglobinuria (PCH), 25
 paroxysmal nocturnal hemoglobinuria (PNH), 9, 24–25, 35, 36
 partial thromboplastin time (PTT), 26, 56, 111, 112, 114, 115, 117, 118, 123, 124, 125, 126, 127, 129, 130
 parvovirus B19, 23
 Pautrier abscess, 93, 96
 Pelger-Huet anomaly, 32, 35, 57
 pencil cell, 20
 pentose phosphate pathway, 24
 perinuclear hof, 55
 periodic acid-Schiff (PAS), 18, 38, 61
 peripheral neuropathy, 22
 peripheral smear, 5, 7, 11, 12, 17, 24, 25, 26, 29, 30, 37, 47
 phenprocoumon, 130
 phosphodiesterase, 128
 phospholipid, 125, 129
 plasma, 116, 118, 123, 124, 125, 128, 129, 131, 132
 plasma cell, 18, 19, 43, 76, 77, 78, 79, 80, 85, 94, 99, 102, 104
 plasma protein electrophoresis, 79
 plasmablast, 79
 plasmacytoid cell, 76, 77
 plasmin, 123, 124, 131
 plasminogen, 119, 123, 131, 132
 Plasmodium falciparum, 10, 26
 platelet, 115, 116, 118, 123, 124, 129
 activation, 37, 116, 122, 128
 adhesion, 37, 127
 agglutination, 122, 124
 aggregation, 36, 37, 107, 108, 112, 114, 122, 123, 124, 127, 128
 aggregometry, 107, 122
 agonist, 107, 122
 clump, 17
 count, 5, 17, 20, 115, 118, 125, 130
 degranulation, 122
 dense granule platelet storage pool disorder, 108
 disseminated thrombi, 128
 function analyser, 112
 giant, 35, 36, 118
 granule, 58, 114, 122, 126, 127, 130
 hypercoagulability, 113
 inclusion body, 127
 large, 17, 36
 lysosome, 126
 peroxisome, 126
 platelet-derived growth factor (PDGF), 126
 satellitism, 17
 shape change, 19
 small, 32, 36
 thromboxane A2 generation, 128
 uremic dysfunction, 115, 128
 vessel wall interaction, 128
 poikilocyte, 9, 23, 24
 polychromasia, 19
 polyclonal hypergammaglobulinemia, 91, 101
 polycystic disease, 80
 polycythemia vera, 66
 polymerase chain reaction (PCR) analysis, 57, 90, 97
 popcorn cell, 80
 porphobilinogen, 21, 28
 porphyria, 21
 potassium cyanide, 17
 potassium ferrocyanide, 17
 prekallikrein deficiency, 129
 primitive neuroectodermal tumor (PNET), 19
 procoagulant, 122, 130
 proerythroblast, 15, 16
 prolymphocyte, 60, 76
 promonocyte, 54, 57, 60
 promyelocyte, 5, 15, 16, 18, 54, 55, 56, 57, 61
 prostaglandin, 127, 128
 prostate cancer, 19
 proteinase inhibitor II (PI2), 127
 protein-carbohydrate complex, 35
 prothrombin time (PT), 26, 56, 110, 111, 112, 115, 117, 118, 123, 124, 125, 127, 129, 130
 protoporphyrin, 15, 20, 21, 28
 protoporphyrinogen III, 28
 P-selectin, 126
 pseudofollicle, 76
 pseudomembrane, 132
 purpura, 27, 128
 immune thrombocytopenic (ITP), 127
 post-transfusion, 127, 130
 thrombotic thrombocytopenic (TTP), 26, 128
 pyrimidine 5 nucleotidase, 10, 26
 pyrophosphate, 126
 pyropoikilocytosis, 24
 pyruvate kinase, 9, 24, 26, 27
 Quebec syndrome, 127
 R time, 109, 123, 126
 red blood cell (RBC), 6, 7, 8, 9, 12, 15, 16, 17, 19, 20, 21, 23, 25, 27, 36, 37, 115, 118, *See also erythrocyte*
 acanthocyte, 26
 agglutination, 25, 26
 count, 17, 20
 cytoskeleton, 24
 distortion, 25
 distribution width (RDW), 17, 20
 enzyme activity, 24
 fragmentation, 26
 glucose, 24
 lysis, 25, 31
- membrane cation permeability, 24
 membrane proteins, 23
 microcytic, 30
 microcytic hypochromic, 20, 28, 29, 30
 normocytic normochromic, 20
 nucleated, 19
 nucleated (NRBC), 17
 nucleation, 25
 parasitization, 10, 26
 tear drop, 19
 Reed-Sternberg cell, 73, 80
 Reed-Sternberg-like cell, 41, 94, 100, 102, 104
 reptilase, 123
 reticulocyte, 6, 8, 15, 16, 19–20, 21, 23, 26
 reticuloendothelial cell, 21
 reticuloendothelial system, 22
 Rh null disease, 24, 26
 Rh polypeptide, 27
 rheumatoid factor, 91, 101
 ribonucleoprotein, 19
 ribosome, 19
 ristocetin, 36, 122, 124, 125
 rivaroxaban, 130
 RNA, 19, 21, 26, 100
 Romanowsky-type stains, 54
 Rosai-Dorfman disease, 39, 43
 S protein, 116, 117, 118, 128, 129, 130
 sarcoidosis, 18, 42
 satellitosis, 118
 schistocyte, 26, 115, 118, 130
 Scott syndrome, 122
 Sebastian syndrome, 36, 127
 seroma, 88, 103
 serotonin, 126, 128
 serotonin release assay, 126
 serous atrophy, 19
 serum creatinine, 128
 serum immunofixation, 72, 79
 serum kappa chain, 72
 serum protein electrophoresis, 72, 79
 Sézary cell, 98
 Sézary syndrome, 85, 91, 97, 98
 SH (sulphydryl) radical, 24
 shingomyelinase, 18
 Shwachman-Diamond syndrome, 23, 36
 sickle cell, 25, 26
 sickle cell disease, 7, 12, 17, 18, 19, 22, 30, 31
 sickle cell trait, 25, 29, 31
 sickling disorder, 11, 12, 28, 29
 side scatter, 56, 57
 sideroblast, 8, 18, 20, 23, 51
 skin, 27, 91, 93, 98, 100, 101, *See also epidermotropism*
 dermal infiltrate, 82, 83, 93, 96, 99
 dermis, 97, 98, 99, 100
 epidermis, 97, 98, 99
 erythematous lesion, 84
 extranodal disease, 93
 granulomatous slack, 85, 98
 hair follicles, 97
 hyperpigmentation, 23, 100
 hypopigmentation, 96, 98, 100
 intraepidermal infiltrate, 99

Index

skin (*cont.*)
 lesion, 81, 86
 nodule, 93, 100
 papule, 93, 99, 100
 patch, 99
 plaque, 96, 99
 rash, 82, 83, 93, 101
 scale formation, 96
 subcutaneous tissue, 42
 ulceration, 99, 100
 solid organ transplant, 91, 95
 Southern Blot analysis, 90
 spectrin, 23, 27
 spectrin dimer-dimer interaction, 24
 spectrophotometry, 4, 17
 spherocyte, 23, 24, 25, 26, 27
 spleen, 7, 22, 24, 77, 79, 91, 93, 101
 autosplenectomy, 30
 hypoplasplenism, 22
 postsplenectomy syndrome, 26, 35, 37
 splenectomy, 31
 splenic atrophy, 22
 splenomegaly, 23, 36, 81, 82, 83, 86, 90,
 91, 130
 spongiosis, 97
 spurious erythrocytosis, 27
 stomatocyte, 24, 25
 stomatocytosis, 24, 25
 storage pool disorder, 37
 subacute combined degeneration of the
 spinal cord, 22
 succinyl CoA, 28
 sulfhemoglobin, 17
 supravitral stain, 19, 24
 syphilis, 42
 tactoid, 25
 tapeworm, 22
 target cell, 7, 11, 12, 20, 22, 25, 26, 29, 30
 T-cell, 54, 78, 79, 90, 93, 94, 97, 99, 100, 101,
 102, 104
 TGF- β , 126

thalassemia, 20, 21, 25, 28
 α, 11, 28, 29, 30
 β, 6, 20, 22, 28–29, 30
 δ, 29
 δ β, 29, 30
 thesaurocyte, 72, 79
 thrombin, 79, 110, 118, 122, 123, 124, 128,
 130
 thrombin time, 110, 112, 123, 124, 130
 thrombin-activatable fibrinolysis
 inhibitor, 131
 thromboctyopenia
 heparin induced (HIT), 113
 thrombocytopenia, 66
 thrombocytopathia, 33, 37
 thrombocytopenia, 17, 26, 35, 36, 79, 83, 91,
 95, 123, 124, 127, 128
 heparin-induced (HIT), 113, 118, 126,
 127, 130
 macrothrombocytopenia, 127, 128
 thrombocytosis, 20, 33, 37, 58
 thromboelastogram (TEG), 109, 112, 113,
 123
 thromboplastin time, 112
 thrombopoietin, 16
 thrombosis, 113, 118, 125, 126, 130, 131,
 132
 thrombospondin, 126
 thromboxane 2, 122
 ticlopidine, 128
 tissue factor pathway inhibitor, 131
 tissue hypoxemia, 28, 30
 total iron binding capacity (TIBC)
 test, 20
 Toxoplasma gondii, 38, 41–42
 toxoplasmosis, 42
 tranexamic acid, 131
 transcobalamin, 21, 22
 transferrin, 15, 20, 79
Treponema pallidum, 42
 trisomy 21, 59
Tropheryma whipplei, 42

Trousseau's syndrome, 127, 130
 tuberculosis, 18
 Turner's syndrome, 27
 tyrosine kinase, 60, 103
 urea clot lysis test, 110, 123
 uremia, 37, 128
 vascular endothelial growth factor
 (VEGF), 126
 vasculitis, 27, 42, 127
 velocardiofacial syndrome, 36, 128
 venepuncture, 17
 venous thromboembolism, 119, 131
 violaceous swelling, 115
 viscoelastic test, 109
 vitamin B12, 7, 8, 21–23, 25
 vitamin deficiency, 95
 vitamin K, 116, 129, 130
 Vitamin K, 128
 Von Willebrand's disease (VWD), 37, 107,
 110, 111, 112, 115, 122, 124, 125,
 127
 VZV, 93
 Waldenstrom's macroglobulinemia, 27,
 77, 80
 warfarin, 118, 124, 125, 129, 130
 Warthin-Finkeldey giant cell, 41, 42
 Warthin-Starry stain, 41
 Weibel-Palade body, 127
 white blood cell (WBC) count, 5, 17, 19, 56,
 57, 58, 59, 61, 79
 Williams trait, 129
 Wiskott-Aldrich syndrome, 35, 36, 127
 Wolfram syndrome, 21
 Woringer-Kolopp disease, 98
 Wright-Giemsa stain, 17, 37, 54
 zeta potential, 6, 19
 Zieve's syndrome, 23
 zinc, 15, 21