

Cambridge University Press

978-1-316-50988-3 - The Physiology of Reproduction in Fungi

Lilian E. Hawker

Index

[More information](#)

## INDEX

- Absidia*  
*glauca*, 84  
*spinosa*, 78
- Acaulium nigrum*, 64
- Achlya*, 86–9, 95  
*ambisexualis*, 71, 86  
*bisexualis*, 86  
*colorata*, 29
- aconitase, 74
- adenine, 29, 64, 65, 71
- aeration, effect on sclerotia, 20  
 effect on sporulation, 33–5  
 of soil, 103
- algae, as source of growth-substance, 85
- Allomyces*, 96, 97, 98  
*cystogena*, 96  
*javanicum*, 96  
*moniliformis*, 96
- Alternaria solani*, 37
- amino acids, 61, 88
- ammonia, 33, 34, 60
- ammonium salts, 21, 60
- ammonium sulphate, 18, 69
- ammonium tartrate, 57
- anastomosis of hyphae, 77, 93
- antheridia, 76, 85, 86, 87–9, 93, 95
- antheridial hyphae, 86–9
- antibiotic substances, 19, 37
- antirrhinum rust, 105
- apothecia, 38, 40, 44, 58, 78
- arabinose, 53, 55
- arabo-furanose, 55
- Arcangeliella*, 10
- Armillaria mellea*, 23
- Arthrobotrys oligospora*, 50
- asci, 26, 29, 90  
 ‘crossed’, 94
- Ascobolus*, 33, 70  
*magnificus*, 78, 93
- Ascochyta rabiei*, 25
- ascogenous hyphae, 76
- ascogonia, 41, 76
- ascospores, 25, 42, 56, 59, 90, 92, 99
- asparagine, 21, 51, 57, 60
- aspartic acid, 21
- Aspergillus*, 16, 17, 27, 46  
*fumigatus*, 56  
*nidulans*, 94, 99  
*niger*, 63, 64, 70, 90
- Asterodon*, 14
- auxin, 85
- α-ketoglutarate, 74  
 oxidase, 97
- Barbituric acid, 88
- barium, 62
- ‘barrage sexuel’, 94
- barriers to growth, 38
- bicarbonate, 74
- biotin (vitamin H), 29, 64, 65, 67, 68, 69, 70, 90
- Blakeslea trispora*, 52
- Blastocladia bringheimiana*, 34
- Blastocladilla*, 98  
*emersonii*, 74, 96, 97  
*variabilis*, 96
- Blastomyces dermatitidis*, 17
- Bombardia lunatus*, 93
- Botrytis*, 23, 34, 73  
*allii*, 15, 19  
*cinerea*, 15, 19, 20, 21, 32, 34, 60
- Bremia lactucae*, 30
- brown rot of fruits, 104
- Bulgaria inquinans*, 10
- Calcium, 37, 62  
 chloride, 62
- Candida albicans*, 17
- carbohydrate, 21, 22, 23, 52–7  
 concentration of, 54 (Fig. 3)
- carbon, 18, 20, 21, 22, 52–7  
 dioxide, 34, 35
- carbon-nitrogen ratio, 21–3, 57–61
- carotene, 44, 95, 96, 98
- carotenoids, 44, 63, 95, 96
- casein, 21  
 hydrolysate, 58
- Cephalothecium*  
*gregalium*, 52  
*roseum*, 39
- Ceratostomella fimbriata*, 27, 69, 71, 91
- Chaetomium*  
*convolutum*, 69  
*globosum*, 36, 37, 38, 56, 62
- chemotropism, 88  
 of trichogyne, 93
- chlamydospores, 18–19, 36
- Choanephora*, 44  
*cucurbitarum*, 25, 29, 31, 34, 39, 41, 45, 71, 95
- chromatography, paper, 56
- Cladosporum fulvum*, 105
- clamp connexions, 93
- Clathrosphaerina*, 34
- Clavaria* spp., 9
- Claviceps*, 9
- cleistocarps, 25, 26, 36, 91, 94
- co-carboxylase, 67

Cambridge University Press

978-1-316-50988-3 - The Physiology of Reproduction in Fungi

Lilian E. Hawker

Index

[More information](#)

- Collybia velutipes*, 32, 35, 36, 51, 57, 60, 70  
concentration, of nutrients, 49–52  
conidia, 25, 26, 30, 31, 36, 39, 40, 44,  
50, 64, 99  
shape and septation, 60  
conjugation, of Mucorales, 80–4  
of yeast, 70, 90  
contact, stimulus of, 38, 88, 103  
‘contaminant’, effect on sporulation, 66  
copper, 63  
*Coprinus*, 40, 43, 57  
*congregatus*, 57  
*ephemerus*, 32, 70  
*lagopus*, 49  
*sassii*, 60  
*sterquilinus*, 41  
cultures, mixed, 65  
monosporic, 77  
cysteine, 18, 21  
cystine, 21  
*Cystogenes*, 96  
*Cytosporina*, 60  
*ludibunda*, 95  
cytoplasmic exchange of swarmers, 97  
cytoplasmic inheritance, 99  
*Daldinia concentrica*, 40  
dark adaptation, 43  
*Debaryomyces* spp., 29  
decarboxylation, oxidative, 74  
*Diaporthella*, 60  
*phaseolorum*, 42  
dicarboxylic acids, 88  
dicaryon, 76  
*Dictyuchus monosporus*, 86  
diphenylamine, 96  
diploidization, 78  
Egg albumin, 21  
*Elaphomycetes* spp., 9  
Elaphomycetaceae, 104  
*Endomyces*, 2, 10, 16  
*Endomycopsis capsularis*, 17  
enzyme systems, growth-substances as  
components of, 64  
trace elements as components of,  
63  
*Erysiphe polygoni*, 40  
esters, phosphate, 55, 56  
*Eudallomyces*, 96  
*Eurotium*, 10, 27  
*herbariorum*, 25, 36  
*repens*, 26  
*rugulosum*, 36  
Factor Z, 70  
fertile strains of *Melanospora destruens*, 99  
fertilization, hormonal control of, 88  
filtrates from paired cultures, 85  
flavin, absorption of light by, 43, 44  
*Fomes*, 4  
*levigatus*, 14  
forecasting of disease epidemics, 104  
fructose, 52, 53  
furanose, 55  
fructose diphosphate, 55  
fructose-1:6-diphosphate, 56  
fruit-bodies, 4, 12–14  
abnormal, 32, 35, 43  
of agarics, 57  
dwarf, 57  
fleshy, 31  
subterranean, 103  
woody, 31  
xeromorphic, 32  
fruit bodies, production of, in natural  
habitat, 102  
fumaric acid, 83  
fungi, hypogeous, 103  
fungicides, 34, 37  
*Fusarium* spp., 18, 34, 39, 43, 60, 61  
*coeruleum*, 34  
*culmorum*, 90  
*discolor sulphureum*, 44  
*fructigenum*, 25, 37, 56, 61  
*moniliforme*, 65  
*oxysporum*, 64  
*solanii*, 19  
*vasinfectum*, 61  
Galactose, 53  
gallium, 63  
gametangia, 81, 96  
gametangial initials, 80  
‘gamma’ factors, 97  
*Ganoderma*, 4  
*applanatum*, 31  
gelatine, 60  
gemmae, 19  
*Genea sphaerica*, 8  
*Geoglossum*, 9  
geographical races, 79  
*Glomerella cingulata*, 92  
glucose, 18, 21, 25, 51, 52, 53, 54, 55,  
56, 57, 70  
concentration of, 22  
glucose-1-phosphate, 55, 56  
glutamic acid, 21  
glutaric acid, 70, 88, 90  
glycine, 21  
glycocol, 21  
glycogen, 55  
*Gnomonia*, 36  
*erythrostroma*, 50  
*intermedia*, 26  
*vulgaris*, 26  
gravity, 45  
growth-substances, 23, 57, 64–71  
guanine, 64, 70, 71  
*Helicobasidium purpureum*, 22  
*Helicodendron*, 34  
*Heliscus aquaticus*, 8  
*Helminthosporium gramineum*, 45

- heterocaryosis, 77  
 heterothallism, 77–9, 80, 81, 89, 91  
     bipolar, 78  
     incomplete, 92  
     relative, 94  
     tetrapolar, 78  
 hexose phosphates, 55, 62, 67  
 hexose sugars, 53  
 histamine, 80  
 hormone *A*, *A<sup>1</sup>*, *A<sup>2</sup>*, *A<sup>3</sup>*, 88, 89  
 hormone *B*, 88, 89  
 hormone *C*, 88, 89  
 hormone *D*, 88, 89  
 hormones, inactivation of, 91  
     in Mucorales, 83  
     sex, 79–95  
 humidity, 20, 30–3  
     interaction with light, 44  
 hybridization, imperfect, 78  
     in *Phytophthora*, 85  
 hydantoin, 88  
*Hydnangium*, 10  
     *carneum* var. *xanthosporum*, 8  
*Hydnobolites cerebriformis*, 8  
 hydrogen peroxide (as oxidizing agent), 45  
 hydrogen-ion concentration, 27, 39, 51, 68  
     effect on sclerotia, 20  
     effect on sporulation, 35–7  
     of soil, 103  
*Hymenogaster*, 10  
     *luteus*, 104  
     *olivaceus*, 104  
     *tener*, 8, 104  
 hypogeous fungi, 38, 103  
 hypoxanthine, 64, 70, 71  
*Hysterangium*, 10  
     *nephriticum*, 8  
 Inhibiting substances, 23  
 inhibitor, 58  
 injury, mechanical, 37–8  
 inositol, 67, 71  
 interfertility between strains, 79  
 inulin, 49, 53, 55  
 invertase, 55  
 iron, 63  
 isogametes, 96  
 Jute extract, 56  
     calcium in, 62  
 Lactose, 53, 55  
*Lemonnieria aquatica*, 8  
 lentil extract, 66  
*Lentinus lepideus*, 43  
 leucine, 21  
 light, blue, 44  
     effect on sclerotia, 20  
     effect on sporulation, 38  
     red-yellow, 44  
     ultra-violet, 37, 44  
 lithium chloride, 63  
 lysine, 21  
 Magnesium, 61  
     sulphate, 61  
*Magnusia*, 31  
 malonic acid, 88  
 maltose, 53, 55, 70  
 manganese, 63  
 mannitol, 55  
 melanin, 73, 96  
*Melanogaster variegatus*, 18  
*Melanospora*, 56, 66  
     *damnosae*, 90  
     *destruens*, 25, 35, 37, 38, 43, 50, 52,  
         53, 54, 55, 56, 57, 66, 67, 68, 69,  
         71, 72, 90, 99  
     *pampaneae*, 65  
 metabolism, 71–5  
 methionine, 21  
*Microsphaera quercina*, 105  
 mildew, downy, 30, 40, 50  
     powdery, 31  
 mitochondria, 97  
 molybdenum, 63, 64  
*Monilia*, see *Sclerotinia*  
*Monilia fructigena*, 104  
 morphogenesis, 71  
*Mucor*, 2, 16, 17, 39, 46, 71, 72, 73, 83,  
     95  
     *flavidus*, 39  
     *hiemalis*, 32, 78, 80, 81  
     *mucedo*, 34, 80, 82  
     *parasiella*, 84  
     *racemosus*, 18, 26  
     *sexualis*, 25, 26, 28, 71  
 multiple allelomorphs, 79  
 mummied fruits, 104  
 mushroom, 14, 35  
 mutants of *Neurospora*, 61  
 mycelium, exhaustion of, 103  
 mycorrhizal fungi, 103  
*Mycosphaerella pinodes* 36  
 Natural habitat, reproduction in, 100–6  
*Neurospora*, 56, 61, 63, 78, 91, 98  
     *crassa*, 28, 58, 59, 73  
     *sitophila*, 33, 90, 93  
 nitrogen, source of, 18, 21, 22, 57–61  
 nuclei, pairing of, 76  
 nucleic acid, 71  
 nutrients, concentration of, 49–52  
 nutrition, effect on sclerotia, 20–3  
     effect on sporulation, 48–75  
 Oak mildew, 105  
 oatmeal agar, 31  
 oidia, 16–18  
 oogonia, 31, 85–9, 95  
 oogonial initials, 86, 87, 89  
 oospheres, differentiation of, 89

- oospores, 26, 71, 85, 89
  - hybrid, 85
- oxygen, 33, 35
  - consumption of, 81
- Paramecium*, 97
- parasites on fungi, 84
  - on plants, 17, 104–6
- pathogens, animal, 17
- Penicillium*, 32
  - javanicum*, 36
  - luteum*, 91
- peptone, 21, 22, 60
- periodicity, diurnal, 40
- perithecia, 25, 26, 27, 28, 35, 36, 38, 42, 50, 51, 52, 53, 55, 56, 57, 59, 68, 90, 91, 99
- Peronospora*
  - destructor*, 30
  - parasitica*, 29
- Pezizales, 9
- pH, see hydrogen-ion concentration
- Phomopsis*, 60
- phosphates, 61–2, 95
- phosphoglyceric acid, 56
- phosphorus, 61–2
- phosphorylation of carbohydrates, 55
- Phycomyces*, 42, 44, 73
  - blakesleeanus*, 11, 12, 27, 32, 37, 52, 58, 60, 70, 72, 80, 81, 95
  - nitens*, 32, 80
- Phyllosticta* sp., 39
- Phymatotrichum omnivorum*, 19, 23
- phytofluene, 96
- Phytophthora*, 31, 71, 89
  - arecae*, 84
  - cactorum*, 31
  - capsici*, 85
  - cinnamomi*, 85
  - colocasiae*, 85
  - cryptogea*, 85
  - drechsleri*, 85
  - faberi*, 84
  - infestans*, 30, 104
  - meadii*, 85
  - omnivora*, 84
  - palmivora*, 85
  - parasitica*, 84, 85
- pigmentation of spores, 63
- Pilobolus*, 40, 43, 44
  - crystallinus*, 80
  - microsporus*, 26, 43
- pimelic acid, 88
- Piricularia oryzae*, 34, 71
- planozygotes, 96
- plant extracts, 60
- plant pathogens, 104–6
- Plectascales, 9
- Plenodomus fuscomaculans*, 33, 45
- polyphenol oxidase, 63
- polyenes, 96
- Polyporellus brumalis*, 32, 35, 44, 46
- polypores, 50, 105
- Polyporus*
  - brumalis*, 33, 35
  - squamulosus*, 43
- Polystictus xanthopus*, 13
- potassium, 61
  - nitrate, 21, 58, 61
- potato blight, 104
- predacious fungi, 50
- protoperithecia, 28, 58
- Pseudomonas saccharophila*, 55
- pseudomycelium, 16
- Pseudoperonospora humuli*, 29
- pseudothecia, 36
- Puccinia*
  - antirrhini*, 105
  - graminis*, 6
- purines, 29, 64, 70, 71
- pycnidia, 33, 36, 45, 95, 98
- pyridoxine, 64, 65
- pyrimidine, 22, 67, 68
- Pyronema confluens*, 37, 38, 40, 44, 49, 54, 58
- pyruvic acid, 69
  - decarboxylation of, 67
- Pythium*, 30, 31, 71
- Raffinose, 53, 55
- rainfall, effect of, 102, 103
- Ramularia vallisumbrosae*, 32
- reduction division, 77
- reproduction, by spores, 3–5
  - vegetative, 2
- respiration, 46, 56, 67, 81
- riboflavin, 70, 90
- Rhizoctonia*, 23
  - solanii*, 15, 19, 20, 22
- rhizomorphs, 23
- Rhizophlyctis*, 97
- Rhizopus nigricans*, 64, 80, 83
- rhythmic response, 40
- Saccharomyces cerevisiae*, 26, 56, 90
- Saccobolus depauperatus*, 70
- Saprolegnia*, 49, 86
  - ferax*, 88
  - mixta*, 26
- Sapromyces reinschii*, 86
- Schizophyllum commune*, 70, 94
- Schizosaccharomyces pombe*, 91
- sclerotia, 19–23
  - development of, 14–15
- sclerotial production, 60
- Sclerotinia*, 23
  - fructicola*, 39
  - fructigena*, 39
  - gladioli*, 15, 19, 78
  - sclerotiorum*, 21
  - trifoliorum*, 21

- Sclerotium*  
*cepivorum*, 15  
*rolfsii*, 15, 19, 20, 21, 22
- Sepedonium chrysogenum*, 18
- sex, determination of, 95–8  
 physiology of, 76–99
- sex hormones, 79–95
- sexual anomalies, 89
- sexuality, loss of, 98–99
- smuts, 18  
 heterothallism in, 79
- soil conditions, effect of, 103
- soil moisture, 103  
 effect on sclerotia, 20
- soil temperature, 103
- Sordaria destruens*, 25; and see *Melanospora*  
*fimicola*, 35, 68, 72
- Sphaerographium fraxini*, 45
- Sphaeropsidales*, 49
- Sphaeropsis malorum*, 98
- Sphaerotheeca humuli* var. *fuliginea*, 31
- sporangia, 11, 12, 25, 26, 30, 39, 44, 52, 105  
 of *Phycomyces*, 11–12  
 resting, 34, 74, 96
- sporangioles, 44, 52
- sporangiophores, effect of light on, 42–4  
 of *Phycomyces*, 11
- spore discharge, 6
- spore dispersal, 45  
 type, effect of concentration on, 52
- spore-bearing structures, growth of, 7–15
- spores, dwarf, 92  
 functions of, 5–6  
 growth of, 7–11
- Sporodinia grandis*, 25, 26, 27, 32, 52
- sprout mycelium, 16
- staling factors, 66
- starch, 18, 53, 55
- Stephanospora*, 10
- sterile mutants of *Melanospora destruens*, 99
- stimulus, air-borne, 82
- strains, complementary, 79  
*plus* and *minus*, 78, 80, 82, 83, 94  
 self-fertile, 84, 92  
 self-sterile, 92
- strontium, 62
- sucrose, 25, 51, 53, 54, 55, 56, 57  
 inversion of, 55
- sugar, hexose, 18, 55  
 reducing, 18
- sulphites, 61
- sulphur, 61–2
- swarmers, 97
- Szygites*, see *Sporodinia*
- Taphrina*, 17, 18  
*deformans*, 40
- telemorphosis, 80
- teleutospores, 105
- temperature, effect of in natural habitat, 102, 103  
 effect on sclerotia, 19  
 effect on sporulation, 24–9
- Thamnidium elegans*, 44, 52
- thiamin, 22, 29, 64, 65, 67, 68, 69, 70, 71, 90  
 components of, 22, 67
- thiazole, 22, 43, 67
- thigmotropism, 89
- Thraustotheca*, 89  
*primoachlya*, 86
- tomato mould, 105
- toxins, effect on sporulation, 37
- trace elements, 63–4
- translocation, 38, 46
- Trichoderma viride*, 34, 62
- trichogyne, 76, 93
- truffles, 10, 103
- tryptophane, 21
- tyrosinase, 73
- tyrosine, 21
- Tuber*, 9, 10
- Tuberales, 104
- Urea, 21, 61
- uredospores, 105
- Ustilago maydis*, 29  
*nuda*, 94
- Valine, 21
- vegetative reproduction, physiology of, 16–23
- ventilation of glasshouses, 105
- Venturia inaequalis*, 50  
*pyrina*, 31, 50
- vitamin B<sub>1</sub>, see thiamin
- vitamins, 64–71
- Water, effect on sporulation, 30–3
- water moulds, 19, 30, 90  
 sex hormones of, 86–9
- Yeast, baker's, 34  
 utilization of sucrose by, 55
- Zinc, 63, 64
- zonation, 25, 39
- zone of restraint, 80
- zoosporangia, 26, 30, 34, 74, 96
- zoospores, 3, 74
- zygophore, 80, 82
- Zygorhynchus*, 71
- Zygosaccharomyces*, 90  
*acidifaciens*, 70
- zygospores, 25, 26, 27, 28, 29, 32, 58, 60, 64, 70, 71, 78
- zygotropism, 80