

Index

- AACE. *See* American Association of Clinical Endocrinologists (AACE)
 AAFP. *See* American Academy of Family Physicians (AAFP)
 AAP. *See* American Academy of Pediatrics (AAP)
 AAPD. *See* American Academy of Pediatric Dentistry (AAPD)
 Abdominal examinations, 122–5
 Abnormal uterine bleeding, effect on iron deficiency anemia screening, 155
 Abuse Assessment Screen-Disability (AAS-D), 71
 ACA. *See* Affordable Care Act (ACA)
 Academy of Breastfeeding Medicine (ABM), 275–6, 279
 Academy of Nutrition and Dietetics, 138, 139
 Accidents, 115–17
 ACOG. *See* American College of Obstetrics and Gynecology (ACOG)
 ACP. *See* American College of Physicians (ACP)
 ACR. *See* American College of Radiology (ACR)
 ACS. *See* American Cancer Society (ACS)
 ADA. *See* American Diabetes Association (ADA)
 Adaptive interventions, 46
 Adult Immunization Schedule, 100
 Advisory Committee on Immunization Practices (ACIP)
 on immunization, 99, 100, 103
 Medicaid and, 84
 Medicare and, 89
 on women's preventive health care, 86
 Affordable Care Act (ACA)
 overview, 82–3, 91–2
 breastfeeding counseling under, 277
 commercial insurance and, 84
 contraception counseling under, 182, 184
 contraception coverage under, 88–9, 183
 diet and nutrition screening and counseling under, 139
 enactment of, 82
 federal subsidies under, 83
 grandfathered plans under, 83
 guidelines and, 32
 individually purchased insurance and, 84
 individual mandate under, 83
 insurance coverage under, 58–9
 LGBT persons and, 65
 Medicaid and, 83, 84
 Medicare and, 82–3
 National Federation of Independent Business v. Sebelius (2012), 83
 objectives of, 82–3
 “pay for performance” (“P4P”), 82–3
 payment for well-women visits under, 82
 pre-existing condition exclusion, elimination of, 83
 state marketplaces, 83, 84, 85–6, 88, 91, 92
 tobacco use screening under, 256
 uninsured persons and, 85
 well-woman visits and, 1, 2, 7, 9
 women's preventive health care and, 86–8
 Age, effect on screening
 alcohol use, 251
 bacteriuria, 174
 breast cancer, 225
 cervical cancer, 209
 colorectal cancer, 216
 contraception counseling, 181
 depression, 240
 diabetes, 162
 diet and nutrition, 137
 domestic and intimate partner violence, 247
 drug use, 260–1
 dyslipidemia, 127–8
 fitness and exercise, 141–2
 genetic cancer screening, 233
 hearing, 107
 HIV, 196
 hypertension, 132
 immunization, 99
 injury prevention counseling, 115
 kidney disease, 171
 mental health and psychosocial screening, 270
 metabolic syndrome, 150
 obesity, 145–6
 osteoporosis, 158
 pelvic examinations, 122
 pelvic floor disorders, 177
 piercing and tattooing counseling, 119
 sexual health, 186
 sexually transmitted infections (STI), 200
 sleep disorders, 266
 tobacco use, 255
 vision, 104
 Agency for Healthcare Research and Quality (AHRQ)
 on breastfeeding counseling, 274
 on domestic and intimate partner violence screening, 248
 efficiency enhancement and, 57, 59
 Electronic Preventive Services Selector (ePSS), 55, 59
 guidelines, sources of, 32
 on Hepatitis screening, 191
 National Guideline Clearinghouse, 36
 prioritization of preventive care and, 55, 59
 SHARE approach, 44
 Agriculture Department (USDA), 137, 138, 139, 140
 AHA. *See* American Heart Association (AHA)
 AIDS screening. *See* HIV screening
 Alcohol use screening, 251–3
 kidney disease screening, effect of alcohol use on, 171
 oral cavity examination, effect of alcohol use on, 111
 AMA. *See* American Medical Association (AMA)
 Ambulatory blood pressure monitoring (ABPM), 133
 American Academy of Dermatology (AAD), 205, 206, 207

- American Academy of Family Physicians (AAFP)
 on bacteriuria screening, 174, 175
 on breast cancer screening and prevention, 226, 230
 on colorectal cancer screening, 216
 on depression screening, 240, 246
 on domestic and intimate partner violence screening, 248, 249
 on drug use screening, 261, 264
 on dyslipidemia screening, 128, 131
 efficiency enhancement and, 57, 59
 on genetic cancer screening, 234, 238
 guidelines, sources of, 36
 on hearing screening, 108–9
 on Hepatitis screening, 191
 on hypothyroidism screening, 167
 on mental health and psychosocial screening, 270, 272, 273
 on neural tube defect prevention, 283, 284–5
 on obesity screening, 146, 147
 on oral cavity examination, 111, 113
 on oral hygiene, 111, 114
 prioritization of preventive care and, 59
 on skin cancer screening, 205, 206, 207
 on tobacco use screening, 254–5
- American Academy of Otolaryngology, 108
- American Academy of Pediatric Dentistry (AAPD), 119, 120, 121
- American Academy of Pediatrics (AAP)
 generally, 5
 on alcohol use screening, 251
 on bacteriuria screening, 176
Breastfeeding and the Use of Human Milk, 275
 on breastfeeding counseling, 275, 276, 279
Breastfeeding Handbook for Physicians, 2nd Edition, 276, 279
 “Bright Futures” guidelines (See “Bright Futures” guidelines)
 on contraception counseling, 182, 183–4
 on depression screening, 240, 246
 on domestic and intimate partner violence screening, 248
 on drug use screening, 261, 263
 on dyslipidemia screening, 128, 130, 131
 guidelines, sources of, 36
 on injury prevention counseling, 115, 116, 117
 on iron deficiency anemia screening, 155, 156
 on mental health and psychosocial screening, 270, 271
 on neural tube defect prevention, 283, 284
 on obesity screening, 146, 147
 on oral cavity examination, 114
 on oral hygiene, 111, 114
 prioritization of preventive care and, 59
 on sexual health screening, 187
 on skin cancer screening, 205
 on tobacco use screening, 254–5
 on vision screening, 104, 106
 on women’s preventive health care, 86
- American Association of Clinical Endocrinologists (AACE)
 on diabetes screening, 163, 165
 on hypothyroidism screening, 167, 170
- American Board of Internal Medicine, 1
- American Cancer Society (ACS)
 on breast cancer screening and prevention, 2, 8, 226–7, 230
 on cervical cancer screening, 36–7, 209, 210, 211–13
 on colorectal cancer screening, 216, 218
 guidelines, sources of, 32, 36
 individual preferences, role in screening, 27
 on oral cavity examination, 111, 113
 on oral hygiene, 113
 on skin cancer screening, 205, 207
- American College of Cardiology
 on dyslipidemia screening, 128, 129–30, 131
 on hypertension screening, 134
 on obesity screening, 146
- American College of Endocrinology (ACE), 163, 165
- American College of Medical Genetics and Genomics, 235
- American College of Nurse Midwives, 240, 246
- American College of Obstetrics and Gynecology (ACOG). *See also* Well-Women Task Force (WWT)
 generally, 1, 3
 on abdominal examinations, 122–3, 125
 on alcohol use screening, 251, 252, 253
 on bacteriuria screening, 174, 176
 on breast cancer screening and prevention, 226
 on breastfeeding counseling, 47, 274, 275, 276, 278, 279
Breastfeeding Handbook for Physicians, 2nd Edition, 276, 279
 on cervical cancer screening, 36–7, 210, 213
 on coding, billing, and reimbursement, 58
 on colorectal cancer screening, 216, 218
 contraception and, 47
 on contraception counseling, 182, 183–4
 on depression screening, 240, 246
 on diet and nutrition screening and counseling, 140
 on domestic and intimate partner violence screening, 247, 248, 249
 on drug use screening, 261, 263, 264
 on fetal aneuploidy, 22
 on fitness and exercise screening and counseling, 144
 on genetic cancer screening, 234, 237, 238
 on gestational diabetes screening, 286–7, 288
 guidelines, sources of, 36
 on HIV screening, 197, 199
 on hypertension screening, 134
 on immunization, 100
 on incarcerated women, 78
 on mammography, 38
 Medicare and, 59, 90
 on mental health and psychosocial screening, 270, 272
 on neural tube defect prevention, 283, 285
 on obesity screening, 69, 146, 147, 149
 on oral cavity examination, 114
 on oral hygiene, 111, 114
 on osteoporosis screening, 159, 160
 on ovarian cancer screening, 28, 220, 221, 222
 patient-centered medical homes and, 57
 on pelvic examinations, 9, 122–3, 124, 125
 on pelvic floor disorder screening, 177, 179–80
 on piercing and tattooing counseling, 119, 120, 121
 on sexual health screening, 187, 188
 on sexually transmitted infection (STI) screening, 201–2
 on skin cancer screening, 205, 206, 207
 on sleep disorder screening, 266, 268
 on tobacco use screening, 254–5, 258
- American College of Physicians (ACP)
 on abdominal examinations, 122–3, 125

Index

- on colorectal cancer screening, 216
- guidelines, sources of, 32, 34
- on kidney disease screening, 172, 173
- on pelvic examinations, 9, 122–3, 125
- on sleep disorder screening, 266, 267, 268
- American College of Radiology (ACR)
 - on breast cancer screening and prevention, 226–7, 230
 - on colorectal cancer screening, 216, 218
 - on mammography, 37
- American Dental Association, 111
- American Diabetes Association (ADA)
 - on diabetes screening, 163, 165
 - on gestational diabetes screening, 2, 286–7
- Standards of Care, 163
- American Gastroenterological Association Institute, 234, 238
- American Geriatrics Society
 - on hearing screening, 108
 - on injury prevention counseling, 116
- American Heart Association (AHA)
 - on dyslipidemia screening, 128, 129–30, 131
 - on fitness and exercise screening and counseling, 142, 144
 - on hypertension screening, 134
 - on metabolic syndrome screening, 150–1, 153, 154
 - on obesity screening, 146
- American Journal of Obstetrics and Gynecology*, 290
- American Medical Association (AMA)
 - on depression screening, 240, 245
 - on HIV screening, 197, 199
 - on skin cancer screening, 206
- American Psychiatric Association, 64–5
- American Public Health Association
 - on hypertension screening, 134
 - on incarcerated women, 78
- American Society for Clinical Pathology (ASCP), 210, 213
- American Society for Colposcopy and Cervical Pathology (ASCCP), 209, 210, 213
- American Society of Nephrology (ASN)
 - on hypertension screening, 134
 - on kidney disease screening, 172, 173
- American Speech-Language-Hearing Association, 108, 109
- Americans with Disabilities Act, 69, 70
- American Thyroid Association (ATA), 167, 170
- Anemia screening, 155–6
- Anencephaly, 280
- Anticonvulsant medications, effect on neural tube defect prevention, 282
- Association of American Medical Colleges
 - on DSD, 67–8
 - on transgendered individuals, 67–8
- Association of Women's Health Obstetric and Neonatal Nurses (AWHONN), 240, 246
- Australia
 - breast cancer screening and prevention in, 52
 - cervical cancer screening in, 52
- Autonomic dysflexia (ADR), 71–2
- Baby-Friendly Hospital Initiative (BFHI), 277, 278
- Bacteriuria screening, 174–6
- Barriers to preventive care, 85–6
 - access to health care, 85–6
 - delivery, 86
 - education, 86
 - practical considerations, 52
- Beck Depression Inventory (BDI), 241–3
- BeforeandBeyond.org, 290
- Behavioral change. *See* Lifestyle modification and behavioral change
- Behavioral counseling, 20–1
- Behavioral economics, 46
- Behavioral Risk Factor Surveillance System (BRFSS), 52
- Billing. *See* specific type of screening
- Biopsies, effect on breast cancer screening and prevention, 225
- Birth control counseling. *See* Contraception counseling
- Bisexuals. *See* LGBT persons
- Blood donation, effect on HIV screening, 197
- Blood pressure screening. *See* Hypertension screening
- BMJ Clinical Evidence, 34
- Body mass index (BMI)
 - diabetes screening and, 162, 163
 - metabolic syndrome screening and, 153–4
 - obesity screening and, 146–7
- BRCA mutations, effect on screening
 - breast cancer, 229
 - genetic cancer screening, 234, 235, 237
 - ovarian cancer, 220, 221, 222
- Breast cancer screening and prevention, 224–30
 - overview, 18–19
 - in Australia, 52
 - ductal carcinoma in situ (DCIS) lesions, 26
 - guidelines, 37–8
 - hereditary breast and ovarian cancer (HBOC), genetic screening for, 232–3
 - for homeless women, 77
 - individual preferences, role of, 27
 - overdiagnosis and overtreatment, risk of, 26
 - for women with disabilities, 73
- Breast density, effect on breast cancer screening and prevention, 226
- Breastfeeding counseling, 274–9
 - lifestyle modification and behavioral change, 47–8
- “Bright Futures” guidelines
 - generally, 5
 - overview, 54
 - domestic and intimate partner violence screening and, 249
 - drug use screening and, 261, 264
 - dyslipidemia screening and, 128, 131
 - efficiency enhancement and, 57
 - injury prevention counseling and, 115, 116, 117
 - iron deficiency anemia screening and, 155, 156
 - mental health and psychosocial screening and, 271, 272
 - multiple visits, 54
 - prioritization of preventive care, 55
 - vision screening and, 105
- Caffeine use, effect on kidney disease screening, 171
- Calorie reduction, 138–9
- Cancer Intervention and Surveillance Modeling Network (CISNET)
 - breast cancer (*See* Breast cancer screening and prevention)
 - on breast cancer screening and prevention, 225
 - on colorectal cancer screening, 217
- Cancer screening and prevention
 - overview, 19
 - adolescents (13–18 years), 95
 - breast cancer (*See* Breast cancer screening and prevention)
 - cervical cancer (*See* Cervical cancer screening)
 - colorectal cancer, 214–18
 - genetic cancer screening, 232–8
 - hereditary cancer syndromes, 233
 - LGBT persons, cancer risk in, 67
 - mature women (46–64 years), 96–7
 - ovarian cancer (*See* Ovarian cancer screening)

- reproductive-aged women (19–45 years), 96
 sexual health screening, effect of cancer on, 186–7
 skin cancer, 204–7
 women older than 64 years, 97
 women with disabilities, screening of, 73
- Cardiovascular health
 adolescents (13–18 years), 95
 dyslipidemia screening, 127–31
 hypertension screening (*See* Hypertension screening)
 mature women (46–64 years), 96
 metabolic syndrome screening and, 150–4
 Pooled Cohort Equations CV Risk Calculator, 129–30
 reproductive-aged women (19–45 years), 96
 risk factors, 129
 women older than 64 years, 97
- Center for Epidemiologic Studies Depression Scale (CES-D), 241–3
- Centers for Disease Control and Prevention (CDC)
 ACIP (*See* Advisory Committee on Immunization Practices (ACIP))
 on alcohol use screening, 251, 252
 Behavioral Risk Factor Surveillance System (BRFSS), 52
 on breastfeeding counseling, 276, 279
The CDC Guide to Strategies to Support Breastfeeding Mothers and Babies, 276
 on cervical cancer screening, 38–9, 91, 213
 contraception and, 47
 on contraception counseling, 182, 183, 184
 on diabetes screening, 163
 on diet and nutrition screening and counseling, 139
 diphtheria and, 21
 on drug use screening, 261
 on fitness and exercise screening and counseling, 141, 142, 144
 guidelines, sources of, 8, 32, 34, 36
 on Hepatitis screening, 191
 on HIV screening, 195, 197, 198, 199
 on immunization, 99, 100
 implementation of preventive care and, 52
 on incarcerated women, 79
 on injury prevention counseling, 115, 116
 on iron deficiency anemia screening, 155
 on kidney disease screening, 172, 173
 Medical Eligibility Criteria (MEC), 182, 183, 184
 National Breast and Cervical Cancer Early Detection Program (NBCCEDP), 91
 National Diabetes Education Program, 163
 National Diabetes Prevention Program, 163
 on neural tube defect prevention, 281, 283, 284
 on obesity screening, 146
 payment for well-woman visits and, 92
 on pelvic floor disorder screening, 177, 179–80
 on preconception/interconception counseling, 289, 290
 on quality of life, 14
 “Recommendations for HIV Testing in Adults, Adolescents, and Pregnant Women in Health-Care Settings,” 197
 rubella and, 21
 Selected Practice Recommendations for Contraceptive Use (SPR), 182, 184
 on sexually transmitted infection (STI) screening, 201–2
 Stopping Elderly Accidents, Death and Injuries (STEADI) Initiative, 116, 117
 on tobacco use screening, 254–5, 256, 258
 on women’s preventive health care, 86
- Centers for Medicare and Medicaid Services (CMS)
 generally, 85
 on diet and nutrition screening and counseling, 139
 on DSD, 68
 on Hepatitis screening, 193
 on metabolic syndrome screening, 153
 on pelvic floor disorder screening, 177–8, 179–80
 Physician Quality Reporting System (PQRS), 177–8, 180
 resources from, 59
 on transgendered individuals, 68
- Cervical cancer screening, 208–13
 overview, 18–19, 24–5
 in Australia, 52
 guidelines, 36–7, 38–9
 for homeless women, 77
 overdiagnosis and overtreatment, risk of, 25–6
 payment for well-woman visits and, 91
 role of well-woman visit, 21
 for women with disabilities, 73
- Children’s Health Insurance Programs
 oral cavity examination and, 112–13
 oral hygiene and, 112–13
- Chlamydia. *See also* Sexually transmitted infection (STI) screening
 overview, 200
 among incarcerated women, 79
 coding, billing, and reimbursement, 202
 factors affecting screening, 200
 guidelines for screening, 201
 increased risk factors for, 201
 new developments affecting screening, 202
 procedures for screening, 201–2
 rationale for screening, 200
 screening, 24–5
- Cholesterol screening, 127–31
 metabolic syndrome screening and, 151–2
- ChooseMyPlate.gov, 139
- Choosing Wisely Initiative, 1
- Chronic kidney disease (CKD) screening, 171–3
- CISNET. *See* Cancer Intervention and Surveillance Modeling Network (CISNET)
- Claus model, 234–5
- Clinical workflow, practical considerations, 53
- “Closing the Gaps” recommendations, 86–8
- CMS. *See* Centers for Medicare and Medicaid Services (CMS)
- Cochrane Collaboration, 34
- Cochrane Handbook, 34
- Cochrane review
 generally, 13
 bacteriuria and, 174
 breast cancer screening and, 224
 breastfeeding counseling and, 274–5
 dyslipidemia screening and, 127
 shared decision making and, 44–5
 tobacco use screening and, 255
- Coding. *See specific type of screening*
- Collaboration, 15
- Colorectal cancer screening, 214–18
 for homeless women, 77
- Commercial insurance, 84
- Committee on Nutrition, 149
- Committee on Practice and Ambulatory Medicine, 106
- Committee on Preventive Services for Women
 on contraception counseling, 184

Index

- on domestic and intimate partner violence screening, 249
- Committee on Substance Abuse
 - on oral cavity examination, 114
 - on oral hygiene, 114
- Community Preventive Services Task Force, 205
- Comorbid conditions
 - diabetes screening, effect on, 162
 - hearing screening, effect on, 107
- Confidential and Covered Project, 92
- Contraception counseling, 181–4
 - adolescents (13–18 years), 95
 - Burwell v. Hobby Lobby Stores* (2014), 89
 - cost sharing and, 88
 - expedient exceptions processes and, 88–9
 - for homeless women, 77
 - for incarcerated women, 79
 - insurance coverage under Affordable Care Act, 88–9
 - intrauterine devices (IUDs), 77, 90–1
 - lifestyle modification and behavioral change, 46–7
- Long Acting Reversible Contraceptives (LARCs), 47
- mature women (46–64 years), 96
- medical management techniques and, 88
- osteoporosis screening and, 160
- payment for well-women visits and, 90–1
- religious employers, contraception and, 89
- reproductive-aged women (19–45 years), 96
- SHARE approach and, 47
- statistics regarding contraception, 89
- utilization controls and, 88
- for women with disabilities, 73–5
- Contraceptive CHOICE Project, 183
- Coronary heart disease, preventive health screenings for homeless women, 77
- Cost sharing, contraception and, 88
- Counseling
 - breastfeeding, 274–9
 - contraception (*See* Contraception counseling)
 - diet and nutrition, 137–40
 - injury prevention, 115–17
 - piercing and tattooing, 118–21
 - preconception/interconception counseling, 289–92
- CRAFFT, 262, 263
- CRC. *See* Colorectal cancer screening
- Dementia. *See* Mental health and psychosocial screening
- Dementia Screening Indicator, 271
- Dental care, 110–14
- Depression screening, 239–46
 - overview, 25
- DHHS. *See* Health and Human Services Department (DHHS)
- Diabetes screening, 161–5
 - bacteriuria screening, effect of diabetes on, 174
 - gestational diabetes (*See* Gestational diabetes screening)
 - for homeless women, 77
 - metabolic syndrome screening and, 150–4
 - neural tube defect prevention, effect of diabetes on, 282
 - payment for well-women visits, diabetes and, 90
- Diagnostic and Statistical Manual of Mental Disorders (DSM-5)
 - on depression screening, 240–1
 - on postpartum depression, 239
 - sexual health screening and, 187
- Diet and nutrition screening and counseling, 137–40
- Dietary Approaches to Stop Hypertension (DASH), 133–4
- Diethylstilbestrol (DES) exposure, effect on cervical cancer screening, 209
- Diphtheria, immunization for, 21, 99
- Disabilities, women with
 - overview, 69–70
 - Abuse Assessment Screen-Disability (AAS-D), 71
 - autonomic dysflexia (ADR) and, 71–2
 - cancer screening of, 73
 - contraception counseling for, 73–5
 - domestic and intimate partner violence screening, effect of disability on, 247
 - as medically underserved population, 69–70
 - mental health and psychosocial screening of, 70–1
 - patient history, importance of, 70
 - pelvic examinations of, 71–3
 - physical examinations of, 71–3
 - resources for, 81
 - sexually transmitted infection (STI) screening for, 73
 - statistics regarding, 70
- Disorders of sex development (DSD). defined, 64
- DSD friendly providers and practices, 67–8
 - resources on, 80
 - special considerations, 67
- Domestic and intimate partner violence screening, 247–9
 - for homeless women, 77
 - Task Force on, 8–9
- Drinking. *See* Alcohol use screening
- Drug use screening, 260–4
 - breastfeeding counseling, effect of drug use on, 275
 - for homeless women, 77
- DSD. *See* Disorders of sex development (DSD)
- DSM-5. *See* Diagnostic and Statistical Manual of Mental Disorders (DSM-5)
- Ductal carcinoma in situ (DCIS) lesions, 26
- Dyslipidemia screening, 127–31
 - metabolic syndrome screening and, 151–2
- Early diagnosis and prevention. *See also* Screening
 - overview, 18, 28–9
 - behavioral counseling, 20–1
 - effective interventions, 20
 - evaluation of screening tests, 21–3
 - individual preferences, role in screening, 27
 - learning objectives, 18
 - likelihood ratios, 22–3
 - motivational interviewing, 20–1
 - overdiagnosis, risk of, 25–6
 - overtreatment, risk of, 25–6
 - population-based strategies, 21
 - primary prevention, 18
 - risk status, importance in interpretation of test results, 24–5
 - role of well-woman visit, 20–1
 - screening guidelines, 18
 - secondary prevention, 18
 - tertiary prevention, 18
- Edinburgh Postnatal Depression Scale (EPDS), 241–3
- Efficiency enhancement, 57–8
- Eighth Joint National Committee on Prevention, Detection, Evaluation and Treatment of High Blood Pressure (JNC 8)
 - on hypertension screening, 134
 - on metabolic syndrome screening, 154
- Electronic health records, 52, 57–8
- Electronic Nicotine Delivery Systems (ENDS), 254, 255

- Elevated maternal temperature, effect on neural tube defect prevention, 282
- Enzyme-linked immunosorbent assay (ELISA), 22
- Epithelial ovarian cancer (EOC). *See* Ovarian cancer screening
- Ethnicity, effect on screening. *See* Race and ethnicity, effect on screening
- Evidence-based risk communication, 45–6
- Exercise screening and counseling, 141–4
- Expedient exceptions processes, contraception and, 88–9
- Factors impacting women's health, 5–7
- Falls, 115–17
- Familial adenomatous polyposis (FAP), effect on colorectal cancer screening, 216–17
- Family history, effect on screening
 breast cancer, 226
 colorectal cancer, 216–17
 diabetes, 162
 genetic cancer screening, 234
 hereditary breast and ovarian cancer (HBOC) and, 235
 Lynch syndrome and, 235
 skin cancer, 204
 vision, 104
- Family planning for LGBT persons, 66–7
- Family Violence Prevention Fund, 248
- FDA. *See* Food and Drug Administration (FDA)
- Federal Bureau of Prisons, 78
- Federal Genetic Information Nondiscrimination Act, 236
- Fetal aneuploidy screening, 21–2
- Fitness and exercise screening and counseling, 141–4
- Folic acid source, effect on neural tube defect prevention, 283
- Food and Drug Administration (FDA)
 on cervical cancer screening, 210
 intrauterine devices (IUDs) and, 181–2
 on oral cavity examination, 112
 on tobacco use screening, 16
- Fracture Risk Assessment Tool (FRAX), 159, 160
- Gail model, 227–8
- Gastroesophageal reflux disease (GERD), 266, 267
- GDM. *See* Gestational diabetes screening
- Genetic cancer screening, 232–8
- Geriatric Depression Scale (GDS), 241–2
- Gestational diabetes screening, 286–8
 overview, 22
 diabetes screening, effect on, 162
- Glaucoma screening, 104–6
- Glycemic control, effect on screening
 gestational diabetes, 286
 kidney disease, 171
- Gonorrhea. *See also* Sexually transmitted infection (STI) screening
 overview, 200
 among incarcerated women, 79
 guidelines for screening, 201
 increased risk factors for, 201
 procedures for screening, 201–2
 rationale for screening, 200
- GRADE ratings, 34
- GRADE Working Group, 36
- Guidelines. *See specific type of screening*
- Guttmacher Institute, 197
- HBOC. *See* Hereditary breast and ovarian cancer (HBOC)
- Health and Human Services Department (DHHS)
 Affordable Care Act and, 82
 AidsInfo website, 210
 on cervical cancer screening, 210
 on contraception, 88, 89
 on fitness and exercise screening and counseling, 142, 144
 guidelines, sources of, 5, 8, 32
 Indian Health Service (IHS), 85
 patient-centered medical homes and, 57
 Physical Activity Guidelines, 142
 on tobacco use screening, 254–5, 258
 on women's preventive health care, 86
- Health belief model, 42
- Health communication theory, 42
- Health maintenance
 abdominal examinations, 122–5
 adolescents (13–18 years), 95
 hearing screening, 107–9
 immunization, 99–103
 injury prevention counseling, 115–17
 mature women (46–64 years), 96
 oral cavity examination, 110–14
 oral hygiene, 110–14
 pelvic examinations, 122–5
 piercing and tattooing counseling, 118–21
 reproductive-aged women (19–45 years), 95–6
 vision screening, 104–6
 women older than 64 years, 97
- Health promotion, 41
- Health Resources and Services Administration (HRSA)
 generally, 3
 Medicaid and, 84
 Medicare and, 89
 National Committee for Quality Assurance Patient-Centered Medical Home Recognition, 86
 payment for well-women visits and, 90
 on women's preventive health care, 87
- Healthy People 2010, 69
- Healthy People 2020, 14
- Hearing Handicap Inventory for the Elderly-Screening (HHIE-S), 108
- Hearing screening, 107–9
- Hepatitis screening, 190–4
 generally, 202
 homeless women, preventive health screenings for, 77
 piercing and tattooing counseling and, 119
- Hereditary breast and ovarian cancer (HBOC)
 family history and, 235
 genetic screening for, 232–3, 234
- Hereditary nonpolyposis colorectal cancer (HNPCC)
 colorectal cancer screening, effect on, 216–18
 ovarian cancer screening, effect on, 220, 222
- High blood pressure screening. *See* Hypertension screening
- Hip fracture screening, 19–20
- HIV-1 antigen, 195–6, 198
- HIV-1 p-24 antigen, 195–6
- HIV-2 antigen, 195–6, 198
- HIV screening, 195–9
 generally, 202
 overview, 22
 among incarcerated women, 79
 cervical cancer screening for women with HIV infection, 213
 homeless women, preventive health screenings for, 77
- HNPCC. *See* Hereditary nonpolyposis colorectal cancer (HNPCC)
- Homeless women
 overview, 75
 clinical encounters, guidelines for, 76
 contraception counseling for, 77
 health, effects of homelessness on, 75
 as medically underserved population, 75
 optimizing health care for, 75–6
 pregnancy and, 78

Index

- preventive health screenings for, 77
 reproductive health care for, 76–8
 resources for, 81
 securing housing to improve health, 78
 statistics regarding, 75
 HPV. *See* Human papillomavirus (HPV)
 HRSA. *See* Health Resources and Services Administration (HRSA)
 Human immunodeficiency virus (HIV) screening. *See* HIV screening
 Human papillomavirus (HPV). *See also* Cervical cancer screening
 immunization for, 99, 100, 102
 oral cavity examination, effect on, 110–11, 112
 Hyperglycemia measurement in metabolic syndrome screening, 152
 Hyperlipidemia, effect on kidney disease screening, 172
 Hypertension screening, 132–5
 for homeless women, 77
 kidney disease screening, effect of hypertension on, 171
 lifestyle modification and behavioral change, 48
 metabolic syndrome screening and, 152
 Hypothyroidism screening, 167–70
 Hysterectomy
 abdominal examinations, effect on, 122
 cervical cancer screening, effect on, 209
 pelvic examinations, effect on, 122
 IDSA. *See* Infectious Diseases Society of America (IDSA)
 Immunization, 99–103
 for homeless women, 77
 for LGBT persons, 66
 Immunization Action Coalition, 100
 Implementation of preventive care, practical considerations, 52
 Incarcerated women
 contraception for, 79
 as disadvantaged, 78
Estelle v. Gamble (1976), 78
 lack of standards regarding health care, 78
 as medically underserved populations, 78–80
 mental health of, 79
 pregnancy and, 80
 resources for, 81
 sexually transmitted infection (STI) screening for, 79, 200
 “sick call” basis of health care, 78–9
 statistics regarding, 78
 Incontinence screening, 177–80
 Indian Health Service (IHS), 85
 Individually purchased insurance, 84
 Infectious diseases
 adolescents (13–18 years), 95
 Hepatitis screening (*See* Hepatitis screening)
 HIV screening (*See* HIV screening)
 mature women (46–64 years), 96
 reproductive-aged women (19–45 years), 96
 sexually transmitted infection (STI) screening (*See* Sexually transmitted infection (STI) screening)
 women older than 64 years, 97
 Infectious Diseases Society of America (IDSA)
 on bacteriuria screening, 174–5, 176
 on cervical cancer screening, 213
 Inflammatory bowel disease, effect on colorectal cancer screening, 216
 Injury prevention counseling, 115–17
 Institute of Medicine (IOM)
 “Closing the Gaps” recommendations, 86–8
 on diet and nutrition screening and counseling, 137–8, 139, 140
 on domestic and intimate partner violence screening, 247–8
 on DSD, 68
 guidelines, sources of, 5, 8, 32, 36
 on patient-centered care, 42–3
 on preconception/interconception counseling, 289, 290, 292
 on preventive well woman care, 7
 on transgendered individuals, 68
 on women’s preventive health care, 86–8
 Women’s Preventive Services section, 5
 Insurance coverage
 under Affordable Care Act, 58–9
 commercial insurance, 84
 evaluation and management (E/M) services, 59
 individually purchased insurance, 84
 LGBT persons and, 65
 Medicaid (*See* Medicaid)
 Medicare (*See* Medicare)
 under Medicare, 59
 practical considerations, 58–9
 uninsured persons, 85
 Integrated behavior model, 42
 Interconception counseling, 289–92
 tobacco use screening, effect on, 255
 Internal Revenue Code, 89
 International Agency for Research on Cancer, 205
 International Diabetes Foundation (IDF), 150–1
 Intimate partner violence screening, 247–9
 for homeless women, 77
 Task Force on, 8–9
 Intrapartum care, breastfeeding counseling, 276
 Intrauterine devices (IUDs)
 Food and Drug Administration and, 181–2
 homeless women and, 77
 payment for well-women visits and, 90–1
 IPV screening. *See* Domestic and intimate partner violence screening
 Iron deficiency anemia screening, 155–6
 IUDs. *See* Intrauterine devices (IUDs)
 JNC 8. *See* Eighth Joint National Committee on Prevention, Detection, Evaluation and Treatment of High Blood Pressure (JNC 8)
 JNC 7. *See* Seventh Joint National Committee on Prevention, Detection, Evaluation and Treatment of High Blood Pressure (JNC 7)
 Joint Commission (JCAHO)
 on breastfeeding counseling, 274
 on DSD, 68
 on transgendered individuals, 68
 Kaiser Family Foundation, 83–4, 92
 Keloid scarring, effect on piercing and tattooing counseling, 119
 Kidney disease screening, 171–3
 LactMed, 275
 La Leche League, 276, 279
 LARCs. *See* Long Acting Reversible Contraceptives (LARCs)
 LGBT persons
 adolescents and youth, 66
 adults, 66
 cancer risk in, 67
 cisgender defined, 64
 denial of health care services, 65
 domestic and intimate partner violence screening for, 248, 249
 DSD (*See* Disorders of sex development (DSD))
 family planning for, 66–7
 gender expression defined, 64
 gender identity defined, 64
 gender nonconforming defined, 64
 historical background of medical treatment, 64–5

- immunization for, 66
- insurance coverage and, 65
- late adults and elders, 66
- mental health and psychosocial screening of, 270
- physical examinations for, 66
- preventive care for, 65–6
- resources for, 80
- screening for, 66
- sexual health screening for, 186
- sexually transmitted infection (STI) screening for, 67, 201
- sexual orientation defined, 63–4
- sexual practice distinguished from sexual orientation or gender identity, 64
- transgender individuals (*See* Transgender individuals)
- transgender men, issues affecting, 67
- transsexual defined, 64
- transvestite defined, 64
- Life stages of well-woman visits
 - overview, 95
 - adolescents (13–18 years), 95
 - mature women (46–64 years), 96–7
 - reproductive-aged women (19–45 years), 95–6
 - women older than 64 years, 97
- Lifestyle modification and behavioral change
 - overview, 41, 49
 - adaptive interventions, 46
 - assessing readiness to change, 46
 - behavioral change theories, 42
 - behavioral economics for decision-making and health behavior change, 46
 - breastfeeding counseling and, 47–8
 - contraception and, 46–7
 - decision support, 44–5
 - evidence-based risk communication, 45–6
 - health belief model, 42
 - health communication theory, 42
 - hypertension screening and, 48, 134
 - integrated behavior model, 42
 - learning objectives, 41
 - motivational interviewing, 46
 - obesity and, 48
 - operationalizing shared decision-making, 44–5
 - preconception/interconception counseling and, 290
 - providers, role of, 41
 - resources, 48–9
 - SHARE approach, 44
 - shared decision-making, 42–4
 - social cognitive theory, 42
 - social ecological model, 42
 - theoretical domains framework, 42
- Likelihood ratios, 22–3
- Long Acting Reversible Contraceptives (LARCs), 47, 182, 183–4
- Loud noise exposure, effect on hearing screening, 107
- Lupus, effect on kidney disease screening, 172
- Lynch syndrome
 - family history and, 235
 - genetic screening for, 232–3, 234, 238
- Major depressive disorder (MDD), 241, 242
- Mammography. *See also* Breast cancer screening and prevention
 - in breast cancer screening and prevention, 224–5, 227
 - guidelines, 37–8
- March of Dimes, 283, 285
- Maternal infections, effect on breastfeeding counseling, 275
- Maternal medications, effect on breastfeeding counseling, 275
- Matthew Shepard Act, 65
- MCI. *See* Mild cognitive impairment (MCI)
- Measles, 21
- Medicaid
 - Affordable Care Act and, 83, 84
 - alcohol use screening and, 252
 - cervical cancer screening and, 91
 - diet and nutrition screening and counseling and, 139
 - Hepatitis screening and, 193
 - oral cavity examination and, 112–13
 - oral hygiene and, 112–13
 - payment for well-women visits, 84–5
 - tobacco use screening and, 256
- Medically underserved populations
 - overview, 63, 80
 - disabilities, women with, 69–70 (*See also* Disabilities, women with)
 - DSD (*See* Disorders of sex development (DSD))
 - homeless women as, 75 (*See also* Homeless women)
 - incarcerated women as, 78–80 (*See also* Incarcerated women)
 - learning objectives, 63
 - LGBT persons (*See* LGBT persons)
 - obese women as, 68–9 (*See also* Obesity screening)
 - transgender individuals (*See* Transgender individuals)
- Medical management techniques, contraception and, 88
- Medical Research Council
 - on neural tube defect prevention, 281
- Vitamin Study Research Group, 281
- Medicare
 - Affordable Care Act and, 82–3
 - alcohol use screening and, 252
 - annual wellness visit (AWV), 89–90
 - breast cancer screening and prevention and, 229
 - cervical cancer screening and, 211
 - depression screening and, 244
 - dyslipidemia screening and, 130
 - gestational diabetes screening and, 287
 - Hepatitis screening and, 193
 - Initial Preventive Physical Examination (IPPE), 89–90
 - injury prevention counseling and, 116
 - insurance coverage under, 59
 - Medicare Advantage Plans, 85
 - mental health and psychosocial screening and, 271–2
 - osteoporosis screening and, 160
 - Pap tests under, 90
 - Part A, 85
 - Part B, 85
 - Part C, 85
 - Part D, 85
 - payment for well-women visits, 85
 - pelvic examinations and, 123–4
 - prescription drugs, 85
 - tobacco use screening and, 256–7
 - vision screening and, 105
 - “Welcome to Medicare” visit, 89–90
 - women’s preventive health care and, 89–90
- Mental health and psychosocial screening, 269–73
 - disabilities and, 70–1
 - incarcerated women, mental health of, 79
- Metabolic and nutritional health
 - adolescents (13–18 years), 95
 - diabetes screening (*See* Diabetes screening)
 - diet and nutrition screening and counseling, 137–40
 - fitness and exercise screening and counseling, 141–4
 - hypothyroidism screening, 167–70
 - iron deficiency anemia screening, 155–6
 - mature women (46–64 years), 96
 - metabolic syndrome screening, 150–4
 - obesity screening (*See* Obesity screening)
 - osteoporosis screening, 158–60
 - reproductive-aged women (19–45 years), 96
 - women older than 64 years, 97

Index

- Metabolic syndrome screening, 150–4
 Mild cognitive impairment (MCI), 269–70, 271
 MMR vaccine, 100
 Motivational interviewing, 20–1, 46
 Multimorbidity, 53
 Multiple visits, 54
 Multi-Society Task Force on Colorectal Cancer, 216, 218
- National Adolescent and Young Adult Health Information Center, 261, 264
 National Association of Nurse Practitioners in Women's Health, 36
 National Cancer Institute (NCI)
 on breast cancer screening and prevention, 227–8, 229
 Gail model, 227–8
 on skin cancer screening, 205
 on tobacco use screening, 254–5, 258
 National Center for Health Statistics, 6
 National Cholesterol Education Program and Adult Treatment Panel III, 151, 154
 National Commission on Correctional Health Care (NCCCHC), 78, 79
 National Comprehensive Cancer Network (NCCN)
 on breast cancer screening and prevention, 226–8, 229, 230
 on genetic cancer screening, 234, 237, 238
 on ovarian cancer screening, 220, 223
 National Diabetes Education Program, 163
 National Diabetes Prevention Program, 163
 National Domestic Violence Hotline, 248
 National Family Planning and Reproductive Health Association (NFPRHA), 89, 92
 National Guideline Clearinghouse, 36
 National Health and Nutrition Examination Survey (NHANES)
 dyslipidemia screening and, 128
 hypertension screening and, 134
 hypothyroidism screening and, 167
 on neural tube defect prevention, 281, 282–3
 National Healthy Mothers, Healthy Babies Coalition, 283, 285
 National Heart, Lung, and Blood Institute (NHLBI)
 on diet and nutrition screening and counseling, 137–8, 139
 on dyslipidemia screening, 128, 130
 on metabolic syndrome screening, 150–1, 154
 on obesity screening, 146
 National Human Genome Research Institute, 234–5
 National Institute for Aging, 271
 National Institute of Alcohol Abuse and Alcoholism (NIAAA), 251
 National Institute on Drug Abuse (NIDA), 261–2, 263, 264
 National Institutes of Health (NIH)
 on cervical cancer screening, 213
 guidelines, sources of, 38
 National Kidney Foundation (NKF), 172, 173
 National Library of Medicine, 279
 National Medical Association, 36
 National Osteoporosis Foundation, 159
 National Preconception Health and Health Care Initiative, 291
 National Society of Genetic Counselors, 235
 National Vaccine and Childhood Injury Act, 100
 National Women's Law Center, 89, 92
 NCCN. *See* National Comprehensive Cancer Network (NCCN)
 NCI. *See* National Cancer Institute (NCI)
 Negative predictive value (NPV), 24–5
 Neural tube defect prevention, 280–5
 Neurologic, behavioral and psychosocial health
 adolescents (13–18 years), 95
 alcohol use screening (*See* Alcohol use screening)
 depression screening, 239–46
 domestic and intimate partner violence screening (*See* Domestic and intimate partner violence screening)
 drug use screening (*See* Drug use screening)
 mature women (46–64 years), 97
 mental health and psychosocial screening (*See* Mental health and psychosocial screening)
 reproductive-aged women (19–45 years), 96
 sleep disorder screening, 266–8
 tobacco use screening (*See* Tobacco use screening)
 women older than 64 years, 97
 Nevi, effect on skin cancer screening, 204
 NHANES. *See* National Health and Nutrition Examination Survey (NHANES)
- NICA. *See* National Institute on Drug Abuse (NIDA)
 Nicotine use screening. *See* Tobacco use screening
 NIH. *See* National Institutes of Health (NIH)
 Noninvasive prenatal tests (NIPT), 21–2
 NSAID exposure, effect on kidney disease screening, 171
 Nutrition screening and counseling, 137–40
- Obama, Barack, 82
 “Obamacare.” *See* Affordable Care Act (ACA)
 Obesity screening, 145–9
 overview, 68–9
 fitness and exercise screening and counseling, effect of obesity on, 141
 for homeless women, 77
 kidney disease screening, effect of obesity on, 171
 lifestyle modification and behavioral change, 48
 medically underserved population, obese women as, 68–9
 neural tube defect prevention, effect of obesity on, 282
 payment for well-women visits, obesity and, 90
 pelvic floor disorder screening, effect of obesity on, 177
 resources on, 80
 risk factor, obesity as, 69
 women's health, effect of obesity on, 69
 Obesity Society, 146
 Obstructive sleep apnea (OSA), 266–8
 Occupational exposure, effect on HIV screening, 197, 198
 Office of the National Coordinator for Health Information Technology
 on DSD, 68
 on transgendered individuals, 68
 Oral cavity examination, 110–14
 Oral hygiene, 110–14
 Organ donation, effect on HIV screening, 197
 Osteoporosis screening, 158–60
 Ovarian cancer screening, 219–23
 overview, 25
 hereditary breast and ovarian cancer (HBOC), genetic screening for, 232–3
 serum CA-125 testing, 25
 Overdiagnosis and overtreatment, risk of
 overview, 25–6

- breast cancer screening and prevention, 225
- Pap tests
 generally, 1, 9
 in cervical cancer screening, 208, 210
 under Medicare, 90
- Patient-centered care, 42–3
- Patient-centered medical homes, 55–7
- Patient Health Questionnaire (PHQ), 241–3
- Patient Protection and Affordable Care Act. *See* Affordable Care Act (ACA)
- Patient-provider relationship, 14–15
- Payment for well-women visits
 overview, 82, 83–4, 91–2
 under Affordable Care Act, 82
 cervical cancer screening, 91
 commercial insurance, 84
 contraception, 90–1
 diabetes, 90
 Indian Health Service (IHS), 85
 individually purchased insurance, 84
 intrauterine devices (IUDs), 90–1
 learning objectives, 82
 Medicaid, 84–5
 Medicare, 85
 obesity and, 90
 resources, 92
 Tricare insurance, 85
 uninsured persons, 85
 Veterans Administration Health System, 85
- Pediatric Symptom Checklist, 271
- Pelvic examinations, 122–5
 preventive care beyond, 15
 Task Force on, 9
 for women with disabilities, 71–3
- Pelvic floor disorder screening, 177–80
- Pertussis, immunization for, 99
- Phenotypic characteristics, effect on skin cancer screening, 204
- Physical examinations
 for LGBT persons, 66
 for women with disabilities, 71–3
- Piercing and tattooing counseling, 118–21
- Pneumococcal vaccine, 102
- Polycystic ovarian syndrome (PCOS), 162
- Pooled Cohort Equations CV Risk Calculator, 129–30
- Positive predictive value (PPV), 24–5
- Possible acute infection, effect on HIV screening, 197, 198
- Postpartum care, breastfeeding counseling, 276
- Postpartum depression, 239, 241–3, 244
- Postpartum Depression Screening Scale (PDSS), 241–3
- Postpartum diabetes screening. *See* Gestational diabetes screening
- Practical considerations
 overview, 51, 59
 alternative solutions, 57
 barriers to preventive care, 52
 challenges, 51
 clinical workflow, 53
 coding, billing, and reimbursement, 58
 efficiency enhancement, 57–8
 electronic health records, 52, 57–8
 implementation of preventive care, 52
 insurance coverage, 58–9
 learning objectives, 51
 multimorbidity, 53
 multiple visits, 54
 patient-centered medical homes, 55–7
 prioritization of preventive care, 54–5
 “problem” visits, 53
 provider well-being, 53–4
 solutions, 54
 telehealth, 58
 telemedicine, 58
 time considerations, 52–3
 volume of work, 51–2
- Preconception counseling, 289–92
 tobacco use screening, effect on, 255
- Preconception Health and Health Care Committee (PCUUC), 240
- Preconception Health and Health Care Resource Center, 261
- Prediabetes, effect on diabetes screening, 162
- Pregnancy
 adolescents (13–18 years), 95
 alcohol use screening, effect on, 251
 bacteriuria screening, effect on, 174
 breastfeeding counseling, 274–9
 depression screening, effect on, 239–40
 domestic and intimate partner violence screening, effect of pregnancy on, 247
 drug use screening, effect on, 261
 gestational diabetes screening (*See* Gestational diabetes screening)
 HIV screening, effect on, 197
 homeless women and, 78
 immunization, effect on, 99
 incarcerated women and, 80
 neural tube defect prevention, 280–5
- preconception/interconception counseling, 289–92
- reproductive-aged women (19–45 years), 96
- Prehypertension, effect on hypertension screening, 132
- Preterm births, early diagnosis and prevention, 27
- Preventive Services Task Force (USPSTF)
 generally, 2
 on abdominal examinations, 122–3, 125
 on alcohol use screening, 16, 251, 253
 on bacteriuria screening, 175, 176
 on breast cancer screening and prevention, 8, 226–7, 230
 on breastfeeding counseling, 274–5
 on cervical cancer screening, 26, 36–7, 38–9, 210, 211–13
 on colorectal cancer screening, 216, 217, 218
 on depression screening, 240, 243–4, 245, 246
 on diabetes screening, 163, 165
 on diet and nutrition screening and counseling, 137, 138, 140
 on domestic and intimate partner violence screening, 9, 248, 249
 on drug use screening, 261, 264
 on dyslipidemia screening, 128, 129–30
 on fitness and exercise screening and counseling, 142, 144
 on genetic cancer screening, 234, 238
 guidelines, sources of, 8, 31, 32, 34, 36
 health, promotion of, 12–14
 on hearing screening, 107, 108
 on Hepatitis screening, 191, 194
 on HIV screening, 197, 199
 on hypertension screening, 132, 133, 135
 on hypothyroidism screening, 167, 170
 individual preferences, role in screening, 27
 on injury prevention counseling, 115, 116, 117
 on iron deficiency anemia screening, 155
 on kidney disease screening, 172, 173
 levels of certainty of evidence, 34
 on mammography, 37, 38
 Medicaid and, 84
 Medicare and, 89

Index

- on mental health and psychosocial screening, 270, 271, 273
- on metabolic syndrome screening, 152, 154
- on neural tube defect prevention, 281, 283, 284
- “Obesity in Children and Adolescents: Screening and Interventions,” 147
- on obesity screening, 16, 146, 147, 149
- on oral cavity examination, 111, 113, 114
- on oral hygiene, 111, 113, 114
- on osteoporosis screening, 159, 160
- on ovarian cancer screening, 220, 222
- on pelvic examinations, 122–3, 125
- prioritization of preventive care and, 55
- quality of life, promotion of, 12–14
- recommendations by, 14
- on sexually transmitted infection (STI) screening, 201, 202, 203
- on skin cancer screening, 204–5, 206, 207
- on sleep disorder screening, 267
- time considerations, 52–3
- on tobacco use screening, 16, 254–5, 256, 258
- on vision screening, 104–6
- volume of work and, 52
- “Weight Loss to Prevent Obesity-Related Morbidity and Mortality in Adults: Behavioral and Pharmacotherapy Interventions,” 147
- on women’s preventive health care, 86
- Preventive well woman care
 - cost-effectiveness of, 13
 - importance of, 7, 13
 - pelvic examinations, beyond, 15
- Primary prevention, 18
- Prioritization of preventive care, 54–5
- Prisons. *See* Incarcerated women
- “Problem” visits, 53
- Prolapse screening, 177–80
- Proteinuria, effect on kidney disease screening, 171
- Provider well-being, practical considerations, 53–4
- Psychosocial screening, 269–73
 - disabilities and, 70–1
 - incarcerated women, mental health of, 79
- Purpose of well-woman visit
 - overview, 12, 16–17
 - collaboration, 15
 - health, promotion of, 12–14
 - learning objectives, 12
 - overarching goals, 12
 - patient-provider relationship and, 14–15
 - pelvic examinations, preventive care beyond, 15
 - quality of life, promotion of, 12–14
- Race and ethnicity, effect on screening
 - breast cancer, 226
 - colorectal cancer, 216
 - diabetes, 162
 - genetic cancer screening, 233
 - hearing, 107
 - hypertension, 132
 - kidney disease, 171
 - metabolic syndrome, 150
 - neural tube defect prevention, 282–3
 - vision, 104
- Radiation exposure, risk of in breast cancer screening and prevention, 225
- Recommendations, 2–3
- Re-envisioning the Annual Well-Woman Visit* (Sawaya), 2
- Reimbursement. *See specific type of screening*
- Religious employers, contraception and, 89
- Renal disease screening, 171–3
- Reproductive health. *See* Contraception counseling; Sexual health screening
- Reproductive Life Plans, 183
- Risk status, importance in interpretation of test results, 24–5
- Royal College, 32
- Rubella, 21
- SASGOG. *See* Society of Academic Specialists in General Obstetrics and Gynecology (SASGOG)
- Screening. *See also specific type of screening*
 - in Australia, 52
 - cancer, 19
 - chlamydia, 24–5
 - evaluation of tests, 21–3
 - fetal aneuploidy, 21–2
 - guidelines, 18
 - hip fractures, 19–20
 - individual preferences, role of, 27
 - for LGBT persons, 66
 - likelihood ratios, 22–3
 - noninvasive prenatal tests (NIPT), 21–2
- Sebelius, Kathleen, 87
- Secondary prevention, 18
- Selective Estrogen Receptor Modulators (SERMs), 225
- Serum CA-125 testing, 25, 219–20, 221, 222
- Seventh Joint National Committee on Prevention, Detection, Evaluation and Treatment of High Blood Pressure (JNC 7), 132–4
- Sexual health screening, 186–8
 - adolescents (13–18 years), 95
 - homeless women, reproductive health care for, 76–8
 - mature women (46–64 years), 96
 - reproductive-aged women (19–45 years), 96
 - women older than 64 years, 97
- Sexually transmitted infection (STI) screening, 200–3. *See also specific disease*
 - among incarcerated women, 79
 - drug use screening and, 261, 263–4
 - HIV screening, effect of STIs on, 197
 - homeless women, preventive health screenings for, 77
 - for LGBT persons, 67
 - for women with disabilities, 73
- SGO. *See* Society of Gynecologic Oncology (SGO)
- SHARE approach
 - contraception and, 47
 - lifestyle modification and behavioral change, 44
- Shared decision-making, 42–4
- Skin cancer screening, 204–7
- Sleep disorder screening, 266–8
- Smoking. *See* Tobacco use screening
- Social cognitive theory, 42
- Social ecological model, 42
- Society of Academic Specialists in General Obstetrics and Gynecology (SASGOG)
 - overview, 3
 - guidelines, sources of, 36
- Society of Breast Imaging, 230
- Society of Gynecologic Oncology (SGO)
 - on cervical cancer screening, 210
 - on ovarian cancer screening, 28, 220, 222
- Society of Obstetricians and Gynecologists of Canada, 188
- Specimen source, effect on HIV screening, 197
- Spina bifida, 280, 282
- Spinal cord injury, effect on bacteriuria screening, 174–5
- Statistics on women’s health, 5–7
- STI screening. *See* Sexually transmitted infection (STI) screening
- Study of Osteoporotic Fractures, 160
- Substance abuse screening. *See* Drug use screening

- Suicide prevention, 269–73
 disabilities and, 70–1
 incarcerated women, mental health of, 79
 Suicide Prevention Resource Center (SPRC), 271
 Suicide Risk Screening, 271
 Surgeon General
 on breastfeeding counseling, 274
 The Surgeon General's Call to Action to Support Breastfeeding, 274
 Surveillance, Epidemiology and End Results (SEER) database, 26

 Task Force. *See* Well-Women Task Force (WWTF)
 Tattooing counseling, 118–21
 Tdap vaccine, 99
 Telehealth, 58
 Telemedicine, 58
 Tertiary prevention, 18
 Tetanus, immunization for, 99
 Theoretical domains framework, 42
 Time considerations, 52–3
 Tobacco use screening, 254–8
 kidney disease screening, effect of tobacco use on, 172
 oral cavity examination, effect of tobacco use on, 111
 Transgender individuals. *See also* LGBT persons
 defined, 64
 DSD friendly providers and practices, 67–8
 mental health and psychosocial screening of, 270
 resources for, 80
 sexually transmitted infection (STI) screening for, 201
 special considerations, 67
 transgender men, issues affecting, 67
 Transvaginal ultrasound (TVUS), 219, 221, 222
 Tricare insurance, payment for well-women visits, 85
 Trichomoniasis. *See also* Sexually transmitted infection (STI)
 screening
 overview, 200
 procedures for screening, 202
 Tubal ligation, 221
 Tuberculosis, preventive health screenings for homeless women, 77
 Type 1 diabetes, 161
 Type 1 ovarian cancer, 219
 Type 2 diabetes, 161
 Type 2 ovarian cancer, 219
 Tyrer-Cuzick model, 234–5

 Ultraviolet radiation (UVR) exposure, effect on skin cancer screening, 204
 Uninsured persons, payment for well-woman visits, 85
 United Kingdom
 British Association for Sexual Health and HIV, 188
 British Geriatrics Society, 116
 Collaborative Trial of Ovarian Cancer Screening (UKTOCS), 221
 multimorbidity in, 53
 National Health Service, 37–8
 National Institute for Health and Care Excellence, 36
 National Institute for Health and Care Excellence (NICE), 270, 273
 neural tube defect prevention in, 281
 United Nations, DSD and, 65
 United States Breastfeeding Committee, 276, 279
 United States Selected Practice Recommendations for Contraceptive Use, 77
 Urban Institute, 75
 Urinary tract assessment
 adolescents (13–18 years), 95
 bacteriuria screening, 174–6
 kidney disease screening, 171–3
 mature women (46–64 years), 96
 pelvic floor disorder screening, 177–80
 reproductive-aged women (19–45 years), 96
 women older than 64 years, 97
 USDA. *See* Agriculture Department (USDA)
 USPSTF. *See* Preventive Services Task Force (USPSTF)
 Utilization controls, contraception and, 88

 Vaccination, 99–103
 for homeless women, 77
 for LGBT persons, 66
 Vaccine Adverse Events Reporting System (VAERS), 101
 “Vaccine hesitancy,” 99
 Vaccine Information Sheet (VIS), 100
 Vaccines for Children Program, 100
 Vaccinomics, 2
 Varicella vaccine, 102–3
 Veganism, effect on diet and nutrition screening and counseling, 137
 Vegetarianism, effect on diet and nutrition screening and counseling, 137
 Veterans Administration Health System, 85

 Vision screening, 104–6
 Vitamin D, injury prevention counseling and, 116
 Volume of work, practical considerations, 51–2

 Weight
 hypertension screening, effect on, 132
 sleep disorder screening, effect on, 266
 Weight Watchers, 139
 Well-Women Task Force (WWTF)
 overview, 10
 on abdominal examinations, 122–3
 Affordable Care Act and, 9
 on alcohol use screening, 251, 252
 background, 5
 on bacteriuria screening, 176
 on breast cancer screening and prevention, 8, 226–7, 230
 on breastfeeding counseling, 275
 on cervical cancer screening, 38, 210
 on colorectal cancer screening, 216, 218
 convening of, 1
 on depression screening, 240, 243, 244–5
 on diabetes screening, 163
 on diet and nutrition screening and counseling, 137, 138
 on domestic and intimate partner violence screening, 8–9, 247–8, 249
 on drug use screening, 261
 on dyslipidemia screening, 128, 130
 on fitness and exercise screening and counseling, 141, 142
 on genetic cancer screening, 234
 on gestational diabetes screening, 286–7
 guidelines, sources of, 1, 2–3, 32, 36
 on Hepatitis screening, 191, 194
 on HIV screening, 197
 on hypertension screening, 132, 135
 on hypothyroidism screening, 167–8, 170
 on immunization, 100
 on injury prevention counseling, 115
 on iron deficiency anemia screening, 155, 156
 on kidney disease screening, 172
 learning objectives, 5
 on mammography, 38
 on mental health and psychosocial screening, 270–1
 on metabolic syndrome screening, 150–2, 153

Index

- on neural tube defect prevention, 283, 284
- on obesity screening, 146
- objectives of, 7–8
- organizational participants, 7
- on osteoporosis screening, 159
- on ovarian cancer screening, 220
- on pelvic examinations, 9, 122–3
- on pelvic floor disorder screening, 178, 179–80
- on piercing and tattooing counseling, 119
- practical considerations, 54
- on preconception/interconception counseling and, 290
- recommendations by, 8
- Report, 1–3
- on sexual health screening, 187, 188
- on sexually transmitted infection (STI) screening, 201, 202, 203
- on skin cancer screening, 205, 206, 207
- on sleep disorder screening, 266
- special considerations, 9
- on tobacco use screening, 258
- “Wilson’s Criteria,” 18
- Women’s Health Amendment, 86
- World Health Organization (WHO)
 - generally, 5
 - on breastfeeding counseling, 277
 - on cervical cancer screening, 36–7
 - on contraception counseling, 182
 - on disabilities, 69
 - on fitness and exercise screening and counseling, 141
 - Fracture Risk Assessment Tool (FRAX), 159
 - Global Database on Anemia*, 155
 - GRADE ratings, 34
 - guidelines, sources of, 32, 34, 36
 - on health promotion, 41
 - on immunization, 100
 - on iron deficiency anemia screening, 155
 - on mammography, 38
 - on mental health and psychosocial screening, 269
 - on metabolic syndrome screening, 150, 153, 154
 - on osteoporosis screening, 158
 - on pelvic examinations, 123
 - on pelvic floor disorder screening, 177, 179–80
 - on preconception/interconception counseling, 290, 292
 - screening guidelines, 18
 - on sexual health screening, 187, 188
 - on skin cancer screening, 206
 - Ten Steps to Successful Breastfeeding*, 277
- WWTF. *See* Well-Women Task Force (WWTF)
- Zhung Self-Rating Depression Scale (SDS), 241–3
- Zostavax, 99