

Index

- 4-Stage Balance Test, 417
¹⁸F-florodeoxyglucose, 166
1135 waivers, COVID-19 pandemic and, 502–505
2021 AHA/ACC/ASE/CHEST/SAEM/ SCCT/SCMR guideline, 167
2023 CPT documentation, 516
2023 PFS final rule, 518
- Abbreviated Mental Test (AMT), 416
ABCD2 rule, 219–220, 219
ABCD2 TIA risk stratification score, 115
abdominal pain, 135, 348–350
 abdominal pain order set, 759
 diagnostic approach to, 303
 disposition and, 359
 emergency department admission and, 303
 emergency department and, 348
 initial diagnostic approach, 303
 observation and, 305–306
 policy, 691–692
 threshold for testing, 303–305
abdominal pain (cholecystitis), 348, 350
academic centers, 74
Academy of Administrators in Academic Emergency Medicine (AAAEM), 88
acamprosate, 455
ACC Accreditation Services, 379
accountable care model, 98
Accreditation Council for Graduate Medical Education (ACGME), 74
acetaminophen, 370
acetaminophen poisoning, 369
activated PCC (aPCC), 285
activities of daily living (ADLs), 247
acuity metrics, 64
acute abdominal pain
 acute appendicitis and, 344
 cause of emergency department (ED) visits, 343
acute appendicitis, 304–305, 343
 clinical risk scores, 344, 345
 presentation of, 343
acute chest pain, 162, 163, 166–167,
 See also chest pains
 cardiac stress test and, 165
 management, 167
 stress testing in, 162
acute chest syndrome, 278
acute coronary syndrome (ACS), 306, 697
 evaluation rate vs. ACS misdiagnosis rate, 114
 management of, 138–139
 risk of, 646
 vs. ACS missed diagnosis rate, 113
acute cystitis, 330
Acute Decompensated Heart Failure National Registry (ADHERE), 142
acute heart failure, 141
 diagnosis of in the emergency department, 141
 emergency department treatment goals and, 142
 entry criteria for the observation unit, 143
 evaluation of, 142
 history of and physical examination, 141
 main outcome from observation, 160
 management of in observation unit, 143
 observation unit in an emergency setting, 142
acute intoxication order set, 692
acute medical units, in the United Kingdom, 117, 118
acute medicine
 development of, 637
 in the United Kingdom, 117–118, 637
acute pulmonary embolism, 128, 202
 diagnosis of, 202–204
 observation care and, 206–207
 observation medicine protocol and, 738
 patient selection for observation, 206
acute respiratory distress syndrome (ARDS), 287, 488
acute vestibular syndrome (AVS), 241
Acutely Presenting Older Patient (APOP) screening tool, 399
adenosine triphosphate (ATP), 173
ADHERE registry, 142
adjunctive therapy
 for acute pain, 364
 for vaso-occlusive episodes, 281
administrative staff, 10
administrative support, 66
admission certification, 608
admission criteria, 328, 391
 acute inpatient, 257
 for the alcohol use disorder pathway, 452
 for the induction of MAT, 445
 guidelines, 617–620
 observation units, 100
 sickle cell disease and, 280
admission, vs. observation, 602–603
Adult Appendicitis Score, the, 346
adult observation medicine, differences between pediatric observation medicine and, 380
adult order sets
 allergic reaction/angioedema order set, 762–763
 electrolyte abnormalities, 794
advance practice providers (APPs) reimbursement to, 89
Advanced Beneficiary Notice, 557
advanced practice providers (APPs), 9–10, 42, 43–44, 53, 88, 488, 570
 cost to institutions, 89
 in administrative/leadership roles, 89
 in observation units, 88
 observation units and, 90
 responsibilities of, 9
 training of, 355
advanced trauma life support (ATLS) guidelines, 356
Affordable Care Act (ACA), 102
Agency for Healthcare Research and Quality (AHRQ), 317
agitated patient, 432

Index

- AHA/American College of Cardiology Foundation (ACCF) guideline, 159
 AIMS65 scoring system, 307
 alcohol intoxication pathway, 454
 alcohol use disorder, 451, 466
 alcohol intoxication pathway, 454
 cost of in the US hospital system, 451
 management of, 452
 medication for, 454
 mild alcohol withdrawal pathway, 452–453
 observation unit pathway, 456
 outcomes of treatment, 456
 patient selection/exclusion criteria, 452
 patient selection/inclusion criteria, 452
 treatment and, 456
 treatment of, 454–456
 alcohol withdrawal pathway, 454
Alexander v. Azar, 399
 Alice Bers, 594
 alkalosis, 271
 allergy medications, 867
 alloantibodies, 285
 alpha 1 antitrypsin deficiency, 176
 alternate (safe) disposition path, 410
 alternate care facilities, 472–473
 alternate care site (ACS), 473
 alternate or acute care center (ACC), 473
 COVID-19 pandemic, 476
 setup of facilities, 475–476
 staffing for, 476–477
 used for during a disaster, 476
 Alvarado score, the, 346, 634
 Ambulatory Payment Classifications (APCs), 525, 595
 American Association for Emergency Psychiatry (AAEP), 432
 American Association of Blood Banks (AABB), 283
 American College of Cardiology (ACC), 33, 138, 145, 149, 158, 162, 379
 Accreditation Services, 143
 CP risk stratification guidelines, 115
 American College of Chest Physicians (ACCP), 185
 American College of Emergency Medicine
 website, 41
 American College of Emergency Physicians (ACEP), 32, 131, 135, 219, 397, 407, 431, 446, 458
 clinical policy, 182
 definition of clinical ultrasonography, 119
 guideline, 159
 survey, 427
 American College of Gastroenterology, 308
 American College of Nuclear Cardiology, 33
 American College of Obstetrics and Gynecology (ACOG), 340
 American College of Physicians
 clinical policy, 142
 American College of Radiology, 138
 American Community Survey, 497
 American Diabetic Association, 609
 American Geriatric Society, 407
 American Heart Association (AHA), 149, 158, 162
 cardiac testing recommendations of, 135
 American Medical Association (AMA), 472, 565
 Relative Value Update Committee (RUC), 517
 American Psychiatric Association, 428
 American Society for Hematology (ASH), 278
 American Thoracic Society and the Infectious Disease Society of America (ATS/IDSA)
 guideline, 181
 analgesia guidelines, 278–280
 analgesics, 842
 pelvic inflammatory disease medications, 798
 pharyngitis/peritonsillar abscess medication, 839
 pneumonia/acute bronchitis medication, 861–862
 analgesics/antipyretics, 862
 anatomical imaging, 138
 andexanet alfa (Andexxa®), 193
 angioedema order set, 762–763
 angiotensin receptor blockers (ARBs), 269
 angiotensin-converting enzyme (ACE) inhibitors, 107, 269
 Ankara University Ibnî-Sina Hospital, 646
 Anthonisen criteria, 176, 177, 179
 antibiotics, 864
 administration of antibiotic treatment, 183
 for appendicitis, 344
 antibiotics, oral
 pneumonia/acute bronchitis order set, 802
 anticoagulation, 224
 oral
 antidiuretic hormone, 273
 antiemetics, 340–341, 844
 pelvic inflammatory disease medication, 798
 antiplatelet agents, 223
 antipyretics, 184
 anxiety, 428
 anxiolytics/sleeping pills, 867
 APACHE II score, 177
 apical pneumothoraces/
 pneumothorax, 186
 discharge advice and follow-up, 188
 management/intervention for, 186–188
 pre-admission criteria checklist for, 740
 workflow for, 741
 apixaban (Eliquis®), 193
 appeals
 against denial of health care insurance, 563–565
 appendicitis
 acute
 clinical risk scores, 345
 acute abdominal pain and, 344
 AIR score, 346
 Alvarado score and, 346
 complicated, 344
 CT for, 343
 discharge from the emergency department/observation unit, 348
 emergency department/
 observation unit guidelines and, 348
 emergency department/
 observation unit management of, 348
 emergency/observation unit criteria, 347
 non-operative management, 344
 treatment with antibiotics, 344
 Appendicitis Acuta (APPAC) trials, 344
 Appendicitis Inflammatory Response (AIR) score, 346
 appendicitis score, 304, 305
 adult, 346
 before and after observation, 305
 appendicitis, acute, 304–305, 343
 acute abdominal pains and, 344
 presentation of, 343
 Ardent Health Services, 76
 area deprivation indexes, 408
 arrhythmogenic right-ventricular cardiomyopathy, 159
 aspirin, 750
 aspirin, strokes prevention and, 223
 aspirin/dipyridamole, strokes prevention and, 223
 Assistant Secretary for Preparedness and Response (ASPR), 472

- Association of Academic Chairs of
Emergency Medicine
(AACEM), 88
- asthma
acute exacerbation order set, 766
COPD medications, 775
cost of caring for, 171
discharge instructions for
patients with, 174
emergency room visits and, 171
failure to respond to treatment,
173–174
inclusion and exclusion criteria,
171, 172
maintenance metered-dose
inhalers, 174
management of, 171
medications for, 173, 385, 765,
869
policy, 693–694
risk factors for death in, 174
severity chart, 172
treatment in the observation unit,
172, 174
- atrial fibrillation, 149
ED OUs, 152
management, 150–152
observation unit interventions,
694
pathophysiology/classification,
149–150
policy, 694–695
- at-risk older adults, 407
Atrium Health System, 483
avian flu, 473
- back pain, 365
acute low, 365
low, 544–545
- Balanced Budget Act (1997), 79
- barbiturates, 453
- benchmarks, 65
- Beneficiary and Family Centered
Care Quality Improvement
Organizations (BFCC
QIOs), 27, 590
- benzodiazepines, 248, 365, 371, 428,
453
anti-psychotic medication with,
432
first line treatment for seizures,
238
for withdrawal and seizures, 797
overdose, 764
reversal of, 797
use disorder, 446
withdrawal from, 452
- beta-adrenergic agonists
potential side effects of, 173
- bicarbonate therapy, 260
- billing, 524–527
- biomarkers, 136
cardiac, 135, 137–138, 142, 143,
303
serial, 137
- bipolar disorder, 428
- black widow spider envenomation,
374–375
- bladder malignancy, suspected, 729
- bladder mass protocol, 729–730
- Blatchford risk stratification score,
307, 308
- BLEED study, 314
- bleeding risk, warfarin and,
211–212
- blood product transfusions
monitoring in observation in, 283
- blood transfusions, 337, 390, 524
reactions, 286–287
- Blue Cross Blue Shield, 563
- blunt abdominal trauma, 358
ED OU disposition, 359
ED OU interventions, 358–359
patient selection for the ED OU,
358, 359
- bone mass protocol, 730–731
- brain imaging
carotid artery duplex ultrasound,
222
MRI, 221
noncontrast CT imaging, 221
vascular imaging, 222
- brain injury guideline (BIG)
classification, 358
- brain natriuretic peptide (BNP), 192
- breastfeeding women, factor Xa
inhibitors and, 193
- Brief Alzheimer's Screen, 416
- Brief Psychiatric Rating Scale, 436
- British Committee for Standards in
Haematology, 284
- British Thoracic Society (BTS)
guidelines, 185
- Brugada syndrome, 159
- B-type natriuretic peptide (BNP),
142
- buprenorphine (Subutex), 446
- Buprenorphine and naloxone
(Suboxone), 449
- buprenorphine initiation, 374
- buprenorphine-induced respiratory
depression, 449
- business plan, 11–13
- CAD Consortium Basic/Clinical
score, 162
- calcium, 270
low levels of, 271
- calcium electrolyte replacement,
818–823
- California Bridge Program, 451
- California rule, 219
- Canadian Registry, data on
nonvariceal UGIB, 309
- Canadian Syncope Risk Score, 155,
157, 158, 160
- cancer. *See also* oncology
dehydration protocol, 292–293
diarrhea protocol, 292
emergency department of
patients with, 293
observation units, 290
PRN medications, 293, 294
vomiting protocol, 292
- capsule endoscopy, 309
video, 308
- carbon monoxide, 372
- cardiac biomarkers, 137–138, 142,
303
as risk-stratification tools, 143
- cardiac imaging tests
performance of, 165
transient ischemic attacks and,
222, 224
- cardiac MRI, 138, 166
- cardiac medications, 869
- cardiac POCUS, 126
- cardiac stress tests
comparison of, 165
imaging, 163, 165
induction, 163
- cardiac tamponade, 128, 135
assessing for, 128
- cardiac troponin, 142
- cardioembolism, 224
- cardiogenic embolism, 222
- cardiovascular disease (CVD), 177
- cardioversion, 150
- care coordinator (case manager),
681
- care management, 58
developing protocols for, 621
expedited quality, 100
physician advisor and, 621
resources, 418
transitional, 530
- care measure, transition of, 534
- care mindset, developing culture of,
624
- care, access to, 106
- caregiver stress, 409
- carotid artery duplex ultrasound,
222
- carotid artery stenosis, 222, 225
- carotid endarterectomy (CEA), 225
- carotid interventions, for ischemic
strokes, 225
- carve-out states, psychiatric
observation units and, 438
- case management, 530
- Case Management Society of
America (CMSA), 530
- case management, ED OUs, 418
- Cedars-Sinai Medical Centre
Predictive Index, 307
- Census Reporter, 497

Index

- Center for Medicare Advocacy, 594
 Centers for Disease Control and Prevention (CDC), 328, 415
 Centers for Medicare and Medicaid Services (CMS), 5, 28, 33, 80, 86, 97, 102, 130, 407, 417, 513, 520, 558, 568, 587, 599, 607
 Hospital Readmission Reduction Program, 533
 InterQual criteria and, 555
 QIOs, 590
 rule changes and, 15, 16
 status assignment and, 527
 central nervous system (CNS)
 shunts
 pose diagnostic, 255
 cerebellar strokes, 242
 statistics on, 249
 cerebral blood circulation, disorder of, 252
 cerebral edema, 259, 260, 274, 869
 preventing, 260
 cerebrospinal fluid (CSF), 252
 analysis, 229
 diversion pathophysiology, 252–253
 removal of, 230
 shunt placement with, 252
 cerebrovascular accident/
 thromboembolic event, 151
 CERT methodology, 558
 CGS (Celerian Group), 20
 CHA₂DS₂-VASc score, 150–151
 CHADS₂ score, 151
 challenges
 during the COVID-19 pandemic, 510
 in observation medicine in Singapore, 633, 634
 inpatient staffing, 100
 managing infrastructural, 484
 of acute care medicine, 56
 charge nurse, 658–659
 charging, observation, 521–524
 Charlson Comorbidity Index, 289
 Charlson score, 104
 CHEST guidelines, 195
 chest pain centers
 accreditation, 139, 379
 quality improvement, 139
 chest pains
 acute, 162, 165, 167
 diagnostic testing and, 162
 facts for test selection, 167
 management of in observation units, 139
 non-traumatic complaints and, 135–136
 pathophysiology of, 136
 pre-test and, 162, 163
 statistics on, 162
 chest radiograph (CXR), 141, 185
 children
 admission criteria for abdominal pain and hyperglycemia, 392–395
 rapid treatment units (RTUs), 394–395
 children's hospitals, 671
 observation units in, 390
 rapid treatment units (RTU), 394–395
 cholecystectomy, 348
 cholecystitis
 acute, 348
 management in the ED OU, 351
 modifiable risk factors for, 349
 nonmodifiable risk factors for, 349
 cholecystitis, acute
 clinical risk scores for, 349–351
 inclusion/exclusion criteria in the emergency department, 351
 chronic bronchitis, 180
 chronic obstructive pulmonary disease (COPD), 176, 180, 181
 admission as inpatient, 698
 clinical presentation of, 176–177
 criteria for observation, 698
 differential diagnosis of, 177
 disposition criteria, 698
 emergency department management of, 177
 exclusion from observation, 698
 failure to respond to treatment, 179–180
 management of in the observation unit, 177–179, 178
 mortality rate of, 176
 observation unit interventions, 698
 pathophysiology of, 176
 patients discharge from observation unit, 698
 policy for, 698–699
 poor outcome of, 178
 treatment of, 177–179
 treatment time frame, 698
 chronic pain, 366
 of malignancy, 366
 Cigna Healthcare, 563
 classifications, 41
 Cleveland Clinic
 geriatric care unit (GCU) at, 411
 Main Campus Emergency Department, 411
 clinical decision units (CDUs), 71, 309, 310, 356, 390, 637, 641
 geriatric, 409
 in rural communities, 69–70
 in Saudi Arabia, 642–643
 key performance indicators, 643
 meeting agenda, 66
 meetings, 63, 65
 Clinical Frailty Scale, 399
 Clinical Global Impression – Improvement Scale, 436
 Clinical Institute Withdrawal Assessment Alcohol Scale Revised (CIWA-AR), 452
 Clinical Opiate Withdrawal Scale (COWS), 443, 446, 449, 465
 clinical pathways, 65
 clinical performance, 575–576
 clinical ultrasonography, definition of, 119
 clopidogrel, stroke prevention and, 224
 CMS Manual on Outpatient Observation Services, 27
 CMS Medicare Learning Network (MLN) Provider Calls and webcasts, 17
 CMS Medicare physician fee schedule, 587, 589
 CMS PEPPER program, 20, *See also* PEPPER reports
 coding, 524
 coding analyses for labs, 557
 coding scenarios, 517
 in observation units, 514, 516
 College of Emergency Medicine, South Africa, 629
 colonoscopy, 314
 colorectal mass protocol, 731
 comfort treatment, 752
 common CMS OPSS status indicators, 596
 communicable infectious disease(s), 471
 communication, 100, 530, 625
 communication boards, for patient rooms, 659–660
 community acquired pneumonia (CAP), 181
 presentation and disposition of patients with, 181–182
 risk factors for, 181
 community hospitals
 in a rural setting, 69–70
 in an urban area, 71–72
 Comparison of Outcomes of Antibiotic Drugs and Appendectomy (CODA) trials, 344
 complaints, 64
 complex observation, 73, 97, 100, 118
 management of, 99
 vs. simple observation, 16
 Comprehensive Ambulatory Payment Classification (C-APC), 29, 571

- Comprehensive Error Rate Testing (CERT) program, 17, 26, 558
 comprehensive geriatric assessment (CGA), 409
 compression ultrasonography (CUS), diagnostic evaluation of PE, 204
 computed tomography angiography (CTA), 159–160, 167, 222, 556, 837
 diagnostic evaluation of CTA scans, 203
 Comprehensive Oncologic Emergency Research Network (CONCERN) study, 289
 CONCERN observation units, conditions managed in, 289
 Condition Code 44, 24, 524–527, 544, 593, 608, 609
 observation and, 608–609
 requirements for, 608
 congestive heart failure (CHF), 97, 149, 181
 asthma and, 174
 cardiac and lung ultrasound, 123–126
 COPD and, 177
 early, 609
 magnesium nomogram for, 773
 management of, 73
 Medicare Part A and, 33
 order set, 123–126
 potassium nomogram for, 773
 consultants, 45–46, 859–860
 Consumer Assessment of Healthcare Providers and Systems, 533
 continuous quality improvement (CQI), 59, 60, 63, 65, 66, 380, 661, 683, 697
 components of, 59
 contrast allergy, radiology studies for patients with, 870
 conventional Seldinger technique, procedure for, 741–743
 COPD. *See* chronic obstructive pulmonary disease (COPD)
 coronary artery disease, 138, 167, 230, 307, 600
 contraindicated with, 853
 management of, 138–139
 obstructive, 162
 coronary computed tomography angiography (CTA), 166–167
 coronary CTA (CCTA), 138
 coronavirus. *See* COVID-19
 corticosteroids, 179, 230
 cost-effective benefit, pediatric observation units, 382
 costs, observation medicine, 27–29
 Coverage and Analysis Group, CMS, 25
 COVID-19 pandemic, 17, 51, 197–199, 474, 487–488, 641
 accessing the community for managing, 497
 alternate or acute care center (ACC), 476
 Atrium Health Hospital system and, 483
 CERT program and, 26
 coordinating with external entities, 502
 COVID test-result call-back process, 502
 developing incident specific guidance for, 501–502
 emergency departments use during, 481–482
 emergency use authorization and vaccination, 505–506
 establishing emergency departments objectives for managing, 498
 homelessness during, 466
 impact on availability of medications, 502
 leveraging of observation units in disasters, 483
 Mount Sinai Hospital system and, 482–487
 New York University (NYU) Langone Health system and, 482
 observation units and, 101
 observation units as hot zones, 488
 positive PCR through the AED, 510
 program reviews and, 502–505
 public health emergency due to the, 29
 reduction in emergency department visits, 377
 responses from national and local agencies, 497
 Stafford Act emergency declaration for, 494–495
 training team members to manage, 498–501
 US domestic response to, 494
 CPT private payer observation codes, 523
 cranial vault, 252
 creatinine, 259
 crisis standards of care, 477
 critical access hospitals deliverables, 84–85
 emergency departments, 79–84
 scope of, 84
 critical care, 202, 487, 488, 523
 observation and, 518
 physician's fees and, 50
 CroFab® anti-venom, 747, 751
 cross coverage, 6, 8
 cryoprecipitate, 284
 indication for, 284
 CT, 160, 192, 222, 308, 309, 314, 837
 for appendicitis, 343
 for evaluation of gastrointestinal bleeding, 308
 scans, 314
 ureterolithiasis and, 322–323
 CURB-65 score, 182, 609, 803
 Current Procedural Terminology (CPT), 25, 517, 521
 CY 2016 OPPS final rule, 15
 cyclic adenosine monophosphate, 173
 cyclobenzaprine, 365
 cyclooxygenase inhibitor, 223
 cystitis, acute, 330
 dabigatran (Pradaxa®), 193
 data elements, 61
 data set, for individual patients, 66
 D-dimer testing, 160
 decompensated comorbid conditions, treatment of, 177
 decreased hospital admissions, pediatric observation medicine and, 383
 deep vein thrombosis (DVT), 191, 298
 benefits of the ED OU, 195–197
 criteria for observation, 720
 diagnosis of, 192
 exclusion of, 635
 management of, 194
 medications for, 202
 order set, 720
 outpatient treatment, 194
 signs and symptoms of, 191
 suspected, 118
 dehydration, 317, 381
 due to gastroenteritis or vomiting, 319
 management of, 303
 pathophysiology of, 317–318
 principles of evaluation and management of, 318
 role of observation medicine in managing, 318–319
 delirium, 428
 analgesia and, 365
 and dementia, 430
 assessments, 408
 decreased, 453
 delirium–dementia overlap syndrome, 409
 screening for, 399, 411
 vs. mild cognitive impairment, 400
 deliverables, 84, 85

Index

- dementia, 429, 430
- Dengue
 - admission to the the ED OU, 633
 - discharge advice, 188
 - pre-admission checklist, 633
- denials
 - illing or coding issues, 563
 - medical necessitymedical necessity, 565–566
- denials, from health care plan, 563
- depression, 429
- design, of the observation units,
 - 10–11, 50–51
- desmopressin (DDAVP), 285
- diabetes
 - diabetic ketoacidosis, 257, 261, 269, 418
 - new-onset, 257, 260
 - observation unit outcome and, 265–266
 - risk factor for transient ischemic attack, 225
 - type 2, 259, 260
 - type I, 260, 263
- Diabetes Control and Complications Trial, 263
- diabetic ketoacidosis (DKA), 257, 261, 269, 418
- diagnoses in observation units, 380
- diagnosis rate
 - ACS missed, 113
 - missed, 36, 113–114, 304–305
 - reduced missed, 33, 59
- diagnosis-related group (DRG)
 - system, 558, 589, 590
- hospitalization and, 102
- IPPS, 25
- payments, 12, 571
- diagnostic certainty, lack of, 600–601
- diagnostic evaluation
 - echocardiography, 145
 - patient education and social needs assessment, 145
- diagnostic imaging
 - chest radiography, 141
 - electrocardiogram, 141
 - lung ultrasound and, 142
- diagnostic testing, 49, 319, 571, 663
 - effect on care plan, 607
 - elective, 471
 - observation and, 306
 - pediatric patients and, 378
 - systematic, 347
 - urinary tract infections, 329
- diagnostic tools, 40, 205, 308–309
- Diamond–Forrester score, 162
- diet, age appropriate, 871
- diffusion-weighted imaging (DWI) MRI, 221, 242
- direct oral anticoagulants (DOACs), 193–194, 210, 225, 728, *See also* oral anticoagulants
- drugs and dosing, 193
- pharmacology and bleeding risk with, 213
- use of, 151
- direct pulmonary angiography, diagnostic evaluation of pulmonary embolism, 204
- director, job description for, 89
- disasters, 472–473
 - community disaster plans, 478
 - disaster plans, 471, 477, 478
 - hospital and inter-hospital surge during, 471–472
 - infectious, 471
 - observation units during, 471
 - responses to, 506
- disposition, 359
 - from observation, 667
 - of pneumonia patients, 184
 - patients with UTIs from emergency departments, 330
- Disproportionate Share Hospital (DSH) adjustment, 25
- disseminated intravascular coagulopathy (DIC), 284
- Dix–Hallpike maneuver, 245
- dizziness, 240, *See also* vertigo
 - after observation unit stay, 250
 - causes of, 241, 249–250
 - classification of, 240, 241
 - history, 240–241
 - physical examination and, 241–244
- DNR-CCA (“do not resuscitate” – “comfort care arrest”, 404, 424
- dobutamine, 163
- documentation. *See also* nurses:
 - nursing intake documentation
 - 2023 CPT, 516
 - evaluation and management, 605–606
 - for the observation unit, 62
 - hospital observation and, 521
 - nursing, 53, 54
 - observation medical record documentation, 604
- doxylamine–pyridoxamine, use in pregnancy, 340
- droperidol, 787
- Drug Abuse Treatment Act (2000), 445
- dual antiplatelet therapy (DAPT), 224
 - ischemic strokes and, 224
- Duke Treadmill Score, 162, 164
- dyspnea, 141, 142, 191, 202, 278, 287
- Anthonisen criteria and, 176
- dysrhythmias, 159
- ear, anatomy of, 243
- East Texas, 76
 - geography, 76
- echocardiography, 145, 158
- economical service, 37
- edoxaban (Savaysa®), 193
- education programs, 74
- EINSTEIN-DVT trials, 193
- EINSTEIN-PE trials, 193
- elder abuse/neglect protocols, 404–405
- elderly patients
 - care and screening of, 417
 - ED OUs and care of, 419
 - negative consequences of hospitalization of the, 407
- electrocardiogram (ECG), 135, 162, 177, 604
- 12-lead, 158
- heart failure and, 141
- serial, 137
- stress, 164
- electrocardiographic monitoring, 159
- electrolyte abnormalities, 268
 - admission to observation unit and, 275
 - calcium, 270
 - hypercalcemia, 271–272
 - hypermagnesemia, 273
 - hyponatremia, 274
 - hyperphosphatemia, 275
 - hypocalcemia, 271
 - hypokalemia, 268, 269
 - hypomagnesemia, 272, 273
 - hyponatremia, 273–274
 - hypophosphatemia, 274
 - magnesium, 272
 - phosphate, 274
 - potassium, 268
 - sodium, 273
- electrolyte abnormalities, adult order sets and, 794
- electronic health records (EHRs), 615
 - observation notes with length of stay, 609
- electronic medical records (EMRs), 131
 - system, 611
- electrophysiology study, 159
- elevated blood urea nitrogen, 259
- emergency centre observation wards (ECOWs), 629–630
- emergency department visits
 - acute abdominal pains causing, 343
- emergency department observation units (ED OUs), 15, 42, 152, 390. *See also* simple observation

- care, 356
- case management in, 418
- cholecystitis management of, 351
- disposition from, 352, 357
- documentation and hospice care, 424
- efficiency of, 489
- elderly patients in, 419
- hospitalists, 419
- inclusion/exclusion criteria, 351
- management, 253–254
- physical therapy in, 417–418
- sample inclusion/exclusion criteria, 357
- sample traumatic conditions for care in, 356
- social work in, 418
- transitions to hospice care protocols, 424
- trauma treatment in, 343
- use of during COVID-19 pandemic, 481–482
- utilization and social medicine, 465
- utilization management and, 418–419
- emergency departments
 - barriers to hospice care from the, 424
 - care for critically ill patients in, 422
 - COVID-19 pandemic, 481–482
 - creation of functional physical, 32
 - exclusion criteria for observation in, 732
 - improvement in efficiency of, 384
 - in Saudi Arabia, 641–642
 - leadership in, 42–43
 - management of COPD in, 177
 - management of CAP in, 181, 183
 - metrics of, 64
 - observation care guidelines and, 599
 - observation units financials, 82
 - observation units in, 15–16, 283
 - patient admissions and, 623
 - rate of returns to the, 383
 - staffing of, 42
 - statistics and visits to the, 377
 - statistics on observation units in, 16
 - statistics on visits are by older adults, 415–416
 - suggested workup/treatment in, 729
- emergency medical services (EMS), 234
- Emergency Medical Treatment and Labor Act (EMTALA), 477
- emergency medicine
 - alcohol use disorder in the, 451
 - importance of observation units to, 6
 - in South Africa, 629–630
 - role of the geriatric observation unit (GOU) in, 397–398
- emergency medicine practice
 - POCUS and, 119
- Emergency Medicine Clinics of North America on Observation Medicine, 32
- Emergency Medicine Practice Research Network, 427
- emergency medicine residents, 91
- Emergency Medicine Residents Association, 95
- emergency medicine services
 - in the United Kingdom, 637
- emergency psychiatric assessment, treatment and healing (EmPATH) unit, 436
- emergency use authorization and vaccination, COVID-19 pandemic and, 505–506
- emicizumab, 285
- emphysema, 176
 - surgical, 187
- enoxaparin/warfarin, 193
- enteric flora, 327
- epilepsy, 159, 237, 271, *See also* seizures
 - juvenile myoclonic, 235
 - rolandic, 235
 - statistics on, 234
- Epley maneuver, 245, 248
- equipment, in observation units, 50–51
- equivalent occlusive myocardial infarction (MI) patterns, 137
- European Association of Urology (EAU), 324
- European Society of Cardiology (ESC), 145, 149, 158, 162
 - guidelines, 204
- European Society of Cardiology Risk Stratification of Pulmonary Embolism, 204
- evaluation and management
 - documentation, 605–606
- Evaluation of Guidelines in Syncope Study (EGSYS), 155
- evidence-based medicine
 - guidelines, 542
- evidence-based protocols
 - elder abuse/neglect, 404–405
 - fragility fracture, 403
 - frailty, 400
 - transitions to hospice care, 403–404, 424
- exclusion (absolute) criteria, new mass observation protocol, 727
- exclusion (relative) criteria, new mass observation protocol, 728–729
- exclusion criteria, 137
- executive dashboards, 615
- exercise stress test, 162–163
 - graded exercise testing, 158–159
- exogenous magnesium, 273
- EXPRESS trial, 220
- extended diagnostic treatment unit (EDTU)
 - admission for Dengue, 633
 - apical pneumothorax, 740
 - Dengue and, 633
 - Dengue discharge advice, 633
- facility observation reimbursement, 525–526
- facility payment, for observation services, 595, 596
- factor IX deficiency, 285
- factor VIII deficiency, 284, 285
- factor Xa inhibitor, 193–194
- falls, 409
- FAST (focused assessment with sonography in traum) exam, the, 120–122, 832
 - learning points of, 123
- FASTPASS process, 347
 - criteria checklist for, 347
 - criteria for direct observation unit placement, 351
- opioids, 231
- FDA X-waiver, 449
- febrile neutropenia observation protocol, 291
- febrile seizures. *See* seizures
- Federal Emergency Management Agency (FEMA), 494, 497
- Federal Food, Drug, and Cosmetic Act (FFDCA), 495
- Federal rule-making process
 - calendar, 587
- Fee-for-Service (FFS) Medicare error rate, 20
- fibrin degradation, 203
- fibronectin deficiency, 284
- Fiscal Intermediaries (FIs), 563
- flank and groin pain, physical examination for, 322
- flank pain, 77, 303
 - differential diagnosis for, 323
- flumazenil, 764–766, 797–798
- focused cardiac POCUS, 128
 - syncope assessment and, 127
- Food and Drug Administration (FDA), 445
- food insecurity, 467
- four-hour rule, 637
- fragility fracture protocol
 - inclusion, 403
- frailty/geriatric protocol, 400
- full code, 404, 424

Index

- gabapentin, 453
- gallstones, 348, 350, 352
 - gallstone-related disease, 349
 - gallstone-related disease,
 - laboratory and ultrasound for, 350
- gastric acid proton pump inhibitors, 869
- gastroenteritis, 51, 303, 317, 381, 558, 635
 - admission rate due to, 382
 - dehydration due to, 319
 - diarrhea related to, 318
- gastroenteritis, 667
- gastrointestinal bleeding
 - care of patient with, 315
 - hospitalization and, 313
- gastrointestinal drugs, 869
- Geneva Score, Revised, 203
- geography, East Texas, 76
- geriatric care unit (GCU)
 - Cleveland Clinic, 411
 - creating a, 407–410
- Geriatric Emergency Department Accreditation (GEDA) Program, 407
 - GEDA accreditation, 408
- Geriatric Emergency Nursing Education (GENE), 407
- geriatric observation unit (GOU)
 - developing a, 398–399
 - equipping the, 400
 - financial considerations for
 - developing a, 399
 - focused, 397–398
 - fragility fracture, 403
 - frailty/geriatric protocols, 400
 - patient selection and strategies for improved utilization of the, 398–399
 - protocols for, 400
 - role of in emergency medicine, 397–398
 - staffing the, 399–400
 - transitions of care/hospice protocols, 403–404
- geriatric quality improvement program, 399
- Glasgow Coma Scale (GCS), 358, 739
- Global Assessment of Functioning scores, 436
- Global Initiative for Chronic Obstructive Lung Disease (GOLD), 176
- glucocorticoids
 - pharyngitis/peritonsillar abscess medication, 868
- gluconeogenesis, 263
- glycemic thresholds, 264
- glycogenolysis, 263
- government grants, 439
- government, regulatory structure and observation, 587, 588
- graded exercise testing, 158–159
- guideline criteria
 - definition and development, 599–600
 - inpatient level of care for, 608
- guideline-directed medical therapy, 143
- H1N1 pandemic, 474
- headache order set, 784–786
- headache pain. *See* headaches
- headaches, 231, *See also* migraines
 - assessment of a patient with, 229
 - causes of, 228
 - diagnostic evaluation, 229
 - medications for, 851–854
 - observation unit management of, 229
 - patient selection, 229
 - pharmacologic management of, 230–231
 - specific treatment of, 230
 - statistics about, 228
 - treatment/interventions for, 231
 - with a shunt order set, 787
- Health Care and Education Reconciliation Act, 102
- Health Effectiveness Data and Information Set (HEDIS) measure, 533
- “plan all-cause readmissions” measure, 533
- health information management (HIM) department, 524
- Health Insurance Portability and Accountability Act (HIPPA), 660
- Health Professions Council of South Africa, 629
- Healthcare Common Procedure Coding System (HCPCS) code, 521
- healthcare delivery, total cost of, 463
- Healthcare Financial Management Association (HFMA), 520
- Healthcare Power of Attorney (HCPOA), 403, 424
- healthcare system, 108, 277, 427, 463, 465, 490, 492, 565, 575, 629, 678, 682
 - aims for, 529
 - in Singapore, 635
 - in the US, 141
 - private, 629
 - significant financial burden on the US, 149
- healthcare utilization
 - hospital readmissions and, 106
- heart failure
 - acute, 141
 - medications for, 775
 - statistics about, 141
- heliox, for severe asthma, 173
- hematuria, 323
- hematuria order set, 787
- hemoglobin and hematocrit (H&H), 337
- hemoglobin synthesis, abnormal, 277
- hemophilia, 284
 - with inhibitors, 285
- hemophilia A (factor VIII deficiency), 285
- hemophilia B (factor IX deficiency), 285
- hemothorax, 187
- hepatic mass protocol
 - definitions of, 186, 731
 - inclusion and exclusion criteria for emergency department observation/outpatient work-up, 732
 - recommended work-up/treatment for, 732–733
 - suggested disposition/referral, 732
- hepatobiliary iminodiacetic acid (HIDA) scan, 351
- Hierarchical Condition Category cardiac risk score tool, 116
- high-risk older adults, 408, 410, 411
 - observation unit for, 410
- HINTS (head impulse-nystagmus-test of skew) testing, 242
- HIV-positive patients, 237
- Hokusai-VTE study, 193
- home medications, 29
- homelessness, 466
- homozygous individuals, 277
- hospice care, 403–404, 422
 - barriers in the emergency department, 424
 - ED OU documentation for, 424
 - eligibility for, 422–424
 - sample diagnosis and qualifying conditions, 423
- hospital admission rates,
 - dehydration and, 317
- Hospital Emergency Incident Command System, 497
- Hospital Payment Monitoring Program (HPMP), 20, 558
- hospital readmissions, 102
 - 30-day rate, 103
 - 30-day rate as a metric, 103
 - access to care and, 106
 - community factors and, 106
 - demographic variables for, 106
 - factors leading to, 104–105
 - factors to reduce, 103, 108
 - hospital factors and, 106–107

- individual factors resulting in, 106
- international perspective on, 103
- potential solutions, 107
- rate of 30 day preventable, 108
- rates, 105
- recommendations to reduce, 103
- report to Congress on, 103
- socioeconomic factors and, 106
- Hospital Readmissions Reduction Program (HRRP), 102, 596–597
- hospital short-stay policy issues (MedPAC Report), 29
- hospital site of service, 36
- hospital stay, Medicare and Medicaid-dependent patients, 399
- hospital variables, 107
- hospital-based psychiatric observation units, 437
- hospitalists, 419
 - observation medicine and, 86–87
 - observation unit, 73
- hospitalizations. *See also* hospital readmissions
 - factors associated with subsequent, 182
 - without admission, 27
- hospitals
 - clinical performance of, 575–576
 - hospital administrators, 490, 568, 570–571, 575, 580
 - problems facing, 11
 - Hounsfield units, 322
 - Hubei Province, China, 494
 - hybrid units, 6, 11, 385, 390
- hydrocephalus
 - cerebrospinal fluid diversion treatment of, 252
- hyperbilirubinemia, 384
- hypercalcemia, 271–272
 - management in the observation unit, 272
- hypercoagulability screen, 195
- hyperemesis gravidarum, 339, 341
 - management of, 340
 - patient selection for the observation unit, 339
 - treatment of, 340
- hyperglycemia
 - clinical presentation, 257–258
 - fluid replacement and, 259
 - in the emergency department, 257
 - management in the observation unit, 258–261
 - patient selection, 258
 - protocol, 635
- hyperkalemia, 269–270
 - management in the observation unit, 270
- hyperlipidemia, 273
 - risk factor for transient ischemic attack, 225
- hypermagnesemia, 273
- hyponatremia, 274
- hyperosmolar hyperglycemic state (HHS), 257, 495, 587
- hyperparathyroidism, 271
- hyperphosphatemia, 275
 - treatment, 275
- hyperproteinemia, 273
- hypertension
 - risk factor for transient ischemic attack, 183
- hypocalcemia, 271
 - calcium electrolyte replacement, 818–823
 - management in the observation unit, 271
- hypoglycemia, 263
 - complications of, 261
 - glycemic thresholds, 264
 - management of in the observation unit, 264–265
 - pathophysiology of, 263–264
 - patient selection, 264
 - response in diabetic patients, 264
- hypoglycemia-associated autonomic failure, 264
- hypokalemia, 268, 269
 - management in the observation unit, 269
 - potassium electrolyte replacement, 773–774
- hypomagnesemia, 272, 273
 - management in the observation unit, 273
- hyponatremia, 273–274
 - treatment, 274
- hypophosphatemia, 274–275
 - observation unit and, 261
 - treatment, 274
- hypovolemia, 274
 - treatment, 274
- ICD-10-CM (Clinical Modification), diagnosis codes, 25
- Identification of Seniors at Risk (ISAR), 398, 408
- idiopathic intracranial hypertension. *See* headaches
- illnesses
 - history of present, 430, 605, 666
 - Medicare coverage for treatment of, 22
 - medication observation and, 28, 31
 - terminal, 422
- imaging techniques, for cardiac stress induction, 163, 165
- Incident Command System (ICS)/National Incident Management System (NIMS), 473
- inclusion criteria, 136
- indicators
 - outcome, 65
 - process, 65
 - rate-based, 65
 - sentinel event, 65
 - types of, 64–65
- infectious disasters, 471
- Infectious Diseases Society of America (IDSA) guidelines, 803
- influenza, 179
 - of 1917–1918, 490
 - pandemic, 473
 - pediatric medicine and, 390
- inhaled medications
 - inhalers, 848
 - nebulized, 848
- inhaled medications/inhalers, pneumonia/acute bronchitis, 848
- inhalers, for asthma treatment, 869
- inherited factor deficiencies, 284–286
- initial fluid repletion, 259
- inpatient admission, 606–608
 - threshold for, 114–115
 - to observation, 24–25, 540–543
- inpatient admission documentation checklist, 17
- inpatient claims, 16–17
- inpatient criteria
 - changing inpatient, 24
 - failing to meet, 97
- inpatient hospital stays, 26, 152, 776
 - short, 590
- inpatient pharmacy charges, 28
- inpatient hospital insurance, Medicare Part A, 590–591
- Inpatient Prospective Payment System (IPPS), 25, 81
 - regulation (2014), 21
 - under Medicare Part A, outpatient care, 527
- insulin infusion, 260
- insulin therapy, 259
- intake. *See* nurses: nursing intake documentation
- intake/initial assessment items, 54
- Integrated Outpatient Code Editor (I/OCE), 525
- intensive care units (ICUs), 378
 - admission, 104, 685
 - dedicated observation units and, 97

Index

- International Consensus Group on Upper Gastrointestinal Bleeding, 308
- International Statistical Classification of Diseases (ICD), 25
- internet-only manuals (IOM), 588
- interpersonal violence, 466
 high-risk criteria for patients, 466
- InterQual criteria, 22, 544
- interventional radiology
 procedures, 859
- intracranial hypertension, 252
- intravenous furosemide protocol, 775–779
- intravenous pyelography, 323
- intravenous unfractionated heparin (UFH) therapy, 206
- ipratropium bromide, 173
 treatment for COPD, 179
- ischemic heart disease evaluation, 162
- ischemic strokes, 222
 anticoagulations for, 224
 surgical management of, 225
- ticlopidine, 224
- job action sheets, 506
- Joint Commission of Healthcare Organizations, 60
- Kaiser system, 73
- ketamine, 787
 effects and side effects, 365
 for severe asthma, 173
 increase use of, 432
- kidney stones, 321, *See also* renal stones
 criteria for emergency department management, 323
 guidance about care for, 324
 kidney/ureter/bladder (KUB) radiography, 323
 laboratory tests for, 322–323
 medical management of, 323–324
 NSAID therapy for, 324
 pathophysiology of, 321–322
 risks factors for development of, 321
 ultrasound for, 323
- kidney/ureter/bladder (KUB) radiography, 323
- King Abdulaziz Medical City (KAMC), Riyadh, 642
- King Abdullah Specialized Children Hospital (KASCH), Riyadh, 642
- King Abdullah Specialized Children Hospital, Riyadh, 643
- King Faisal Specialist Hospital & Research Center (KFSH&RC), 642
- kit contents, 741
- laboratory tests, 821–873
- labyrinthitis, 245
- laxatives, 870
- leadership, 36
 development of, 31
 executive, 575–576
- learning objectives
 medical students, 94
 meeting, 94–95
- legal next of kin (LNOK), 403, 424
- length of stay (LOS), 7
 in the pediatric observation unit, 384
 long, 62–63
 PEPPER reports and, 20
 prolonged, 104
 reductions in, 5
 report of, 616–617
 revenue and, 78
 short, 63–64
 simple observation and, 16
 time in observation units, 686
- local coverage determinations (LCDs), 22, 25, 556
- locus ceruleus, 444
- long-term care facilities,
 community planning for, 478
- Longitudinal care management template, 532
- Longitudinal Standards for Effective Patient's Transitions of Care, 531
- low back pain admission, 544–545
- lower gastrointestinal bleeding (LGIB), 313
 acute, 313
 clinical approach to managing, 315
 colonoscopy and management of, 314
 discussion about, 313–315
 management of in the observation unit, 315
 patient selection and criteria and, 313
 risk prediction evidence in, 313
 statistics on in the USA, 313
- low-molecular-weight heparin (LMWH), 206
- lung ultrasound
 acute heart failure and, 142
 congestive heart failure and, 123–126
- MADFOCS mnemonic, 430
- magnesium, 272
- depletion of, 272, 273
- magnetic resonance angiography (MRA), 164, 192, 221
 transient ischemic attack and, 222
- major depression, 428
- major disaster or emergency,
 declaration of, 494–495
- malignancy, 103, 183, 203, 228
 chronic pain of, 366
 hypercalcemia and, 271–273
 lifetime risks of, 378
 primary, 730
 primary types of bone, 730
 suspected bladder, 729
 suspected hepatic, 732
 suspected pancreatic, 733
 suspected renal, 736
- Marfan's syndrome, 185, 188
- marijuana, use by pregnant women, 340
- McBurney's point, 343
- Medicaid
 carve-out states and
 reimbursement for
 psychiatric observation, 438
 reimbursements for psychiatric observation under, 438
- medical and psychiatric illness,
 coexistence of, 429, 430
- Medical Benefit Policy Manual, 559
- medical care/special needs shelter, 477–478
- medical conditions
 hospital readmission rates for, 102
 with behavioral symptoms, 430
- medical director
 source of data for observation units, 613–614
- medical education, 93
 observation units, 392
- medical illnesses simulating psychiatric disease, 429
- medical necessity, 22–23, 115, 555–556
 definition of, 22, 565
 denials, 565–566
 determination for care, 22, 113, 556
 determining a, 22
 justifying, 513
 observation care and, 559–561
 screening tools, 22
 transition of care and, 529
- medical necessity provider appeals, 563
- Medical Reserve Corps (MRC), 477
- medical staff, conflict management among, 576–577
- medical students
 learning objectives, 94
 purpose of training, 93

training and education, 93
medically complex patients
 evaluating, 411
 in observation units, 407–410
Medicare. *See also* Recovery Audit
 Contractor (RAC)
 billing and payment
 requirements, 42
 Claims Processing Manual, 520
 formation of, 555
 inpatient prospective
 reimbursement system, 26
 litigation challenging the rules, 28
 medical necessity screening tools
 and, 22
 observation reimbursement
 under, 437
 observation rules, 520–521
 payment and observation status,
 97–98
 payment for inpatient
 admissions, 26
 severity-adjusted DRG (MS-
 DRG) coding, 19
 terminal illness and, 422
 visits for acute chest pain, 162
Medicare Administrative
 Contractors (MACs), 15,
 16–17, 558–559, 563, 589
Medicare Advantage health plan
 enrolees and MOON, 17
 enrollees, 17, 548, 593
Medicare beneficiaries, 14, 27, 28,
 81, 399, 520, 528, 546, 547,
 589, 590
 hospital readmission and, 102
 hospitalizations and, 571
 in observation status, 579
 lawsuit against US Department
 of Health and Human
 Services, 594
 MOON and, 17
 observation hours and, 14
 out-of-pocket expenses, 558, 571
 SNF coverage for, 29
 traditional, 594
Medicare Benefit Policy Manual
 outpatient observation services,
 17
Medicare comprehensive APCs, 28
Medicare contractors and
 jurisdictions, 587, 589
Medicare coverage, 25, 26, 556, 558
 for the SNF charges, 594
 guidance documents, 557
 hospice care insurance benefit,
 422
 medical necessity and, 22–23
Medicare Evidence Development
 and Coverage Advisory
 Committee proceedings, 557

Medicare Fee-for-Service (FFS)
 program, 17, 26
Medicare Outpatient Observation
 Notice (MOON), 17, 548,
 579, 593
Medicare Part A (the hospital billing
 part), 25, 28, 399, 527, 571,
 587, 591, 592
 and Part B coverage, 590
 deductible, 28, 571
 deductible and observation
 status, 28–29
 deductible and Part B, 591
 inpatient admission, 28
 inpatient hospital insurance,
 590–591
 IPPS and, 25
 section 1814(a) of the Social
 Security Act, 608
 SNF, 590
Medicare Part B (outpatient services
 billing part), 29, 399, 528,
 571, 572, 590, 597
 coverage, 25
 outpatient medical insurance, 28,
 591–592
Medicare Payment Advisory
 Commission
 data from, 14
 report, 14
 Report to the Congress, 29
Medicare payments, 518
 rules (2014), 15
medication assisted treatment, for
 opioid use disorder, 446–449
medication for alcohol use disorder
 (MAUD), 452
medication reconciliation process,
 532
medication-assisted treatment
 (MAT), 443
 patient selection/exclusion
 criteria, 445
 patient selection/inclusion
 criteria for, 445
medications
 for asthma, 173, 765
 for headaches, 851–854
 sickle cell disease, 281
Meniere’s disease, 246
menometrorrhagia, 337
menorrhagia, 337
menstrual cycle, 337
 blood clotting during,
 337
mental health coverage, private
 insurance for, 438
merit-based incentive payment
 groups, 533
metabolic stone tests, 322
methadone, 449

methicillin-resistant *Staphylococcus aureus* (MRSA) infections, 297
MRSA/pseudomonas, risk factors for, 183
methylprednisolone, 340
metoclopramide, 340
metrics, 63
 acuity, 64
 complaints, 64
 emergency department, 64
 long length of stay, 62–63
 quality improvement and, 59
 short length of stay, 63–64
 using readmission rate as, 103
metrorrhagia, 337
migraines, 228, 230
migraine headaches, 787
mild alcohol withdrawal pathway,
 452–453
Milliman Care Guidelines (MCG)[™],
 22, 540, 544
Mini-Mental State Examination,
 416, 430
Ministry of National Guards Health
 Affairs (MNGHA), 642
miscommunication and
 misunderstanding,
 transitional care team and,
 532
missed diagnosis rate, 304–305
 appendicitis, 304
 reducing, 33, 56, 59
 threshold for observation and, 36
 vs. acute conary syndrome, 113
modifiers, 518
Modular Emergency Medical
 System (MEMS), 473
Montreal Cognitive Assessment,
 416
Morise score, 162
Mount Sinai Hospital system, 482,
 483
MRI, 837–858

naltrexone, 454
National Ambulatory Medical Care
 Survey, 348
National Center for Health
 Statistics, 25
National Committee for Quality
 Assurance (NCQA), 533
National Correct Coding Initiative
 (NCCI), 557
National Coverage Determinations
 (NCDs), 22, 25, 556–557
National Disaster Medical System
 (NDMS) teams, 477
National Government Services, 559
National Health Interview Survey,
 458

Index

- National Heart, Lung, and Blood Institute (NHLBI), 278
 National Hospital Ambulatory Medical Care Survey (NHAMCS)
 data from, 14
 National Incident Management System (NIMS), 497
 National Institute for Health and Care Excellence, 192
 National Poison Data System
 annual report, 369
 National Quality Forum (NQF), 102, 530
 National Quality Strategy, 529
 National Response Framework, 473
 nausea
 and vomiting, 349
 and vomiting in pregnancy, 339, 340
 and vomiting with migraines, 230
 and vomiting with
 pyelonephritis, 328
 controlling with marijuana, 340
 ED OU management, 254
 hypertension and, 254
 intractable, 323, 324, 328
 kidney stones and, 321
 medication, 351
 shunt failure and, 253
 uterine stones and, 81
 vitamin B for reducing vomiting and, 340
 vomiting and, 330
 vomiting with abdominal pain, 691
 nebulized medications, 869
 neurological problems, common, 234
 neuropathic pain, analgesics for, 842
New England Journal of Medicine, 28
 new mass observation protocol, 727
 exclusion (absolute) criteria, 727
 exclusion (relative) criteria, 728–729
 New York State, COVID-19 case, 482
 New York University (NYU)
 Langone Health System, 482
 new-onset diabetics, 257, 260, *See also* diabetes
 nicotine replacement therapy, 458 (NRT) products, 459
 noncardioembolic ischemic stroke, treatment recommendations for, 225
 noncardiogenic pulmonary edema, 260
 noncomplex observation, 99
 noncontrast CT brain imaging, 221
 noninvasive positive pressure ventilation (NIPPV), 179
 nonpregnant patients, vaginal bleeding mortality and morbidity rate in, 337
 nonsteroidal anti-inflammatory drugs (NSAIDs), 520
 acute back pain and, 365
 for kidney stones, 324
 medications, 281
 prescriptions for, 231
 nonsurgical extended duration therapeutic services, 196, 230, 315, 325, 359, 364, 748
 nonvariceal upper gastrointestinal bleeding
 management, 309–310
 nonvariceal upper gastrointestinal hemorrhage, 311
 North American crotalid snake (pit viper), 751
 Notice of Observation Treatment and Implication for Care Eligibility (NOTICE) Act, 548, 572, 579, 593
 NSAIDs. *See* nonsteroidal anti-inflammatory drugs (NSAIDs)
 N-terminal prohormone BNP (NT-proBNP), 142
 nuclear myocardial perfusion imaging, 166
 nurse manager(s), 659, 669
 of the observation unit, 53, 658, 659, 668, 669, 673–674
 nurse practitioner
 education/training, 89
 scope of practice, 89
 nurse to patient ratio, 7
 nurses
 in observation units, 570
 nursing intake documentation, 53, 54
 responsibilities of, 681
 nursing interventions, 773
 nursing leadership, 42
 nursing staff, 44
 years of service and, 8
 nystagmus evaluation, 242, 244
 ObamaCare, 102
 observation, 7
 charges for, 521–524
 Condition Code 44 and, 608–609
 critical care reported with, 518
 definition of, 21–22
 disposition from, 667
 executive dashboards, 615
 initial anticoagulation options in, 206
 inpatient admission and, 606–608
 level of care and, 36
 length of stay report, 616–617
 prolonged services with, 516–517
 role of, 305–306
 simple, 97
 technical jargon and acronyms, 587
 threshold for, 113–114
 vs. admission, 602–603
 vs. inpatient care, 540–543
 what it is, 15–16
 observation care, 537–538
 definition of, 599
 goals of, 39
 issues with choosing, 538–539
 medical necessity and, 559–561
 physicians and, 568–570
 reasons behind increased, 567–568
 stakeholder analysis and, 568
 strategic business analysis of, 568–572
 SWOT analysis, 568
 vs. inpatient care, 543–544
 when necessary, 600–601
 observation criteria, 601–602
 observation medical record documentation, 604
 observation medicine, 489
 background of, 99
 caring for complex patients, 101
 challenges in Singapore, 633, 634
 children's hospitals, 391, 392
 controversy about, 27–29
 curriculum, 91
 dehydration management and, 318–319
 developing financial viability of, 32–33
 differences between pediatric and adult, 380
 emergency medicine and, 6
 future of, 620
 hospital site of service, 36
 importance of, 59
 in the community setting, 73
 leadership in, 623
 medical students/fellows education and, 93
 origins of in Singapore, 633
 pediatric, 390
 potential solutions, 107–108
 principles of, 36
 resources and materials, 92
 role of, 488–489
 role of in health system, 635
 role of in pandemic management, 490
 Saudi Arabia, 642
 telehealth and, 131
 the concept of, 31
 types of, 15

- unique features of in Singapore, 634–635
- observation protocol
 - for vaso-occlusive episodes, 280
- observation reimbursement, 520–524
- observation services
 - APC payment history, 596
 - complex, 73
 - compliance oversight for, 526
 - economical service and, 37
 - facility payment for, 595, 596
 - Medicare Part B and, 597
 - observation reimbursement for, 520–521
 - payment and, 97–98
- observation status, 15
 - changes in, 24–25
 - changing, 24
 - definition of, 5
 - in postoperative patients, 16
- observation unit database, 60–61
- observation units. *See also*
 - psychiatric observation units, emergency departments
- additional staffing hours in, 49–50
- additional staff in, 10
- administration of, 53
- administrative staff of, 10
- advance practice providers in the, 88
- at the University of Texas, Athens
 - emergency department, 77
- benchmarks for the, 11
- benefits of, 11–13, 12
- busiest time in, 8
- care coordinator (case manager), 681
- census, 51–52, 613
- charge nurse in the, 658–659
- clinical criteria in pediatric, 391
- common considerations for patients in, 99–100
- common diagnoses in, 380
- criteria for pneumonia patients, 183
- cross coverage in, 8
- database for the, 661–662
- dedicated, 97
- design and setup of, 50–51
- design for pandemics, 490
- design of, 10–11
- development of best practice in, 32
- disposition of patients placed in, 145, 663–664
- diversified admission diagnoses, 391
- during a disaster, 471
- entry criteria for patients with
 - acute heart failure, 143
- establishing successful, 39–41
- evaluation of patients in, 137
- evolution of staff in, 32
- exclusion criteria for the, 100, 137, 143
- financial overview of, 77, 78
- follow-up plan for high-risk adults, 410–411
- for at-risk older adults, 407–410
- future of medicine in, 385
- general documentation requirements, 513
- guideline criteria, 599–600, 615
- history of, 379
- hospitalist, 73
- hybrid, 381, 385
- importance of location of, 48–49
- in an emergency setting, 142
- inclusion and exclusion criteria
 - for pneumonia patients, 183
- inclusion criteria, 136
- inclusion criteria for, 100
- international and national perspectives on, 382
- length of stay in, 7
- length of stay in a pediatric, 384
- location of, 7
- management of, 183–184, 391
- management of chest pains in, 139
- management of COPD in, 177–179
- markers of efficiency, 611–613
- medical education in, 392
- meetings of, 65
- metrics of, 11
- noncancer and cancer metrics in, 290
- nurse manager of the, 53
- nurses responsibilities, 681
- open and closed units, 6
- operational efficiency and flexibility of, 487
- patient criteria for placement in, 678
- patient log, 66
- patient registration for the, 681
- patients evaluation in, 137
- pediatric, 379, 384–385
- physician management and, 616
- physician responsibilities for the, 681, 683–685
- reassign staff from, 52–53
- research opportunities in, 394
- setting up staffing for, 49–50
- size of the, 11
- social medicine and, 464
- staffing model, 46
- staffing the, 8–9, 52, 391
- structural indicators and, 64
- time in, 686
- treatment of asthma in the, 172
- types of, 5–6, 40, 97–98
- types of indicators for, 64–65
- University of Texas, Athens
 - emergency department, 78
 - users satisfaction with, 384
- utilization, 613
- utilization review of, 391–392
- virtual observation and extended care, 101
- observation usage rate, inpatient admission and, 114–115
- observation visits, 567
 - data about, 14
 - short-stay, 572
- observation vs. inpatient, deciding on, 550
- obstructive coronary artery disease, 138
- obstructive lung disease, 179
- occupational therapy, 417
- Office of the Inspector General (OIG) report, 28, 568
- Office of Inspector General's annual work plan, 557–558
- office/outpatient visit codes, 25
- older adults 359. *See also* elderly patients
 - fragility fracture protocols and, 403
 - hospital readmissions rate and, 106
 - observation unit for high risk, 410
 - observation units and suggestions for care of, 400
 - pain management and, 365
 - role of the geriatric observation unit and, 397–398
 - statistics for in the USA, 415
 - treatment in ED OUs, 359
- oligomenorrhea, 337
- opiate use disorder. *See* opioid use disorder
- opioid use disorder, 443, 465
 - discussion of, 445
 - management in the emergency department, 449
 - medication assisted treatment, 446–449
 - non-opioid management of withdrawal, 445
 - non-opioid treatment, 446
 - opioid withdrawal symptoms, 446
 - pathophysiology of, 443–445
 - primary goal of, 449
- opioids, 231, 373–374
 - opioid analgesics and pain management, 363
 - opioid antagonist treatment, 445, 449, 454

Index

- opioids (cont.)
 - opioid overdose, 443, 444, 445, 465
 - opioid receptor system, 454
- oral anticoagulation, 210
- organizational culture, 624
- orthostatic evaluation, 158
- osmotic demyelination syndrome, 274
- outcome indicators, 65
- outpatient medical insurance, Medicare Part B, 591–592
- outpatient observation services Medicare Benefit Policy Manual, 17, 21
- Outpatient Prospective Payment System (OPPS), 81, 520, 526, 595, 615
 - with APCs, 33
- outpatient services, 615
 - continuing care in, 37
 - intensive managerial review of, 37
- outpatient setting, 36, 39, 98, 194, 202, 206, 212, 213, 390, 445, 592
 - continuing care in, 37
 - COVID-19 pandemic and, 197
 - direct oral anticoagulants and, 207
 - transition to, 145
 - women with pelvic inflammatory disease treated in, 334
- pain
 - assessment of, 363
 - criteria for observation of patients with, 366
 - epidemiology of, 363
 - treatment of, 367
- pain management, 363
 - acute low back pain, 365
 - chronic pain, 366
 - chronic pain of malignancy, 366
 - in special populations, 365
 - medications for, 363–365
 - opioid medications and their pharmacokinetic properties, 364
 - recommendations for observation unit protocols, 366–367
- painful complaints. *See* pain
- palliative performance scale, 423–424
- pancreatic mass protocol, 733
 - exclusion criteria for ED OU, 733
 - inclusion criteria for ED OU/ outpatient work-up, 733
 - recommended work-up/ treatment, 733–734
 - suggested disposition/referral, 733
- pandemic influenza, 473
- pandemic management
 - observation medicine and, 490
 - observation unit management, 490
 - planning and, 473–475
- paradoxical central nervous system acidosis, 260
- patent foramen ovale, 225
- patient care
 - and hospital system outcomes, 436–437
 - evaluation of patient and, 666–667
 - patient log, 66
 - patient safety, 9, 11, 56, 59, 95, 103, 117, 530, 559, 590, 625, 637, 757, 776
 - patient satisfaction, 8, 9, 11, 72, 84, 97, 150, 152, 171, 174, 277, 278, 306, 344, 384, 390, 436, 567, 571, 643
- patient management, 84, 260, 490, 579, 675
 - in observation units, 549–550
- Patient Outcomes Research Team (PORT score), 182, 734
- patient populations, 16, 70, 100, 225, 392, 568, 576
 - high risk, 237
- Patient Protection and Affordable Care Act (PPACA), 102
- patient selection
 - acute pulmonary embolism and, 206
 - exclusion, 157
 - headache management and, 229
 - hyperglycemia and, 258
 - hypoglycemia and, 264
 - inclusion, 157
 - lower gastrointestinal bleeding and, 313
 - seizures and, 236–237
 - shunt malfunction in cerebrospinal fluid, 253
 - skin and soft tissue infections and, 298
 - warfarin use and, 213–214
- patients, 571–572
 - adult vs. pediatric, 381
 - common considerations for observation status, 99–100
 - continuing care of in observation status, 660–661
 - criteria for observation unit placement, 678
 - education and social needs assessment, 145
 - evaluation and management of, 31
 - exclusion criteria for observation units, 100
 - experience metrics, 576–577
 - factors leading to hospital readmissions, 104–105
 - inappropriate labelling of, 16
 - inclusion criteria for observation units, 100
 - location of in observation units, 48–49
 - observation unit evaluation of, 137
 - physician documenttton on, 666–667
 - pneumonia, 183, 184
 - unique observation, 101
 - with psychiatric complaints in the emergency departments, 427
- payers, 525, 572
- Payment policy for inpatient readmissions, report to Congress, 103
- pediatric children’s hospital, Australia, 381
- pediatric health information system, 390
- pediatric medications order set, 861
- pediatric medicine, 390–394
- pediatric observation medicine, 385
 - advantages of, 382–384
 - differences between adult observation medicine and, 380
 - principles of, 379–380
- pediatric observation units, 381–382
 - types and functions of, 390–394
- pediatric order set, 759–823
- pediatric patients
 - emergency department visits and, 377
 - in a pediatric observation unit, 381–382
 - observation of, 70
 - pathophysiology, 377–379
- pediatric population, 327, 380
 - in the USA, 378
 - observation protocols for poison patients, 369
- pelvic inflammatory disease (PID)
 - antibiotic treatment for, 335
 - definition of, 328
 - diagnosis of, 333–334
 - management of, 334
 - medications for, 798
 - parenteral antibiotic treatment for, 335
 - patient criteria, 334
 - presumptive treatment for, 333
 - specific diagnostic criteria for, 334
 - specificity of the diagnosis of, 333
- pelvic inflammatory disease order set, 797

- PEPPER reports, 12, 19, 558, 613
 contents of, 19
 errors in payment and, 20–21
 how to access, 20
 how to use, 20
 target areas of, 21
 performance improvement (PI), 661
 peripheral vs. central lesions
 characteristics, 242
 personal protective equipment (PPE), 488, 498
 pharmacologic agents, 163
 contraindications to, 167
 pharmacologic cardioversion, 151
 pharmacologic management
 of headaches, 230–231
 pharmacologic stress agents,
 163–167
 comparison of, 164
 pharmacologic therapy
 diuretics, 143
 guideline-directed medical
 therapy, 143
 pharmacotherapy, 454
 pharyngitis/peritonsillar abscess
 order set, 799
 medications for, 801
 philanthropy, 439
 phosphate, 274
 physical exam, psychiatric patients,
 430–431
 physical therapy, older patients and,
 408, 417–418
 physicians, 8–9
 physician advisors, 621
 functions of, 621–622
 opportunities for, 621
 role of, 622
 physician assistants
 education/training of, 88
 scope of practice of, 88
 physician documentation, 17
 on patient's background, 666–667
 physician medical director, 668,
 669, 673, 674, 686
 of the observation unit, 53
 physicians, 43
 as hospitalists, 86–87
 home visiting, 411
 management, 616
 observation care, 568–570
 Physicians' responsibilities in
 disaster response and
 preparedness, 472
 physiologic stress, 162
 pitfalls
 observation management and,
 281
 tertiary hospitals and, 73
 plasma products, 283, 284
 cryoprecipitate, 284
 fresh frozen plasma (FFP), 284
 goals of transfusion, 284
 platelets, 283, 286
 platelet transfusion, 286
 pneumonia. *See also* community
 acquired pneumonia
 cases in Wuhan City, China,
 494
 disposition/discharge of patients
 with, 184
 inclusion and exclusion criteria
 for patients with, 183
 medications for, 760
 patients in an observation unit,
 183
 patients with, 184
 risk factors for, 182
 pneumonia/acute bronchitis order
 set, 801
 Pneumonia Severity Index (PSI),
 182, 604, 609, 734
 pneumothorax/pneumothoraces,
 359
 aftercare for, 743
 apical, 186
 diagnosis of, 185
 discharge advice, 746
 discharge advice and follow up
 for apical, 188
 potential complications of,
 186–187
 primary spontaneous, 185–186
 primary spontaneous apical
 pneumothorax workflow,
 185–186, 634, 741
 rim, 186, 741
 small, 185
 spontaneous, 185–186
 tension, 187
 point-of-care ultrasound (POCUS),
 119, 126
 trauma and, 119–122
 poisoned patients, 369–370
 benefits of observation unit care
 for the, 369
 in the observation unit, 369
 poisoning observation protocols,
 369
 polymerorrhea, 337
 polypharmacy/medication
 compliance related issues,
 409
 Portex Seldinger chest drainage kit,
 741
 post-dural puncture headaches, 785,
 787
 posterior inferior cerebellar artery
 ischemia, 249
 potassium, 268
 elevated levels of, 269–270
 low levels of, 268, 269
 potassium electrolyte replacement,
 773–774
 Prediction of Alcohol Withdrawal
 Severity Scale (PAWSS), 452
 pregnant patients/women, 237, 323
 factor Xa inhibitors and, 193
 marijuana use and, 340
 trauma and, 360
 ultrasound use in for acute
 appendicitis in, 343
 ureterolithiasis in, 324
 PREP Act declaration, 497
 Presidential policy directive 8
 (PPD-8), 490
 Press-Ganey scores, 11, 12
 pre-test probabilities/scores, 162,
 163
 obstructive coronary artery
 disease, 163
 primary headaches, 228
 private insurance, for mental health
 coverage, 438
 PRN (as needed) medications, 293,
 294
 process indicators, 65
 Program for Evaluating Payment
 Patterns Electronic Report
 (PEPPER). *See* PEPPER
 reports
 prolonged services, with
 observation, 516–517
 Proposition 63 Mental Health
 Services Act, 439
 protocols, 65
 provocative stress test, 138
 pseudocellulitis, 298–299
 psychiatric complaints, 427
 psychiatric disease
 agitated patients and, 432
 history of present illness, 430
 imaging and medical clearance,
 432
 medical illnesses simulating, 429
 psychiatric emergencies, 435
 defined, 428, 430
 psychiatric observation, 436–437
 improvement of patient care and
 hospital system outcomes,
 436–437
 rationale for, 435–436
 psychiatric observation units
 covering the startup costs of, 439
 direct support as payor
 reimbursement, 438
 financial benefits of hospital-
 based, 437
 opportunities for patients in, 440
 philanthropic efforts in, 439
 private insurance coverage in, 438
 reimbursement and sustainability
 improvements, 437–439
 reimbursement opportunities in,
 437–438
 risk management in, 439–440

Index

- psychiatric observation units (cont.)
 - sustainability of, 439
- psychiatric patients, 102, 437,
 - 439–440, 638, 797
 - acute, 382
 - boarding in emergency departments, 439
 - coexistence with medical illnesses, 429, 430
 - medical clearance of, 427
 - observational care of, 101
 - pediatric, 382
 - physical examination of, 430–431
 - psychiatric observation of,
 - 436–437
 - psychiatric observation units and,
 - 437
 - risks management of, 439–440
 - routine testing of, 431–432
 - statistics on, 427
 - testing of, 432
- public health emergency (PHE)
 - Centers for Medicare and Medicaid Services, 495–497
 - declaration, 505
 - due to the COVID-19 pandemic,
 - 29
 - of international concern, 494
 - section 319, 506
- Public Health Service (PHS) Act
 - section 319, 494
- pulmonary arterial bed, occlusion of the, 202
- pulmonary contusion, 359
- pulmonary embolism (PE), 160,
 - 191, 194–195, 738
 - clinical decision rules on
 - probability of, 202
 - diagnosis of, 192
 - diagnosis of acute, 202–204
 - European Society of Cardiology Risk Stratification of, 204
 - fatal, 213
 - length of stay/hospitalization for,
 - 202
 - low-risk, 192
 - risk stratification, 204–206
 - Severity Index and Geneva Risk Score, 205
- Pulmonary Embolism Severity Index, 192
- pulmonary nodule/mass protocol,
 - 734
 - exclusion criteria (for observation), 734–735
 - inclusion criteria, 734
- pyelonephritis, 327, 328, 330
- Quality Improvement Organization
 - Program for Medicare beneficiaries, 558
- Quality Improvement Organizations (QIOs), 15,
 - 16, 20, 27, 558, 589–590, 599
- quality improvement, metrics
 - tracking and, 59
- Quality Innovation Network (QIN – QIOs), 27
- quality of patient care, pediatric observation medicine and,
 - 383
- Queen Elizabeth Hospital, 508
- Quick Confusion Scale (QCS), 430
- radiology studies
 - contrast allergies and, 870
 - other, 874
 - plain X-rays, 759
- Raja Isteri Pengiran Anak Saleha Appendicitis (RIPASA) score, 346, 346
- rapid intense observation units, 99
- rapid treatment units (RTUs), 390
 - for children, 394–395
- rate-based indicators, 65
- rattlesnake bites, treating patients with, 795
- readmissions. *See* hospital readmission
 - to the observation unit, 383–384
- REA-ICU (risk of early admission to ICU), 182
- REALM-R (Rapid Estimate of Adult Literacy in Medicine, Revised), 260
- recombinant activated factor VIIa (rFVIIa), 285
- Recovery Audit Contractor (RAC), 15, 16, 20, 526, 559
- Recovery Audit Program, 559
- red blood cell transfusions, 283–284
 - mortality for patients, 283
- re-expansion pulmonary edema (RPE), 187
- referral centers, emergency physicians and, 74
- regional medical coordination centers (MCCs), 472
- registered nurses (RNs), 570
- registration, as inpatient or outpatient, 521
- Relative Value Scale (RVS) Update Committee (RUC), 32
- Reli Group, 20
- renal colic, 322, 323
- renal mass protocol, 736–737
- research
 - academic centers and, 74
 - research opportunities, 394
- resident physicians, 44
- residents
 - training and education of, 91–92
- Residents and Medical Students (RAMS) Roadmap, 93
- resource-based Relative Value Scale process, 517, 518
- respiratory interventions, 821
- restrictive transfusion strategy, 283
- revascularization procedures, 225
- rim pneumothoraces, 186
- risk management
 - and observation medicine, 58
 - in healthcare, 56
 - what it is, 56–57
- risk stratification, 115–116, 136
 - ABCD2 risk stratification for TIA, 115, 115
 - of pulmonary embolism, 204–206
 - transient ischemic attack, 219,
 - 220
 - with clinical scores for appendicitis, 345
- Risk stratification Of Syncope in the Emergency department (ROSE) protocols, 155
- rivaroxaban (Xarelto®), 193
- Robert T. Stafford Disaster Relief and Emergency Assistance Act, 494, 506
- Rockall score, 307
 - history of, 307
- routine testing, of psychiatric patients, 431–432
- Royal College of Physician’s acute medicine guidelines, 117
- rural areas, statistics on Americans living in, 76
- rural observation medicine,
 - background to, 76
- Saudi Arabia, 641
 - emergency departments, 641–642
 - observation medicine in, 642
- scatter beds, 15
- schizophrenia, and other psychoses, 428
- Screening, Brief Intervention, and Referral to Treatment (SBIRT), 454
- secondary headaches, 228
- seizures
 - evaluation of patients with,
 - 235–236
 - in clinical practice, 238
 - management of in the observation unit, 237
 - pathophysiology, 234–235
 - patient selection for the observation unit, 236–237
 - patients not recommended for observation, 237
 - seizure classifications, 235
 - statistics on, 234

- treatment of in the observation unit, 238
- treatment/intervention, 238
- what it is, 234
- Seldinger technique, 187, 634
 - conventional, 741–743
- seniors at risk, 398, 408
 - identification of, 314
- sentinel event indicators, 65
- serial electrocardiogram, 137
- shift, change of, 659
- short inpatient stays, 26
- short-stay units (SSUs), 384
- short-stay inpatients (SSIPs), 613
- shunt failure. *See* shunt malfunction
- shunt malfunction, 253, 254, 255
 - patient selection, 253
- shunt order set, headaches with a, 787
- sickle cell disease
 - crisis medications, 281
 - current management of, 278
 - guidelines for management of, 278
 - in adults, 277
 - pathology and clinical presentation of, 277–278
 - pathway metrics and goals, 280
 - pitfalls in vaso-occlusive episodes, management of, 281
 - vaso-occlusive crisis, 577–578
 - vaso-occlusive episodes in, 281
- simple observation
 - target hours for, 16
 - vs. complex observation, 16
- simple pneumothorax, Seldinger technique for, 187
- Simplified Pulmonary Embolism Severity Index, 192
- Singapore
 - challenges in observation medicine in, 633, 634
 - COVID-19 pandemic in, 635
 - guidelines and staffing concepts in observation unit, 633
 - origins of observation medicine in, 633
 - RIPASA score, 346
 - role of observation medicine, 635
 - unique features of observation medicine in, 634–635
- single photon emission computed tomography (SPECT)
 - myocardial perfusion imaging (MPI), 163, 166
- size, of the observational unit, 11
- skilled nursing care
 - criteria and screening for, 416
 - exclusion and conversion to, 416–417
 - sesources, 417
- skilled nursing facility (SNF), 25, 29, 97, 106, 399, 422, 537, 572, 593
 - inpatient stay and, 524
 - Medicare Part A and, 590
 - placement in, 410, 411, 415–416, 417
 - post-acute care, 593–595
 - qualifying for, 528
- skin and soft tissue infections (SSTIs), 297, 300
 - benefit from observation unit placement, 298
 - clinical presentation, 297
 - conditions that mimic, 299
 - discharge/transfer criteria for patients with, 299–300
 - exclusion from observation unit placement, 298
 - failure to respond to 24–48 hours of antibiotic treatment, 299
 - laboratory evaluation and imaging, 297–298
 - management of, 299
 - patient selection criteria for the observation unit, 298
 - prevention of recurrent, 300
 - pseudocellulitis, 298–299
- small pneumothorax/
 - pneumothoraces, 185
- smoking cessation, 458
 - observation units and, 460
 - pharmacotherapy for, 459
 - using the observation unit for, 460
- smoking/smoking disorder
 - interventions, 458, 459
 - opportunities for preventative care, 458
 - statistics about, 458
- snake bites, 751
- social determinants of health (SDOH), 141, 408, 463, 601
- social medicine, 466
 - alcohol use disorder, 466
 - interpersonal violence, 466
 - observation units and, 464
 - opiate use disorder, 465
 - resources and stakeholders, 464–465
 - specific protocols in, 465
- social needs assessment, 145
- social observation medicine, 463–464
- Social Security Act (SSA), 495, 504, 506, 595, 608
 - 1965, 555
 - prohibition of payments, 555
 - section 1862(a) (1), 556
- social work, for elderly patients, 418
- Society for Academic Emergency Medicine (SAEM), 32, 93, 458
- Society of Cardiovascular Patient Care, 143, 379
- Society of Chest Pain Centers, 33, 143, 379
- Society of Hospital Medicine, 8
- sodium, 273
- sodium valproate, 230
- soft tissue masses, 737
- South Africa
 - emergency medicine in, 629–630
 - health system, 629
- special health care needs (SHCNs), 378
- specialized clinics, 220, 411
- spontaneous pneumothoraces, 185–186
- staff
 - acute care, 37
 - evolution of, 32
- staffing
 - additional, 49–50
 - advanced practice providers, 43–44
 - consultants, 45–46
 - cross coverage of staff in the observation unit, 8
 - flexible, 7
 - for daily and hourly census, 52
 - importance of, 42
 - leadership and, 42–43
 - nursing staff, 44
 - nursing staff ratios, 7–8
 - primary clinical physicians, 43
 - resident physicians, 44
 - support staff, 44–45
- staffing model, 42, 43
 - physician, 43
- Stafford Act, 494, 495
 - declaration assistance types, 495
 - emergency declaration for COVID-19, 494–495
- stakeholders, creating buy-in with, 623
- standardized order sets, 65
- standards of care, 563
- state and national disaster plans, 478
- status
 - admission to inpatient, 193
 - changing inpatient, 24
 - changing patient's, 24
 - changing to inpatient, 24
 - critical access hospitals (CAHs), 79
 - determining correct, 23, 527–528
 - incorrect patient, 23
 - inpatient, 80–81
 - patient status reviews, 16
 - patient's, 17

Index

- status assignment, 527
 status epilepticus, 238
 ST elevation myocardial infarction (STEMI), 137
 STePs (Short Term Prognosis of Syncope) study, 155
 steroids, 868
 stimulants, 372–373
 Strategic National Stockpile (SNS), 474
 strengths, weaknesses, opportunities, and threats (SWOT) analysis, 568
 stress agents, pharmacologic, 163–167
 stress echocardiogram, 163, 164
 stress electrocardiogram, 164
 stress testing, 167
 contraindications to
 pharmacologic agents, 167
 exercise, 162–163
 in acute chest pain, 162, 163
 strokes. *See also* transient ischemic attack (TIA)
 noncardioembolic ischemic, 224
 prevention of, 223–224
 structural indicators, 64
 subarachnoid hemorrhage (SAH), 228
 Substance Abuse and Mental Health Services (SAMHS) census panel, 455
 Supplemental Security Income, 438
 support staff, 44–45, 488, 530, *See also* staff
 ancillary, 490
 secretarial, 664
 supraventricular arrhythmia, 149
 surgical emphysema, 187
 surgical subspecialty care, 356
 syncope, 155–156
 admission for an inpatient
 workup, 156–157
 Canadian Syncope Risk Score, 156
 cardiac or neurologic event and, 156–157
 cardiac ultrasound, 126–128
 classifications, 156
 estimated risk of serious adverse event, 156
 exclusion of patient selection and, 157
 management of patients, 158
 mimic examples, 155
 pathophysiology, 156
 patient criteria for admission to observation unit, 157
 patient selection inclusion, 157
 use of observation units in the evaluation of, 160
 Syncope Evaluation in the Emergency Department Study (SEEDs), 155
 syncope/near-syncope/presyncope order set, 284
 systemic inflammatory response (SIRS)/sepsis, 318
 systemic inflammatory response syndrome (SIRS), 732
 Targeted Geriatric Assessment (TaGa), 410
 targeted probe and educate (TPE) program, 17
 Tax Relief and Health Care Act, 2006, 559
 team development, 623
 telehealth, 130–131
 telemetry monitoring, 159
 tension pneumothorax, 187
 terminal illness, 422
 diagnosis of, 422
 Medicare and, 422
 tertiary care hospitals, 73
 Texas Children's Hospital ED OU admission criteria, 392
 therapeutic intensity, 600–601
 thoracic trauma, 359
 ticlopidine, strokes prevention and, 224
 tilt-table testing, 159
 time in therapeutic range, warfarin, 211
 TMF® Health Quality Institute, 20, 558
 Tokyo Guidelines for acute cholecystitis, 349–351
 2018, 350
 traditional approach, failings of, 31
 tranexamic acid (TXA), 285
 transfusion order set, 810
 transfusion-associated circulatory overload (TACO), 287
 transient ischemic attack (TIA), 576
 cardiac imaging and, 222, 224
 computed tomography angiography and, 222
 consultation and, 226
 definition, 219
 differential diagnosis for, 221
 discharge from emergency department, 226
 disposition in observation unit, 226
 echocardiogram
 recommendations for, 224
 emergency department evaluation and, 221
 evaluation of (workup), 221
 follow-up and, 226
 inpatient admission and, 226
 magnetic resonance angiography, 222
 management of in the emergency department observation setting, 226
 observation unit protocol for, 221
 other risk factors, 226
 risk factor modification¹, 223
 risk factors for, 181
 risk stratification, 219, 220
 role of observation, 220, 221
 transient ischemic attack (TIA) order set, 221–222
 transition of care, 529–534, 661
 change of shift and, 659
 older adults in the observation unit, 407
 primary care visit, 410
 Transitions of Care Standards, 531, 532
 trauma, 355
 advanced trauma life support, 356
 blunt abdominal, 357, 358
 blunt thoracic, 357
 cervical radiculopathy, 357
 ED OU care, 356
 ED OU interventions, 356
 hospital resources for, 355
 maternal death from, 360
 nontrauma centers, 355
 patient selection for the ED OU, 358
 POCUS in, 119–122
 pregnant patients and, 360
 surgery, 355
 surgical subspecialty care, 356
 thoracic trauma, 359
 trauma centers, 355
 traumatic brain injury, 357
 treatment of older adults in the ED OUs, 359
 traumatic brain injury, 357, 577
 mild, 739
 treadmill/stationary bicycle, 162
 Triage Risk Screening Tool (TRST), 398, 408
 trimethoprim-sulfamethoxazole, 299
 triptans, 230, 787, 853
 Turkey
 emergency observation medicine in, 645–647
 two-midnight rule, 15, 21, 33–34, 527, 592
 benchmark, 608
 Code 44, 24
 failing to adhere to, 16
 history of, 16–17
 Medicaid service (CMS) fact sheet on, 527
 observation and, 608
 type I diabetics, 259, 260, 263
 type II diabetics, 263

- US Department of Health and Human Services, 25, 494
- US Preventive Services Task Force (USPSTF), 458
- UB04 hospital claim form, 521
- ultrasound, 837
 - for kidney stones, 323
- United Kingdom
 - acute medical units in the, 118
 - acute medicine in the, 117, 118, 637
 - emergency medicine services in the, 637
- United States Census Bureau, 76, 529
- University of Texas System, 76
- University of Texas, Athens
 - emergency department, 78
 - observation care, 77
- upper gastrointestinal bleeding, 307, 313
 - clinical trials, 310–311
 - emergency department observation and, 307–308
 - patient criteria, 307
- upper gastrointestinal hemorrhage, 307
 - nonvariceal, 311
- ureteral stones, 225, 323, 329
 - nausea/vomiting and pain, 81
- ureterolithiasis
 - CT for, 322–323
 - diagnosing in pregnancy, 324
 - emergency care and, 324
- urgent dispatch, 411
- urinalysis, 254, 259, 303, 328
 - kidney stones and, 322–323
 - test for acute appendicitis, 343
- urinary tract infections (UTIs), 327
 - diagnostic testing, 329
 - disposition from emergency department, 330
 - management/interventions of patients with, 329–330
 - pathophysiology and, 327–328
 - patient selection – exclusions, 329
 - patient selection – inclusions in emergency department, 328
- urine pregnancy testing, 303
- urolithiasis (urinary/kidney stones), 321
 - emergency department and, 323
- US Food and Drug Administration (FDA)
 - medications for alcohol use disorder, 454
- US National Library of Medicine, Medical Subject Headings, 73
- utilization management, 416, 418–419, 527, 529, 544, 657
 - department, 563
 - nurse case manager, 527
 - team, 366
 - utilization management committees, 613
 - utilization review process, 115, 580
- vaginal bleeding, 337
 - diagnosis of, 337
 - guidance on management of, 338
 - patient management in the observation unit, 337
- vaginal bleeding order set, 813
- varenicline, FDA black box warning for, 460
- vascular imaging, 222
- vaso-occlusive crisis (VOC), 577–578
- vaso-occlusive episodes (VOEs), 277, 281, *See also* sickle cell disease
 - adjunctive therapy for, 281
 - clinical pathway for the evaluation and management of, 278–280
 - observation protocol for, 280–281
 - pitfalls in observation management of, 281
 - treatment with infusion therapy, 278
 - treatment with oral home medications, 278
- venous thromboembolism (VTE). *See also* deep vein thrombosis (DVT)
 - benefits of the ED OU, 195–197
 - observation unit inclusion/exclusion criteria, 198
 - order set, 720
 - outcomes of treatment, 199
 - suspected, 192
 - treatment of, 192
- ventilation–perfusion scintigraphy (V/Q scan)
 - diagnostic evaluation of pulmonary embolism, 204
- ventricular hypertrophy, 159
- ventricular rate
 - control of the, 150
 - lower, 150
- vertebrobasilar ischemia, 249
- vertigo
 - benign paroxysmal positional, 241, 245
 - causes of, 249
 - complaints of, 241
 - differential diagnosis of, 244–249
 - nystagmus evaluation, 242
 - vestibular causes of, 246
- vertigo/dizziness order set, 814
- vestibular neuritis, 245
- Veterans Health Administration, 102
- video capsule enteroscopy, 309
- video-assisted thoracoscopic surgery (VATS), 186
- virtual acute care unit (VACU), 483
- virtual emergency department/tele emergency department, 410–411
- virtual observation units, 615
 - Atrium Health System, 483
- vital signs, 871
- vitamin B6, for hyperemesis gravidarum, 340
- vitamin K
 - intravenous, 212
 - oral administration of, 212
 - subcutaneous administration of, 212–213
- vitamin K antagonists (VKAs), 193, 210, 817
- vitamin K epoxide reductase, 210, 212
- vitamin K oxide reductase, 211
- vitamin K reductase, 210, 212
 - warfarin reversal strategies with, 212–213
- volume depletion, 317
- vomiting, 317, 324
 - dehydration due to, 319
 - kidney stones and, 321
 - pelvic inflammatory disease and, 334
 - renal colic and, 322
- von Willebrand Disease (vWD), 285–286
- von Willebrand factor (vWF) deficiency, 284
- warfarin, 193
 - excessive anticoagulation and bleeding risk with, 211–212
 - management of excessive anticoagulation on warfarin, 214
 - observation care, 214–215
 - patient selection and observation care, 213–214
 - pharmacology of, 211
 - reversal strategies with vitamin K, 212–213
- water, body mass and, 317
- Wells score/rule, 192, 203
- workflows, 309
- World Health Organization (WHO), 454, 494
- World Society of Emergency Surgery Guidelines, 345
- young children, 70, 861
 - dehydration and, 318