

Index

- Ampère's circuital law, 36
- action potential, 1, 11, 41, 158, 228, 234
 - back-propagating, 174
 - in Hay model, 2
 - in Hodgkin-Huxley model, 48
 - in simplified models, 75
- active conductance, *see* ion channel
- active dendrites, *see* dendritic ion channels
- advective current, 27
- afterhyperpolarization, 161, 234
- afterhyperpolarizing potassium channels, 234
- Allen Cell Type Database, 74
- alpha-function, 51
- Ampère-Laplace's law, 277, 338
- AMPA synapse, 50
- amplitude spectrum, 161, 331
- Arbor simulation software, 132
- ATP, 65
- autocorrelation, 330
- averaging kernel for coarse-graining, 87
- axial current, 53, 131
 - matrix formalism, 135
- axon initial segment, 173
- axonal spike, 175
- back-propagating action potential, 174
- ball-and-stick model, 60, 148, 162, 164, 170
- beta-function, 51
- bi-domain model, 34, 88
- biophysically detailed cell model, 57, *see also* MC model
- black-box model, 142, 146
- Blue Brain Project, 74, 240
- blunting with distance
 - of LFP, 191
 - of spike, 163
- boundary element method, 246
- Brownian motion, 19
- Brunel model, 240
- cable equation, 58, 58–64
 - steady-state solution, 59
- calcium channels, 48, 70, 235
- calcium dynamics, 70
- calcium “hot” zone, 235
- calcium imaging, 71
- calcium spike, 228, 235
- calcium-activated ion channel, 70
- capacitance, 25
 - specific, 25
- capacitive current, 21, 24, 112, *see also* displacement current
 - in neural membrane, 44, 170
- capacitive medium, *see* dielectric medium
- capacitive properties of tissue, 112
- cerebrospinal fluid, 66
- channel filtering, 222
- charge, 12
- charge conservation, 13, 36
- charge relaxation, 17, 118, 294
 - in extracellular fluid, 119
 - in neural tissue, 120
- charge-separation process, 291
- chemical synapse, *see* synapse
- closed-field configuration, 193
- coarse-graining, 19–20, 87
- coherence, 224, 334
 - frequency dependence of, 224
- compound EEG, 253
- compound LFP, 195, 201
- conductance, *see also* ion channel
 - of ion channel, 46
- conductance-based synapse, *see* synapse
- conductive current, 22
- conductivity, 23
 - anisotropic, 123, 244
 - of brain tissue, 40, 80, 91, 110, 280
 - complex, 115
 - of cortical tissue, 158
 - of extracellular fluid, 105
 - of extracellular medium, 88, 91, 107
 - frequency dependence of, 112, 244
 - inhomogeneous, 124, 244, 245
 - local changes, 280
 - values in four-sphere head model, 245
- conductor, 22
- constant-concentration approximation, 64

- constitutive relations, 37
- continuous medium, 20, 23, 79, 105, 108
- convolution theorem, 333
- correlation, 330
 - effects on LFP, 202–213, 222
- correlation coefficient, 196, 330
 - for dipoles, 253
 - for shared-input correlations, 223
 - for single-neuron LFP contributions, 208, 210
- cortical geometry, 251
- cortical-surface effects on measurements, 127
- covariance, 329
- cross power-spectral density, 334
- cross-correlation, 330
- current conservation, 21, 29, 30, 36, 41, 62, 276
 - in capacitor, 25
- current density, 23
- current dipole, *see* dipole
- current monopole, 92
- current sink, 41
- current source, 41
- current types that exist, 22
- current-based synapse, *see* synapse
- current-source density, 30, 90, 83–91, 138, 187, 190, 279, 306
- cut-off distance, 198, 200, 206
 - frequency dependence of, 224
- cut-off frequency, 332
 - in LFP recordings, 188, 239, 298
 - for spike recordings, 161
- $d^{3/2}$ -rule, 61
- DC electrode, 301
- DC potential, 238, *see also* slow potentials
- Debye layer, 28
- Debye shielding, 17
- deep brain stimulation, 102, 188
- dendritic ion channels, 174, 231, 235
- dendritic stick, 62, *see also* ball-and-stick model
- dielectric medium, 24
- diffusion constant, 26, 108, 291
 - effective, 66, 108, 306
 - table values, 107
- diffusion potential, 239, 290, 307
 - contribution to LFP, 298–305
- diffusive current, 26
- dipolar pattern in LFP, 192, 216, 228
- dipole approximation, 91, 168, 198, 203, 259, 283, 287, 322
- dipole correlations, 251
- dipole from resting neuron, 238
- dipole moment, 92, 140, 243, 259, 322
 - from high-level simulations, 268
 - matrix formulation, 139
- Dirac delta-pulse, 161
- disk-electrode approximation, 100, 138, 274
- dispersion, 120
- displacement current, 36, 38, 115, *see also* capacitive current
- distributed mechanisms, 43, 50, 53
- domain models, 34
- drift current, 24, 27
- drift velocity, 24
- dumbbell patterns, 228
- ECoG, 101, 270–275
- EEG, 241–269
- EEG forward model, 140, 146, 242
- Einstein relation, 26
- electric brain stimulation, 102, 315
- electric charge, *see* charge
- electric current, *see* current
- electric field, 14, 35, 276
- electric mobility, *see* mobility
- electric potential, 15, *see also* most pages of this book
- electrode, 184
 - effect on ECoG, 274
 - effect on spike, 178
 - models of, 97–102
 - polarization of, 98, 103, 121
- electrode model, 98
- electrodiffusion, 26, 71, 293, 306, 341
 - modeling scheme, 33
- electroneutral framework, 294
- electroneutrality, 17, 21, 300
- electrostatic approximation, 38
- electrotonic distance, 61
- elementary charge, 13
- EMI framework, 33
- ephaptic effects, 32, 312
- equivalent cylinder, 60
- equivalent dipole, 243
- extracellular fluid, 105
- extracellular medium, 107
- extracellular spike, *see* spike
- extracellular volume current, 88
- extracellular volume fraction, 108
- far-field limit, 169, 198, 217
- Fick's law, 26
- filter mechanisms affecting LFP, 215
- finite element method, 101, 247, 275
- firing-rate filtering, 221
- firing-rate function, 181
- flux density, 19, 26
- fMRI, 2
- forward modeling, 5
- four-sphere head model, 245, 251, 271
- Fourier amplitude, 161, 167, 182, 218, *see also* amplitude spectrum
- Fourier decomposition, 167
- Fourier transform, 332

- frequency content
 - of action potential, 167
 - of diffusion potential, 304
 - of LFP, 188, 215–228, 304
 - of spikes, 161–169
 - of synaptic current, 217
- frequency-resolved model, 223
- GABA synapse, 50
- gap junction, 52
- gating current, 49
- gating variables, 47
- Gauss's law
 - for electricity, 35
 - for magnetism, 36
- glial cell, 78, 188
- glial membrane potential, 238, 239
- Goldman equation, *see* Goldman-Hodgkin-Katz equation
- Goldman-Hodgkin-Katz equation
 - for current, 67
 - for voltage, 68, 297
- Green's function, 85
- gyrus, 244
- Hay model, 9, 58
- head model, 243, 244, 281
 - comparison for EEG predictions, 251
 - detailed, 245, 282
 - infinite homogeneous, 245, 281, 284
 - spherically symmetric, 245, 281, 284
- Heaviside function, 51
- Henderson equation, 297
- high-pass filter, 160, 332
- hippocampal LFPs, 240
- Hodgkin-Huxley formalism, 43–50
- Hodgkin-Huxley model, 4, 48
- homeostatic machinery, 65, 69, 289, 292
- hybrid scheme, 144, 146, 240
- I_h current, 231, 233
- impressed current, 278, 279
- impulse response, 85
- inductive current, 27
- input correlation coefficient, 223
- insulator, *see* dielectric medium
- interpretive modeling, 4
- interstitial fluid, *see* extracellular fluid
- intrinsic dendritic filtering, 61
 - effect on EEG, 262
 - effect on LFP, 191, 215, 219
 - effect on spike shape, 163, 168
- intrinsic optical signal imaging, 1
- inverse modeling, 5, 241, 279
- inverse problem, *see* inverse modeling
- ion channel, 46–50
 - conductance, 47
 - ligand activated, 48
- ion concentration dynamics, 71, 293
- ion concentrations
 - in extracellular space, 300–303
 - table values, 65
- ion-conserving models, 69
- ionic reversal potential, *see* reversal potential
- kernel method, 144, 151
 - for EEG, 265
 - for LFP, 215
- Kirchhoff-Nernst-Planck framework, 342
- Kramer-Kronig relations, 117, 122
- laminar LFP, 236, 262
- lead conductance, 68
- lead-field matrix, 244, 247
- leak conductance, 45
- leakage current, 45, 68
- length constant
 - DC version, 59, 62
 - frequency dependent, 62, 169, 216, 317
- LFP, 187, 187–240
- LFP motifs, 194
- LFP template, 195
- line-source approximation, 81, 138
- linearized models, 147, 150, 151, 153, 229
- liquid-junction potential, 292
- local field potential, *see* LFP
- Lorenz force, 39
- low-pass filter, 331
- low-voltage activated calcium current, 233
- M-type potassium current, 233
- magnetic brain stimulation, 103, 315
- magnetic field, 35, 276, *see also* MEG
 - inside brain, 139, 286
- magnetic permeability, 36, 139, 276
- magnetostatic approximation, 38
- Markov model of ion channel, 49
- Maxwell's equations, 35
- Maxwell-Faraday equation, 36
- MC model, 31, 41, 53, 57, 130
 - minimally sufficient, 267
 - passive, 56
- MC+ED scheme, 33, 305, 341
- MC+VC scheme, 6, 12, 31, 78, 129, 305
 - applicability of, 310
- mean field models, *see* neural mass models
- mean value, 329
- mechanistic modeling, 4
- MEG, 276, 276–286
- MEG forward model, 146
- membrane current, 43, 53, 135
 - matrix formalism, 136
- membrane thickness, 119
- membrane time constant, *see* time constant
- method of images, 126, 271
- micro-electrode arrays, 179

- minimally sufficient biophysical models, 267
- mobility, 26
- monopole, 92
- multi-dipole approximation, 96, 259, 274
- multi-unit activity, 184
- multicompartment model of neuron, *see* MC model
- multielectrodes, 184
- multipole expansion, 92, 319
- Na^+/K^+ -pump, 65, 69, 289, 292
- near-field limit, 168
- Nernst potential, 66, *see also* reversal potential
- Nernst-Planck equation
 - for ion conservation, 293
 - for ion flux, 26, 66, 293
- network LFPs, 239
- network model, 72, 142
 - with MC neurons, 72, 141, 144
 - with point neurons, 74, 146, 147
- neural avalanches, 218
- neural hyperactivity, 301, 303
- neural morphology
 - effect on LFP, 192
 - effect on spikes, 172
- neural-field models, 77, 268
- neural-mass models, 77, 268
- NEURON simulation environment, 130, 132
- New York head model, 247, 248, 251
- NMDA spike, 228, 237
- NMDA synapse, 50
- normative modeling, 4
- Ohm's law, 22
 - for volume conductor, 23, 79
- open-field configuration, 193
- parallel plate capacitor, *see* capacitor
- Parseval's theorem, 333
- particle conservation, 293
- passive conductance, *see* leak conductance
- passive-frozen linearized model, 150, 233
- Pearson correlation coefficient, *see* correlation coefficient
- permeability, 67
- persistent sodium current, 233
- phase, 115, 116, 122, 156, 317
- point processes, 43, 50, 53
- point-electrode approximation, 98
- point-model of neuron, 41, 74, 142
- point-source approximation, 80
 - matrix formulation, 137
- Poisson distribution, 196
- Poisson-Nernst-Planck framework, 294
- Poissonian spike sequence, 197
- population firing rate, 185
- population LFP, 201
- population models, 76, 142, 202
- population rate models, *see* rate models
- porous medium, 107
- positron emission tomography, 2
- post-stimulus time histograms, 186
- potassium buffering, 238, 301
- potassium peak, 159
- Potjans-Diesmann model, 147, 210, 240
- power law, 218
- power-spectral density, 218, 331, 333
 - of LFP, 195
- primary current, 279
- proxies, 153
 - for EEG signal, 267
 - for LFP, 240
 - for spike shape, 171
- quasi-active linearized model, 150, 229, 233
- quasi-ohmic approximation, 49, 68
- quasi-static approximations, 37
- quasi-steady state, 291
- rate models, 76, 142
- RC neuron, 45
- reciprocity principle, 247
- rectification approach, 185
- recurrent network, 72, 76, 141
- regenerative conductance, 233
- resistivity, 23
- resting membrane potential, 46, 69
- restorative conductance, 233
- reversal potential, 46, 67
 - for compound current, 68
 - for ion-specific current, 66
 - for leakage current, 45, 68
 - for synapse, 50
- scalar expression, 13
- scalar field, 15
- shape function, 200
 - for dipole, 256
 - frequency dependence, 224
 - for single neuron, 200
- shared-input correlations, 195, 208
- single-compartment model, *see* point-model of neuron
- single-synapse LFP, 189
- slice recordings, 128, 179
- slow potentials, 237, 301
- sodium peak, 159
- sodium spike, *see* spike
- source localization, 241, 262, 280
- spatial decay of LFP, 202, 210
- spatial reach of LFP, 202
- spatial smearing of EEG, 248, 262
- spike, 1, 158, 158–186
 - approximate formulas, 167–169
 - from ball-and-stick model, 164
 - from Hay model, 163

- from two-compartment model, 164
- spike afterhyperpolarization, 234
- spike amplitude, 159, 169–171, 173
- spike contributions to LFP, 234
- spike detection/measurement, 158, 160, 161
- spike shape, 159–161, 165–171, 177
- spike sorting, 160, 161, 184
- spike train, 3, 74, 142, 160, 195, 205, 208, 220
- spike-density function, *see* firing-rate function
- spike-signal impulse response functions, 151
- spike-train auto-correlations, 195
- spiking neuron models, 3, 75
- spreading depression, 301, 303
- SQUID detectors, 276
- standard deviation, 329
 - of LFP, 196, 205
- stationary dipole, 238
- statistical modeling, 4
- subject-specific head model, 246
- subthreshold active ion channel, 229
 - effects on LFP, 231
- subthreshold dynamics, 45
- sulcus, 244
- suprathreshold active ion channel, 234
- synapse, 50–52
 - conductance-based, 50
 - current-based, 51, 147, 215, 222
 - gap-junction, 52
- synaptic filtering, 220
- synaptic LFP, 188, 238
- table of physical constants and symbols, xx
- temporal kernel for synapse, 50, 147, 155, 221
- three-sphere head model, 245
- time constant
 - effective, 150
 - for calcium decay, 71
 - for charge relaxation, 118
 - of diffusion potential, 302
 - for ion channel activation, 47
 - for ion concentration dynamics, 299
 - of neural membrane, 59, 119
 - for synapse, 51
- tissue current, 28, 111
 - capacitive, 112
 - intracellular pathways, 111
- tortuosity, 20, 107, 108
- transcranial magnetic stimulation, *see* magnetic brain stimulation
- transmembrane current, *see* membrane current
- Traub model, 239
- tri-domain model, 34
- trial-averaged firing rate, 186
- two-compartment model, 42, 57
- two-photon calcium imaging, 2
- two-sphere head model, 245
- unit vector, 14
- unitary LFP, 213, 239
- valency, 26
- variance, 329
 - of LFP, 196
 - relationship to power spectrum, 197
- vector field, 15
- vector notation, 13
- voltage-sensitive dye imaging, 1
- volume conductor, 23, 79
- volume current, *see* tissue current
- volume-conductor theory, 31, 79
- Warburg impedance, 121