

Index

- a-frame, 492
- A*-translation, 818
- a.u.
 - càdlàg process, 351, 354
 - continuous process, 351
- ABC, *see* axiom of choice, bounded
- absorbing subset, 224
- abstract data structure, 577
- AC, *see* axiom of choice
- ACA, *see* arithmetical comprehension axiom
- accumulation point, 651
- adequate Bézout domain, 521
- adjoint operator, 245
- admissible set, 622
- airplane in turbulence, 338
- algebra, 720
 - Banach, 260
 - Boolean, 586
 - closed, 720
 - form, 719
 - explicit, 719
 - Kleene's first, 55
 - Kleene's second, 55
- almost
 - Cauchy sequence, 624
 - compact
 - sequentially, 509
 - weak-sequentially, 509, 510
- analytic, 170
 - extension, 194
 - method, 170
 - model, 172
 - projective plane, 187
- anti-realism, 75, 76
- apartness, 343, 484
 - complement, 484
 - in a lattice, 490
 - on a lattice, 492
 - real number, 203
- relation
 - reals, 376
- tight, 377
- space, 484
- application, 717, 719
- approximable
 - set-valued function, 316
 - weakly, 318
 - with respect to a function, 318
- approximate internally, 258
- approximation
 - ϵ -, 209
 - t -, 267
 - U -, 505
- Archimedean axiom, 808
- arithmetical
 - comprehension axiom, 652
 - formula, 638, 668, 670
 - ring, 116
 - transfinite recursion, 45
- arity, 727
- Arrow–Hahn theorem, 307
- ascending tree condition, 521
- at most one
 - minimum point, 289
 - path, 701
- atom, 490
 - preserving, 497
 - strongly extensional, 499
- atomic lattice, 490
- ATR**₀, *see* arithmetical transfinite recursion
- axiom, 170
 - antifoundation, 24
 - Archimedean, 808
 - Axiom D, 173
 - Axiom E, 173
 - Axiom Group C, 170
 - Axiom C5, 172
 - Axiom C5, dual, 174
 - Axiom C6, 172
 - Axiom C7, 172
 - Axiom C7, dual, 175
 - Axiom P, 184, 188

Index

827

- Axiom P3, 191
- Axiom T, 178
- bounded separation, 25
- closure, 721, 722, 730
- codominance, 463
- comprehension, 643, 646
 - Δ_1^0 , 668
 - Σ_1^0 , 681
 - arithmetical, 652, 668
 - bounded, 653, 656
 - for numbers, 651, 652
 - recursive, 641
- dominance, 463
- exponentiation, 24, 614
- extensionality, 24
- Fano, 186
- for projective geometry, 170
- fullness, 33
- greatest-fixed-point, 730
- induction, 668
- infinity, 24
- of choice, 45, 515, 529, 539, 806
 - $\Pi\Sigma\text{-AC}$, 50
 - $\Pi\Sigma\text{-WI-AC}$, 50
 - bounded, 654
 - countable, 36, 47, 202, 222, 515, 590, 625, 815
 - dependent, 47, 202, 222, 397, 816
 - dependent for sequences, 817, 818
 - extensional, 555
 - for disjunctions, 649, 651
 - quantifier free, 641, 644, 652
 - relativized, 812
 - relativized dependent, 41, 47
 - unique, 557, 815
- of order and continuity, 169, 177, 179
- pairing, 24
- paradominance, 464
- powerset, 24
- presentation, 49
- replacement, 26
- separation, 24
- set induction, 25
- strong collection, 25
- strong infinity, 25
- subset collection, 24, 25
- system, 170
 - consistency, 170, 171, 187, 188
 - independence, 188
- union, 24
- axiom-set, 399
- axiomatic
 - freedom, 53
 - mathematics, 821
- axis of homology, 180
- B-continuous function, 421
- Bachelier, L., 337
- Baire theorem, 209
- ball
- open, 208, 222
- open unit, 213, 224
- Banach
 - algebra, 260
 - space, 213
 - subalgebra, 268
- bar, 702
 - co-convex, 292
 - detachable, 648
 - induction, 554, 819
 - recursion, 819, 821
 - uniform, 648
- base, 374
 - of entourages, 506
 - of formal topology, 398
- basic
 - intuitionistic mathematics, 685
 - theory of operations and numbers, 568
- basis, 461
 - canonical, 461
 - weak, 460
- BCA, *see* bounded comprehension axiom
- BCP, *see* Brouwer continuity principle
- BD-N, *see* boundedness principle
- BE, *see* binary expansion
- Bézout domain, 100, 520
 - adequate, 521
 - Noetherian, 521
- BIM, *see* basic intuitionistic mathematics
- binary
 - expansion, 653
 - tree, 719
- Binet–Cauchy formula, 123
- Bis, *see* category of Bishop spaces
- BISH, *see* Bishop constructive mathematics
- Bishop
 - challenge, 168
 - closure, 370
 - constructive analysis, 810–812
 - constructive mathematics, 359, 806
 - continuous function, 368
 - isomorphism, 371
 - lemma, 258
 - locally compact metric space, 404
 - morphism, 371
 - open, 371
 - principle, 521
 - space, 369
 - 2-compact, 389
 - of reals, 369
 - pointwise exponential, 372
 - product, 372
 - pseudocompact, 373
 - relative, 372
 - thesis, 170, 187
 - topology
 - Comfort-compact, 389
 - discrete, 369

- least, 370
- of functions, 369
- pointwise, 369
- trivial, 369
- uniform, 370
- weak, 369
- Bishop, E., 168, 169, 179, 191
- bisimilarity, 721, 732
 - axiom, 732
 - relative, 732
- Bolzano–Weierstraß theorem, 6, 651
- BON, *see* basic theory of operations and numbers
- Boolean, 719
 - algebra, 586
- Borel–Cantelli lemma, 334
- boundary crossing, 321
- bounded
 - away, 222
 - axiom of choice, 654
 - comprehension axiom, 653, 656
 - formula, 371
 - linear mapping, 214
 - metric space, 209
 - sequence, 646, 655
 - subset, 209
- boundedness principle, 234, 592, 625, 646, 647
- bounding function, 640
- branch, 649
- Brouwer
 - continuity principle, 642
 - fixed point theorem, 314
 - operation, 422
- Brouwer, L. E. J., 61–68, 70, 71, 73–75, 77, 78, 84, 171, 178
- Brouwer–Heyting–Kolmogorov interpretation, 3, 8
- Brouwerian counterexample, 178, 188, 191, 194, 206
- Brownian motion, 337, 351
- budget set, 311
- c-set, 701
- CA, *see* comprehension axiom
- canonical
 - basis, 461
 - bound, 204
- Cantor
 - intersection theorem, 649
 - space, 510, 587, 590
- cardinal
 - inaccessible, 44
 - Mahlo, 44
 - weakly compact, 44
- category, 97
 - of Bishop spaces, 371
 - of formal topology, 398
 - of locally compact metric spaces, 403
 - of open complements of locally compact metric spaces, 417
- Cauchy
 - modulus, 655, 751
- real, 35, 623, 751, 810
- sequence, 204, 208, 590, 655, 812
 - modulus of convergence, 590
- Cauchy–Euler approximation method, 765
- chain of entourages, 505
- character, 267, 389
 - fixed, 389
 - space, 267
- characteristic function, 334
- Chebychev’s inequality, 334
- choice
 - of scale, 415
 - of wb-scale, 419
 - sequence, 63–65, 70, 77
- Church’s thesis, 16
- CLASS, *see* classical mathematics
- class
 - inductively defined, 39
 - notation, 26
- classical
 - finite-type arithmetic, 656
 - mathematics, 359, 821
 - realizability, 821
- clause, 727
 - nullary, 727
- clinical trial, 337
- closed
 - range theorem, 248
 - subset, 208, 411, 448
 - subtopology, 408
 - truth value, 448
- closure, 208
 - axiom, 721, 722, 730
- co-convex set, 702
- codominance, 463
 - axiom, 463
- coherent, 258
- coinduction, 758
- coinductive definition, 808
- collineation, 179
 - projective, 179, 180
- comaximal
 - elements, 127, 129
 - monoids, 127, 129, 131–133
- common point, 188, 189
 - of projectivity, 180
 - property, 189
- compact
 - enumerably completely regular formal topology, 415
 - formal topology, 404
 - image, 421
 - indexing, 455
 - linear mapping, 214
 - map, 455
 - metric space, 210, 403
 - neatly, 509
 - operator, 246

Index

829

- sequentially, 510
- set, 453, 475
- subset, 210
- compatibility of extracted terms, 746
- compatible, 260
- complement, 222
 - apartness, 484
 - logical, 225, 487
 - metric, 222
 - of a lattice element, 484
 - of a subset, 342, 515
 - orthogonal, 247
 - set-theoretic, 483
- complementation function, 484
 - standard, 485
- completable, 123
- complete
 - lattice, 486
 - metric space, 208, 467
 - sample, 336
 - subset, 208
- completion, 467, 519
 - metric space, 209
 - normed linear space, 213
- complex, 124
 - exact, 124
- comprehension
 - axiom, 643, 646
 - Δ_1^0 , 668
 - Σ_1^0 , 681
 - arithmetical, 652, 668
 - bounded, 653, 656
 - for numbers, 651, 652
 - recursive, 641
- term, 728
- computation rule, 724
- computational efficiency, 345
- concatenation function, 640
- concrete space, 545
- conditional expectation, 334
- conditionally constructive formula, 294, 297
- congruence, 430
- conic, 180, 181, 187
 - defined by projectivity, 181
 - definition, 181
 - history, 180
- conservative extension, 665
- consistency
 - of a family of f.j.d.s, 348
 - strength, 664
- consistent, 717
- constant rank, 121
- constructive
 - algebra, 822
 - mathematics, 334, 821
 - reverse mathematics, 67, 68, 80, 636, 822
 - supremum principle, 205
- Zermelo–Fraenkel set theory, 22, 202, 222, 397, 657
 - restricted, 26
- constructively invalid, 178
- constructivist manifesto, 168
- constructivization of geometry, 168
- constructor
 - as continuous function, 723
 - pattern, 724
 - type, 719
- continuity, 819
 - in probability, 349
- continuous
 - extension theorem, 238
 - function, 403, 421, 645
 - join homomorphism, 497
 - mapping, 210
 - nearly, 499
 - uniformly sequentially, 315, 507
- contour set
 - lower, 304
 - strict lower, 304
 - upper, 304
- converge
 - in a uniform space, 509
 - modulus, 642
 - sequence, 205, 208, 642
 - weakly, 243
- convergent subsequence, 652
- conversion, 726
 - C^- , 725
- convex
 - combination, 224, 282
 - cone, 287
 - function, 225, 287
 - subderivative, 235
 - subdifferentiable, 235
 - hull, 224, 287
 - programming, 297
 - set, 287, 702
 - strictly, 289
 - subset, 215, 224
- coordinatization, 169
- core, 193
- corecursion, 724, 725, 758
- correlation, 184
 - involutory, 184
- cototal, 721
- cotype
 - of a formula, 728, 732
 - of a predicate, 728, 732
- countable
 - family, 648
 - set, 515
- counterexample, 178
 - Brouwerian, 178, 188, 191, 194
- cover, 648
 - of formal topology, 398

- Coxeter, H. S. M., 169
- CPP, *see* common point property
- Cremona, L., 169
- Curry–Howard isomorphism, 4, 17
- CZF**, *see* constructive Zermelo–Fraenkel set theory
- CZF †** , *see* constructive Zermelo–Fraenkel set theory, restricted
- Δ_0^i formula, 668, 670
- Daniell–Kolmogorov theorem, 349
- De Morgan’s law, 206, 649
- Debreu classical theorem, 310
- decimal representation, 340
- decoding function, 640
- decoration of disjunction, 729
- Dedekind
 - cut, 466, 590
 - domain, 111
 - real, 35
 - ring, 117, 122
 - set of valuations, 111
- Dedekind–Peano
 - axioms, 32
 - structure, 32
- deduction
 - intuitionistic Hilbert-style, 14
 - natural, 10
- definite Riemann integral, 756
- definition
 - impredicative, 360
 - inductive, 39
- definitional extension, 664
- Delos problem, 180
- demand
 - function, 311
 - set, 311
- dense
 - isometry, 467
 - subset, 208, 464
- dependent type theory, 806
- derivative function, 236
- Desargues, G., 177
- Desargues’s theorem, 169, 170, 173
 - converse, 173
- destructive, 724, 725
- detachable
 - bar, 648
 - set, 701
 - subset, 515, 640
- determinantal ideal, 119
- Dialectica interpretation, 818
- Diener’s condition, 509
- differential form, 334
- direct summand, 116
- discontinuous function, 643
- discrete, 118, 126
 - field, 126
 - set, 453, 516
- disjunction
 - decoration of, 729
 - inductive definition, 728
 - distribution, 335
 - DML, *see* De Morgan’s law
 - DNE, *see* double negation elimination
 - dominance, 463
 - axiom, 463
 - Rosolini, 449
 - dominated extension theorem, 239
 - double negation
 - elimination, 206, 646
 - translation, 818
 - dual of a normed space, 266
 - duality, 168, 171, 174, 175
 - Dummett, M. A. E., 61, 74–76, 79
 - dynamical Gröbner basis, 144
 - ϵ -approximation, 209
 - ϵ -net, 403
 - ϵ -line, 193
 - ϵ -point, 193
 - ECST**, *see* elementary constructive set theory
 - EfEqD, 731
 - Efremović property, 503
 - EL**, *see* elementary analysis
 - elementary
 - analysis, 641, 670, 682
 - EL**₀, 641, 670, 671, 689
 - EL**_{ELEM}, 642, 690
 - constructive set theory, 26, 657
 - divisor ring, 520
 - function, 690
 - ellipse, 181
 - entailment, 716
 - entourage, 502
 - enumerable subset, 648
 - enumerably
 - closed subset, 650
 - locally compact formal topology, 419
 - open subset, 648
 - epistemological constructivism, 84
 - equality
 - Leibniz, 728
 - real number, 203
 - relation, 95
 - w.r.t. a cotype, 733
 - equilibrium
 - approximate competitive, 318
 - approximate Nash, 328
 - competitive, 318
 - Nash, 328
 - equivalence class, 31
 - Euclidean geometry, 334
 - eventually, 506
 - bounded away, 509
 - close, 507
 - ex falso quodlibet, 731
 - expectation function, 335
 - explicit mathematics, 22, 564

Index

831

- extended module, 116, 120, 121, 132–134
- extension, 168, 192
 - analytic, 189, 194
 - conservative, 665
 - definitional, 664
 - Heyting, 189–191
 - projective, 168, 189, 191
 - synthetic, 189
 - virtual line, 189, 191–194
- extensionality, 733
 - of extracted terms, 747
- extracted term, 739
- extreme point, 278
 - classical, 278
- F**, *see* falsity
- f.j.d., *see* finite joint distribution
- falsity, 731
- family, 98
 - countable, 648
- FAN, *see* fan theorem
- fan theorem, 288, 291, 554, 592, 616, 648, 705
 - Π_1^0 , 617
 - decidable, 593, 612, 648
 - for c-sets, 593, 709
- Fano's axiom, 186
- Fano, G., 186
- Farkas' lemma, 295
- Feller process, 351
- field
 - discrete, 102
 - Heyting, 111
- Fin, *see* finitely enumerable subset
- fine locale, 436
 - very, 436
- finitary scale, 414
- finite
 - free resolution, 124
 - game, 328
 - joint distribution, 347
 - number, 340
 - product, 640
 - sequence, 340
 - subcover, 649
 - sum, 640
 - support principle, 718
- finite-type arithmetic
 - classical, 656
 - RCA** $^\omega_0$, 641
 - intuitionistic, 642, 811
- finitely
 - enumerable set, 202, 222
 - presented module, 117, 119, 121, 130, 132
- firm state space, 267
- first base theorem, 378
- Fitting ideal, 119, 132
- fixed point, 314, 315
 - approximate, 314
 - theorem
- Brouwer, 314
- Kakutani, 315
- for all sufficiently large, 506
- formal
 - ball, 401
 - Church thesis, 530
 - closed subset, 408
 - logic, 169
 - neighborhood, 717
 - point, 398
 - reals, 401
 - space, 548
 - topology, 397, 547
 - Baire, 553
 - Cantor, 553
 - compact, 404
 - compact enumerably completely regular, 415
 - enumerably locally compact, 419
 - formal cover, 546
 - formal point, 548
 - inductively generated, 400, 547
 - inhabited, 409
 - locally compact, 404
 - open, 409
 - overt, 409
 - regular, 404
 - topology map, 398
 - equal, 398
 - unit interval, 408
- formula, 638, 727
 - Δ_0^i , 668, 670
 - Δ_0 , 24
 - Π_n^0 , 638
 - Π_n^i , 668, 670
 - Σ_n^0 , 638
 - Σ_n^i , 668, 670
- r-free, 734
 - arithmetical, 638, 668, 670
 - Binet–Cauchy, 123
 - bounded, 24, 371
 - computationally relevant, 728
 - conditionally constructive, 294, 297
 - noncomputational, 728, 810
 - quantifier free, 638
- formulae-as-types interpretation, 4
 - frame, 426, 487
 - pre-apartness, 490
 - topology, 492
 - generated by a pre-apartness, 493
- Fredholm alternative, 296
- free module, 116
- Friedman–Simpson reverse mathematics, 661
- FT-continuous function, 422
- FTop**, *see* category, of formal topology
- full Heyting model, 588
- function, 28
 - B-continuous, 421
 - Bishop continuous, 368

- bounded away from zero, 379
- bounding, 640
- concatenation, 640
- continuous, 403, 421, 645, 718
- convex, 225, 287
- decoding, 640
- defined almost everywhere, 335
- defined everywhere, 335
- demand, 311
- derivative, 236
- discontinuous, 643
- FT-continuous, 422
- Gâteaux differentiable, 236
- induced by a Brouwer-operation, 422
- length, 640
- Lipschitz, 388
- monotone, 718
- multivalued, 33
- neighbourhood-continuous, 363
- nondiscontinuous, 643
- pairing, 639
- positive infimum, 288
- projection, 639
- quasi-continuous, 644
- quasi-convex, 287
- sequentially continuous, 645, 647
- space, 34, 363
- strict, 723
- strictly quasi-convex, 290
- strongly continuous, 421
- strongly extensional, 643
- strongly nondiscontinuous, 643
- sublinear, 225
- uniformly continuous, 653, 754
 - near compact image, 421
- utility, 304
- weakly convex, 293
- functional
 - computable, 721
 - interpretation, 818
 - linear, 214
 - Minkowski, 226
 - relation, 813
- fundamental
 - system of orthogonal idempotents, 121
 - theorem of algebra, 518
 - theorem of calculus, 758
 - theorem of projective geometry, 177, 179
- G*, *see* incidence plane
- G**, *see* virtual line extension
- Gâteaux differentiable function, 236
- Gandy, R. O., 732
- general local-global principle, 128
- generic, 588
- Goodman–Myhill theorem, 516
- greatest-fixed-point axiom, 730
- HA**, *see* Heyting arithmetic
- habitation, 489
- habitue, 489
- Hahn–Banach theorem, 235
- HA**^ω, *see* intuitionistic finite-type arithmetic
- harmonic conjugate, 175, 185
- Harrop
 - formula, 728, 811
 - predicate, 728
- Hausdorff
 - metric, 591
 - set, 452
- Heine–Borel theorem, 648
- Hellinger–Toeplitz theorem, 247
- Hermitian
 - element, 273
 - expression, 276
- Heyting
 - algebra, 586
 - arithmetic, 4, 15, 24, 667, 809
 - bΣ₁(exp)**, 666
 - iΔ₀**, 665
 - iΣ₁**, 666
 - extension, 189–191
 - projective line, 190
 - projective point, 190
 - field, 111
- Heyting, A., 168, 169, 171, 172
- Higman’s lemma, 820
- Hilbert space, 217
- history, 169
 - conics, 180, 181
 - projective geometry, 169
 - projectivity, 176
- homology, 180
 - axis, 180
 - of a complex, 124
- Horrocks theorem, 132, 133
- hyperbola, 181
- I**[0, 1], *see* formal unit interval
- identity, 720
- IFP, *see* intuitionistic fixed point logic
- IKP, *see* intuitionistic Kripke–Platek set theory
- incidence, 171, 192
 - plane, 192
 - family of lines, 192
 - family of points, 192
 - relation, 171, 187
- inclusion map, 209
- IND, *see* induction schema
- independence, 334
- indexing
 - compact, 455
 - overt, 459
- induced mapping from a Bishop morphism, 371
- induction
 - axiom, 668
 - bar, 554, 819
 - elementhood, 24

Index

833

- schema, 639, 665
- Σ_1^0 , 654
- quantifier free, 639
- inductive definition, 807
 - non-deterministic, 657
- inductively generated formal topology, 400
- inequality
 - denial, 489
 - discrete, 256
 - metric, 256
 - on a uniform space, 503
 - quasi-discrete, 257
 - relation, 256
 - standard lattice, 489
 - tight, 256
- infimum, 205, 211
- infinite
 - sequence, 340
 - subset, 651
 - tree, 649, 702
- infinitely
 - distributive, 486
 - often, 506
- infinity, 189
 - line at, 181
 - point at, 192
- information system, 716
 - flat, 717
 - of a type τ , 720
- inhabited
 - element of a lattice, 489
 - formal topology, 409
 - set, 202, 222
- inherited topology, 450
- injection of ordinals, 99
- inner product, 217
 - space, 217
- integer, 202
- integrable functions, 335
- integration function, 335
- interest-rate derivative, 337
- interior, 208
 - of a lattice element, 494
- intermediate value theorem, 653
 - approximate, 762
- interpretable, 663
- interpretation, 663
 - preserving interpretation, 664
- intrinsic topology, 447
- intuitionistic
 - finite-type arithmetic, 642, 811
 - fixed point logic, 807, 811
 - Kripke–Platek set theory, 622
 - natural deduction, 17
- invariance theorem, 176, 185
- inverse, 256
- invertible, 256
- involution, 177
- isometry, 467
- dense, 467
- IVT, *see* intermediate value theorem
- join
 - homomorphism, 496
 - continuous, 497
 - strongly continuous, 497
 - topologically continuous, 497
 - of a family, 486
- join-existential property, 489
- Jordan measure, 334
 - Kakutani fixed point theorem, 315
 - Kepler, J., 189
 - kernel of linear mapping, 214
 - Kleene tree, 593
 - Klein, F., 170
 - Kolmogorov, A. N., 333
 - Krein–Milman theorem, 282
 - Kripke model, 594
 - admissible assignment, 597
 - full, 596
 - Krull dimension
 - distributive lattice, 152
 - λ -technique, 522
 - L*, *see* universe of constructible sets
 - Larsen, K. G., 716
 - lattice
 - atomic, 490
 - complemented, 484
 - complete, 486
 - strongly complemented, 484
 - law of excluded middle, 5, 172, 178, 179, 206, 584, 651, 806, 811
 - LComp**, *see* category of locally compact metric spaces
 - least
 - algebra of real-valued functions, 384
 - fixed point, 807
 - Lebesgue
 - integration, 334
 - metric space, 479
 - Lehmer, D. N., 169
 - Leibniz equality, 728, 730
 - LEM, *see* law of excluded middle
 - length function, 640
 - lesser limited principle of omniscience, 206, 649, 703
 - level of a type, 720
 - lifting of morphisms, 372
 - limited principle of omniscience, 206, 651
 - line, 171
 - at infinity, 181, 189, 190, 192, 195
 - e-, 193
 - projective, 190
 - virtual, 189, 192–194
 - prime, 193
 - linear
 - functional, 214

- positive, 275
- mapping, 214
 - bounded, 214
 - compact, 214
 - kernel, 214
 - nonzero, 214
 - open, 214, 229
 - sequentially open, 232
- optimisation problem, 297
- subspace, 213
- Lipschitz condition, 765
- list, 720
- LLPO, *see* lesser limited principle of omniscience
- local ring, 126
- locale, 427
 - spatial, 427
- localic completion, 401
- locally
 - compact
 - formal topology, 404
 - metric space, 211, 403
 - subset, 211
 - decomposable, 491
 - nonsatiated, 305
 - at a point, 305
 - at a subset, 305
 - uniformly at each compact set, 306
 - totally bounded
 - metric space, 211
 - subset, 211
- located
 - neatly, 508
 - subset, 208, 222
 - of formal topologies, 410
 - of localic completions, 412
 - of metric spaces, 412
 - subtopology
 - of formal topologies, 410
 - of localic completions, 412
- Lodato property, 491
- logic of partial terms, 567
- logical complement, 225
- Lombard, M., 168
- longest path, 701
 - lemma, 702
- lower bound, 205
- LPO, *see* limited principle of omniscience
- \mathcal{M} , *see* localic completion
- majorizable, 821
- map
 - compact, 455
 - metric quotient, 480
 - metric semiquotient, 480
 - metrically continuous, 480
 - overt, 459
- mapping, 176
 - continuous, 210
 - elementary, 176
- perspectivity, 176
- projection, 176
- section, 176
- inclusion, 209
- linear, 214
- projectivity, 176, 177
 - involution, 177
 - nonperspective, 179, 181
- sequentially continuous, 223
- strongly extensional, 223
- uniformly continuous, 210
- Markov principle, 16, 207, 812
- Markov's principle, 168, 179, 602, 604, 646
 - weak, 644, 647
- Martin-Löf, P., 346
- martingale, 351
 - convergence theorem., 352
- McKenzie's theorem, 319
- measurable function, 335
- measure
 - function, 335
 - theory, 335
- meet of a family, 485
- Menaechmus, 180
- metric, 207
 - complement, 222, 258, 417
 - quotient map, 480
 - semiquotient map, 480
 - space, 207
 - Bishop locally compact, 404
 - bounded, 209
 - compact, 210, 403
 - complete, 208, 467
 - completion, 209
 - Lebesgue, 479
 - locally compact, 211, 403
 - metrized, 478
 - quasiovert, 467
 - separable, 208, 467
 - subspace, 208
 - totally bounded, 209, 403, 476
 - topology, 478
- metrical continuity of construction, 350
- metrically
 - continuous map, 480
 - dense subset, 467
 - open subset, 478
- metrized space, 478
- metspace model, 485
- minimal bad sequence argument, 820
- minimalist foundation, 530
 - extensional level, 532
 - intensional level, 537
- Minkowski functional, 226
- Minlog, 750, 807, 820
- model
 - analytic, 172
 - full Heyting, 588

Index

835

- Kripke, 594
- metspace, 485
- power set, 485
- topspace, 485
- trilogy, 485
- turbulence, 338
- modulus
 - Cauchy, 655, 751
 - of a.u. càdlàg, 354
 - of a.u. continuity, 351
 - of continuity, 368, 708
 - of convergence, 642
 - of pseudo-boundedness, 646
 - of quasi-continuity, 644
 - of sequential continuity, 645
 - of uniform continuity, 754
- monoid, 126, 256
- monotone sequence, 655
- MP, *see* Markov's principle
- multiplicative subset, 126
- multiset, 519
- Myhill, J., 64
- Nash equilibrium, 328
 - approximate, 328
- natural number, 31, 340, 807
- nc formula, 810
- near, 499
- nearly
 - continuous, 499
 - open, 492
- neat cover, 508
- neatly
 - compact, 509
 - located, 508
- negative/*A*-translation, 818
- neighbourhood
 - space, 363
 - induced by a Bishop topology, 374
 - structure, 360
- Nel's approximation theorem, 381
- NID, *see* nondeterministic inductive definition
- Noetherian Bézout domain, 521
- non-Desarguesian projective plane, 170
- noncomputational formula, 810
- nondecreasing sequence, 655
- nondeterministic inductive definition, 657
- nondiscontinuous function, 643
- nonincreasing sequence, 655
- nonzero linear mapping, 214
- norm, 213
- normable, 266
 - linear mapping, 215
- normal
 - distribution, 334
 - form theorem, 693
- normed linear space, 213
 - completion, 213
 - uniformly convex, 215
- nucleus, 429
- nullary argument type, 719
- number, 340, 719
 - binary, 719
 - even, 728
 - positive, 719
 - unary, 719
- numerical
 - meaning, 170, 187
 - range, 270
 - spatial, 270
- object, 717
 - cototal, 721
 - total, 721
- OLCM**, *see* category of open complements of locally compact metric spaces
- omniscience principle, *see* principle of omniscience, *see also* Markov's principle
- one-point compactification, 420
- open
 - ball, 208, 222
 - complement, 417
 - formal topology, 409
 - induction, 821
 - linear mapping, 214, 229
 - sublocale, 429
 - subset, 208, 447
 - subtopology, 408
 - truth value, 447
 - unit ball, 213, 224
- operation, 340
- operator, 245
 - adjoint, 245
 - compact, 246
 - weakly compact, 246
- order
 - isomorphism, 304
 - relation
 - real number, 202
- orderly, 277
- ordinal, 38
 - arithmetic, 39
- orthogonal complement, 247
- outer measure of a σ -sublocale, 436
- overt
 - formal topology, 409
 - indexing, 459
 - map, 459
 - set, 458, 464
 - weakly closed subtopology, 409
- Π_n^0 formula, 638
- Π_n^i formula, 668, 670
- \mathbb{P} , *see* synthetic projective plane
- $\mathbb{P}^2(\mathbb{R})$, *see* analytic projective plane
- PA**, *see* Peano arithmetic
- pairing
 - function, 639

- von Neumann, 28
- Wiener, 28
- Pambuccian, V., 168
- Pappus of Alexandria, 180
- parabola, 181
- paradominance, 464
 - axiom, 464
- parameter
 - argument type, 719
 - set, 336
- partial combinatory algebra, 54, 808
- partition of unity, 346
- Pascal, B., 182
 - Pascal line, 183
 - Pascal's Theorem, 169, 177, 182
- path of a tree, 701
- PAx, *see* axiom, presentation
- payoff, 328
- PCA*, *see* partial combinatory algebra
- Peano arithmetic, 15, 669, 818
 - subsystem
 - BΣ₁**, 669
 - IΔ₀(exp)**, 669
 - IΣ₁**, 669
- pencil of lines, 171, 176
 - parallel pencil, 192
 - pencil, 192
 - pencil (p,q), 192
 - point pencil, 192
 - prime pencil, 189, 193
- perspectivity, 173, 176, 179
- philosophy first, 76–78
- Phoa's principle, 471
- Picard group, 121
- Pickert, G., 169
- PID, *see* Noetherian Bézout domain
- plane, 169, 171
 - affine, 189, 191
 - incidence, 192
 - projective, 168–170
 - analytic, 189, 194
 - classical, 171
 - constructive, 171
 - non-Desarguesian, 170
 - synthetic, 169, 189
- point, 171, 192
 - at infinity, 192
 - diagonal, 186
 - e-point, 193
 - finite, 192
 - infinite, 192
 - projective, 190
- pointwise continuous function, 707
- polar, 319
- polarity, 183, 187
 - polar, 184–186
 - pole, 184, 185, 187
- Poncelet, J.-V., 176, 189
- positive
 - element, 273
 - infimum, 288
 - linear functional, 275
 - square, 277
- positivity predicate, 409
- power set model, 485
- pre-apartness, 484
 - frame, 490
 - T₁, 499
 - metric, 491
 - on a frame, 490
 - quasi-uniform, 503
 - space, 484
- precompact, 510
- predicate, 727
- r-free, 734
 - coinductive, 728
 - computationally relevant, 728
- form, 727
- inductive, 728
- noncomputational, 728
- one-clause-nc, 730
- predicativity, 360
- preference relation, 304
 - admissible, 308
 - admissible set, 309
 - continuous, 304
 - strictly convex, 311
 - uniformly continuous on compact sets, 304
 - uniformly rotund, 313
- preference–indifference relation, 304
- premise
 - parameter, 727
 - recursive, 727
- presentation matrix, 117
- principal ideal domain, 100
- principle
 - Bishop, 521
 - boundedness, 234, 592, 625, 646, 647
 - Brouwer continuity, 642
 - constructive supremum, 205
 - general local-global, 128
 - Markov, 16, 168, 179, 207, 602, 604, 646, 812
 - of finite search, 339
 - of finite support, 718
 - of infinite search, 339
 - of omniscience, 206
 - lesser limited, 7, 179, 649
 - limited, 7, 178, 651
 - weak limited, 7, 179, 602, 604
 - Phoa, 471
 - Scott, 474
 - separation, 650
 - vergence, 473
 - weak Markov, 644, 647
- probability
 - measure function, 335

Index

837

- theory, 333
- problem in constructive geometry, 173, 177–181, 184, 187–189, 191, 194, 195
- process, 347
 - a.u. càdlàg, 354
 - a.u. continuous, 351
 - Feller, 351
 - stochastic, 347
 - strong Markov, 351
- product, 720
 - Cartesian, 30
 - dependent, 34
 - metric, 380
 - countable, 380
 - of formal topologies, 406
 - of metric spaces, 407
- production set, 318
- program extraction, 810
- projection, 176
 - function, 639
- projective, 146
 - module, 116, 117, 119–122, 130, 132–135
 - set, 515
- projectivity, 176–179
 - history, 176
 - involution, 177
 - nonperspective, 179, 181
- proof-theoretic strength, 806
- property, 171
 - common point, 172, 195
 - cotransitivity, 171, 194, 195
 - strong common point, 172
 - tightness, 171, 181
 - uniformly lifted, 374
- pseudo
 - Bishop space, 378
 - least, 378
 - bounded sequence, 646
 - complement, 487
- Pt, *see* formal point
- quadrangle, 176, 185, 186
- quantifier free
 - axiom of choice, 641, 644, 652
 - formula, 638
- quasi-
 - continuous function, 644
 - convex function, 287
 - metric, 502
 - metric space, 502
 - overt metric space, 467
 - stellar, 277
 - uniformity, 502
 - uniform
 - pre-apartness, 503
 - space, 502
 - structure, 502, 503
 - subspace, 503
 - topology, 503
- Quillen
 - induction theorem, 133
 - patching, 132, 133
- Quillen–Suslin theorem, 134
- quotient, 31
- space, 214
- \mathcal{R} , *see* formal reals
- r-free
 - derivation, 734
 - formula, 734
 - predicate, 734
- r.r.v., *see* real-valued random variable
- radical of a ring, 126
- random
 - field, 347
 - variable, 336
- range of points, 171, 176
- rank
 - function, 38
 - polynomial, 121
- rational number, 202
- REA, *see* regular extension axiom
- real number, 202, 654
 - apartness, 203
 - canonical bound, 204
 - Cauchy, 33
 - Dedekind, 33
 - order relation, 202
 - sequence, 654
- real-valued random variable, 338
- realizability, 585
 - K_1 , 593, 612
 - 1945, 4, 15
 - extensional, 54
 - interpretation, 688, 808
- really covered, 414
- rectangle, 813
- recursion, 724
 - bar, 819, 821
 - elementhood, 37
 - transfinite, 37
 - transitive closure, 38
- recursive
 - argument type, 719
 - comprehension axiom, 641
 - function theory, 168, 169, 179
- regular
 - extension axiom, 397
 - formal topology, 404
 - sequence, 208
 - sequence of nonempty sets, 519
- relation, 28, 171
 - analytic, 188
 - point on line, 188
 - apartness, 171
 - cotransitive, 194
 - tight, 171, 181
 - harmonic conjugate, 177

- incidence, 171
- inequality, 171, 187
- outside, 171, 175, 187
- relativized choice, 812
- residually discrete local, 126
- resolvent, 262
- resultant, 135
- Rosolini dominance, 449
- Rump's example, 749
- Russell's paradox, 28
- σ -cover, 434
- σ -frame, 434
- σ -sublocale, 434
 - outer measure of, 436
- Σ_n^0 formula, 638
- Σ_n^i formula, 668, 670
- sample space, 337
- saturated monoid, 126
- scale, 414
 - finitary, 414
 - wb, 419
- Scott
 - domain, 808
 - principle, 474
- Scott, D. S., 716
- SCPP, *see* strong common point property
- secant, 184
- second base theorem, 382
- second-order arithmetic, 636
 - subsystem
 - ACA**₀, 668
 - RCA**₀, 636, 641, 668
 - RCA**₀^{*}, 641, 668
- section, 176
- self-dual, 175
- semantics of IFP, 808
- separable
 - metric space, 208, 467
 - set, 464
- separate the points, 377
- separation
 - principle, 650
 - theorem, 238
- sequence
 - bounded, 646, 655
 - Cauchy, 204, 208, 590, 655, 812
 - converge, 205, 208, 642
 - converge weakly, 243
 - monotone, 655
 - nondecreasing, 655
 - nonincreasing, 655
 - pseudo-bounded, 646
 - real number, 654
 - regular, 208
 - weak Cauchy, 655
- sequential compactness theorem, 652
- sequentially
 - almost compact, 509
- compact, 510
- continuous
 - function, 645
 - mapping, 223
 - without modulus, 647
- open linear mapping, 232
- upper hemi-continuous, 315
- set, 95
 - inaccessible, 44
 - compact, 453, 475
 - discrete, 453
 - finitely enumerable, 202, 222
 - Hausdorff, 452
 - inhabited, 202, 222
 - of tokens, deductively closed, 717
 - overlap, 202, 222
 - overt, 458, 464
 - separable, 464
 - transitive, 37
 - weakly inaccessible, 44
- set-valued mapping, 315, 326
- setoid, 202, 641
- settling, 596, 602
- topological, 612
- sharp substitution, 728
- Sierpiński
 - object, 447
 - set, 447
- signed digit stream, 768
- significance and power of hypothesis testing, 338
- similarity, 732
 - relative, 732
- Sinclair's theorem, 275
- Skorokhod metric, 354
- soundness theorem, 810
 - for realizability, 743
- space
 - apartness, 484
 - Banach, 213
 - Bishop, 369
 - Cantor, 587, 590
 - character, 267
 - concrete, 545
 - firm state, 267
 - formal, 548
 - function, 34, 363
 - Hilbert, 217
 - inner product, 217
 - metric, 207
 - neighbourhood, 363
 - normed linear, 213
 - pre-apartness, 484
 - pseudo-Bishop, 378
 - quasi-metric, 502
 - quasi-uniform, 502
 - sample, 337
 - state, 267, 336
 - uniform, 502

Index

839

- special convex function, 352
- spectral
 - mapping theorem
 - classical, 263
 - constructive, 263
 - radius, 272
- spectrum, 262
- splitting subset, 408
- stably free module, 122–124, 146
- standard projection matrix, 120
- state, 267
 - space, 267, 336
- Steiner, J., 181, 187
- Stiemke's lemma, 297
- stochastic process, 347
- Stone–Weierstrass theorem
 - Bishop's version, 380
 - classical, 379
 - Petrakis's version, 380
- strategy
 - mixed, 328
 - pure, 328
- stream, 720, 807
- strict weak order, 304
- strictly
 - convex set, 289
 - quasi-convex function, 290
- strong
 - common point property, 189, 191
 - law of large numbers, 352
 - Markov process, 351
- strongly
 - at most one, 215
 - continuous
 - function, 421
 - join homomorphism, 497
 - discrete, 118
 - extensional, 256
 - function, 643
 - mapping, 223
 - nondiscontinuous function, 643
- structure
 - abstract data, 577
 - Dedekind–Peano, 32
 - neighbourhood, 360
 - quasi-uniform, 502
 - uniform, 502
- subbase, 370
- subcompact subset, 455
- subderivative, 235
- subdifferentiable, 235
- sublinear function, 225
- sublocale, 429
 - open, 429
- subovert subset, 459
- subset, 95
 - absorbing, 224
 - bounded, 209, 370
- closed, 208, 411, 448
- closure, 208
- collection, 22
- compact, 210
- compact image, 421
- complete, 208
- convex, 215, 224
- dense, 208, 464
- detachable, 640
- enumerable, 648
- enumerably closed, 650
- enumerably open, 648
- finitely enumerable, 397
- formal closed, 408
- infinite, 651
- interior, 208
- locally compact, 211
- locally totally bounded, 211
- located, 208, 222, 410, 412
- metrically dense, 467
- metrically open, 478
- open, 208, 447
- splitting, 408
- subcompact, 455
- subovert, 459
- topologically located, 222
- totally bounded, 210
- weakly totally bounded, 240
- subspace
 - linear, 213
 - metric, 208
 - quasi-uniform, 503
- subtopology, 407
 - closed, 408
 - located, 410, 412
 - open, 408
 - overt weakly closed, 409
- sum, 720
 - dependent, 30
- superuniverse, 45
- supporting hyperplane, 290
- supremum, 205, 211
- Suslin
 - algorithm, 142
 - lemma, 137, 141
- SW-base, 382
- symmetric element of Cartesian product, 502
- symmetry, 168, 183
- synthetic, 170
 - method, 170
 - projective extension, 189, 195
 - projective plane, 169, 170
- system, 663
 - axiom, 170
 - information, 716
 - syzygy, 118
- t*-approximation, 267
- Takeuti, G., 732

- tangent, 184
- TCF, *see* theory of computable functionals
- theory, 170
 - analytic, 170
 - for elementary classes, 571
 - of computable functionals, 750, 807
 - partial combinatory algebra, 53
 - recursive function, 168, 169, 179
 - synthetic, 170
- Toepplitz–Hausdorff theorem, 271
- token, 716
 - extended, 720
- topological
 - frame, 492
 - pre-apartness, 494
- topologically
 - consistent, 496
 - located subset, 222
- topology
 - Bishop, 369
 - formal, 397, 547
 - frame, 492
 - inherited, 450
 - intrinsic, 447
 - metric, 478
 - of functions, 363
 - quasi-uniform, 503
 - Vietoris, 591
 - weak, 240
- topspace model, 485
- tossing a fair coin, 336
- total, 721
 - relation, 813
- totally bounded
 - metric space, 209, 403, 476
 - subset, 210
 - subset of a uniform space, 505
- transitive closure, 37
- translation, 663
 - A*-, 818
 - double negation, 818
 - negative/*A*-, 818
- treasury bond market, 337
- tree, 649, 702
 - binary, 719
 - branch, 649
 - infinite, 649
- truth value
 - closed, 448
 - open, 447
- turbulence model, 338
- Turing machine, 16
- two-person zero-sum game, 299
- type, 720
 - base, 720
 - higher, 720
 - level of, 720
 - of a formula, 728, 808
- of a predicate, 728
- typed lambda calculus, 17
- U*-approximation, 505
- UCT, *see* uniform continuity theorem
- ultrafilter, 597, 602, 613, 616, 618, 627
- uniform
 - bar, 648, 702
 - closure, 369
 - continuity theorem, 362, 653, 708
 - lifting of openness, 376
 - quantifier, 809, 811
 - space, 502
 - structure, 502
- uniformity, 502
- uniformly
 - continuous
 - function, 653, 707
 - mapping, 210
 - convex normed linear space, 215
 - rotund, 312
 - metric space, 312
 - preference relation, 313
 - sequentially continuous, 507
- unimodular
 - row, 123
 - vector, 123, 145
- union inductive definition, 728
- unit, 719
 - ball of the dual space, 266
- universe of constructible sets, 619
- upper
 - bound, 205
 - complete, 519
 - hemi-continuous, sequentially, 315
 - located, 519
- utility function, 304
- uysum, 720
- valuation
 - Dedekind set of, 111
 - distinct, 111
 - rank one, 111
- van Dalen, D., 168, 172
- Veblen, O., 169
- vergence principle, 473
- Vesley, R. E., 168
- Vietoris topology, 591
- virtual line extension, 192
 - family of lines, 192
 - family of points, 192
- von Neumann minimax theorem, 298, 326
- von Plato, J., 168
- von Staudt, K. G. C., 176, 183, 187
- wb scale, 419
- weak
 - basis, 460
 - Cauchy sequence, 655
 - countable choice, 522

Index

841

- König lemma, 593, 602, 649, 702, 806
Kleene–Vesley, 683
limited principle of omniscience, 602, 604
Markov’s principle, 644, 647
sequentially
 almost compact, 509
 compact, 510
star norm, 266
topology, 240
weakly
 compact operator, 246
 convex function, 293
 sequentially open, 473
 totally bounded subset, 240
Weierstrass approximation theorem, 382
well contained, 258
Weyl, H., 71, 72, 84
Winskel, G., 716
WKL, *see* weak König lemma
WKV, *see* weak Kleene–Vesley
WLPO, *see* weak limited principle of omniscience
WMP, *see* weak Markov’s principle
WSO, *see* weakly sequentially open
Young, J. W., 169
ysumu, 720
Zermelo–Fraenkel set theory, 806
 constructive, 22, 202, 222, 397, 657
 restricted, 26
zero-tight, 497