

Author Index

Ajmera, S., 533	Doorenbos, J., 37, 40–41, 113, 115, 251, 254–255, 258, 268–269, 271, 273, 277, 515	Jacob, C.E., 66
Allen, R.G., 254, 256, 277, 279, 282, 519	Driscoll , F.G., 72, 78	Jain, A.K., 159
Alluvione, F., 565	Ducharne, A., 556	Jain, S.K., 309
Annandale, J.G., 533	Dupuit, J., 64	James, D.W., 86
Anyoji, H., 426		James, L.D., 548
Ayers, R.S., 82, 90, 106		James, L.G., 158, 201–202, 204, 335, 352–353, 355, 409
	Early, A.C., 553	Jaramillo, P., 562
Bassett, D.L., 308	Ecker, O., 555	Jensen, M.E., 252, 256–258, 287, 529–530
Bear, J., 72	Elliott, J., 445	Jones,C.A., 117
Beck, H.E., 3, 5, 25	Elliott, R.L., 315	Jurriëns, M, 307, 333, 351
Benenson, P., 447	Elsdon, T.S., 563	
Bergara, J., 563	Etcheverry, B.A., 354	
Black, J.N., 41		Keenan, J.H., 257
Black, R.E., 555	Falkenmark, M., 8	Keller, J., 410–411
Blaney, H.F., 251	Faurès, J.M., 564	Kellis, M., 47
Bloodworth, M.E., 299	Fipps, G., 83, 89, 91	Kenworthy, A.L., 411
Booher, L.J., 325, 334–335	Fischer, G., 562	Kostiakov, A.N., 219
Boone, S.G., 537–538	Fortier, S., 136	
Bos, M.G., 287	Fraenkel, P.L., 174	Lacey, G., 133
Bosen, J.F., 28, 31	Frankenberger, T.R., 555	Lal, R., 447, 565
Boulding, J.R., 72	Freeze, R.A., 59	Lamacq, S., 532
Brabeck-Letmathe, P., 8	Fritz, S., 41, 256	Lane, E.W., 136
Brady, N.C., 103		Lewis, M.R., 315
Bralts, V.F., 432	García-López, A., 563	Longenecker, D.E., 83
Brouwer, C., 304, 326, 352, 512	George, B.A., 532	Lotze-Campen, H., 562
Brown, E., 565	Gitay, H., 562	Lugo, A.E., 24
Bruinsma, J., 560	Green, J.H., 58	
Brutsaert, W., 258	Griffiths-Sattenspiel. B., 447	Malano, H.M., 532
Burman, J.F., 41	Gupta, R.S., 134, 160, 178	Marino, D.A., 64
Burman, R.D., 256–257		Martin, D.L., 447, 565
Burt, C.M., 287	Hall, W.A., 315	Maupin, M.A., 366
	Hanks, R.J., 418	McWhorter, D.B., 71, 78
Caruso, B., 563	Hannah, R., 557	Meehl, G.A., 562
Cassel, D.K., 525	Hansen, V.E., 287	Meinzer, O.E., 59
Castellazzi , M.Z., 113	Hantush, M.S., 57, 61	Merkley, G.P., 183
Chiaromonti, D., 448, 566	Hargreaves, G.H., 113–114, 117–118, 253, 552, 554	Merriam, J.L., 533
Chow, V.T., 122	Harrington, G.J., 524	Michael, A.M., 171, 202, 333, 335, 351, 460
Christiansen, J.E., 291, 315, 374, 377, 386	Hart, W.E., 291, 315, 323, 352, 375, 457	Miller, D.E., 530
Christian-Smith, J., 51	Hatfield, J.L., 562	Misra, A.K., 562
Clemmens, A.J., 352	Hiler, E.A., 406	Molden, D., 567
Connor, D.J., 562	Hill, R.W., 281	Monteith, D.T., 563
Criddle, W.D., 291	Hillel, D., 98	Monteith, J.L., 255
Cuenca, R.H., 40, 75, 247, 254, 385, 391, 411	Hodges, A.W., 447, 565	Mooij, W.M., 563
	Holdridge, L.R., 24	Moreno, M.A., 448
Dabbus, B., 291	Hornbuckle, J.W., 533	Morris, D.A., 60
Dalla, M., 563	Horton, R.E., 225	Muñoz, I., 447
de Fraiture, C., 564	Howell, T.A., 411	Myers, L.E., 411, 423
De Jager, J.M., 533		
Delpla, I., 563	Ihuoma, S.O., 513–514	Naylor, R.L., 447, 565
Dillon, J., 299	Israelson, O.W., 287, 530	Nordstrom, K.F., 104
Doneen, L.D., 503		

Ogata, G., 530	Schwab, G.O., 371, 481–483, 497, 499–500, 507	Uphoff, N.T., 551
Ortiz-Partida, J., 562	Seckler, D., 564	Urbina, J.L., 414
Painter, D., 287	Seniwongse, C., 291	
Pair, C.H., 160	Seyedzdeh, A., 309–310	Valiantzas, A.W., 436
Pangaribowo, E.H., 555	Shaw, D.J., 555	Valiantzas, J.D., 434
Pathak, B.S., 565	Shayya, W.H., 533	van Schilfgaarde, J., 487, 501
Pearson, G.A., 85	Sherman, B., 308–310	Villalobos, F.J., 532
Peel, M.C., 21	Shiklomanov, I.A., 564	Visser, W.C., 501
Penman, H.L., 41, 254	Siebert, S., 13, 561	
Pettygrove, G.S., 366	Singels, A., 533	Walker, R., 181
Philip, J.R., 224, 315	Singh, V.P., 219–220, 224, 309, 314, 347, 363, 532	Walker, W.R., 287, 307, 315, 326, 331, 340–341, 357, 361, 374
Piao, S., 562	Skogerboe, G.V., 202–203	Walton, W.C., 72
Pimentel, D., 447, 564	Smith, L.C., 555	Warrick, A.W., 413, 435, 437
Plappally, A.K., 447, 565	Solomon, K., 442	Watters, G.Z., 156, 413–414
	Solomon, S., 563	Whitehead, P.G., 563
Raghuwanshi, N.S., 532	Stegman, E.C., 513, 515, 532	Wierenga, D.J., 406
Rain Bird company, 373, 383–384, 416	Stegun, E.C., 551	Wilcox, L.V., 89
Ram, R.S., 308–309, 314, 347	Storie, R.E., 99–100, 102	Wilson, C.L., 262, 268
Rawls, W.J., 225–226	Stout, B.A., 447	Withers, B., 334, 352, 364
Richards, A., 448	Strauss, J., 555	Wright, J.L., 254, 257, 268, 275–277, 282
Rosenberg, N.J., 251	Strelkoff, T., 308, 347, 363	Wu, I.P., 347, 411, 417–418, 420, 422–423, 425, 428–429, 431–433
Rosenzweig, C., 562		
Roth, R.L., 347	Taheripour, F., 17	Xia, X., 563
Ryan, P.K., 271	Tanji, K.K., 88	
	Taylor, S.A., 217	Yu, F.X., 314, 347, 363
Sadoff, C., 562	Theis, C.V., 65	
Savva, A.P., 334–335	Todd, D.K., 65–66	Zerihun, D., 309
Scherer, T.F., 194	Toksöz, S., 501	Zwolsman, J., 563
Schmidhuber, J., 555	Trenberth, K.E., 37	

- Absolute humidity, 31
- Adequacy of irrigation, 292–3
- Advance coefficients, furrow irrigation, 359
- Advance curve, surface irrigation, 310
- Advance phase, 310
 - analytical expressions, 310
 - time, 309
 - basin irrigation, 328
 - border irrigation, 336
 - furrow irrigation, 359
- Aerodynamic resistance, 255
- Affinity laws, 182
- Albedo, 37, 42, 256, 268, 282
- Allowable depletion, 517–19
- Allowable flow velocity for nonsouring flood
 - control channels, 133
- American Society of Agricultural and Biological Engineers (ASABE), 153, 168, 171, 513–14, 524
- American Society of Agricultural Engineers (ASAE), 166, 171, 204, 442, 535
- Anthropogenic global warming, 562
- Apparent specific gravity, solids, 102
- Application efficiency, 288–9, 294, 328, 354
 - basin, 327
 - furrow, 363
 - low quarter, 295
- Application rate, 376
 - average
 - lateral, 376
 - sprinkler, 376
 - big gun, 397
 - center pivot systems, 395
 - gross, 380
 - linear move sprinkler system, 397
 - maximum, sprinklers, 380
 - minimum, sprinklers, 380
 - net, 380
 - sprinklers, 383
 - surface irrigation, different soils, 303
- Appropriations doctrine, 47
- Aquifer, 57
 - anisotropy, 59
 - confined, 57
 - discharge, 63
 - heterogeneity, 59
 - hydraulic conductivity. *See* Hydraulic conductivity
 - leaky, 57
 - perched, 57
 - permeability, 59
 - specific retention. *See* Specific retention
 - specific storage, 61
 - specific yield. *See* Specific yield
 - storage coefficient. *See* Storativity or storage coefficient
 - Texas, 46
 - transmissivity, 59
 - unconfined, 57
 - discharge, 63
- Aquifer parameters, determination, 68
 - Jacob method, 69
 - type curve method, 69
- Aridity index, 24
- Arizona Department of Environmental Quality (ADEQ), 47
- Atmospheric pressure, 28–9, 256
 - calculation, 29
 - unit conversions, 29
- Available water, 231
 - readily, 231, 234, 288, 420
 - total, 517
- Available water capacity, 233
 - different soils, 233
- Average elevation, land
 - cross-slope row, 459
 - row, 459
- Backflow-prevention valves, 372
- Basin irrigation, 324
 - application efficiency, 327
 - basin sizes, 325
 - delivery system, 327
 - erosion, 328
 - hydraulics, 328
 - inflow time, 326
 - irrigation time, 325
 - land smoothing, 325
 - layout, 324
 - number of basins irrigated per set, 327
 - outlet location, 328
 - pipeline outlets, 328
 - ridge dimensions, 327
 - stream size, 325
 - supply ditch outlets, 327
 - supply ditches, 327
 - topography, 325
 - water source location, 324
 - width, 325
- Basin irrigation, design, 328
 - advance time, 328
 - basin length, 329
 - design charts, 329
 - inflow time, 329
 - maximum flow depth, 329
 - opportunity time, 328
- Basins, 324
 - check, 324
 - contour, 324
 - rectangular, 324
 - rings, 324
- Benefit
 - gross, 450
 - incremental net, 450
 - indirect, 450
 - net, 450
- Benefit/cost (BC) ratio, 451
- Bernoulli equation, 137, 140, 155, 163, 412, 439
- Big gun and boom sprinkler systems, 397
- Biotemperature, 24
- Blaney–Criddle method, 251
- Blasius equation, 413
- Boltzmann variable, 65
- Border irrigation
 - flow depth, 336
 - inflow time, 336
 - layout, 333
 - length, 334
 - maximum depth of flow, 336
 - number of borders and sets, 336
 - pump and power unit, 347
 - ridges, 335
 - slope, 335
 - stream size, 337
 - water delivery, 336
 - width, 335
- Border irrigation, design
 - simplified method, 340
 - Singh–Yu method, 347
- Borders, 333
 - contour, 333
 - graded, 333
 - level, 333
- Boron toxicity, 86
- Brake horsepower (*BP*), 452
- Bubbler irrigation, 406
- Bubblers, 406, 418
- C_3 crops, 562
- C_4 crops, 562
- Calorie supply per capita, 558
- Canal irrigation scheduling, 533
 - flexible schedule, 533
 - rigid schedule, 533
- Capillary fringe, 236
 - affected factors, 236
- Capillary rise, 236, 529
 - capillary force, 236
 - different soils, 236

- equation, 236
- gravitational force, 236
- Capillary water, 230
- Capital-recovery factor (CRF), 546
- Cash-flow diagram, 544
- Casing, pumps, 174
 - diffuser, 190
 - volute, 174
- Center pivot systems, 394
 - operation parameters, 395
 - application time, 381
 - discharge, 395
 - maximum application rate, 395
 - net application depth, 395
 - types, 394
 - constant spacing, 394
 - low-elevation spray application (LESA), 394
 - low-energy precision application (LEPA), 394
 - mid-elevation spray application (MESA), 394
 - variable spacing, 394
- Centrifugal pumps
 - direct coupled, gear-driven, and belt-driven, 174
 - horizontal and vertical, 174
 - low, medium and high lift, 174
 - single-stage and multistage, 174
 - single-suction and double-suction, 174
- Centroid, land, 459
- Characteristic curves, pumps, 180
 - brake horsepower-capacity, 181
 - efficiency-capacity, 181
 - head-capacity curve, 180
 - manufacturer's catalog, 182
 - parallel, 184
 - radial, mixed, and axial flow pumps, 181
 - series, 183
 - single stage centrifugal, 180
- Checkbook accounting method, 523
- Chemical amendments, 92
- Chemical elements
 - irrigation water, 81
 - soil, 94
- Chezy's equation, 128, 309
- Chloride toxicity, 86
- Christiansen uniformity coefficient, 291
- Cipolletti weirs or trapezoidal, 200
- Climate, 19
 - affected factors, 19
 - classification, 20–4
 - arid, 23
 - highland, 24
 - humid continental, 23
 - humid subtropical, 22
 - ice cap, 24
 - marine west coast, 22
 - Mediterranean, 22
 - semiarid, 23
 - subarctic, 23
 - tropical wet, 21
 - tropical wet and dry, 22
 - tundra, 23
 - United States, 24
 - Climate change impacts, 562
 - food production, 562
 - water quality, 563
 - water security, 562
- Coefficient of variation, 410, 420, 426, 432, 435
- Committee on World Food Security (CFS), 555
- Condensation, 29
- Conductivity
 - electrical, 513
 - irrigation water, 83
 - soil water, 85
 - hydraulic, 59
 - effective, 225
 - representative aquifer materials, 59
 - saturated, 225
 - various soil textures, 244
 - thermal, 257
- Conservation of energy, 125
- Conservation of mass, 125, 198, 218, 411
- Conservation of momentum
 - lateral, 412
- Consumptive use, 268
- Continuity equation, 411
- Continuous-move sprinkler systems, 370
 - center-pivot (CP), 371
 - linear-move, 371
 - traveler, 375
- Contour-adjustment method, 461
- Control head, trickle system, 407
 - anti-surge valves, 407
 - automated controller, 407
 - fertilizer injector, 407
 - filters, 407
 - flow meter, 407
 - pressure gages, 407
 - pressure regulator, 407
- Conveyance efficiency, 288
- Conveyance system, 287, 300, 551
 - closed pipes, 287, 502
 - open channels. *See* Open channels
- Corrosion, 89
- Costs
 - fixed, 191, 451
 - depreciation, 191, 452
 - interest, 191
 - taxes and insurance, 191
 - variable. *See also* Operating costs
 - energy, 191, 452
 - repair and maintenance, 452
- Couplers, 373
- Critical flow, 126
 - computation, 127
- Critical growth period for crops, 115
- Crop classification, 110–12
 - bioenergy, 111
 - cereal, 110
 - companion, 111
 - cover, 111
 - fiber, 111
 - forages, 110
 - grain, 110
 - green manure, 111
 - nutritional use, 112
 - oil, 112
 - protein, 112
 - pulses, 110
 - recreational turf grass, 111
 - root and tuber, 111
 - starchy root and tuber, 112
 - starchy seed, 112
- Crop coefficients
 - alfalfa based, or Wright coefficient method, 275
 - definition, 268
 - dual method, basal coefficient for selected crops, 278
 - dual method, FAO, 277
 - water stress factor, 280
 - wet soil evaporation factor, 282
 - grass based, or FAO method, 268
 - initial period, 271
 - mid- and late seasons, different crops, 271
 - seasonal variation, 268
- Crop production, affecting factors, 113–18
 - climatic, 113
 - optimum temperature ranges, 113
 - crop variety, 117
 - leaf area index (LAI), 117
 - plant density, 117
 - plant spacing, 117
 - soil aeration and drainage, 117
 - soil fertility, 113
 - water availability, 114
- Crop sensitivity to water shortage, 512
- Cropping systems, 112
 - continuous, 112
 - rotation, 112
- Cumulative infiltration, 215–16
 - curves for different soils, 216
 - Horton equation, 225
 - Kostiakov equation, 354
 - modified Kostiakov equation, 354
 - first and later irrigation parameters, 341
 - furrow, 358
 - SCS method, 222
 - basin, 326
 - parameters, 224, 326
- Cumulative probability distribution function, 52
- Current meter, 197
- Current price, 451
- Current ratio, 450
- Cut to fill ratio, 473
- Cut-back system, 360
 - average infiltration depth, 360
 - cutback time, 360
 - water application, gross depth, 360
- Cutoff rate, 451
- Cutoff time. *See* Inflow time
- Darcy's law, 62, 225, 244, 485
- Darcy-Weisbach equation, 156, 377, 409, 412, 414, 434
 - circular pipes, 156
 - conversion constants, 156
- Declination, 253
- Deep percolation, 289, 296, 307, 323–4, 335, 355–6, 405, 482, 507, 525, 529, 540
- Deep percolation ratio, 290
- Deep-well turbine pump, 186
 - bowl assembly, 186
 - characteristic curves, 186

- Deep-well turbine pump (cont.)
 discharge assembly, 186
 shaft and column, 186
- Deficit irrigation, 342, 513
- Density
 bulk density, soil, 102
 dry air, 33
 moist air, 33–4
 soil, 101
- Depletion phase, surface irrigation, 309
- Design
 basin irrigation, 324, 328
 border irrigation, 340
 drip irrigation, 420
 furrow irrigation, 358
 sprinkler irrigation, 377
- Design daily irrigation requirement, 327, 354, 419, 503
- Design-capacity, pump system, 190
- Dew-point temperature, 28
- Dimension ratio, 167
- Discharge
 bubbler tube, 406
 center pivot system, 395
 drain on the barrier, unsteady state, 494
 drain, not on the barrier, unsteady state, 495
 drain, surface ponding, unsteady state, 495
 emission devices, 419
 emitter, 422
 emitter, mean, 426
 fully submerged contracted orifices
 negligible velocity, 206
 velocity is not negligible, 207
 fully submerged orifices, 207
 lateral, 426
 long-path emitter, laminar, 414
 long-path emitter, turbulent, 414
 orifice emitter, 413
 orifice plate, 209
 orifices
 freely flowing, 206
 Parshall flume
 free flow, 202
 submerged, 202
 partially submerged orifices, 207
 pint-source emitter, 409
 ranges for trickle irrigation, 406
 rectangular weir, 200
 one-sided contraction, 200
 two-sided contraction, 200
 spray, 406
 sprinkler, 376–7, 381, 383, 395
 trapezoidal flume, submerged, 200
 trapezoidal weir, fully contracted, 200
 triangular weir, 200
 venturimeter, 208
 wells, 74
 WSC flume, 205
- Discount rate, 450
- Distance of throw, 376
- Distribution pattern, sprinkler, 376
- Diversion methods, 502
 gravity, 502
 pumping, 502
- Double ring infiltrometer, 219
- Drain opening, 496
 clay tiles, 496
 corrugated plastic, 496
- Drain size
 steady state, 493
 unsteady state, 494
- Drain spacing, calculation, 484
 steady state
 graphical solution of Kirkham, 490
 open ditches, 485
 open drains, 486
 tile drains, 486
 Visser nomograph, 488
 unsteady state, 486
 USBR graphical solution, 491–2
- Drainage classification, 476
 subsurface, 477
 surface, 476
- Drainage coefficient, 476
 arid areas, 476
 humid areas, 476
- Drawdown
 unconfined aquifer, 65
 unsteady well, 65
- Drilling methods, 72
 augering, 72
 hand auger, 72
 drilled
 cable tool, 72
 direct rotary with air, 72
 direct rotary with fluid, 72
 reverse-circulation rotary, 72
 driven, 72
 jetted, 72
- Drip irrigation design, 420
 analytical approach
 constant discharge, 434
 simple numerical approximation, 438
 variable discharge, 437
 energy gradient approach
 nonzero slope, 425
 zero slope, 420
 procedures, 420
 uniformity-based approach, 432
- Drip irrigation, hydraulics, 410
 conservation of energy, 412
 conservation of mass, 411
 conservation of momentum, 412
 discharge–head relation, 411
 energy slope, 417
 flow regime, 411
 head loss equation, 412
 pressure distribution, 411
 pressure profiles, 417
- Droplet size, 376
- Dug wells, 44
- Dupuit–Forchheimer assumptions, 484
- Dynamic viscosity, 59, 123, 177, 409, 413
- Earliest date, irrigation, 522
- Earth, 25
 equatorial circumference, 25
 equatorial radius, 25
 mean radius, 25
 polar radius, 25
- Earthwork, calculation, 470
 end-area, 471
 four-point, 470
 horizontal-plane, 472
 prismoidal formula, 470
 summation, 472
- Economic life, 451
- Economic rate of return (ERR), 450
- Economic value, 450
- Effective depth, drain, 486
- Effective emissivity, 41, 257
- Effective precipitation, 525, 528–30
- Efficiency
 irrigation system, 91
 motor, 178, 393
 constant speed pump, 178
 wire to shaft, variable drive, 178
 pumps, 178
- Efficiency price, 450
- Emission devices, performance, 410
- Emission point
 number of emission devices at each emission point
 double laterals, 419
 single laterals, 419
 number of micro-sprinklers per emission point, 420
- Emitter-connection loss values, 414
- Emitters, types, 407
 line-source, 409
 point-source, 407
- End-area method, 471
- Energy balance, crop surface, 251
 latent heat flux, 251
 net radiation flux, 251
 sensible heat flux, 251
 soil heat flux. *See* Soil heat flux
- Energy coefficient or Coriolis coefficient, 123
- Energy gradient line (EGL), 425
- Energy production, different sources, U.S., 112
- Energy requirement, irrigation, 447
 drip, 448
 groundwater, 447
 sprinkler, 447
 surface, 447
 surface water source, 447
- Energy slope, 140, 417
 average, 140
- Energy–irrigation nexus, 447
- Entropy theory, 219–20, 225
- Equity, 451
- Equivalent head loss, sprinkler laterals, 390
- Equivalent pipe length, 414
- Equivalent roughness, 156
- Evaporation, 249–50. *See also* Vaporization
 bare soil, 281
- Evapotranspiration
 actual, 268
 definition, 249
 measurement
 lysimeter, 254, 276
 potential, 268
 reference, 268
- Evapotranspiration calculation, methods, 251
 Blaney–Criddle (BC), 251

- FAO modification, 254
 Hargreaves, 253
 Jensen–Haise (JH), 252
 Penman, 254
 Penman–Monteith, 255
 Priestley–Taylor, 255
 Wright’s modification, 254
 Evapotranspiration calculation, parameters, 256
 latent heat of vaporization. *See* Latent heat of vaporization
 net radiation. *See* Radiation: net
 psychrometric constant. *See* Psychrometric constant
 saturation vapor pressure. *See* Saturation vapor pressure
 slope of saturation vapor pressure. *See* Slope of saturation vapor pressure
 vapor pressure deficit. *See* Vapor pressure deficit
- Farm gate price, 451
 Feel and appearance, soil moisture, 513
 Fertilizer injector, 407
 Field capacity, 231, 245, 531
 different soils, 233
 used in irrigation, 231
 Financial rate of return, 450
 Flow measurement, 503
 open channels, 196
 flumes. *See* Flumes
 orifices. *See* Orifices
 velocity–area method, 197
 volumetric method, 196
 weirs. *See* Weirs
 pipelines, 208
 orifice plate, 209
 pitot tube, 209
 venturimeter. *See* Venturimeter
 Flow meter, 53, 167, 407
 Flow of river basins, Texas, 47
 Flow rate
 drainage, 484
 unit conversions, 196
 Flow regulators, 372
 Flow volume
 unit conversions, 195
 Flumes, 200
 cut-throat, 202
 dimensions, 203
 head–discharge relation, 203
 Parshall, 201
 dimensions, 201
 discharge, 202
 free flow and submerged, 201
 head–discharge relation, 202
 trapezoidal, 204
 dimensions, 204
 discharge, 200
 WSC, 204
 dimension, 205
 head–discharge relation, 205
 Food and Agriculture Organization (FAO), 6, 13, 113, 251, 268, 445, 560
 Food production
 countrywise, 558
 global, 558
 irrigated and non-irrigated lands, 560
 Four-point method, 470
 Fourth-order Runge–Kutta method, 439
 Free air carbon enrichment, 562
 Freeboard, 129
 Frequency analysis, 51
 Friction factor, 123, 156–7, 377, 390, 409, 413–14, 416, 432, 437
 Darcy–Weisbach equation, 157
 different flow regimes, 157
 fittings and valves, 160
 fully turbulent flow, 413
 Hazen–Williams equation, 158
 laminar flow, 413
 Scobey equation, 158
 sudden contraction, 160
 sudden enlargement, 160
 turbulent flow, 413
 all types, 159
 explicit expression, 159
 fully rough pipes, 159
 smooth pipe, 159
 Friction loss
 pipelines, 150
 sprinkler laterals, 377
 trickle laterals, 427
 Front wall location, surface irrigation, 310
 Frost protection, 366
 Froude number, 137, 139
 Full irrigation, 513
 Furrow irrigation, 351
 delivery system, 357
 infiltration parameters calculation
 two-point method, 357
 inflow rate, 356
 inflow time, 354
 layout, 351
 length, 351
 number of furrows, 354
 number of furrows per set and number of sets, 357
 shape, 353
 slope, 352
 source of water, 351
 spacing, 353
 Furrow irrigation, design, 358
 advance time, 359
 average infiltration opportunity time, 359
 cut-back systems, 360
 free-draining graded, 361
 inflow time, 359
 percolation depth, 359
 pump and power unit selection, 361
 runoff depth, 359
 water application, gross depth, 359
 Yu–Singh Method, 363
 Furrows, 351
 alignment
 contour, 351
 graded, 351
 level, 351
 size and spacing
 corrugations, 351
 deep, 351
 Genetic coefficients, maize, 117
 Global gridded crop models (GGCMs), 445, 562
 Global hydrological models (GHM), 445
 Grace period, 451
 Gradually varied flow, 137
 flow profile computation, 140
 governing equation, 137
 surface profile, 138
 Grant, 451
 Gravel envelopes, drainage system, 496
 Gravitational water, 229
 Green–Ampt equation, 225
 Greenhouse effect, 42
 Greenhouse gases, 42, 257
 Gross domestic product (GDP), 450
 Groundwater sources, 45
 aquifer, Texas, 46
 Growing season
 four stages, 269
 length, different crops, 269
 Gumbel distribution, 51–2
 Hargreaves method, 253
 Hazen–Williams equation, 150–1, 191, 377, 400–1, 413
 conversion constants, 151
 discharge, 151
 mean velocity, 151
 Hazen–Williams friction coefficient, 151, 401
 values for different materials, 151
 Head
 elevation, 125–6, 146, 176
 mean pressure, drip lateral, 426
 pressure, 125, 146, 176
 mean submain, trickle, 426
 trickle, 412
 static discharge, 176
 total dynamic or system, 176, 187
 velocity, 146, 176, 411
 Head loss
 minor, due to fittings and valves, 160
 pipeline, 150
 different materials, 152
 example, 160
 pipes in parallel, 165
 pipes in series, 164
 single pipeline, 163
 sprinkler laterals, 377, 386, 389
 trickle irrigation, 414
 barbed pop on, 414
 in-line emitters, 414
 trickle laterals, 431
 Height
 sprinkler rise, 391
 Holdridge life zones system, 24
 Hooghoudt’s equation, 485
 Horizontal-plane method, 472
 Horton equation, 225
 Humidity, 31–3
 absolute, 31
 relative, 31
 specific, 33
 Hydraulic conductivity, 59

- Hydraulic conductivity (cont.)
 effective, 225
 representative aquifer materials, 59
 saturated, 225
 various soil textures, 244
Hydraulic diffusivity, 62
Hydraulic efficient sections, 129
 rectangular, 130
 trapezoidal, 130
 triangular, 130
Hydraulic radius, 122
Hydrostatic design stress, 167
 maximum, different pipe materials, 167
Hydrostatic strength, long term, 167
Hygroscopic water, 230
Hysteresis, 241
- Impellers, pumps, 175
 open, semi-open, and closed impellers, 175
 radial, axial and mixed flow, 175
 single and double suction, 176
- Infiltration
 affected factors, 217
 cumulative. *See* Cumulative infiltration
 measurement, 217
 border irrigation, 217
 furrow irrigation, 217
 sprinklers, 217
Infiltration determination, 218
 flux law, 219
 mass conservation, 218
Infiltration equations, 219
 Green–Ampt, 225
 Horton, 225
 Kostiakov, 219
 modified Kostiakov, 307
 first and later irrigation parameters, 341
 Philip, 224
 SCS method, 222
 parameters, 224
Infiltration rate
 average, 216
 basic, 217
 excess, 217
 instantaneous, 217
Inflation, 450
Inflow rate
 border, 337
 furrow, 356
Inflow time
 basin, 326, 329
 border, 336
 furrow, 354
Inlets, subsurface drainage system, 497
 blind inlet or french drain, 498
 surface or open, 497
Intake family, 222–3
Intergovernmental Panel on Climate Change (IPCC), 42
Internal rate of return (*IRR*), 451
International Boundary and Water Commission (IBWC), 47
Irrigated agriculture
 energy requirement, 564
 water requirement, 563
Irrigated cropland, different regions, 560
Irrigated land, distribution, 557
Irrigation
 benefits, 5–6
 definition, 5
 limitations, 6
 necessity, 6
Irrigation conflicts, 554
Irrigation effectiveness
 application efficiency and adequacy
 relationship, 294
 application efficiency and uniformity
 relationship, 294
Irrigation efficiency
 application. *See* Application efficiency
 overall system, 289
 reservoir storage, 287
 soil water storage, 289
 water conveyance, 288
 water use, 289
Irrigation impacts on crop yields, 561
Irrigation interval, 379
 maximum permissible, 379, 520
 minum, 505
Irrigation methods, 301
 affected factors, 303
 cost and benefit, 304
 crop type, 304
 irrigation practice, 304
 labor, 304
 natural, 303
 technology type, 304
 below-surface, 301
 country-wise data, 564
 selecting guide, 503
 sprinkler. *See* Sprinkler irrigation
 surface. *See* Surface irrigation
 trickle. *See* Trickle irrigation
Irrigation models, 532
Irrigation potential, 445
Irrigation scheduling
 affecting factors, 512
 center-pivots example, 526
 methods, 513
 plant-based, 513
 soil moisture-based, 513
 soil water balance, 513
 real time, 532
Irrigation systems
 advantages, 502
 components, 551
 conveyance, 551
 receiver, 551
 source, 551
 delivery, 551
 design, 503
 comparison, 507
 data requirements, 503
 steps, 503
 physical, 300
 delivery, 300
 removal, 301
 supply, 300
 use, 300
 planning, 448
 feasibility study, 449
 financial analysis, 450
 implementation, 450
 monitoring and evaluation, 450
 proposal preparation, 449
 review of plan, 449
Irrigation water, classification, 89
- Jacob method, 68, 77
Jensen–Haise method, 252
- Kinematic roughness parameter, 310
Kinematic viscosity, 123, 413, 434
Kinematic wave roughness parameter, 310
Kinematic-wave model, 309
Köppen–Geiger climate classification, 3, 20–1
Kostiakov equation, 219, 354
- Lag time, 309
 border, 339
Laminar flow, 123, 308, 409–11
Land subsidence, confined aquifer, 61
Land surveying, 457, 459
Land use for food production, 557
Land-leveling, design methods, 461
 contour-adjustment, 469
 plane, 461
 plan-inspection, 467
 profile, 466
Latent heat of fusion, 30
Latent heat of sublimation, 30
Latent heat of vaporization, 29, 256
Laterals
 center-pivot, 371
 linear-move, 371
 permanent, 367
 semi-permanent, 368
 set-move, 369
 solid-set, 368
 spacing, 381, 383
 sprinkler, 386
 trickle, 419
Latest date, irrigation, 521
Layout, irrigation system
 basin, 324
 border, 333
 center-pivot system, 374
 drip, 407
 furrow, 351
 linear move sprinkler system, 374
 set-move sprinkler, 374
Leaching fraction, 90, 92, 529
Leaching requirement, 91
Leaf area index (LAI), 117, 282
Leaf water potential, 513–15, 532
Levees, 324
Linear move sprinkler systems, 396
Load factor, 500
Loads on tile drains, 499
Louisiana Department of Environmental Quality (LDEQ), 47
- Mainlines
 linear-move, 371

- set-move, 369
 size, 377
 sprinkler, 391
 traveler systems, 371
 trickle, 407
 Mainlines, pressure
 critical requirement, 391
 mainline entrance, 391
 Malnourished population, 8
 Management allowed deficiency
 values based on Doorenbos and Kassam, 515
 Management allowed deficiency (MAD), 234
 different crops, 235
 Manning's equation, 128, 310, 315, 326, 336,
 347, 493–5
 Manning's roughness coefficient, 128, 136, 307,
 310, 315, 329, 339, 353, 357, 493
 recommended values for surface irrigation
 systems, 307
 Matric potential, 229, 238
 at field capacity, 230–1
 at permanent wilting point, 231
 at refill point, 231
 drier areas, 242
 measurement, 513
 mosit areas, 242
 relationship with soil water, 242
 variation in different soil conditions, 241
 Maximum allowable head loss between two
 sprinklers, 389
 Maximum available practical lift, 179
 Maximum effective rooting depths, 519
 Maximum nonerosive stream size
 borders, 337
 furrow, 356
 Maximum possible sunshine hours, 37
 Maximum pressure difference, trickle laterals, 427
 Meniscus, 236
 Meteorological variables, 26
 air density, 33
 atmospheric pressure, 28
 dew-point temperature, 28
 humidity. *See* Humidity
 radiation. *See* Radiation
 sunshine hours. *See* Sunshine hours
 temperature, 26
 water vapor. *See* Water vapor
 wet-bulb temperature, 28
 wind, 36
 Michigan State University, 532, 536
 Minor head loss due to fittings and valves, 160
 Mixing ratio, 33
 Modified Kostiakov equation, 354
 first and later irrigation parameters, 341
 furrow, 358
 Momentum balance, 125
 Momentum coefficient or Boussinesq coefficient,
 123
 Moody diagram, 157, 159, 177
 Multiple outlet factors
 first sprinkler located at full of the sprinkler
 spacing, 388
 first sprinkler located at half of the sprinkler
 spacing, 388
 National income, 450
 National Water Well Association, 72, 75
 Natural Resources Conservation Service (NRCS),
 15, 96–8, 103–4, 135, 152, 173, 176,
 181, 194, 215, 222, 244, 251, 294,
 302, 304–5, 307, 328–9, 341, 369,
 377, 384, 398, 402, 408, 442, 453,
 476, 503, 517, 531
 Net positive suction head (NPSH)
 available (NPSH_a), 178
 required (NPSH_r), 178, 190
 Net present value (NPV), 451
 Newton–Raphson method, 342, 345, 354
 One-fourth rule, 355–7
 Open channels, 122
 critical flow, 126
 design, 129
 energy balance, 125
 flow state, 123
 flow types, 123
 geometric elements, 122
 cross-sectional area, 122
 flow depth, 122
 flow section depth, 122
 hydraulic depth, 122
 hydraulic radius, 122
 section factor, 122
 top width, 122
 wetted perimeter, 122
 loose boundary, 133
 regime theory, 133
 tractive force theory, 135
 mass balance, 125
 momentum balance, 125
 rigid boundary, 129
 bottom longitudinal slope, 129
 design procedure, 132
 freeboard, 129
 hydraulic efficient sections, 129
 minimum velocity, 129
 side slope, 129
 uniform flow, 128
 velocity distribution, 123
 Operating point, 187
 illustration, 187
 Opportunity cost, 450
 Opportunity time
 basin irrigation, 328
 border irrigation, 336
 furrow irrigation, 354, 359
 surface irrigation, 310
 Orifice plate, 209
 discharge, 209
 Orifices, 205
 freely flowing, 206
 contraction coefficient, 206
 discharge, 206
 discharge coefficient, 206
 velocity, 206
 velocity coefficient, 206
 fully submerged, 206
 discharge, 207
 fully submerged contracted
 discharge
 negligible velocity, 206
 velocity is not negligible, 207
 partially submerged
 discharge, 207
 Outlets, subsurface drainage system, 498
 gravity, 498
 pumped, 499
 Ownership, farmland, 447
 Pan evaporation, 505
 Peace Corps of the United States of America, 104,
 109
 Peman method
 FAO modification, 254
 Wright's modification, 254
 Penman method, 254
 Penman–Monteith method, 255
 Permanent wilting point, 231
 different soils, 233
 Philip equation, 224
 Piezometric head, 57, 64, 412
 Piezometric surface, 64
 Pipelines
 buried pipelines design, 169
 energy equation, 145
 hydrostatic design stress, 167
 laying out, 170
 low-head, 167
 pressure rating. *See* Pressure rating
 pressure variation, 169
 system types, 167
 underground, 167
 components, 168
 Pitot tube, 209
 actual flow velocity, 209
 Plane method, 461
 Plan-inspection method, 467
 Plant status indicators, 514, 532
 Polyethylene (PE) pipe, 166
 irrigation pipelines application, 376
 pressure rating, 168
 Polyvinyl chloride (PVC) pipe, 166
 friction loss, 155
 Hazen–Williams friction coefficient, 151
 irrigation pipelines application, 376
 pressure rating, 168
 sizes, 153
 Population projection
 country-wise, 556
 global, 555
 Porosity, 102
 air-filled, 102
 aquifer, 57
 soil, 102
 values of different solids, 58
 Potential evapotranspiration (PET), 24
 Power function, head loss in drip irrigation,
 413
 Precipitation, annual average, different regions,
 445
 Present value (PV), 451
 Pressure head profile, lateral, 417
 type I, 418
 type II, 418
 type II-a, 418

- Pressure head profile, lateral (cont.)
 type II-b, 418
 type II-c, 418
 type III, 418
Pressure rating, 167
 different strengths of pipe materials, 167
 inside diameter-based pipe, 145
 outside diameter-based pipe, 145
Priestley–Taylor method, 255
Prismoidal formula, 470
Probability density function, 52
Profile method, 466
Psychrometric constant, 33, 254, 256
Pump performance parameters, 176
 capacity, 176
 efficiency, 178
 head, 176
 net positive suction head (NPSH), 178
 available (NPSH_a), 178
 required (NPSH_r), 178
 power, 177
 specific speed. *See* Specific speed, pumps
Pumps
 casing. *See* Casing, pumps
 centrifugal. *See* Centrifugal pumps
 deep-well turbine. *See* Deep-well turbine
 economic evaluation, 191
 impellers. *See* Impellers, pumps
 operating point, 187
 pump characteristic curves. *See* Characteristic curves, pumps
 selection, 189
 submersible, 187
 system curve, 187, 347, 361
 illustration, 188
 system design capacity, 190
 types, 190
Radiation, 36
 average global energy balance, 39
 average longwave, Earth’s surface, 42
 extraterrestrial, 39–40
 incoming shortwave, 39, 252
 clear sky, 252
 net, 251
 net outgoing longwave, 256, 258
 clear sky, 256
Recession curve, surface irrigation, 310
Regime theory, 133
Relative humidity, 31–3, 257
Relief classes, surface irrigated land, 458
Representative concentration pathway (RCP), 562
Return flows, irrigation, 537
 amount, 537
 impact on water quality, 537
 nutrients, 538
 pesticides, 538
 salinity, 537
 solids, 540
 temperature, 540
 reduce measures, 540
Return period, 51
Reynolds number, 123, 157, 308, 413, 415–16
Ridge dimensions
 basin, 327
 border, 335
Root growth factor, 519
Root system, 250
 annual plants, 250
 permanent plants, 250
 seasonal crops, 250
 tree, 250
Rooting depth, 234, 378, 401, 519–20
 different crops, 235
Roughness height
 heat and vapor transfer, 255
 momentum transfer, 255
Runoff, 359, 507, 525, 530, 540, 542
Safe yield, 44–5
Salinity
 effects, 83
 irrigation water, 83
 threshold values, 88
 types of salts, 83
 management, 104
 chemicals use, 108
 frequent irrigation, 108
 irrigation method change, 108
 leaching, 104
 pre-plant irrigation, 108
 seed placement, 106
 subsurface drainage, 106
 water delivery by pipeline, 108
 soil, 103
 crop tolerance, 103
 total salinity(TDS), 83
Sap flow measurement, 515
Saturation vapor pressure
 definition, 31
 equation, 31, 256
 values for various temperature, 31
Scobey equation, 157
SCS equation, infiltration, 222
 parameters, 224
Seasonal operational time, center pivot systems, 395
Seasons, 26
Section factor, 122
Series compound-amount factor (SCAF), 546
Series present-worth factor (SPWF), 546
Service period, 452
Set-move sprinkler systems, 369, 374
 gun-type, 370
 hand-move, 369
 side-roll, 370
 tow-move, 369
Shadow price, 450
Shejpali system, 533
Shrinkage, earth, 472
Side slopes,channel, 129
 deep, 129
 shallow, 129
Silt factor, 123
Single-payment compound-amount factor (SPCAF), 545
Single-payment present-worth factor (SPPWF), 545
Sinking fund factor (SFF), 546
Slope of the best-fit line, 460
Slope, impacts on surface irrigation, 307
Sodicity, 84
 adjusted SAR, 84
 effects, 85
 exchangeable, 85
 sodium absorption ratio (SAR), 84
 soluble sodium percentage (SSP), 85
Sodium absorption ratio (SAR), 84
Soil
 chemical elements, 94
 climate effect, 108
 conservation, 104
 degradation, 104
 water erosion, 104
 wind erosion, 104
 evaluation, 99
 Storie index. *See* Storie index
 formation, 95
 grading, 101
 layer arrangement, 95
 physical characteristics, 101
 air-filled porosity, 102
 density, 101
 pH ranges, 103
 porosity, 102
 salinity, 103
 spatial distribution, 98
 structure, 97
 texture, 96
 soil textural triangle, 96
 types, 96
Soil Conservation Service, 72–3, 85, 96, 205, 222, 251, 291, 307, 328, 335, 337, 339, 347, 359, 364, 380, 456, 532, 537
Soil heat flux
 based on net radiation, 258
 based on volumetric heat capacity of soil, 258
 Wright modificaiton, 258
Soil moisture removed amount, judgment guide, 530
Soil water
 characteristic curve, 240
 movement, 242
 barrier, 243
 saturated flow, 242
 soil air effect, 243
 unsaturated flow, 242
 zones, 243
 physics, 235
 capillarity. *See* Capillary rise
 cohesion and adhesion, 236
 energy, 237
 kinetic, 237
 potential, 237
 gravitational, 237–8
 matric, 238
 pressure, 237
 forces, 237
 adhesion, 237
 gravity, 237
 osmotic, 237, 239
 storage and movement, 237
 surface tension, 236
 water molecules, 235
 types, 229

- capillary, 230
 - gravitational, 229
 - hygroscopic, 230
 - Soil water characteristic curve, 239
 - Soil water content, 230
 - depth for one meter soil, 228
 - field capacity. *See* Field capacity
 - mass basis, 230, 233
 - permanent wilting point. *See* Permanent wilting point
 - saturated, by mass, 232
 - saturated, by volume, 232
 - tension, 231
 - volume basis, 230, 233
 - Soil water measurement, method, 530
 - feel and appearance, 530
 - gravimetric sampling, 530
 - neutron scattering, 530
 - time-domain reflectometer, 530
 - Soil water potential
 - units conversions, 239
 - volumetric, 239
 - weight, 239
 - Soil water stress threshold, 278
 - Soil water tensions, threshold for irrigation scheduling, 531
 - Sorptivity, 224
 - Spacing
 - emission points, 419
 - laterals, 383
 - sprinkler, 383
 - towpath, traveling sprinklers, 398
 - Specific discharge, 62, 64
 - Specific energy, 126
 - Specific heat
 - dry air, 33, 256
 - soil, 258
 - Specific humidity, 33
 - Specific retention. *See* Field capacity
 - Specific speed, pumps, 180
 - axial flow, 180
 - mixed flow, 180
 - radial flow, 180
 - Specific storage, 61
 - Specific weight of water, 61, 164, 236, 404, 412
 - Specific yield, 59, 487
 - representative values of different materials, 60
 - Spectral vegetation indices, 515
 - Spray irrigation, 406
 - Sprinkler irrigation
 - advantages, 366
 - classification, 367
 - continuous-move systems, 370
 - permanent and semi-permanent, 367
 - portable and semi-portable, 367
 - set-move systems, 368
 - solid-set systems, 368
 - spray patterns, 370
 - perforated, 370
 - rotating head, 370
 - disadvantages, 366
 - Sprinkler irrigation, components, 371
 - applicator, 372
 - controllers, 372
 - filters and injectors, 372
 - flow regulators, 372
 - pipelines distribution, 372
 - pumps, 371
 - sprinkler head, 372
 - sprinklers. *See* Sprinklers, types
 - Sprinkler performance parameters, 376
 - application rate, 376
 - discharge, 376
 - distance of throw, 376
 - distribution pattern, 376
 - droplet size, 376
 - Sprinkler systems, design, 377
 - application rate, 380
 - considerations, 373
 - field layout, 374
 - center-pivot, 374
 - linear move, 374
 - set-move, 374
 - pipelines, 376
 - sprinkler performance. *See* Sprinkler performance parameters
 - system selection, 375
 - uniformity. *See* Uniformity
 - water distribution, 375
 - gross depth of application, 379
 - irrigation interval, 391
 - lateral, 386
 - mainline, 391
 - net depth of application, 391
 - pump and power selection, 393
 - sprinkler, 383
 - discharge, 383
 - nozzle selection, 386
 - number of sprinklers, 386
 - spacing, 383
 - system capacity, 380
- Sprinklers, types, 373
 - fixed-head, 373
 - gear-driven, 373
 - impact, 373
 - reaction, 373
- St. Venant equations, 308
- Standard dimension ratio, 168
- Stefan–Boltzmann law, 37, 42
- Stomatal resistance, 514
- Storativity or storage coefficient, aquifer, 61
 - confined, 61
 - unconfined, 61
- Storie index, 99–101
- Subsurface drainage systems
 - accessories, 497
 - inlets. *See* Inlets, subsurface drainage system
 - outlets. *See* Outlets, subsurface drainage system
 - sedimentation basins, 498
- design, 482
 - depth and spacing, 483
 - dimensions for humid areas, 482
- types, 481
 - cutoff or interceptor, 481
 - grid iron, 481
 - herringbone, 481
 - natural or random, 481
- Sub-surface shape factor, 315
- Suction lift, 48, 176
- Summation method, 472
- Sun, 26
 - radius, 26
 - solar constant, 26, 28, 37
- Sunlight exposure fraction, 282
- Sunset hour angle, 253
- Sunshine hours, 36
 - maximum possible, 37, 256
- Supply rate, water sources
 - combination, 53
 - lake, pond or reservoir, 50
 - minimum expected, 51
 - stream, 49
 - well, 53
- Surface drainage systems, 478
 - bedding, 479
 - cross-slope ditch, 480
 - land grading, 481
 - parallel field ditch, 479
 - parallel lateral ditch, 480
 - random field ditches, 478
 - W ditch, 479
- Surface irrigation, 302
 - affected factors, 304
 - decision variables, 305
 - field conditions, 307
 - field geometry, 306
 - management, 307
 - graded systems, 302
 - level systems, 302
 - methods, 299
 - comparison, 302
 - phases, 309
 - advance. *See* Advance phase
 - depletion or lag time. *See* Lag time
 - recession, 309
 - storage, 309
- Surface irrigation models, 308
 - hydraulic, 308
 - infiltration parameters evaluation
 - two-point method, 316
 - power advance volume balance, 315
 - volume balance, 314
- Surface storage factor, 315
- Surface water sources, 44
 - reservoirs, 45
 - Texas, 45
 - streams, 45
 - Texas, 45
- Swell, earth, 472
- System curve, 187
 - illustration, 188
- Tailwater ratio, 290
- Temperature, 26
 - absolute, 26
 - dew-point, 28
 - dry-bulb or air, 33
 - Earth surface, mean, 38
 - unit conversions, 26
 - wet-bulb, 28
- Texas Commission on Environmental Quality (TCEQ), 47
- Texas Water Development Board (TWDB), 46
- Theis well function, 65

- Tile material, drainage, 497
 clay, 497
 concrete, 497
 corrugated plastic, 497
Top width, 122
Total available water capacity, 233
Total dynamic head or system head, 176, 391
Towpath spacing, traveling sprinklers, 399
Tractive force theory, 135
Transfer payment, 451
Transitional flow, 123
Transmissivity, 59
 calculation using Jacob method, 77
Transpiration, 228, 249–50, 262–3, 515
Trickle irrigation
 equipment guidelines, 418
 methods, 405
 bubbler, 406
 drip, 406
 spray, 406
 subsurface, 407
Turbulent flow, 123
 classification, 156
Two-point method for evaluation of infiltration
 parameters, 316, 357
Type curve method, 69
- U.S. Bureau of Reclamation, 72, 75, 101, 129, 199, 201–2, 206, 482, 501
U.S. Department of Agriculture (USDA), 5, 7–8, 14, 17, 73, 89, 103, 135, 186, 194, 222, 247, 291, 328–30, 353, 359, 380, 414, 458, 464, 474, 517, 529
U.S. Salinity Laboratory, 93
Uniform gradient series compound amount factor (UGSCAF), 548
Uniform gradient series present worth factor (UGSPWF), 548
Uniformity, 290
 Christiansen coefficient, 291
 drip lateral, analytical approach, 435
 Hart Uniformity Coefficient, 291
 SCS pattern efficiency, 291
 Wilcox–Swales coefficient, 291
Uniformity coefficient, aquifer, 74
United States Geological Survey (USGS), 47, 52
Upward flow, groundwater, 529
US Army Corps of Engineers, 133, 144
US Environmental Protection Agency (USEPA), 87
USBR graphical solution
 drain is at impermeable layer, 492
 drain is not at impermeable layer, 491
USDA water balance technique, 529
- Valves, 372
 air release, 168–9, 374
 alfalfa, 328
 anti-surge, 407
 backflow prevention, 372
 pressure relief, 168, 373
 safety, 374
 vacuum relief, 168–9, 373
Vapor pressure
 actual, 31, 33, 41, 256
 saturation
 definition, 31
 equation, 256
 values for various temperature, 31
Vapor pressure deficit, 31, 254, 256, 258
Vaporization, 29
Vegetation coverage fraction, 282
Velocity
 maximum, enclosed pipeline, 146
 pressure surges, 146
Velocity measurement, open channel, 197
 current meters, 197
 floats, 197
 tracer, 198
Vena contracta, 206
Venturimeter, 208
 discharge, 208
Void ratio, 58
 soil, 233
Von Kármán constant, 255
- Warabandi system, 533
Water balance approach, irrigation scheduling, 529
Water horsepower (WP), 177
Water laws and rights, different countries, 554
Water management, 552
Water meters, 373
Water movement, xylem, 262
Water quality
 guidelines, 89
 impacts on crop, 82, 88–9
 boron tolerances, 88
 chloride tolerances, 88
 salt tolerances, 88
 management, 82
 chemical amendments, 92
 leaching. *See* Leaching requirement
 parameters, 81
 hardness, 87
 heavy metal, 87
 range in irrigation water, 82
 salinity, 83. *See also* Salinity
 sodicity, 84. *See also* Sodicity
 suspended matter, 86
 toxic elements, 86
 boron, 86
 chloride, 86
 sodium, 86
 trace elements, 86
Water resources, renewable
 country-wise, 445
 global, 445
 proportion for irrigation, 445
Water rights, 47
 appropriations doctrine, 47
 riparian, 47
Water sources, 44
 groundwater. *See* Groundwater
 location, 48
 rainwater harvesting, 48
 surface. *See* Surface water
 wastewater, 47
Water stress factor, 280
Water table, buildup, 482
Water vapor, 29
 latent heat of fusion, 30
 latent heat of sublimation, 30
 latent heat of vaporization, 29
 vaporization, 29
Water, physical properties, 257
Weather, 19
Weighting factor, 459
Weirs, 199
 terms used
 crest, 199
 head, 199
 height, 199
 nappe, 199
 pond, 199
 scale, 199
 rectangular, 199
 sharp-crested, 199
 trapezoidal or Cipolletti, 200
 triangular, 200
Well recovery, 70
Wells
 development methods, 76
 drilling methods. *See* Drilling methods
 dug, 44
 installations, 72
 screen selection, 72
 testing, 76
Wet-bulb temperature, 28
Wetted diameter
 big gun, 397
 spray trickle irrigation, 406
 sprinkler, 372, 384
Wetted perimeter
 furrow, 353
 rectangular cross-section, 122
Wetting front, 225, 242–3
 velocity in different soils, 243
Wind, 36
Wind function, Penman method, 254
Work day, 451
- Yield response factor, 116
- Zero-inertia model, 308
Zero-plane displacement height, 255