

Index

- 2D unit triangle function, 250
- 3-D scalar wave equation, 76, 86
- acousto-optic modulator, 216, 217
- acousto-optics, 260, 268, 269, 272, 284, 304
- acousto-optics modulators (AOMs), 260
- affine transformation, 249–251, 253, 256
- Airy disk, 103
- Airy Pattern, 102
- aliasing, 194–197
- all-pass filtering, 127
- AM (amplitude modulation), 281
- Ampere's law, 73
- amplitude spectrum, 40, 42
- amplitude transmittance function, 87
- analyzer, 298, 303
- angle of reflection, 1
- angle of spread, 18, 97
- angles of incidence and refraction, 1, 4
- angular plane wave spectrum, 89, 90
- angular spectrum method (ASM), 239
- angular spread, 108
- annular aperture, 15, 19
- aperiodic, 37, 41, 44
- aperture, 86, 87, 91–93, 95–98, 102, 103, 105, 116
- aperture stop, 12, 15
- Associative Property of Convolution, 171
- auto-correlation, 64
- average value, 38
- bandpassing filtering of intensity objects, 231
- bandwidth, 192, 193
- baseband current, 207, 213
- beam waist, 106, 107
- Bessel function of order m , 273
- biaxial, 295
- bilinear transformation, 110
- bipolar incoherent image processing, 145
- birefringence, 296
- Bragg angle, 264, 265, 276, 284, 313, 314
- Bragg cell, 260, 267
- Bragg diffraction, 268, 272, 273, 276, 278, 285, 314
- Bragg regime, 267, 268, 280
- central obscuration ratio, 15
- characteristic impedance, 84
- circular function, 51–53
- Circular polarization, 291
- circularly polarized light, 296, 315
- circularly symmetric, 52
- clockwise circularly polarized wave, 292
- coded aperture correlation holography (COACH), 212, 223, 226
- coded aperture imaging, 223, 226
- coded phase mask (CPM), 226, 255
- coherence function of the scanning system, 213
- coherence time, 120, 121
- coherent holography, 151
- coherent image processing, 124, 127, 142, 143, 147, 148
- coherent length, 120
- coherent point spread function (CPSF), 126
- coherent processing, 208, 213
- coherent transfer function (CTF), 44, 126
- Collins' integral, 109, 110, 116
- commutative, 32
- complex amplitude, 87, 89, 92, 96, 99, 102
- complex curvature, 109
- complex filter, 179
- complex filtering, 66
- complex Fresnel hologram, 210, 211
- complex Fresnel zone plate hologram, 216
- complex hologram, 200–203, 210, 211, 217, 218, 222, 232, 234, 236, 238, 241, 244, 254, 255
- complex spatial filtering, 178–180
- computer-generated holograms (CGHs), 235
- computer-generated holography, 190, 235, 237, 256
- conservation of energy, 263, 273–275, 314
- conservation of energy and momentum, 263
- conservation of momentum, 263
- constitutive relations, 73, 74
- conversation of energy, 263
- convolution integral, 31, 60
- correlation, 21, 60, 64–66
- correlation plane, 184, 189
- counter-clockwise circularly polarized wave, 292
- cross polarizers, 298

- cross product, 72, 73
- cross-correlation, 64, 66
- DC value, 38
- de Borglie hypothesis, 70
- decoding, 157
- deflection angle, 284
- delta function, 24–26, 31, 46–48, 55
- de-modulation, 281
- depth of field, 1, 14
- depth of focus, 1, 13–16, 19
- dichroism, 292
- dielectric materials, 74
- differentiator, 28
- Diffraction, 70, 86, 87, 93, 96
- diffraction grating, 37, 261
- digital holography, 190, 191, 200
- digital incoherent holography, 223
- diopeters, 5
- Dirac delta function, 24
- director, 305
- divergence, 70, 108
- dot product, 70, 71
- downshifted interaction, 263, 274
- Edge detection, 130
- electrical permittivity, 74
- Electrically-Addressed SLM, 312
- electromagnetic (EM) fields, 70
- electromagnetics optics, 86
- Electronic Demodulation, 208
- electro-optic effect, 298
- electro-optic modulators (EOMs), 260
- elliptical polarization, 292
- evanescent waves, 90, 91
- extraordinary refractive index, 295
- extraordinary wave (e-ray), 296
- far field diffraction, 95
- Faraday's law, 72–74, 83
- fast axis, 296
- fill factor, 191
- first harmonic, 37
- first-order Bessel function of the first kind, 52
- focal length, 7, 8, 9, 11, 12, 16, 18
- focal shift, 114
- forward Fourier transform, 41
- Fourier coefficients, 37–40
- Fourier hologram, 174
- Fourier integral theorem, 43, 47
- Fourier plane, 124, 126
- Fourier series, 21, 37–40, 68
- Fourier transforms, 21, 35, 41–55, 59, 60, 62–64, 66, 68, 69, 197
- Fourier transform pair, 42, 46–48, 53, 69
- Fourier Transform-based (FT-based) scalar diffraction theory, 86
- Fourier-Bessel transform, 52
- Fraunhofer diffraction, 89, 95, 96
- Fraunhofer diffraction formula, 96
- frequency domain, 34, 35, 43, 51
- frequency mixing, 286
- frequency modulation, 260
- frequency multiplier, 285
- frequency response function, 34–36, 43, 44, 67
- Fresnel approximation, 94
- Fresnel diffraction, 89, 92–95, 98, 106, 110
- Fresnel diffraction formula, 94, 98, 100, 102, 109, 115
- Fresnel hologram, 174
- Fresnel incoherent correlation holography (FINCH), 212, 221
- Fresnel zone plate (FZP), 154
- full-wave plate, 297
- fundamental frequency, 37
- fundamental period, 37
- Gabor hologram, 171, 173
- Gabor holography, 171, 173
- Gauss's law, 70, 73, 82
- Gaussian beam, 105, 108, 109, 112, 113, 117, 118
- Gaussian optics, 1
- geometrical image, 126
- geometrical transformations, 251
- Gouy phase, 108
- grating equation, 262, 271, 273, 312, 313
- Half-wave plates, 297
- half-wave voltage, 303
- Helmholtz equation, 86, 88
- heterodyne current, 207, 209, 213–215, 288, 289
- heterodyne frequencies, 286
- heterodyning, 204, 217, 260, 286–289
- highpass filtering, 130, 133, 139, 143
- Hilbert transform, 148
- Hilbert transformation, 231
- hologram, 151, 152, 161, 162, 174, 176–178, 180
- holographic feature extraction OTF, 233, 234
- holographic OTF, 231, 233
- holographic recording, 151, 152, 158, 163
- Holography, 151, 156, 182
- homodyning, 286
- homogeneous, 74, 83, 86, 91, 115
- homogeneous vector wave equations, 75
- Huygens' principle, 92, 93
- Huygens-Fresnel diffraction integral, 92
- ideal Bragg diffraction, 272, 276
- ideal lens, 96–100, 102, 110, 112, 113, 116, 117
- identity matrix, 247
- image hologram, 176, 178
- image processing, 35, 45
- imaging, 9–11, 14, 16, 17, 19
- impulse response, 31, 35, 44, 61, 65, 67, 68

- incoherent holography, 151, 212, 218, 221
- incoherent image processing, 132, 139, 141–143, 145
- incoherent processing, 212, 215
- information-carrying plane wave, 287
- inhomogeneous vector wave equation, 75
- in-phase component, 209
- in-phase hologram, 200
- input ray coordinates, 2, 8, 9
- integrating detector, 142
- intensity, 86, 97, 103, 105
- intensity modulation, 260, 281, 282, 284, 298, 302, 304, 311
- intensity point spread function (IPSF), 132
- interference, 70, 86, 115, 119–123, 139, 145
- interpolated WRP (IWRP) method, 241
- inverse Fourier transform, 42
- invertible, 43
- irradiance, 86
- isoplanatic patch, 61
- isotropic materials, 74

- Jacobian, 248, 253, 256
- jinc function, 53
- joint transform correlation (JTC), 183
- joint-transform spectrum (JTS), 183

- Klein-Cook parameter, 268
- Korpel-Poon equations, 271, 312
- Korpel-Poon multiple-plane-wave theory, 269

- Laplacian, 74
- laser beam deflection, 260
- laser deflection, 282
- lateral holographic magnification, 167, 169
- lateral magnification, 10, 11, 14, 16, 19
- lateral resolution, 12–15
- law of reflection, 1
- left-hand circularly (LHC) polarized, 292
- lens law for a Gaussian beam, 112
- lensless imaging, 226
- line spectra, 39, 40
- linear, 21, 27, 30, 31, 34–37, 44, 45, 54, 57, 60, 61, 65, 67, 68
- linear (or Pockels-type) electro-optic effect, 298
- linear and space-invariant coherent system, 126
- linear electro-optic (or Pockels) coefficients, 299
- linear electro-optic tensor, 299
- linear polarizer, 292, 293, 311, 314
- linear space-invariant, 60
- linear time-variant system, 31
- linearly polarized, 269, 290, 293, 295, 296, 297, 302, 304, 310, 311
- liquid crystal displays, 260
- liquid crystals, 305
- liquid-crystal-on-silicon (LCoS) technology, 312
- local frequency, 155

- lock-in amplifier, 286
- longitudinal coherence, 119
- longitudinal holographic magnification, 168
- longitudinal resolution, 13
- look-up-table (LUT) method, 240
- lowpass filtering, 128, 133, 135, 136, 145

- magnetic dipole, 72
- Magnetic Gauss's Law, 72
- magnetic materials, 74
- magnetic permeability, 74
- magnitude frequency spectrum, 35
- magnitude spectrum, 39, 42, 56, 57
- matched filtering, 66, 180
- mesh, 243, 244
- modulated signal, 281, 305
- modulating signal, 281, 286, 304, 305
- modulation transfer function (MTF), 133
- multipliers, 284, 285

- narrowband phase modulation (NBPM), 284
- Natural light, 293
- Near Bragg diffraction, 276
- near Bragg regime, 278
- near field diffraction, 94
- necessary condition, 43
- negative uniaxial crystal, 295
- nonlinear, 27, 28, 67
- nonlinear scanning, 143
- non-pupil interaction synthesis, 143, 144
- n-th harmonic, 37
- numerical aperture, 12–14
- Nyquist rate, 193, 194, 254
- Nyquist sampling frequency, 193

- object wave, 152, 153, 159, 160, 171, 174, 176
- off-axis Fresnel holograms, 196
- off-axis FZP, 155
- off-axis holography, 159
- off-axis point-source hologram, 161
- off-Bragg angle diffraction, 278
- on-axis Fresnel holograms, 195
- on-axis holography, 152, 174
- on-axis recording, 152
- one-pupil synthesis, 144
- optic axis, 295, 296, 302
- optical axis, 1, 4, 8–10
- optical heterodyning, 288
- optical image processing, 96
- Optical modulation, 281
- optical pattern recognition, 66, 180
- optical scanning holography (OSH), 212, 216, 217, 230
- optical scanning processing, 139
- optical transfer function (OTF), 44, 133
- optical transfer function of the two-pupil heterodyning system, 230

- Optically-Addressed SLM, 311
- ordinary refractive index, 295
- ordinary wave (o-ray), 296
- orthogonal matrix, 245
- orthogonality of exponents, 38
- orthoscopic image, 158
- output ray coordinates, 2, 5, 8, 9, 11
- parallax, 151, 158
- parallel local coordinate system, 245, 249, 250
- parallel-aligned liquid crystal (PAL) cell, 306
- paraxial approximation, 92, 93, 109
- paraxial rays, 1
- partial coherent digital holographic recording, 217
- partial coherent image processing, 143
- peak phase delay, 271, 274
- Phariseau formula, 276
- phase contrast microscope, 148
- phase frequency spectrum, 35
- phase modulation (PM), 284
- phase spectrum, 39, 42, 56
- phase velocity, 78, 115
- phase-deviation constant, 284, 305
- phasor, 87
- phonons, 263
- photodetection, 141
- photodetector, 281, 286–289
- photons, 263
- pixel pitch, 191, 201
- planar wavefronts, 80, 113, 114, 117
- Planck's constant, 12
- plane of incidence, 1
- plane of polarization, 290, 291
- plane wave, 78–80, 89, 90, 96–99, 102, 108, 114–117
- plane wave spectrum of the sound, 266, 268
- plane-wave solution, 78
- point spread function (PSF), 61
- point-based approach, 235, 236, 243
- point-detector, 141, 206, 217
- Polarization, 290–292
- Polarizing beam splitters, 294
- polygon field, 244, 245, 249, 250, 253
- polygon-based method, 243
- polygons, 235, 243, 244, 249
- position vector, 77
- positive uniaxial crystal, 295
- Poynting vector, 82, 84
- p-polarized wave, 294
- pre-processing, 130
- Pre-processing of holographic information, 230
- principal axes, 295, 302
- principle of superposition, 2
- Product Property, 25
- propagation constant, 77
- propagation vector, 77, 89, 263
- pseudoscopic image, 158
- pulse, 23, 37, 39–42
- pulse train, 37, 39–42
- pupil engineering, 126
- pupil function, 125, 126, 133, 139, 140, 143, 144, 148
- pupil interaction synthesis, 145
- pupil plane, 125, 128, 130, 139, 148
- q-parameter of the Gaussian beam, 106
- quadrature component, 209
- quadrature-phase hologram, 200
- quantitative phase imaging (QPI), 211
- Quarter-wave plates, 296
- radian frequency, 34, 37
- radian spatial frequencies, 45
- radius of curvature, 4
- radius of curvature of the Gaussian beam, 107
- Raleigh range of the Gaussian beam, 106
- Raman-Nath diffraction, 268, 272
- Raman-Nath regime, 268
- ray diagram, 9, 11, 18
- ray transfer matrix, 3, 5, 8
- Rayleigh length, 95
- real hologram, 154
- real image, 9, 18
- reconstruction, 151, 157–159, 161, 174, 177
- reconstruction wave, 157, 158, 161, 165, 177, 186, 187
- recording angle, 159
- rect function, 23
- rectangular function, 23, 24, 47, 49–51
- recursion relation for Bessel functions, 272
- reference plane wave, 287, 288
- reference wave, 152, 153, 159, 161, 164, 169, 173, 177
- reflection, 222, 251
- refracting power, 5
- refraction matrix, 5
- refractive index ellipsoid, 295
- retardation, 303, 309, 312
- right-hand circularly (RHC) polarized wave, 292
- sampling frequency, 193, 194, 196
- sampling period, 192, 193
- Sampling Property, 25
- scalar diffraction, 77, 86
- scalar diffraction theory, 77, 86
- scalar product, 70
- scaled version, 21
- scaling, 251
- Scaling Property, 26, 57
- scanning optical processor, 139
- Schwarz's Inequality, 133
- self-interference, 218–221, 223, 226, 227
- separable function, 46, 49, 50
- shear, 251

- signal, 21, 22, 24, 30, 35, 37–42, 44, 45, 56, 57, 59, 61, 65–68
 signal plane wave, 287, 288
 signal processing, 35, 40, 42
 signum function, 148
 Sinc function, 40, 41, 50, 58
 sine and cosine holograms, 216, 217
 singularity function, 23, 24
 Snell's law of refraction, 1
 source coordinate system, 245, 251, 253
 source-focused or critical illumination, 226
 space-variant filtering, 143
 spatial carrier, 195
 Spatial coherence, 119, 122
 spatial filter, 126
 spatial filtering, 126, 136, 137
 spatial frequency transfer function in Fourier optics, 94, 106
 spatial impulse response in Fourier optics, 94
 spatial impulse response of propagation, 91, 92
 spatial resolution, 191
 spatial transfer function of propagation, 88, 91
 spatially coherent, 123, 132
 spectral folding, 194
 spectral width, 120, 121
 spectrum, 35, 36, 39–42, 44, 45, 51, 57, 58, 66, 68
 spherical symmetry, 80
 spherical wave, 80, 81, 92, 93
 spherical-wave solution, 80
 s-polarized wave, 294
 square integrability, 43
 square-law detectors, 141, 288
 square-law device, 285
 sufficient condition, 43
 superposition integral, 31
 surface function of an arbitrary polygon, 244
 system equation, 27–30, 35, 43
 system matrix, 3, 5, 6, 7, 10
 system matrix equation, 6, 10
 Systems, 21, 27

 temporal coherence, 119, 120
 the angular spectrum method (ASM), 91
 thin-lens formula, 11
 thin-lens matrix, 7
 threshold voltage, 308
 tilt angle, 308
 tilted local coordinate system, 245, 251
 time-invariant, 28, 30, 31, 34–37, 44, 45, 60, 68
 time-reversal, 22
 time-shifted version, 21

 time-variant, 28, 29, 31
 torque, 306–308
 transfer function, 34–36, 44, 45
 transformation matrix, 245, 249
 transit time, 284
 translation, 251
 translation matrix, 4, 6
 transmission axis, 292, 293, 304
 transparency function, 87, 97–99, 102, 110, 116
 transverse coherence, 119
 transverse electromagnetic (TEM) waves, 83
 triangle function, 135
 twin image, 158, 159, 162, 173, 178
 twin image problem, 159
 two-dimensional (2-D) forward Fourier transform, 45
 two-dimensional (2D) inverse Fourier transform, 46
 two-pupil synthesis, 143, 144
 two-pupil system, 204, 210, 212, 217, 230, 234, 255
 two-step-only quadrature PSH, 204

 uncertainty principle, 12
 uniaxial crystal, 296, 302
 unimodular matrix, 2, 4
 Unit Area, 25
 unit impulse function, 24
 unit right triangle, 250–252
 unit step function, 23
 unit vectors, 70
 upshifted and downshifted Bragg diffraction, 273
 upshifted interaction, 263, 273, 285

 vector diffraction theory, 86
 vector product, 72
 virtual field, 172, 173
 virtual image, 11

 wave optics, 77
 wave plate, 295–297, 311
 wavefront recording plane (WRP), 237
 wavevectors, 263
 wideband phase modulation (WBPM), 284

 x-cut, 295, 315
 x-cut wave plate, 295

 zero-order Bessel function of the first kind, 52
 zeroth-order beam, 157, 159, 162, 173, 175, 177, 180, 188